



@ FILE NAME: M\_CTC\_ID\_019.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.7

Test Description: This scenario is MANDATORY for an O-RU supporting the Hybrid M-plane architecture model.

This test validates that the O-RU correctly implements NETCONF Access Control security aspects.

The scenario corresponds to the following chapters in [3]:

3.3 SSH Connection Establishment

3.4 NETCONF Access Control



\_\_\_\_\_

STEP 1. The TER NETCONF Client establishes a connection with the O-RU NETCONF Server.

\_\_\_\_\_

\*\*\*\*\*\* Connect to the NETCONF Server \*\*\*\*\*\*\*\*

\_\_\_\_\_\_

> connect --ssh --host 192.168.3.38 --port 830 --login operator

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

> status

Current NETCONF session:

ID : 25

Host : 192.168.3.38

Port: 830 Transport: SSH Capabilities:

 $urn: ietf: params: netconf: base: 1.0 \ urn: ietf: params: netconf: base: 1.1 \ urn: ietf: params: netconf: capability: writable-running: 1.0 \ urn: ietf: params: netconf: base: 1.0 \ urn: ietf: params: n$ 

urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0

 $urn: ietf: params: netconf: capability: validate: 1.1 \ urn: ietf: params: netconf: capability: startup: 1.0 \ urn: ietf: params: netconf: capability: xpath: xpath: xpath: xpath: xpath: xpa$ 

urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit

urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0

urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15

urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid

ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn: ietf: params: xml: ns: yang: ietf-net conf-notifications? module = ietf-net conf-notifications & revision = 2012-02-06

urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04

urn: ietf: params: xml: ns: netconf: notification: 1.0? module = notifications & revision = 2008-07-14

urn: ietf: params: xml: ns: netmod: notification? module = nc-notifications & revision = 2008-07-14

urn: ietf: params: xml: ns: yang: ietf-x509-cert-to-name? module = ietf-x509-cert-to-name & revision = 2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification\_history?module=notification\_history

urn: ietf: params: xml: ns: yang: iana-if-type? module = iana-if-type & revision = 2017-01-19

> subscribe --filter-xpath /ietf-netconf-notifications:\*

\_\_\_\_\_\_

Ok



<?xml version="1.0" ?>

\_\_\_\_\_

## 

\_\_\_\_\_\_

## > get --filter-xpath /o-ran-usermgmt:users/user

\_\_\_\_\_\_

```
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<users xmlns="urn:o-ran:user-mgmt:1.0">
<user>
 <name>oranuser</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>observer</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>installer</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>user1</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>User2</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>User3</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
```

<name>user2</name>



<account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>user3</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>user4</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator9272416</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator08457170344525021180394</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator1767096287497333</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> </users> </data>



\_\_\_\_\_\_

## 

- Nov 4 02:47:53 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:47:53 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:47:54 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:47:54 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:47:55 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/fw\_manager
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/fw\_manager", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 1.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/nw\_manager
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/nw\_manager", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 2.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/operations\_manager
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/operations\_manager", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 3.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/pm\_manager
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/pm\_manager", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 4.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/um\_manager
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/um\_manager", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 5.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 5 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/sys\_monitor
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/sys\_monitor", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 6.



- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 6 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/fault\_manager
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/fault\_manager", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 7.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 7 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/file\_manager
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/file\_manager", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 8.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 8 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/supervision
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/supervision", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 9.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 9 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/sync\_manager
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/sync\_manager", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 10.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 10 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/ald\_controller
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/ald\_controller", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 11.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 11 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/log\_manager
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/log\_manager", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 12.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 12 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/radio\_manager
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/radio\_manager", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 13.



- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 13 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/cli\_manager
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/cli\_manager", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 14.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 14 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 user.warn log\_manager[1407]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "o-ran-troubleshooting" event with ID 1.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:47:55 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/supervision", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 15.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 15 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/ald\_controller", but it is not required.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 16.
- Nov 4 02:47:55 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 16 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:56 mcb1 user.notice SYNCMNGR[1305]: Received message from S-Plane
- Nov 4 02:47:56 mcb1 daemon.info netopeer2-server[984]: Session 25: thread 0 event new RPC.
- $Nov\ \ 4\ 02:47:56\ mcb1\ daemon. info\ net opeer 2-server [984]:\ Session\ 25:\ thread\ 0\ event\ session\ terminated.$
- Nov 4 02:47:56 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:47:56 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/fault\_manager", but it is not required.
- Nov 4 02:47:56 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:47:56 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 17.
- Nov 4 02:47:56 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 17 priority 0 (remaining 0 subscribers).
- Nov 4 02:47:56 mcb1 daemon.err netopeer2-server[984]: Session 25: invalid session to write to.
- Nov 4 02:47:56 mcb1 daemon.err netopeer2-server[984]: Session 25: failed to write notification (error).
- Nov 4 02:47:56 mcb1 daemon.err netopeer2-server[984]: Sending a notification to session 25 failed.
- $Nov\ \ 4\ 02:47:56\ mcb1\ daemon. info\ net opeer 2-server [984]: There\ are\ no\ subscribers\ for\ "ietf-net conf-notifications"\ notifications.$
- Nov 4 02:47:56 mcb1 daemon.info netopeer2-server[984]: Generated new event (netconf-session-end).
- Nov 4 02:47:56 mcb1 authpriv.debug sshd[7141]: pam\_unix(sshd:account): account operator has password changed in future
- Nov 4 02:47:56 mcb1 auth.info sshd[7141]: Accepted password for operator from 192.168.3.15 port 48236 ssh2
- Nov 4 02:47:56 mcb1 authpriv.info sshd[7141]: pam\_unix(sshd:session): session opened for user operator by (uid=0)



<b>Expected Result : The O-RU NETCONF server replies by silently omitting data nodes and</b>
their descendants to which the client does not have read access from the <rpc-reply></rpc-reply>
message
**************************************
Access Control Sudo (negative case) = SUCCESS