



@ FILE NAME: M_CTC_ID_019.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for Garuda: v5.0.2

Test Description: This scenario is MANDATORY for an O-RU supporting the Hybrid M-plane architecture model.

This test validates that the O-RU correctly implements NETCONF Access Control security aspects.

The scenario corresponds to the following chapters in [3]:

3.3 SSH Connection Establishment

3.4 NETCONF Access Control



STEP 1. The TER NETCONF Client establishes a connection with the O-RU NETCONF Server.

****** Connect to the NETCONF Server ********

> connect --ssh --host 192.168.4.41 --port 830 --login operator

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

> status

Current NETCONF session:

ID : 2

Host : 192.168.4.41

Port: 830 Transport: SSH Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0

urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0

 $urn: ietf: params: netconf: capability: validate: 1.1 \ urn: ietf: params: netconf: capability: startup: 1.0 \ urn: ietf: params: netconf: capability: xpath: 1.0 \ urn: ietf: params: netcon$

urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit

urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0

urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15

urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn: ietf: params: xml: ns: netconf: base: 1.0? module=ietf-netconf & revision=2013-09-29 & features=writable-running, candidate, rollback-on-error, valid and the configuration of the configuratio

ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn: ietf: params: xml: ns: yang: ietf-net conf-notifications? module = ietf-net conf-notifications & revision = 2012-02-06

urn: ietf: params: xml: ns: yang: ietf-netconf-monitoring? module = ietf-netconf-monitoring & revision = 2010-10-04

urn: ietf: params: xml: ns: netconf: notification: 1.0? module = notifications & revision = 2008-07-14

urn: ietf: params: xml: ns: netmod: notification? module = nc-notifications & revision = 2008-07-14

urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history

urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

> subscribe

Ok



> get --filter-xpath /o-ran-usermgmt:users/user

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<users xmlns="urn:o-ran:user-mgmt:1.0">
<user>
 <name>oranuser</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>observer</name>
 <account-type>PASSWORD</account-type>
```

<user>
<name>installer</name>

<enabled>true</enabled>

- <account-type>PASSWORD</account-type>
- <enabled>true</enabled>
- </user>

</user>

- </users>
- </data>



- Dec 22 23:27:06 garuda daemon.info netopeer2-server[853]: Timed out after 5s (Operation now in progress).
- Dec 22 23:27:06 garuda daemon.info netopeer2-server[853]: Trying to connect the pending socket 37.
- Dec 22 23:27:11 garuda daemon.info netopeer2-server[853]: Timed out after 5s (Connection refused).
- Dec 22 23:27:11 garuda daemon.info netopeer2-server[853]: Trying to connect the pending socket 37.
- Dec 22 23:27:15 garuda user.notice SYNCMNGR[1176]: Received message from S-Plane
- Dec 22 23:27:16 garuda daemon.info netopeer2-server[853]: Timed out after 5s (Operation now in progress).
- Dec 22 23:27:16 garuda daemon.info netopeer2-server[853]: Trying to connect the pending socket 37.
- Dec 22 23:27:21 garuda daemon.info netopeer2-server[853]: Timed out after 5s (Connection refused).
- Dec 22 23:27:21 garuda daemon.info netopeer2-server[853]: Trying to connect the pending socket 37.
- Dec 22 23:27:26 garuda daemon.info netopeer2-server[853]: Timed out after 5s (Operation now in progress).
- Dec 22 23:27:26 garuda daemon.err netopeer2-server[853]: Failed to connect socket 37 after 5 retries, closing.
- Dec 22 23:27:26 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.2.15:4334.
- Dec 22 23:27:29 garuda user.notice SYNCMNGR[1176]: Received message from S-Plane
- Dec 22 23:27:31 garuda daemon.info netopeer2-server[853]: Timed out after 5s (Operation now in progress).
- Dec 22 23:27:31 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.3.15:4334.
- Dec 22 23:27:36 garuda daemon.info netopeer2-server[853]: Timed out after 5s (Operation now in progress).
- Dec 22 23:27:36 garuda daemon.info netopeer2-server[853]: Trying to connect the pending socket 38.
- Dec 22 23:27:41 garuda daemon.info netopeer2-server[853]: Timed out after 5s (Operation now in progress).
- Dec 22 23:27:41 garuda daemon.info netopeer2-server[853]: Trying to connect the pending socket 38.
- Dec 22 23:27:43 garuda user.notice SYNCMNGR[1176]: Received message from S-Plane
- Dec 22 23:27:46 garuda daemon.info netopeer2-server[853]: Timed out after 5s (Operation now in progress).
- Dec 22 23:27:46 garuda daemon.info netopeer2-server[853]: Trying to connect the pending socket 38.
- Dec 22 23:27:51 garuda daemon.info netopeer2-server[853]: Timed out after 5s (Operation now in progress).
- Dec 22 23:27:51 garuda daemon.info netopeer2-server[853]: Trying to connect the pending socket 38.
- Dec 22 23:27:56 garuda daemon.info netopeer2-server[853]: Timed out after 5s (Operation now in progress).
- Dec 22 23:27:56 garuda daemon.err netopeer2-server[853]: Failed to connect socket 38 after 5 retries, closing.
- Dec 22 23:27:56 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.3.15:4334.
- Dec 22 23:27:57 garuda user.notice SYNCMNGR[1176]: Received message from S-Plane
- Dec 22 23:28:01 garuda daemon.info netopeer2-server[853]: Timed out after 5s (Operation now in progress).
- Dec 22 23:28:01 garuda daemon.info netopeer2-server[853]: Trying to connect the pending socket 27.
- Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Accepted a connection on :::830.
- Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Session 108 (user "root", CID 1) created.
- Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Received an SSH message "request-service" of subtype "ssh-userauth".
- Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Received an SSH message "request-auth" of subtype "password".
- Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: User "operator" authenticated.
- Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Received an SSH message "request-channel-open" of subtype "session".
- Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Received an SSH message "request-channel" of subtype "subsystem".
- Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Session 109 (user "root", CID 1) created.
- Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Generated new event (netconf-session-start).
- Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Published event "rpc" "/ietf-netconf:get" with ID 3 priority 0 for 1 subscribers.



Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Processing "/ietf-netconf:get" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Event "rpc" with ID 3 priority 0 succeeded.

Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...

Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.

Dec 22 23:28:05 garuda daemon.info netopeer2-server[853]: Session 2: thread 0 event new RPC.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Published event "rpc" "/ietf-netconf:get" with ID 4 priority 0 for 1 subscribers.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Processing "/ietf-netconf:get" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 2.

Dec 22 23:28:06 garuda user.notice fw_manager[930]: RPC #2 recieved. xpath -> /o-ran-software-management:software-inventory

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Timed out after 5s (Operation now in progress).

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Trying to connect the pending socket 27.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Event "operational" with ID 2 succeeded.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Event "rpc" with ID 4 priority 0 succeeded.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Session 2: thread 0 event new RPC.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Published event "rpc" "/ietf-netconf:get-config" with ID 3 priority 0 for 1 subscribers.

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Processing "/ietf-netconf:get-config" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).



- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Event "rpc" with ID 3 priority 0 succeeded.
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Session 2: thread 2 event new RPC.
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Published event "rpc" "/notifications:create-subscription" with ID 2 priority 0 for 1 subscribers.
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Processing "/notifications:create-subscription" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Event "rpc" with ID 2 priority 0 succeeded.
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Session 2: thread 0 event new RPC.
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: There is no instance of "/stli_giru-wdm:system-apps/nw_manager", but it is not required.
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec~22~23:28:06~garuda~daemon. info~netopeer 2-server [853]:~Processing~"notif"~"ietf-netconf-notifications"~event~with~ID~1.
- Dec 22 23:28:06 garuda daemon.info netopeer2-server[853]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: There is no instance of "/stli_giru-wdm:system-apps/log_manager", but it is not required.
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec~22~23:28:07~garuda~daemon. info~netopeer 2-server [853]:~Processing~"notif"~"ietf-netconf-notifications"~event~with~ID~2.
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec~22~23:28:07~garuda~daemon. info~netopeer 2-server [853]: Published~event~"rpc"~"/ietf-netconf: get-config"~with~ID~4~priority~0~for~1~subscribers.
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Processing "/ietf-netconf:get-config" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Event "rpc" with ID 4 priority 0 succeeded.
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Session 2: thread 0 event new RPC.
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: There is no instance of "/stli_giru-wdm:system-apps/fault_manager", but it is not required.
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.



- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Processing "notif" "ietf-netconf-notifications" event with ID 3.
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: There is no instance of "/stli_giru-wdm:system-apps/radio_manager", but it is not required.
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Processing "notif" "ietf-netconf-notifications" event with ID 4.
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: There is no instance of "/stli_giru-wdm:system-apps/um_manager", but it is not required.
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Processing "notif" "ietf-netconf-notifications" event with ID 5.
- Dec 22 23:28:07 garuda daemon.info netopeer2-server[853]: Successful processing of "notif" event with ID 5 priority 0 (remaining 0 subscribers).
- Dec 22 23:28:08 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:08 garuda daemon.info netopeer2-server[853]: There is no instance of "/stli_giru-wdm:system-apps/fw_manager", but it is not required.
- Dec 22 23:28:08 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec 22 23:28:08 garuda daemon.info netopeer2-server[853]: Processing "notif" "ietf-netconf-notifications" event with ID 6.
- Dec 22 23:28:08 garuda daemon.info netopeer2-server[853]: Successful processing of "notif" event with ID 6 priority 0 (remaining 0 subscribers).
- Dec 22 23:28:08 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:08 garuda daemon.info netopeer2-server[853]: There is no instance of "/stli_giru-wdm:system-apps/sync_manager", but it is not required.
- Dec 22 23:28:08 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec 22 23:28:08 garuda daemon.info netopeer2-server[853]: Processing "notif" "ietf-netconf-notifications" event with ID 7.
- Dec 22 23:28:08 garuda daemon.info netopeer2-server[853]: Successful processing of "notif" event with ID 7 priority 0 (remaining 0 subscribers).
- Dec 22 23:28:09 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Dec 22 23:28:09 garuda daemon.info netopeer2-server[853]: There is no instance of "/stli_giru-wdm:system-apps/operations_manager", but it is not required.
- Dec 22 23:28:09 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Dec 22 23:28:09 garuda daemon.info netopeer2-server[853]: Processing "notif" "ietf-netconf-notifications" event with ID 8.
- Dec 22 23:28:09 garuda daemon.info netopeer2-server[853]: Successful processing of "notif" event with ID 8 priority 0 (remaining 0 subscribers).
- Dec 22 23:28:11 garuda daemon.info netopeer2-server[853]: Timed out after 5s (Operation now in progress).
- Dec 22 23:28:11 garuda daemon.err netopeer2-server[853]: Failed to connect socket 27 after 5 retries, closing.
- Dec 22 23:28:11 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.5.15:4334.
- Dec 22 23:28:11 garuda user.notice SYNCMNGR[1176]: Received message from S-Plane
- Dec 22 23:28:12 garuda daemon.info netopeer2-server[853]: Session 2: thread 0 event new RPC.
- $Dec\ 22\ 23:28:12\ garuda\ daemon. info\ net opeer 2-server [853]:\ Session\ 2:\ thread\ 0\ event\ session\ terminated.$
- Dec 22 23:28:12 garuda daemon.info netopeer2-server[853]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Dec 22 23:28:12 garuda daemon.info netopeer2-server[853]: Generated new event (netconf-session-end).
- Dec 22 23:28:12 garuda auth.info sshd[9758]: Accepted password for operator from 192.168.4.15 port 39766 ssh2
- Dec 22 23:28:12 garuda authpriv.info sshd[9758]: pam_unix(sshd:session): session opened for user operator by (uid=0)



| Expected Result : The O-RU NETCONF server replies by silently omitting data nodes and |
|--|
| their descendants to which the client does not have read access from the <rpc-reply></rpc-reply> |
| message |
| |
| ************************************** |
| |
| |
| Access Control Sudo (negative case) = SUCCESS |
| |