



@ FILE NAME: M\_CTC\_ID\_011.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.7

Test Description: This scenario validates that the O-RU NETCONF Server properly executes a get command with a filter applied.



\_\_\_\_\_

## \*\*\*\*\*\* Connect to the NETCONF Server \*\*\*\*\*\*\*

\_\_\_\_\_

> connect --ssh --host 192.168.3.38 --port 830 --login operator ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83 Interactive SSH Authentication done.

> status

Current NETCONF session:

ID : 20

Host : 192.168.3.38

Port: 830 Transport: SSH

Capabilities: urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0 urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0 urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0 urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0 urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05 urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20 urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15 urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15 urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63 urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10 urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14 urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01 urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06 urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04 urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14

\_\_\_\_\_\_

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification\_history?module=notification\_history

## > subscribe --filter-xpath /ietf-netconf-notifications:\*

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14

urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10

Ok



\_\_\_\_\_

\*\*\*\*\*\*\*step 1 and 2 Retrival of ru information with filter \*\*\*\*\*\*\*

## get --filter-xpath /o-ran-usermgmt:users/user

\_\_\_\_\_\_

```
<?xml version="1.0" ?>
```

<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">

<users xmlns="urn:o-ran:user-mgmt:1.0">

<user>

<name>oranuser</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>operator</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>observer</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>installer</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>user1</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>User2</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>User3</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>user2</name>

<account-type>PASSWORD</account-type>



<enabled>true</enabled>
</user>
<user>
<name>user3</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>user4</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>user4</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<use



\_\_\_\_\_\_

## 

- Nov 4 02:40:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:40:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:40:52 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:40:52 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:40:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:40:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- $Nov\ 4\ 02:40:52\ mcb1\ user.warn\ pm\_manager[1372]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- Nov 4 02:40:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- $Nov\ 4\ 02:40:52\ mcb1\ user.warn\ pm\_manager[1372]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- Nov 4 02:40:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:40:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:40:53 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:40:53 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:40:54 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:40:54 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:40:55 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:40:55 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:40:56 mcb1 user.notice SYNCMNGR[1305]: Received message from S-Plane
- Nov 4 02:40:56 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:40:56 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:40:57 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:40:57 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:40:58 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:40:58 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:40:59 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:40:59 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:00 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:00 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:01 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:01 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- $Nov\ 4\ 02:41:02\ mcb1\ user.warn\ pm\_manager[1372]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- Nov 4 02:41:02 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:02 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- $Nov\ \ 4\ 02:41:02\ mcb1\ daemon.err\ netopeer2-server[984]: connect()\ failed\ (Network\ is\ unreachable).$
- Nov 4 02:41:02 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:02 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:02 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:02 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:02 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:02 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:02 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:03 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:03 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:04 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:04 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).



- Nov 4 02:41:05 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:05 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:06 mcb1 user.notice SYNCMNGR[1305]: Received message from S-Plane
- Nov 4 02:41:06 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:06 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:07 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:07 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:08 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:08 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:09 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:09 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:10 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:10 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:11 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:11 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:12 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:12 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:12 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:12 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:12 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:12 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:12 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:12 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:12 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:12 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:12 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:13 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:13 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:14 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:14 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:15 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:15 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:16 mcb1 user.notice SYNCMNGR[1305]: Received message from S-Plane
- Nov 4 02:41:16 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:16 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:17 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:17 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- $Nov\ \ 4\ 02:41:18\ mcb1\ daemon. info\ net opeer 2-server [984]: Trying\ to\ connect\ via\ IPv4\ to\ 192.168.4.15:4336.$
- Nov 4 02:41:18 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:19 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:19 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:20 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:20 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:21 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:21 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:22 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:22 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:22 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 402:41:22 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).



```
Nov 4 02:41:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:41:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:41:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:41:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:41:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:41:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:41:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:41:23 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:41:23 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:41:24 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:41:24 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:41:25 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:41:25 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:41:26 mcb1 user.notice SYNCMNGR[1305]: Received message from S-Plane
Nov 4 02:41:26 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:41:26 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:41:27 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:41:27 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:41:28 mcb1 user.notice wd manager[1441]: Value is 1 for Xpath /vvdn mcel-wdm:system-apps/fw manager
Nov 4 02:41:28 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/nw_manager
Nov 4 02:41:28 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager
Nov 4 02:41:28 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/pm_manager
Nov 4 02:41:28 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/um_manager
Nov 4 02:41:28 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sys_monitor
Nov 4 02:41:28 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fault_manager
Nov 4 02:41:28 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/file_manager
Nov 4 02:41:28 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/supervision
Nov 4 02:41:28 mcb1 user.notice wd manager [1441]: Value is 1 for Xpath /vvdn mcel-wdm:system-apps/sync manager
Nov 4 02:41:28 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/ald_controller
Nov 4 02:41:28 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/log_manager
Nov 4 02:41:28 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/radio_manager
Nov 4 02:41:28 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/cli_manager
Nov 4 02:41:28 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:41:28 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:41:29 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:41:29 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:41:30 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:41:30 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:41:31 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:41:31 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:41:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:41:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:41:32 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:41:32 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:41:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:41:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:41:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:41:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:41:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
```



- Nov 4 02:41:32 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

  Nov 4 02:41:32 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:33 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:33 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:34 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:34 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:35 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:35 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:36 mcb1 user.notice SYNCMNGR[1305]: Received message from S-Plane
- Nov 4 02:41:36 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:36 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:37 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:37 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:38 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:38 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:39 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:39 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:40 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:40 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:41 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:41 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:42 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:42 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:42 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:42 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:42 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:42 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:42 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- $Nov\ 4\ 02:41:42\ mcb1\ user.warn\ pm\_manager[1372]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- $Nov\ 4\ 02:41:42\ mcb1\ user.warn\ pm\_manager[1372]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- Nov 4 02:41:42 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- $Nov\ 4\ 02:41:42\ mcb1\ user.warn\ pm\_manager[1372]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- Nov 4 02:41:43 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:43 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:44 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:44 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:45 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:45 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:46 mcb1 user.notice SYNCMNGR[1305]: Received message from S-Plane
- Nov 4 02:41:46 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:46 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:47 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:47 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:48 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:48 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:49 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:49 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:50 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 402:41:50 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).



- Nov 4 02:41:51 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:51 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:52 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:52 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:52 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:53 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Accepted a connection on :::830.
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Session 424 (user "root", CID 1) created.
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Received an SSH message "request-service" of subtype "ssh-userauth".
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Received an SSH message "request-auth" of subtype "password".
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: User "operator" authenticated.
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Received an SSH message "request-channel-open" of subtype "session".
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Received an SSH message "request-channel" of subtype "subsystem".
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Session 425 (user "root", CID 1) created.
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Generated new event (netconf-session-start).
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Published event "rpc" "/ietf-netconf:get" with ID 40 priority 0 for 1 subscribers.
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Processing "/ietf-netconf:get" "rpc" event with ID 40 priority 0 (remaining 1 subscribers).
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Successful processing of "rpc" event with ID 40 priority 0 (remaining 0 subscribers).
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Event "rpc" with ID 40 priority 0 succeeded.
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Session 20: thread 1 event new RPC.
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Published event "rpc" "/ietf-netconf:get" with ID 41 priority 0 for 1 subscribers.
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Processing "/ietf-netconf:get" "rpc" event with ID 41 priority 0 (remaining 1 subscribers).
- Nov 4 02:41:53 mcb1 daemon.info netopeer2-server[984]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 12.
- Nov 4 02:41:53 mcb1 user.notice fw\_manager[1059]: RPC #12 recieved. xpath -> /o-ran-software-management:software-inventory
- Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Event "operational" with ID 12 succeeded.
- Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...



Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Successful processing of "rpc" event with ID 41 priority 0 (remaining 0 subscribers).

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Event "rpc" with ID 41 priority 0 succeeded.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Session 20: thread 1 event new RPC.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Published event "rpc" "/ietf-netconf:get-config" with ID 2 priority 0 for 1 subscribers.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Processing "/ietf-netconf:get-config" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov  $4\ 02:41:54\ mcb1$  daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Session 20: thread 4 event new RPC.

Nov 4 02:41:54 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:41:54 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:41:55 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:41:55 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:41:56 mcb1 user.notice SYNCMNGR[1305]: Received message from S-Plane

Nov 4 02:41:56 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:41:56 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:41:57 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:41:57 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:41:58 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 402:41:58 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).



- Nov 4 02:41:59 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:41:59 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:41:59 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:41:59 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:41:59 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:41:59 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:41:59 mcb1 daemon.info netopeer2-server[984]: Published event "rpc" "/notifications:create-subscription" with ID 2 priority 1 for 1 subscribers.
- Nov 4 02:41:59 mcb1 daemon.info netopeer2-server[984]: Processing "ietf-netconf-monitoring" "operational" event with ID 6.
- Nov 4 02:41:59 mcb1 daemon.info netopeer2-server[984]: Successful processing of "operational" event with ID 6.
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:42:00 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: Event "rpc" with ID 2 priority 1 succeeded.
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: Published event "rpc" "/notifications:create-subscription" with ID 2 priority 0 for 1 subscribers.
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: Processing "/notifications:create-subscription" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: Event "rpc" with ID 2 priority 0 succeeded.
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: Session 20: thread 4 event new RPC.
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: Published event "rpc" "/ietf-netconf:get-config" with ID 3 priority 0 for 1 subscribers.
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: Processing "/ietf-netconf:get-config" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: Event "rpc" with ID 3 priority 0 succeeded.
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
- Nov 4 02:42:00 mcb1 daemon.info netopeer2-server[984]: Session 20: thread 3 event new RPC.
- Nov 4 02:42:01 mcb1 daemon.info netopeer2-server[984]: Session 20: thread 3 event new RPC.
- Nov 4 02:42:01 mcb1 daemon.info netopeer2-server[984]: Session 20: thread 3 event session terminated.
- Nov 4 02:42:01 mcb1 daemon.info netopeer2-server[984]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Nov 4 02:42:01 mcb1 daemon.info netopeer2-server[984]: Generated new event (netconf-session-end).
- Nov 4 02:42:01 mcb1 authpriv.debug sshd[5457]: pam\_unix(sshd:account): account operator has password changed in future
- Nov 4 02:42:01 mcb1 auth.info sshd[5457]: Accepted password for operator from 192.168.3.15 port 51750 ssh2
- Nov 4 02:42:01 mcb1 authpriv.info sshd[5457]: pam\_unix(sshd:session): session opened for user operator by (uid=0)



Expected Result : The O-RU NETCONF Server responds with <rpc-reply><data> where</data></rpc-reply>			
<data> contains details for objects as conforming to the <filter>.</filter></data>			
	========		
******* Actual Result ************************************			
Retrieval with filter applied	=	SUCCESS	