@ FILE NAME: M_CTC_ID_013.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MC1:   v1.0.5

Test Description : The minimum functions of the TER described in section 2.1 that support

validation of the M-Plane are operational, configured and connected to the O-RU

===

********** Connect to the NETCONF Server **********

===

> connect --ssh --host 192.168.4.43 --port 830 --login operator

  ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

  Interactive SSH Authentication done.

  > status

  Current NETCONF session:

  ID : 40

  Host : 192.168.4.43

  Port : 830

  Transport : SSH

  Capabilities:

  urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid
ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

===

> **subscribe**

===

Ok

===

Step 1 The TER NETCONF Client sends the O-RU NETCONF Server a command to get the active-alarm-list.

===

===

> get --filter-xpath /o-ran-fm:active-alarm-list/active-alarms

===

===

'list' object is not callable
===

Error occured in line number 160

===
SYSTEM LOGS
===
Oct 29 22:56:39 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 22:56:39 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Successfully connected to 192.168.4.15:4334 over IPv4.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Session 537 (user "root", CID 1) created.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-auth" of subtype "password".

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: User "operator" authenticated.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel-open" of subtype "session".

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Call Home client "default-client" session 38 established.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Session 538 (user "root", CID 1) created.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-start).

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Accepted a connection on :::830.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Session 539 (user "root", CID 1) created.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-auth" of subtype "password".

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: User "operator" authenticated.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel-open" of subtype "session".

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Session 540 (user "root", CID 1) created.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-start).

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Accepted a connection on :::830.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Session 541 (user "root", CID 1) created.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:kill-session" with ID 7 priority 0 for 1 subscribers.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:kill-session" "rpc" event with ID 7 priority 0 (remaining 1 subscribers).

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 7 priority 0 (remaining 0 subscribers).

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 7 priority 0 succeeded.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Session 39: thread 4 event new RPC.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Session 38: thread 4 event session terminated.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-end).

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Call Home client "default-client" session terminated.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-auth" of subtype "password".

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: User "operator" authenticated.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel-open" of subtype "session".

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Session 543 (user "root", CID 1) created.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-start).

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Session 39: thread 2 event new RPC.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Session 39: thread 2 event session terminated.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-end).

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 92 priority 0 for 1 subscribers.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 92 priority 0 (remaining 1 subscribers).

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 92 priority 0 (remaining 0 subscribers).

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 92 priority 0 succeeded.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:40 mcb1 daemon.info netopeer2-server[986]: Session 40: thread 2 event new RPC.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Accepted a connection on :::830.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Session 545 (user "root", CID 1) created.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 93 priority 0 for 1 subscribers.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 93 priority 0 (remaining 1 subscribers).

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 18.

Oct 29 22:56:41 mcb1 user.notice fw_manager[1067]: RPC #18 recieved. xpath -> /o-ran-software-management:software-inventory

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-auth" of subtype "password".

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: User "operator" authenticated.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel-open" of subtype "session".

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Session 548 (user "root", CID 1) created.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-start).

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 18 succeeded.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 93 priority 0 (remaining 0 subscribers).

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 93 priority 0 succeeded.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 94 priority 0 for 1 subscribers.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 94 priority 0 (remaining 1 subscribers).

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 94 priority 0 (remaining 0 subscribers).

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 94 priority 0 succeeded.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Session 41: thread 1 event new RPC.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Session 40: thread 3 event new RPC.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get-config" with ID 19 priority 0 for 1 subscribers.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get-config" "rpc" event with ID 19 priority 0 (remaining 1 subscribers).

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 19 priority 0 (remaining 0 subscribers).

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 19 priority 0 succeeded.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Session 40: thread 0 event new RPC.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 95 priority 0 for 1 subscribers.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 95 priority 0 (remaining 1 subscribers).

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 95 priority 0 (remaining 0 subscribers).

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 95 priority 0 succeeded.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Session 41: thread 0 event new RPC.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 96 priority 0 for 1 subscribers.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 96 priority 0 (remaining 1 subscribers).

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 96 priority 0 (remaining 0 subscribers).

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 96 priority 0 succeeded.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Session 41: thread 0 event new RPC.

Oct 29 22:56:41 mcb1 daemon.err netopeer2-server[986]: Session 38: waiting for Call Home thread failed (Connection timed out).

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 97 priority 0 for 1 subscribers.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 97 priority 0 (remaining 1 subscribers).

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 97 priority 0 (remaining 0 subscribers).

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 97 priority 0 succeeded.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:41 mcb1 daemon.info netopeer2-server[986]: Session 41: thread 0 event new RPC.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 98 priority 0 for 1 subscribers.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 98 priority 0 (remaining 1 subscribers).

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 98 priority 0 (remaining 0 subscribers).

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 98 priority 0 succeeded.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Session 41: thread 0 event new RPC.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get-config" with ID 20 priority 0 for 1 subscribers.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get-config" "rpc" event with ID 20 priority 0 (remaining 1 subscribers).

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 20 priority 0 (remaining 0 subscribers).

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 20 priority 0 succeeded.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Session 41: thread 0 event new RPC.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/notifications:create-subscription" with ID 12 priority 0 for 1 subscribers.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Processing "/notifications:create-subscription" "rpc" event with ID 12 priority 0 (remaining 1 subscribers).

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 12 priority 0 (remaining 0 subscribers).

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 12 priority 0 succeeded.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Session 40: thread 3 event new RPC.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 99 priority 0 for 1 subscribers.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 99 priority 0 (remaining 1 subscribers).

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/ietf-interfaces:interfaces" with ID 27.

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 27 succeeded.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/ietf-interfaces:interfaces-state" with ID 27.

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IFMNGR: getting state of interface : lo

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : lo in-octets: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : lo in-discards: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : lo in-errors: 0

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IFMNGR: getting state of interface : eth0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth0 in-octets: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth0 in-discards: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth0 in-errors: 0

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IFMNGR: getting state of interface : eth1

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1 in-octets: 737848

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1 in-discards: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1 in-errors: 0

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IFMNGR: getting state of interface : eth1.100

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 27 succeeded.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 99 priority 0 (remaining 0 subscribers).

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 99 priority 0 succeeded.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Session 41: thread 3 event new RPC.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 100 priority 0 for 1 subscribers.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 100 priority 0 (remaining 1 subscribers).

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-fm:active-alarm-list/active-alarms" with ID 10.

Oct 29 22:56:42 mcb1 user.info FAULT MANAGEMENT[1046]:   ========= DATA FOR "o-ran-fm" "/o-ran-fm:active-alarm-list/active-alarms" REQUESTED=====================

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 10 succeeded.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 100 priority 0 (remaining 0 subscribers).

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 100 priority 0 succeeded.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Session 40: thread 1 event new RPC.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 101 priority 0 for 1 subscribers.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 101 priority 0 (remaining 1 subscribers).

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/ietf-interfaces:interfaces" with ID 28.

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 28 succeeded.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/ietf-interfaces:interfaces-state" with ID 28.

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IFMNGR: getting state of interface : lo

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : lo in-octets: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : lo in-discards: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : lo in-errors: 0

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IFMNGR: getting state of interface : eth0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth0 in-octets: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth0 in-discards: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth0 in-errors: 0

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IFMNGR: getting state of interface : eth1

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1 in-octets: 739256

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1 in-discards: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1 in-errors: 0

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IFMNGR: getting state of interface : eth1.100

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 28 succeeded.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 101 priority 0 (remaining 0 subscribers).

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 101 priority 0 succeeded.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Session 41: thread 1 event new RPC.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Session 40: thread 3 event new RPC.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Session 40: thread 3 event session terminated.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 102 priority 0 for 1 subscribers.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 102 priority 0 (remaining 1 subscribers).

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/ietf-interfaces:interfaces" with ID 29.

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 29 succeeded.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/ietf-interfaces:interfaces-state" with ID 29.

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IFMNGR: getting state of interface : lo

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : lo in-octets: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : lo in-discards: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : lo in-errors: 0

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IFMNGR: getting state of interface : eth0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth0 in-octets: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth0 in-discards: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth0 in-errors: 0

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IFMNGR: getting state of interface : eth1

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1 in-octets: 742379

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1 in-discards: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1 in-errors: 0

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IFMNGR: getting state of interface : eth1.100

Oct 29 22:56:42 mcb1 user.err nw_manager[1019]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 29 22:56:42 mcb1 user.info nw_manager[1019]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 29 succeeded.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 102 priority 0 (remaining 0 subscribers).

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 102 priority 0 succeeded.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Session 41: thread 0 event new RPC.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 29 22:56:42 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-end).

Oct 29 22:56:42 mcb1 auth.info sshd[1222]: Accepted password for operator from 192.168.4.15 port 46462 ssh2

Oct 29 22:56:42 mcb1 authpriv.info sshd[1222]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Expected Result : The O-RU NETCONF Server responds with <rpc-reply><data> where <data> contains at least the same alarm as reported in measurement atleast alarm 17: No external sync source

```
============================================================================
  **************** Actual Result *****************
============================================================================


============================================================================
***************** FAIL_REASON *******************
============================================================================
'list' object is not callable
============================================================================
```

Retrieval of Active Alarm List   =   FAIL

```
============================================================================
```