===

[Errno 98] Address already in use

===

Error occured in line number 226

===
########### **SYSTEM LOGS** #############
===

Oct 29 23:11:49 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.22.79:4334.

Oct 29 23:11:49 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 29 23:11:50 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.22.79:4334.

Oct 29 23:11:50 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 29 23:11:50 mcb1 auth.info sshd[8279]: Accepted password for observer from 192.168.22.79 port 51740 ssh2

Oct 29 23:11:50 mcb1 authpriv.info sshd[8279]: pam_unix(sshd:session): session opened for user observer by (uid=0)

Expected Result : The NETCONF server replies rejecting the protocol operation with an "access-denied" error.

```
=========================================================================
   **************** Actual Result ******************
=========================================================================


=========================================================================
****************** FAIL_REASON ******************
=========================================================================
[Errno 98] Address already in use
=========================================================================
```

Access Control FM-PM (negative case)   =   FAIL

```
=========================================================================
```