



**@ FILE NAME: M\_CTC\_ID\_002.txt**

**@ TEST SCOPE: M PLANE O-RAN CONFORMANCE**

**@ Software Release for MCB1: v1.0.1**

**This scenario validates that the O-RU properly executes the session establishment procedure with VLANs and a DHCPv4 server. This test is applicable to IPv4 environments. Two negative flows are included in this test:**

**The TER NETCONF Client does not trigger a SSH session establishment in reaction to Call Home initiated by THE O-RU NETCONF Server.**

---

---

## Interfaces Present in DU Side

---

---

```
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    ether 64:9d:99:ff:f5:12 txqueuelen 1000 (Ethernet)
    RX packets 343161 bytes 91751723 (91.7 MB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 294148 bytes 45070020 (45.0 MB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

eth1: flags=4099<UP,BROADCAST,MULTICAST> mtu 1500
    ether 64:9d:99:ff:f5:13 txqueuelen 1000 (Ethernet)
    RX packets 0 bytes 0 (0.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 0 bytes 0 (0.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

eth2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 172.25.96.163 netmask 255.255.254.0 broadcast 172.25.97.255
    inet6 fe80::a7de:bea9:9091:a5f0 prefixlen 64 scopeid 0x20<link>
    ether b4:2e:99:60:73:8c txqueuelen 1000 (Ethernet)
    RX packets 1693781 bytes 374957523 (374.9 MB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 4525806 bytes 5853604161 (5.8 GB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
    device interrupt 16 memory 0xb1400000-b1420000

eth0.485: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 192.168.128.72 netmask 255.255.255.0 broadcast 192.168.128.255
    inet6 fe80::669d:99ff:feff:f512 prefixlen 64 scopeid 0x20<link>
    ether 64:9d:99:ff:f5:12 txqueuelen 1000 (Ethernet)
    RX packets 66 bytes 6197 (6.1 KB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 2388 bytes 454021 (454.0 KB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

eth0.490: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 192.168.49.88 netmask 255.255.255.0 broadcast 192.168.49.255
    inet6 fe80::669d:99ff:feff:f512 prefixlen 64 scopeid 0x20<link>
    ether 64:9d:99:ff:f5:12 txqueuelen 1000 (Ethernet)
    RX packets 333263 bytes 86426247 (86.4 MB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 291659 bytes 44269501 (44.2 MB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
```

loop txqueuelen 1000 (Local Loopback)  
RX packets 409965 bytes 7232132937 (7.2 GB)  
RX errors 0 dropped 0 overruns 0 frame 0  
TX packets 409965 bytes 7232132937 (7.2 GB)  
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

```
=====
```

**DHCP Status**

```
=====
```

```
=====
```

**DHCP Status**

```
=====
```

isc-dhcp-server.service - ISC DHCP IPv4 server

Loaded: loaded (/lib/systemd/system/isc-dhcp-server.service; enabled; vendor preset: enabled)

Active: active (running) since Wed 2022-11-30 16:59:41 IST; 48min ago

Docs: man:dhcpcd(8)

Main PID: 10141 (dhcpcd)

Tasks: 1 (limit: 4915)

CGroup: /system.slice/isc-dhcp-server.service

dhcpcd -user dhcpcd -group dhcpcd -f -4 -pf /run/dhcp-server/dhcpcd.pid -cf /etc/dhcp/dhcpcd.conf eth0.490

Nov 30 16:59:41 vvdn sh[10141]: Listening on LPF/eth0.490/64:9d:99:ff:f5:12/192.168.49.0/24

Nov 30 16:59:41 vvdn sh[10141]: Sending on LPF/eth0.490/64:9d:99:ff:f5:12/192.168.49.0/24

Nov 30 16:59:41 vvdn sh[10141]: Sending on Socket/fallback/fallback-net

Nov 30 16:59:41 vvdn dhcpcd[10141]: Sending on LPF/eth0.490/64:9d:99:ff:f5:12/192.168.49.0/24

Nov 30 16:59:41 vvdn dhcpcd[10141]: Sending on Socket/fallback/fallback-net

Nov 30 16:59:41 vvdn dhcpcd[10141]: Server starting service.

Nov 30 17:09:08 vvdn dhcpcd[10141]: DHCPDISCOVER from 98:ae:71:00:8a:c2 (mcb1) via eth0.490

Nov 30 17:09:09 vvdn dhcpcd[10141]: DHCPOFFER on 192.168.49.43 to 98:ae:71:00:8a:c2 (mcb1) via eth0.490

Nov 30 17:09:09 vvdn dhcpcd[10141]: DHCPREQUEST for 192.168.49.43 (192.168.49.88) from 98:ae:71:00:8a:c2 (mcb1) via eth0.490

Nov 30 17:09:09 vvdn dhcpcd[10141]: DHCPACK on 192.168.49.43 to 98:ae:71:00:8a:c2 (mcb1) via eth0.490

```
=====
```

**##### Pinging #####**

```
=====
```

PING 192.168.49.43 (192.168.49.43) 56(84) bytes of data.

64 bytes from 192.168.49.43: icmp\_seq=1 ttl=64 time=0.215 ms

64 bytes from 192.168.49.43: icmp\_seq=2 ttl=64 time=0.208 ms

64 bytes from 192.168.49.43: icmp\_seq=3 ttl=64 time=0.195 ms

64 bytes from 192.168.49.43: icmp\_seq=4 ttl=64 time=0.194 ms

64 bytes from 192.168.49.43: icmp\_seq=5 ttl=64 time=0.196 ms

--- 192.168.49.43 ping statistics ---

5 packets transmitted, 5 received, 0% packet loss, time 4076ms

rtt min/avg/max/mdev = 0.194/0.201/0.215/0.017 ms

=====

**The O-RU NETCONF Serve establishes TCP connection and performs a Call Home procedure towards the NETCONF Client and not establishes a SSH.**

=====

> listen --ssh --login root

Waiting 60s for an SSH Call Home connection on port 4334...The authenticity of the host '::ffff:192.168.49.43' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83.

Are you sure you want to continue connecting (yes/no)? no

nc ERROR: Checking the host key failed.

cmd\_listen: Receiving SSH Call Home on port 4334 as user "root" failed.

-----

> listen --ssh --login root

Waiting 60s for an SSH Call Home connection on port 4334...The authenticity of the host '::ffff:192.168.49.43' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83.

Are you sure you want to continue connecting (yes/no)? no

nc ERROR: Checking the host key failed.

cmd\_listen: Receiving SSH Call Home on port 4334 as user "root" failed.

-----

> listen --ssh --login root

Waiting 60s for an SSH Call Home connection on port 4334...The authenticity of the host '::ffff:192.168.49.43' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83.

Are you sure you want to continue connecting (yes/no)? no

nc ERROR: Checking the host key failed.

cmd\_listen: Receiving SSH Call Home on port 4334 as user "root" failed.

-----

> listen --ssh --login root

Waiting 60s for an SSH Call Home connection on port 4334...The authenticity of the host '::ffff:192.168.49.43' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83.

Are you sure you want to continue connecting (yes/no)? no

nc ERROR: Checking the host key failed.

cmd\_listen: Receiving SSH Call Home on port 4334 as user "root" failed.

-----

> listen --ssh --login root

Waiting 60s for an SSH Call Home connection on port 4334...The authenticity of the host '::ffff:192.168.49.43' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83.

Are you sure you want to continue connecting (yes/no)? no

nc ERROR: Checking the host key failed.

cmd\_listen: Receiving SSH Call Home on port 4334 as user "root" failed.

-----

## =====

**##### SYSTEM LOGS #####**

=====

Oct 30 01:29:37 mcb1 user.err file\_manager[1352]: File transfer failed :Reason: Credentials validation failed

Oct 30 01:29:37 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-file-management" event with ID 22.

Oct 30 01:29:37 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 22 priority 0 (remaining 0 subscribers).

Oct 30 01:29:37 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:29:37 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:29:38 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:29:38 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:29:39 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:29:39 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:29:40 mcb1 user.notice SYNCMNGR[1310]: Received message from S-Plane

Oct 30 01:29:40 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:29:40 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:29:41 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:29:41 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:29:42 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:29:42 mcb1 daemon.info netopeer2-server[980]: Successfully connected to 192.168.49.88:4334 over IPv4.

Oct 30 01:29:42 mcb1 daemon.info netopeer2-server[980]: Session 15298 (user "root", CID 1) created.

Oct 30 01:29:42 mcb1 daemon.err netopeer2-server[980]: Communication SSH socket unexpectedly closed.

Oct 30 01:29:43 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:29:43 mcb1 daemon.info netopeer2-server[980]: Successfully connected to 192.168.49.88:4334 over IPv4.

Oct 30 01:29:43 mcb1 daemon.info netopeer2-server[980]: Session 15299 (user "root", CID 1) created.

Oct 30 01:29:43 mcb1 daemon.err netopeer2-server[980]: Communication SSH socket unexpectedly closed.

Oct 30 01:29:44 mcb1 user.notice file\_manager[1352]: RPC #216 recieved. xpath -> /o-ran-file-management:file-upload

Oct 30 01:29:44 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:29:44 mcb1 daemon.info netopeer2-server[980]: Successfully connected to 192.168.49.88:4334 over IPv4.

Oct 30 01:29:44 mcb1 daemon.info netopeer2-server[980]: Session 15301 (user "root", CID 1) created.

Oct 30 01:29:45 mcb1 daemon.err netopeer2-server[980]: Communication SSH socket unexpectedly closed.

Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 7040

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4354285  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 3833959  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0  
Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR  
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED  
Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed  
Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED



Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 7040

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4354285

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 3833959

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!



Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed  
Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 7040  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4354285  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 3833959  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0  
Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR  
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED  
Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed  
Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 7040  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4354285  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 3833959

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57 get-maximum-number-of-transport-flow

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed

Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:29:45 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 7040

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4354285  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 3833959  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0  
Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR  
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED  
Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED



```
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 7040
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4354285
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 3833959
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED
Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
```

Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX\_POWER", but it is not required.

Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 111.

Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 111 priority 0 (remaining 0 subscribers).

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 7040

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4354495

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 3834115

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR  
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX\_POPWER", but it is not required.  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 112.  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 112 priority 0 (remaining 0 subscribers).  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 7040  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4354705  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)



Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 3834271  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0  
Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR  
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED  
Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX\_BIAS\_COUNT", but it is not  
required.  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not  
required.  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 113.  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 113 priority 0 (remaining 0 subscribers).  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

```
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 7040
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4354915
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490
Oct 30 01:29:45 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 3834427
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 01:29:45 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED
Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:29:45 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
```

Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "VOLTAGE", but it is not required.

Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 114.

Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 114 priority 0 (remaining 0 subscribers).

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 7040

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4355125

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:29:45 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 3834583

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:29:45 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR  
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:29:45 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TEMPERATURE", but it is not required.  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 115.  
Oct 30 01:29:45 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 115 priority 0 (remaining 0 subscribers).  
Oct 30 01:29:46 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.  
Oct 30 01:29:46 mcb1 daemon.info netopeer2-server[980]: Successfully connected to 192.168.49.88:4334 over IPv4.  
Oct 30 01:29:46 mcb1 daemon.info netopeer2-server[980]: Session 15357 (user "root", CID 1) created.  
Oct 30 01:29:46 mcb1 daemon.err netopeer2-server[980]: Communication SSH socket unexpectedly closed.  
Oct 30 01:29:47 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.  
Oct 30 01:29:47 mcb1 daemon.info netopeer2-server[980]: Successfully connected to 192.168.49.88:4334 over IPv4.  
Oct 30 01:29:47 mcb1 daemon.info netopeer2-server[980]: Session 15358 (user "root", CID 1) created.  
Oct 30 01:29:47 mcb1 daemon.err netopeer2-server[980]: Communication SSH socket unexpectedly closed.  
Oct 30 01:29:47 mcb1 auth.info sshd[17243]: Accepted password for root from 192.168.49.88 port 52964 ssh2  
Oct 30 01:29:47 mcb1 authpriv.info sshd[17243]: pam\_unix(sshd:session): session opened for user root by (uid=0)

**Expected Result : The TER NETCONF Client and O-RU NETCONF Server exchange capabilities through NETCONF <hello> messages.**

=====

\*\*\*\*\* Actual Result \*\*\*\*\*

=====

=====

**Transport and Handshake in IPv4 Environment (negative case: refuse SSH Connection) =**

**SUCCESS**

=====