



**@ FILE NAME: M\_CTC\_ID\_023.txt**

**@ TEST SCOPE: M PLANE O-RAN CONFORMANCE**

**@ Software Release for LPRU: v1.1.0**

**Test Description : This scenario is MANDATORY for an O-RU supporting the Hierarchical M-plane architecture model.**

**This test validates that the O-RU can successfully start up with activated software.**

**This scenario corresponds to the following chapters in [3]:**

**3.3 SSH Connection Establishment**

**3.4 NETCONF Access Control**

**3.7 closing a NETCONF Session**

```
=====
***** Connect to the NETCONF Server *****
=====
```

```
=====
Step 1 and 2: The TER NETCONF Client establishes connection and creates an account for new user
using o-ran-user9 mgmt.yang
=====
```

```
> connect --ssh --host 192.168.214.37 --port 830 --login operator
```

```
Interactive SSH Authentication
```

```
Type your password:
```

```
Password:
```

```
> status
```

```
Current NETCONF session:
```

```
ID      : 10
```

```
Host     : 192.168.214.37
```

```
Port     : 830
```

```
Transport : SSH
```

```
Capabilities:
```

```
urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid
ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19
```

```
=====
> subscribe
=====
```

```
Ok
```

```
=====
> edit-config --target running --config --defop merge
```

\*\*\*\*\* Replace with below xml \*\*\*\*\*

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
  <users xmlns="urn:o-ran:user-mgmt:1.0">
    <user>
      <name>operator12478769987269804814311</name>
      <account-type>PASSWORD</account-type>
      <password>4Q5_.6^8(OwfAARWQ_jUzU]bQ)3sq4]Kv(i</password>
      <enabled>true</enabled>
    </user>
  </users>
</config>
```

Ok

\*\*\*\*\* NOTIFICATIONS \*\*\*\*\*

```
<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
  <eventTime>2000-11-04T00:04:15Z</eventTime>
  <netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
    <changed-by>
      <username>root</username>
      <session-id>10</session-id>
    </changed-by>
    <datastore>running</datastore>
    <edit>
      <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator12478769987269
804814311']</target>
      <operation>create</operation>
    </edit>
    <edit>
      <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator12478769987269
804814311']/o-ran-usermgmt:name</target>
      <operation>create</operation>
    </edit>
    <edit>
      <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator12478769987269
```

```
804814311']/o-ran-usermgmt:account-type</target>
  <operation>create</operation>
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator12478769987269
804814311']/o-ran-usermgmt:password</target>
  <operation>create</operation>
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator12478769987269
804814311']/o-ran-usermgmt:enabled</target>
  <operation>create</operation>
</edit>
</netconf-config-change>
</notification>
```

---

---

### Step 3 and 4: The TER NETCONF Client retrieves a list of users

---

---

---

---

```
> get --filter-xpath /o-ran-usermgmt:users/user
```

---

---

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <users xmlns="urn:o-ran:user-mgmt:1.0">
    <user>
      <name>oranuser</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>observer</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>installer</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator10804206543</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator27689832</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator569496134733421925922</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator018</name>
      <account-type>PASSWORD</account-type>
```

```
<enabled>true</enabled>
</user>
<user>
<name>operator12478769987269804814311</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
</users>
</data>
```

```
=====
> edit-config --target running --config --defop merge
=====
```

```
=====
***** Replace with below xml *****
=====
```

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
<nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">
<groups>
<group>
<name>sudo</name>
<user-name>operator12478769987269804814311</user-name>
</group>
</groups>
</nacm>
</config>
```

```
=====
Ok
=====
```

```
=====
***** NOTIFICATIONS *****
=====
```

```
<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
<eventTime>2000-11-04T00:04:16Z</eventTime>
<netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
<changed-by>
<username>root</username>
<session-id>10</session-id>
</changed-by>
<datastore>running</datastore>
<edit>
<target
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='sudo']/nacm:user-name[.='opera
```

```
tor12478769987269804814311']</target>  
  <operation>create</operation>  
</edit>  
</netconf-config-change>  
</notification>
```

=====

### Step 5 and 6: NETCONF Server establishes a TCP connection and performs the Call Home procedure to the TER NETCONF Client using the same IP and VLAN.

=====

```
> listen --ssh --login operator12478769987269804814311
```

Waiting 60s for an SSH Call Home connection on port 4334...The authenticity of the host '::ffff:192.168.214.37' cannot be established.

ssh-rsa key fingerprint is 59:9e:90:48:f1:d7:6e:35:e8:d1:f6:1e:90:aa:a3:83:a0:6b:98:5a.

Are you sure you want to continue connecting (yes/no)? yes

operator12478769987269804814311@::ffff:192.168.214.37 password:

=====

### Step 7: TER NETCONF Client and O-RU NETCONF Server exchange capabilities through the NETCONF <hello> messages

=====

```
> status
```

Current NETCONF session:

ID : 11

Host : ::ffff:192.168.214.37

Port : 48126

Transport : SSH

Capabilities:

urn:ietf:params:netconf:base:1.0urn:ietf:params:netconf:base:1.1urn:ietf:params:netconf:capability:writable-running:1.0

urn:ietf:params:netconf:capability:candidate:1.0urn:ietf:params:netconf:capability:rollback-on-error:1.0

urn:ietf:params:netconf:capability:validate:1.1urn:ietf:params:netconf:capability:startup:1.0urn:ietf:params:netconf:capability:xpath:1.0

urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit

urn:ietf:params:netconf:capability:notification:1.0urn:ietf:params:netconf:capability:interleave:1.0

urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15

urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valida

te,startup,url,xpathurn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06

urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04

urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14

urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06urn:notification\_history?module=notification\_history

urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19



## =====

**##### SYSTEM LOGS #####**

=====

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Successfully connected to 192.168.214.234:4334 over IPv4.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Session 184 (user "root", CID 1) created.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: User "operator" authenticated.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session 10 established.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Session 185 (user "root", CID 1) created.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 16 priority 0 for 1 subscribers.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 16 priority 0 (remaining 1 subscribers).

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 16 priority 0 (remaining 0 subscribers).

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 16 priority 0 succeeded.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Session 10: thread 0 event new RPC.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 17 priority 0 for 1 subscribers.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 17 priority 0 (remaining 1 subscribers).

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 7.

Nov 4 00:04:09 vvdn\_lpru user.notice fw\_manager[929]: RPC #7 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 7 succeeded.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 17 priority 0 (remaining 0

subscribers).

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 17 priority 0 succeeded.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:09 vvdn\_lpru daemon.info netopeer2-server[858]: Session 10: thread 1 event new RPC.

Nov 4 00:04:10 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:10 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:10 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:10 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:10 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 15 priority 0 for 1 subscribers.

Nov 4 00:04:10 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 15 priority 0 (remaining 1 subscribers).

Nov 4 00:04:10 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 15 priority 0 (remaining 0 subscribers).

Nov 4 00:04:10 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 15 priority 0 succeeded.

Nov 4 00:04:10 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:10 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:10 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:10 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:04:10 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:04:10 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:10 vvdn\_lpru daemon.info netopeer2-server[858]: Session 10: thread 0 event new RPC.

Nov 4 00:04:15 vvdn\_lpru user.notice SYNCMNGR[1175]: Received message from S-Plane

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/notifications:create-subscription" with ID 8 priority 0 for 1 subscribers.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/notifications:create-subscription" "rpc" event with ID 8 priority 0 (remaining 1 subscribers).

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 8 priority 0 (remaining 0 subscribers).

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 8 priority 0 succeeded.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Session 10: thread 2 event new RPC.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:edit-config" with ID 8 priority 0 for 1 subscribers.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 8 priority 0 (remaining 1 subscribers).

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "change" "o-ran-usermgmt" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:04:15 vvdn\_lpru user.notice USERMGMT[918]: operator12478769987269804814311 added successfully !!

Nov 4 00:04:15 vvdn\_lpru user.notice USERMGMT[918]: operator12478769987269804814311 enabled !!

Nov 4 00:04:15 vvdn\_lpru user.notice USERMGMT[918]: END OF CHANGES

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Event "change" with ID 3 priority 0 succeeded.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "done" "o-ran-usermgmt" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:04:15 vvdn\_lpru user.notice USERMGMT[918]: END OF CHANGES

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-usermgmt:users/user[name='operator12478769987269804814311']", but it is not required.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-usermgmt:users/user[name='operator12478769987269804814311']/name", but it is not required.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-usermgmt:users/user[name='operator12478769987269804814311']/account-type", but it is not required.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-usermgmt:users/user[name='operator12478769987269804814311']/password", but it is not required.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-usermgmt:users/user[name='operator12478769987269804814311']/enabled", but it is not required.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "notif" "ietf-netconf-notifications" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 8 priority 0 (remaining 0 subscribers).

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 8 priority 0 succeeded.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-usermgmt:users/user[name='operator12478769987269804814311']", but it is not required.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-usermgmt:users/user[name='operator12478769987269804814311']/name", but it is not required.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Session 10: thread 2 event new RPC.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-usermgmt:users/user[name='operator12478769987269804814311']/account-type", but it is not required.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-usermgmt:users/user[name='operator12478769987269804814311']/password", but it is not required.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-usermgmt:users/user[name='operator12478769987269804814311']/enabled", but it is not required.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 16 priority 0 for 1 subscribers.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 16 priority 0 (remaining 1 subscribers).

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 16 priority 0 (remaining 0 subscribers).

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 16 priority 0 succeeded.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:15 vvdn\_lpru daemon.info netopeer2-server[858]: Session 10: thread 2 event new RPC.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:edit-config" with ID 9 priority 0 for 1 subscribers.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 9 priority 0 (remaining 1 subscribers).

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "done" "ietf-netconf-acm" with ID 5 priority 0 for 4 subscribers.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "ietf-netconf-acm" "done" event with ID 5 priority 0 (remaining 4 subscribers).

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "done" event with ID 5 priority 0 (remaining 0 subscribers).

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "notif" "ietf-netconf-notifications" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='sudo']/user-name[.='operator12478769987269804814311']", but it is not required.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 3.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 9 priority 0 (remaining 0 subscribers).

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 9 priority 0 succeeded.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Session 10: thread 2 event new RPC.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Session 10: thread 0 event new RPC.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Session 10: thread 0 event session terminated.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-end).

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session terminated.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Successfully connected to 192.168.214.234:4334 over IPv4.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Session 204 (user "root", CID 1) created.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: User "operator12478769987269804814311" authenticated.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session 11 established.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Session 205 (user "root", CID 1) created.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:04:16 vvdn\_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).

Nov 4 00:04:16 vvdn\_lpru authpriv.debug sshd[5706]: pam\_unix(sshd:account): account operator has password changed in future

Nov 4 00:04:16 vvdn\_lpru auth.info sshd[5706]: Accepted password for operator from 192.168.214.234 port 36436 ssh2

Nov 4 00:04:16 vvdn\_lpru authpriv.info sshd[5706]: pam\_unix(sshd:session): session opened for user operator by (uid=0)

**Expected Result : The TER NETCONF Client establishes a Call Home & SSH session towards the NETCONF Server with new user created above.**

=====

\*\*\*\*\* Actual Result \*\*\*\*\*

=====

=====

**Sudo on Hierarchical M-plane architecture (positive case) = SUCCESS**

=====