



@ FILE NAME: M\_CTC\_ID\_022.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.1

Test Description: This scenario is MANDATORY for an O-RU supporting the Hybrid M-plane architecture model.

This test validates that the O-RU correctly implements NETCONF Access Control user privileges.

The scenario corresponds to the following chapters in [3]:

**3.4 NETCONF Access Control** 



\_\_\_\_\_

## \*\*\*\*\*\* Connect to the NETCONF Server \*\*\*\*\*\*\*

\_\_\_\_\_

> connect --ssh --host 192.168.22.37 --port 830 --login operator

Interactive SSH Authentication

Type your password:

Password:

> status

Current NETCONF session:

ID : 4

Host : 192.168.22.37

Port: 830 Transport: SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0 urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0

 $urn: ietf: params: netconf: capability: validate: 1.1 \ urn: ietf: params: netconf: capability: startup: 1.0 \ urn: ietf: params: netconf: capability: xpath: 1.0 \ urn: ietf: params: netcon$ 

urn: ietf: params: netconf: capability: with-defaults: 1.0? basic-mode = explicit & also-supported = report-all, report-all-tagged, trim, explicit & also-supported = report-all-tagged, trim

 $urn: ietf: params: netconf: capability: notification: 1.0 \ urn: ietf: params: netconf: capability: interleave: 1.0 \ urn: ietf: params: netconf: netco$ 

urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn: ietf: params: xml: ns: yang: ietf-yang-types? module = ietf-yang-types & revision = 2013-07-15

urn: ietf: params: netconf: capability: yang-library: 1.1? revision = 2019-01-04 & content-id = 63

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn: ietf: params: xml: ns: netconf: base: 1.0? module = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, rollback-on-error, rollback-on-error,

ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06

urn: ietf: params: xml: ns: yang: ietf-netconf-monitoring? module = ietf-netconf-monitoring & revision = 2010-10-04

urn: ietf: params: xml: ns: netconf: notification: 1.0? module = notifications & revision = 2008-07-14

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14

urn: ietf: params: xml: ns: yang: ietf-x509-cert-to-name? module = ietf-x509-cert-to-name & revision = 2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification\_history?module=notification\_history urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

\_\_\_\_\_\_

## > subscribe

\_\_\_\_\_\_\_

Ok



####### Initial Get Filter ####### > get --filter-xpath /o-ran-usermgmt:users/user <?xml version="1.0" ?> <data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0"> <users xmlns="urn:o-ran:user-mgmt:1.0"> <user> <name>oranuser</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>observer</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>installer</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>garuda</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator11302326379</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator44567591</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator8075861281902</name>

<account-type>PASSWORD</account-type>



```
<enabled>true</enabled>
 </user>
</users>
</data>
> edit-config --target running --config --defop merge
****** Replace with below xml ******
      <config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
      <users xmlns="urn:o-ran:user-mgmt:1.0">
        <user>
         <name>operator17619020756748090</name>
         <account-type>PASSWORD</account-type>
<password>nwk75gnD[44LqeBrwKFcBvaUNPKz6gARf_M.EHxwG.EGuk{-n_Os0avM}$XZ}LBYNb+)M!NcV0RunG}_-)9F2gu%nKKsd+Xk
OgXvIYxh%QxBQsA7EYqB</password>
         <enabled>true</enabled>
        </user>
      </users>
      </config>
Ok
***** NOTIFICATIONS ******
_____
<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
<eventTime>2103-10-29T23:12:15Z</eventTime>
<netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
 <changed-by>
 <username>root</username>
 <session-id>4</session-id>
 </changed-by>
 <datastore>running</datastore>
 <edit>
 <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:users/o-ran-usermgmt:name='operator17619020756748
090']</target>
 <operation>create</operation>
 </edit>
 <edit>
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator17619020756748
```



090']/o-ran-usermgmt:name
<pre><operation>create</operation></pre>
<edit></edit>
<target< th=""></target<>
xmlns: o-ran-usermgmt: "urn: o-ran: user-mgmt: 1.0" > /o-ran-usermgmt: users/o-ran-usermgmt: user [o-ran-usermgmt: name='operator 176190207567-width='operator 176190207-width='operator 1761907-width='operator 1761907-width='operator 1761907-width='operator 1761907-width='operator 1761907-width='operator
090']/o-ran-usermgmt:account-type
<pre><operation>create</operation></pre>
<edit></edit>
<target< th=""></target<>
xmlns: o-ran-usermgmt: "urn: o-ran: user-mgmt: 1.0" > /o-ran-usermgmt: users/o-ran-usermgmt: user [o-ran-usermgmt: name='operator 176190207567-width='operator 176190207-width='operator 1761907-width='operator 1761907-width='
090']/o-ran-usermgmt:password
<pre><operation>create</operation></pre>
<edit></edit>
<target< th=""></target<>
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator176190207567-
090']/o-ran-usermgmt:enabled
<pre><operation>create</operation></pre>
> edit-configtarget runningconfigdefop merge
****** Replace with below xml *******
<pre><config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0"></config></pre>
<nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm"></nacm>
<groups></groups>
<pre><group></group></pre>
<name>swm</name>
<user-name>operator17619020756748090</user-name>
Ok



\*\*\*\*\* NOTIFICATIONS \*\*\*\*\*\* <?xml version="1.0" ?> <notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0"> <eventTime>2103-10-29T23:12:16Z</eventTime> <netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications"> <changed-by> <username>root</username> <session-id>4</session-id> </changed-by> <datastore>running</datastore> <edit> <target xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='swm']/nacm:user-name[.='opera tor17619020756748090']</target> <operation>create</operation> </edit> </netconf-config-change> </notification> > get --filter-xpath /ietf-netconf-acm:nacm/groups <?xml version="1.0" ?> <data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0"> <nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm"> <groups> <group> <name>sudo</name> <user-name>operator</user-name> </group> <group> <name>fm-pm</name> <user-name>observer</user-name> <user-name>operator11302326379</user-name> </group> <group> <name>nms</name> <user-name>installer</user-name> <user-name>operator44567591</user-name> </group> <group> <name>swm</name> <user-name>operator8075861281902</user-name>

</group>

<user-name>operator17619020756748090</user-name>





</nacm>

</data>



\_\_\_\_\_\_

### > get --filter-xpath /o-ran-usermgmt:users/user

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<users xmlns="urn:o-ran:user-mgmt:1.0">
 <user>
 <name>oranuser</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
 </user>
 <user>
 <name>operator</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
 </user>
 <user>
 <name>observer</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
 </user>
 <user>
 <name>installer</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
 </user>
 <user>
 <name>garuda</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
 </user>
 <user>
 <name>operator11302326379</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
 </user>
 <user>
 <name>operator44567591</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
 </user>
 <user>
 <name>operator8075861281902</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
 </user>
 <user>
```

<name>operator17619020756748090</name>





<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

</users>

</data>



STEP 1 TER NETCONF client establishes a connection using a user account with swm privileges. \*\*\*\*\*\* Connect to the NETCONF Server \*\*\*\*\*\*\* \_\_\_\_\_ > connect --ssh --host 192.168.22.37 --port 830 --login operator17619020756748090 Interactive SSH Authentication Type your password: Password: > status Current NETCONF session: ID : 5 : 192.168.22.37 Host : 830 Port Transport : SSH Capabilities: urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0 urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0 urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0 urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0 urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05 urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20 urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15 urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15 urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63 urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10 urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14 urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid ate, startup, url, xpath urn: ietf: params: xml:ns: yang: ietf-netconf-with-defaults? module=ietf-netconf-with-defaults&revision=2011-06-01 urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06 urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04 urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14 urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14 urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10 urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification\_history?module=notification\_history urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19 \_\_\_\_\_\_\_ > subscribe Ok

Step 2 TER NETCONF client attempts to configure a new o-ran-sync.yang on the NETCONF server.

\_\_\_\_\_\_



> edit-config --target running --config --defop replace \*\*\*\*\*\* Replace with below xml \*\*\*\*\*\* ------<sync xmlns="urn:o-ran:sync:1.0"> <ptp-config> <domain-number>24</domain-number> <accepted-clock-classes> <clock-classes>255</clock-classes> </accepted-clock-classes> <ptp-profile>G\_8275\_1</ptp-profile> <g-8275-1-config> <multicast-mac-address>FORWARDABLE</multicast-mac-address> <delay-asymmetry>0</delay-asymmetry> </g-8275-1-config> </ptp-config> <ptp-status> <reporting-period>10</reporting-period> </ptp-status> <synce-config> <acceptance-list-of-ssm>EEC1</acceptance-list-of-ssm> <ssm-timeout>10</ssm-timeout> </synce-config> <synce-status> <reporting-period>10</reporting-period> </synce-status> </sync>

## Step 3 NETCONF server replies rejecting the protocol operation with an 'access-denied' error.

\_\_\_\_\_

# ERROR

type : access-denied tag : protocol severity : error

 $path \hspace*{1.5cm} : \hspace*{0.5cm} /o\text{-ran-sync:sync/synce-config/acceptance-list-of-ssm}$ 

message : Access to the data model "o-ran-sync" is denied because "operator17619020756748090" NACM authorization failed.



\_\_\_\_\_\_

#### 

- Oct 29 23:12:07 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.22.79:4334.
- Oct 29 23:12:07 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).
- Oct 29 23:12:08 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.22.79:4334.
- Oct 29 23:12:08 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.22.79:4334.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Successfully connected to 192.168.22.79:4334 over IPv4.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Session 163 (user "root", CID 1) created.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-service" of subtype "ssh-userauth".
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-auth" of subtype "password".
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: User "operator" authenticated.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel-open" of subtype "session".
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel" of subtype "subsystem".
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Call Home client "default-client" session 4 established.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Session 164 (user "root", CID 1) created.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-start).
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get" with ID 9 priority 0 for 1 subscribers.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get" "rpc" event with ID 9 priority 0 (remaining 1 subscribers).
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 9 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 9 priority 0 succeeded.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Session 4: thread 1 event new RPC.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get" with ID 10 priority 0 for 1 subscribers.
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get" "rpc" event with ID 10 priority 0 (remaining 1 subscribers).
- Oct 29 23:12:09 mcb1 daemon.info netopeer2-server[980]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 5.
- Oct 29 23:12:09 mcb1 user.notice fw\_manager[1065]: RPC #5 recieved. xpath -> /o-ran-software-management:software-inventory
- Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Event "operational" with ID 5 succeeded.
- Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.
- Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.
- Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: There is no leafref



"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 10 priority 0 (remaining 0 subscribers).

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 10 priority 0 succeeded.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Session 4: thread 2 event new RPC.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 7 priority 0 for 1 subscribers.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 7 priority 0 (remaining 1 subscribers).

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 7 priority 0 (remaining 0 subscribers).

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 7 priority 0 succeeded.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:10 mcb1 daemon.info netopeer2-server[980]: Session 4: thread 1 event new RPC.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/notifications:create-subscription" with ID 4 priority 0 for 1 subscribers.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "/notifications:create-subscription" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 4 priority 0 succeeded.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Session 4: thread 1 event new RPC.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 8 priority 0 for 1 subscribers.



Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 8 priority 0 (remaining 1 subscribers).

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 8 priority 0 (remaining 0 subscribers).

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 8 priority 0 succeeded.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Session 4: thread 2 event new RPC.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:edit-config" with ID 3 priority 0 for 1 subscribers.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Published event "change" "o-ran-usermgmt" with ID 2 priority 0 for 1 subscribers.

Oct 29 23:12:15 mcb1 user.notice USERMGMT[1054]: operator17619020756748090 added successfully !!

Oct 29 23:12:15 mcb1 user.notice USERMGMT[1054]: operator17619020756748090 enabled !!

Oct 29 23:12:15 mcb1 user.notice USERMGMT[1054]: END OF CHANGES

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Event "change" with ID 2 priority 0 succeeded.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Published event "done" "o-ran-usermgmt" with ID 2 priority 0 for 1 subscribers.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator17619020756748090']", but it is not required.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator17619020756748090']/name", but it is not required.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator17619020756748090']/account-type", but it is not required.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator17619020756748090']/password", but it is not required.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator17619020756748090']/enabled", but it is not required.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Oct 29 23:12:15 mcb1 user.notice USERMGMT[1054]: END OF CHANGES

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 2 priority 0 for 1 subscribers.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 3 priority 0 succeeded.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Session 4: thread 2 event new RPC.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/users/users/users/operator17619020756748090']", but it is not required.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator17619020756748090']/name", but it is not required.



Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator17619020756748090']/account-type", but it is not required.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator17619020756748090']/password", but it is not required.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator17619020756748090']/enabled", but it is not required.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 29 23:12:15 mcb1 user.notice wd\_manager[1443]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/fw\_manager

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/fw\_manager", but it is not required.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 3.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 29 23:12:15 mcb1 user.notice wd\_manager[1443]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/nw\_manager

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/nw\_manager", but it is not required.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 4.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).

Oct 29 23:12:15 mcb1 user.notice wd\_manager[1443]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/operations\_manager

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/operations\_manager", but it is not required.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 5.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 5 priority 0 (remaining 0 subscribers).

Oct 29 23:12:15 mcb1 user.notice wd\_manager[1443]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/pm\_manager

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/pm\_manager", but it is not required.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 6.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 6 priority 0 (remaining 0 subscribers).

Oct 29 23:12:15 mcb1 user.notice wd\_manager[1443]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/um\_manager

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/um\_manager", but it is not required.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 7.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 7 priority 0 (remaining 0 subscribers).

Oct 29 23:12:15 mcb1 user.notice wd\_manager[1443]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/sys\_monitor

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/sys\_monitor", but it is not required.

Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.



- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 8.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 8 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:15 mcb1 user.notice wd\_manager[1443]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/fault\_manager
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/fault\_manager", but it is not required.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 9.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 9 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:15 mcb1 user.notice wd\_manager[1443]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/file\_manager
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/file\_manager", but it is not required.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 10.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 10 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:15 mcb1 user.notice wd\_manager[1443]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/supervision
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/supervision", but it is not required.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 11.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 11 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:15 mcb1 user.notice wd\_manager[1443]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/sync\_manager
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/sync\_manager", but it is not required.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 12.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 12 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:15 mcb1 user.notice wd\_manager[1443]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/ald\_controller
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/ald\_controller", but it is not required.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 13.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 13 priority 0 (remaining 0 subscribers).
- $Oct\ 29\ 23:12:15\ mcb1\ user.notice\ wd\_manager [1443]:\ Value\ is\ 1\ for\ Xpath\ /vvdn\_mcel-wdm: system-apps/log\_manager [1443]:\ Value\ is\ 1\ for\ Xpath\ /vvdn\_mcel-wdm: system-apps/log\ /vvdn\_mcel-wdm: system-apps/log\ /vvdn\_mcel-wdm: system-apps/log\ /vvdn\_mcel-wdm: system-apps/log\ /vvdn\_mcel-wdm: system-apps/$
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/log\_manager", but it is not required.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 14.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 14 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:15 mcb1 user.notice wd\_manager[1443]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/radio\_manager
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/radio\_manager", but it is not required.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.



- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 15.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 15 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:15 mcb1 user.notice wd\_manager[1443]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/cli\_manager
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/cli\_manager", but it is not required.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 16.
- Oct 29 23:12:15 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 16 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/fw\_manager", but it is not required.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 17.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 17 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:edit-config" with ID 4 priority 0 for 1 subscribers.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Published event "done" "ietf-netconf-acm" with ID 4 priority 0 for 4 subscribers.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Processing "ietf-netconf-acm" "done" event with ID 4 priority 0 (remaining 4 subscribers).
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Successful processing of "done" event with ID 4 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 18 priority 0 for 1 subscribers.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 4 priority 0 succeeded.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Session 4: thread 4 event new RPC.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: There is no instance of
- "/ietf-netconf-acm:nacm/groups/group[name='swm']/user-name[.='operator17619020756748090']", but it is not required.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- $Oct\ 29\ 23:12:16\ mcb1\ daemon. info\ net opeer 2-server [980]:\ Processing\ "notif"\ "ietf-net conf-notifications"\ event\ with\ ID\ 18.$
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 18 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 9 priority 0 for 1 subscribers.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 9 priority 0 (remaining 1 subscribers).
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 9 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 9 priority 0 succeeded.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...



- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Session 4: thread 0 event new RPC.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 10 priority 0 for 1 subscribers.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 10 priority 0 (remaining 1 subscribers).
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 10 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 10 priority 0 succeeded.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Session 4: thread 0 event new RPC.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/sync\_manager", but it is not required.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 19.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 19 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Session 4: thread 0 event new RPC.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Session 4: thread 0 event session terminated.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Accepted a connection on :::830.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Session 201 (user "root", CID 1) created.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-service" of subtype "ssh-userauth".
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-auth" of subtype "password".
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/supervision", but it is not required.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 20.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 20 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:16 mcb1 daemon.err netopeer2-server[980]: Session 4: invalid session to write to.
- Oct 29 23:12:16 mcb1 daemon.err netopeer2-server[980]: Session 4: failed to write notification (error).
- Oct 29 23:12:16 mcb1 daemon.err netopeer2-server[980]: Sending a notification to session 4 failed.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: User "operator17619020756748090" authenticated.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel-open" of subtype "session".
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel" of subtype "subsystem".
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Session 203 (user "root", CID 1) created.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 21 priority 0 for 1 subscribers.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-start).
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 21.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 21 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:16 mcb1 daemon.err netopeer2-server[980]: Session 4: invalid session to write to.
- Oct 29 23:12:16 mcb1 daemon.err netopeer2-server[980]: Session 4: failed to write notification (error).
- Oct 29 23:12:16 mcb1 daemon.err netopeer2-server[980]: Sending a notification to session 4 failed.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn\_mcel-wdm:system-apps/ald\_controller", but it is not



### required.

- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 22.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 22 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:16 mcb1 daemon.err netopeer2-server[980]: Session 4: invalid session to write to.
- Oct 29 23:12:16 mcb1 daemon.err netopeer2-server[980]: Session 4: failed to write notification (error).
- Oct 29 23:12:16 mcb1 daemon.err netopeer2-server[980]: Sending a notification to session 4 failed.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-end).
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Call Home client "default-client" session terminated.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.22.79:4334.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/notifications:create-subscription" with ID 5 priority 0 for 1 subscribers.
- Oct 29 23:12:16 mcb1 daemon.info netopeer2-server[980]: Processing "/notifications:create-subscription" "rpc" event with ID 5 priority 0 (remaining 1 subscribers).
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 5 priority 0 (remaining 0 subscribers).
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 5 priority 0 succeeded.
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: Session 5: thread 3 event new RPC.
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:edit-config" with ID 5 priority 0 for 1 subscribers.
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 5 priority 0 (remaining 1 subscribers).
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.
- Oct 29 23:12:17 mcb1 daemon.err netopeer2-server[980]: Access to the data model "o-ran-sync" is denied because "operator17619020756748090" NACM authorization failed.
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: Failed processing of "rpc" event with ID 5 priority 0 (remaining 1 subscribers).
- Oct 29 23:12:17 mcb1 daemon.err netopeer2-server[980]: Access to the data model "o-ran-sync" is denied because "operator17619020756748090" NACM authorization failed.
- Oct 29 23:12:17 mcb1 daemon.warn netopeer2-server[980]: Event "rpc" with ID 5 priority 0 failed (User callback failed).
- Oct 29 23:12:17 mcb1 daemon.err netopeer2-server[980]: Failed to send an RPC (User callback failed).
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: Session 5: thread 2 event new RPC.
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: Session 5: thread 2 event reply error.
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: Session 5: thread 2 event new RPC.
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: Session 5: thread 2 event session terminated.
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Oct 29 23:12:17 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-end).
- Oct 29 23:12:17 mcb1 auth.info sshd[8784]: Accepted password for operator from 192.168.22.79 port 46862 ssh2
- Oct 29 23:12:17 mcb1 authpriv.info sshd[8784]; pam\_unix(sshd:session); session opened for user operator by (uid=0)



Expected Result: The NETCONF server replies rejecting the protocol operation with an				
"access-denied" error.				
*********** Actual Result *******	*****			
Access Control SWM (negative case)	=	SUCCESS		