



@ FILE NAME: M_CTC_ID_013.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.7

Test Description: The minimum functions of the TER described in section 2.1 that support validation of the M-Plane are operational, configured and connected to the O-RU



****** Connect to the NETCONF Server *******

> connect --ssh --host 192.168.3.38 --port 830 --login operator ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83 Interactive SSH Authentication done.

> status

Current NETCONF session:

ID : 21

Host : 192.168.3.38

Port: 830 Transport: SSH Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0 urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0 urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0 urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0 urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05 urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20 urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15 urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15 urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63 urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10 urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14 urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01 urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06 urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04 urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14 urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14 urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history

> subscribe --filter-xpath /ietf-netconf-notifications:*

urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

Ok



Step 1 The TER NETCONF Client sends the O-RU NETCONF Server a command to get the active-alarm-list.	
> getfilter->	xpath /o-ran-fm:active-alarm-list/active-alarms
'fault-text'	
Error occured in 1	======================================



SYSTEM LOGS

- Nov 4 02:42:07 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:42:07 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:42:08 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:42:08 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:42:09 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:42:09 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:42:10 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:42:10 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:42:11 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fw_manager
- Nov 4 02:42:11 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/nw_manager
- Nov 4 02:42:11 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager
- Nov 4 02:42:11 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/pm_manager
- Nov 4 02:42:11 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/um_manager
- Nov 4 02:42:11 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sys_monitor
- Nov 4 02:42:11 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fault_manager
- Nov 4 02:42:11 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/file_manager
- Nov 4 02:42:11 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/supervision
- Nov 4 02:42:11 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sync_manager
- Nov 4 02:42:11 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/ald_controller
- Nov 4 02:42:11 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/log_manager
- $Nov\ 4\ 02:42:11\ mcb1\ user.notice\ wd_manager[1441]:\ Value\ is\ 1\ for\ Xpath\ /vvdn_mcel-wdm:system-apps/radio_manager[1441]:\ Value\ is\ 1\ for\ Xpath\ /vvdn_mcel-w$
- $Nov\ 4\ 02:42:11\ mcb1\ user.notice\ wd_manager[1441]:\ Value\ is\ 1\ for\ Xpath\ /vvdn_mcel-wdm:system-apps/cli_manager[1441]:\ Value\ is\ 1\ for$
- Nov 4 02:42:11 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:42:11 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:42:12 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:42:12 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:42:12 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:42:12 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:42:12 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:42:12 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:42:12 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:42:12 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:42:12 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:42:12 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- N. 402 42 12 11
- Nov 4 02:42:12 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:42:13 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:42:13 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:42:14 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:42:14 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:42:15 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:42:15 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:42:16 mcb1 user.notice SYNCMNGR[1305]: Received message from S-Plane
- Nov 4 02:42:16 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:42:16 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
- Nov 4 02:42:17 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.



Nov 402:42:17 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:18 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:18 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:19 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:19 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:20 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:20 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:21 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:21 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:22 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:22 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:22 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:23 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:23 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:24 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:24 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:25 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:25 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:26 mcb1 user.notice SYNCMNGR[1305]: Received message from S-Plane Nov 4 02:42:26 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:26 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:27 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:27 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:28 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:28 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:29 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 402:42:29 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:30 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:30 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:31 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:31 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:32 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:32 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 02:42:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 02:42:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 02:42:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 02:42:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 02:42:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Page 5



```
Nov 4 02:42:32 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:42:33 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:33 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:42:34 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:34 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:42:35 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:35 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:42:36 mcb1 user.notice SYNCMNGR[1305]: Received message from S-Plane
Nov 4 02:42:36 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:36 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:42:37 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:37 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:42:38 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:38 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:42:39 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:39 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:42:40 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:40 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:42:41 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:41 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:42:42 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:42:42 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:42:42 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:42 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:42:42 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:42:42 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:42:42 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:42:42 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:42:42 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:42:42 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:42:42 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:42:43 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:43 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:42:44 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:44 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:42:45 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:45 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:42:46 mcb1 user.notice SYNCMNGR[1305]: Received message from S-Plane
Nov 4 02:42:46 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:46 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:42:47 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:47 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:42:48 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:42:48 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
```

Nov 4 02:42:49 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:42:50 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:42:51 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:42:49 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:42:50 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).



- Nov 402:42:51 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:52 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:52 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:52 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:52 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:52 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:52 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:52 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:52 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:52 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:52 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:52 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Nov 4 02:42:53 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:53 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:54 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fw_manager Nov 4 02:42:54 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/nw_manager Nov 4 02:42:54 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager Nov 4 02:42:54 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/pm_manager Nov 4 02:42:54 mcb1 user.notice wd manager[1441]: Value is 1 for Xpath /vvdn mcel-wdm:system-apps/um manager Nov 4 02:42:54 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sys_monitor Nov 4 02:42:54 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fault_manager Nov 4 02:42:54 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/file_manager Nov 4 02:42:54 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/supervision Nov 4 02:42:54 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sync_manager Nov 4 02:42:54 mcb1 user.notice wd_manager[1441]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/ald_controller Nov 4 02:42:54 mcb1 user.notice wd manager[1441]: Value is 1 for Xpath /vvdn mcel-wdm:system-apps/log manager Nov 4 02:42:54 mcb1 user.notice wd manager[1441]: Value is 1 for Xpath /vvdn mcel-wdm:system-apps/radio_manager Nov 4 02:42:54 mcb1 user.notice wd manager[1441]: Value is 1 for Xpath /vvdn mcel-wdm:system-apps/cli manager Nov 4 02:42:54 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:54 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:55 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:55 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:56 mcb1 user.notice SYNCMNGR[1305]: Received message from S-Plane Nov 4 02:42:56 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:56 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:57 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:57 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:58 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:58 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:42:59 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:42:59 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable). Nov 4 02:43:00 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:43:01 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336. Nov 4 02:43:01 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:43:00 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

- Nov 4 02:43:02 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 02:45:02 mco1 user.warn pm_manager[15/2]: railed to open /media/sd-mmcolk/0p4/O-RAIN/10g/timezone. Using default value...
- $Nov\ 4\ 02:43:02\ mcb1\ user.warn\ pm_manager [1372]:\ Failed\ to\ open\ / media/sd-mmcblk 0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- Nov 4 02:43:02 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 02:43:02 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).



```
Nov 4 02:43:02 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:43:02 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:43:02 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:43:02 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:43:02 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:43:02 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:43:02 mcb1 user.warn pm_manager[1372]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 02:43:03 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:43:03 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:43:04 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:43:04 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:43:05 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:43:05 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:43:06 mcb1 user.notice SYNCMNGR[1305]: Received message from S-Plane
Nov 4 02:43:06 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:43:06 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:43:07 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:43:07 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:43:08 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 02:43:08 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).
Nov 4 02:43:08 mcb1 daemon.info netopeer2-server[984]: Accepted a connection on :::830.
Nov 4 02:43:08 mcb1 daemon.info netopeer2-server[984]: Session 435 (user "root", CID 1) created.
Nov 4 02:43:08 mcb1 daemon.info netopeer2-server[984]: Received an SSH message "request-service" of subtype "ssh-userauth".
Nov 4 02:43:08 mcb1 daemon.info netopeer2-server[984]: Received an SSH message "request-auth" of subtype "password".
Nov 4 02:43:08 mcb1 daemon.info netopeer2-server[984]: User "operator" authenticated.
Nov 4 02:43:08 mcb1 daemon.info netopeer2-server[984]: Received an SSH message "request-channel-open" of subtype "session".
Nov 4 02:43:08 mcb1 daemon.info netopeer2-server[984]: Received an SSH message "request-channel" of subtype "subsystem".
Nov 4 02:43:08 mcb1 daemon.info netopeer2-server[984]: Session 436 (user "root", CID 1) created.
Nov 4 02:43:08 mcb1 daemon.info netopeer2-server[984]: There are no subscribers for "ietf-netconf-notifications" notifications.
Nov 4 02:43:08 mcb1 daemon.info netopeer2-server[984]: Generated new event (netconf-session-start).
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Published event "rpc" "/ietf-netconf:get" with ID 42 priority 0 for 1 subscribers.
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Processing "/ietf-netconf:get" "rpc" event with ID 42 priority 0 (remaining 1
subscribers).
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Successful processing of "rpc" event with ID 42 priority 0 (remaining 0 subscribers).
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Event "rpc" with ID 42 priority 0 succeeded.
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Session 21: thread 0 event new RPC.
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.
Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Published event "rpc" "/ietf-netconf:get" with ID 43 priority 0 for 1 subscribers.
```

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Processing "/ietf-netconf:get" "rpc" event with ID 43 priority 0 (remaining 1

subscribers).



Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 13.

Nov 4 02:43:09 mcb1 user.notice fw_manager[1059]: RPC #13 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:43:09 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Event "operational" with ID 13 succeeded.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Successful processing of "rpc" event with ID 43 priority 0 (remaining 0 subscribers).

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Event "rpc" with ID 43 priority 0 succeeded.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Session 21: thread 0 event new RPC.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Published event "rpc" "/ietf-netconf:get-config" with ID 4 priority 0 for 1 subscribers.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Processing "/ietf-netconf:get-config" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Event "rpc" with ID 4 priority 0 succeeded.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Session 21: thread 4 event new RPC.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.



Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Published event "rpc" "/notifications:create-subscription" with ID 3 priority 1 for 1 subscribers.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Processing "ietf-netconf-monitoring" "operational" event with ID 7.

Nov 4 02:43:09 mcb1 daemon.info netopeer2-server[984]: Successful processing of "operational" event with ID 7.

Nov 4 02:43:10 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:43:10 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:43:10 mcb1 daemon.info netopeer2-server[984]: Event "rpc" with ID 3 priority 1 succeeded.

Nov 4 02:43:10 mcb1 daemon.info netopeer2-server[984]: Published event "rpc" "/notifications:create-subscription" with ID 3 priority 0 for 1 subscribers.

Nov 4 02:43:10 mcb1 daemon.info netopeer2-server[984]: Processing "/notifications:create-subscription" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Nov 4 02:43:10 mcb1 daemon.info netopeer2-server[984]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 02:43:10 mcb1 daemon.info netopeer2-server[984]: Event "rpc" with ID 3 priority 0 succeeded.

Nov 4 02:43:10 mcb1 daemon.info netopeer2-server[984]: Session 21: thread 0 event new RPC.

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: Published event "rpc" "/ietf-netconf:get" with ID 44 priority 0 for 1 subscribers.

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: Processing "/ietf-netconf:get" "rpc" event with ID 44 priority 0 (remaining 1 subscribers).

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: Published event "operational" "/o-ran-fm:active-alarm-list/active-alarms" with ID 7.

Nov 4 02:43:11 mcb1 user.info FAULT MANAGEMENT[1038]: ======= DATA FOR "o-ran-fm"

"/o-ran-fm:active-alarm-list/active-alarms" REQUESTED===========================

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: Event "operational" with ID 7 succeeded.

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: Successful processing of "rpc" event with ID 44 priority 0 (remaining 0 subscribers).

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: Event "rpc" with ID 44 priority 0 succeeded.

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: Session 21: thread 0 event new RPC.

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: Session 21: thread 0 event new RPC.

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: Session 21: thread 0 event session terminated.

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 02:43:11 mcb1 daemon.info netopeer2-server[984]: Generated new event (netconf-session-end).

 $Nov\ 4\ 02:43:11\ mcb1\ daemon. info\ net opeer 2-server [984]: Trying\ to\ connect\ via\ IPv4\ to\ 192.168.4.15:4336.$

Nov 4 02:43:11 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:43:11 mcb1 authpriv.debug sshd[5697]: pam_unix(sshd:account): account operator has password changed in future

Nov 4 02:43:11 mcb1 auth.info sshd[5697]: Accepted password for operator from 192.168.3.15 port 51554 ssh2

Nov 4 02:43:11 mcb1 authpriv.info sshd[5697]: pam_unix(sshd:session): session opened for user operator by (uid=0)



Retrieval of Active Alarm List

FAI
