



**@ FILE NAME: M\_CTC\_ID\_020.txt**

**@ TEST SCOPE: M PLANE O-RAN CONFORMANCE**

**@ Software Release for MCB1: v1.0.1**

**Test Description : This scenario is MANDATORY for an O-RU supporting the Hybrid M-plane architecture model.**

**This test validates that the O-RU correctly implements NETCONF Access Control user privileges.**

**The scenario corresponds to the following chapters in [3]:**

**3.4 NETCONF Access Control**

```
=====
***** Initial Get *****
=====
```

```
> connect --ssh --host 192.168.49.43 --port 830 --login root
```

```
Interactive SSH Authentication
```

```
Type your password:
```

```
Password:
```

```
=====
> get --filter-xpath /o-ran-usermgmt:users/user
=====
```

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <users xmlns="urn:o-ran:user-mgmt:1.0">
    <user>
      <name>oranuser</name>
      <account-type>PASSWORD</account-type>
      <password>oranuser</password>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator</name>
      <account-type>PASSWORD</account-type>
      <password>admin1234895</password>
      <enabled>true</enabled>
    </user>
    <user>
      <name>observer</name>
      <account-type>PASSWORD</account-type>
      <password>admin123</password>
      <enabled>true</enabled>
    </user>
    <user>
      <name>installer</name>
      <account-type>PASSWORD</account-type>
      <password>wireless123</password>
      <enabled>true</enabled>
    </user>
    <user>
      <name>garuda</name>
      <account-type>PASSWORD</account-type>
      <password>garuda12345</password>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator11302326379</name>
      <account-type>PASSWORD</account-type>
      <password>Aemlsk9}{2xgQVF</password>
```

```
<enabled>true</enabled>
</user>
<user>
<name>operator44567591</name>
<account-type>PASSWORD</account-type>
<password>yo7)BAFyAm0M7W1lc2mEA_D5[5YytpafL6xTTCXM%Q]~Z2Fv^</password>
<enabled>true</enabled>
</user>
<user>
<name>operator8075861281902</name>
<account-type>PASSWORD</account-type>
<password>GV2QSHVzl}B)vk(!tw2pZhuFkkn%L^E)wgk(Z{KfgXCpdkfEA+NGMY(B^+kDYB8R06v</password>
<enabled>true</enabled>
</user>
<user>
<name>operator17619020756748090</name>
<account-type>PASSWORD</account-type>
<password>nwk75gnD[44LqeBrwKFcBvaUNPKz6gARf_M.EHxwG.EGuk{-n_Os0avM}$XZ}LBYNb+)M!NcV0RunG}_-)9F2gu%nKKsd+X
kOgXvIYxh%QxBQsA7EYqB</password>
<enabled>true</enabled>
</user>
<user>
<name>operator86938204120707827368</name>
<account-type>PASSWORD</account-type>
<password>s8icesF.HI~%FN4_!MKBMVqa]{RUQkL07x.+)-VmZfAh3nJxwS+y6I!</password>
<enabled>true</enabled>
</user>
<user>
<name>operator7596639986022389968</name>
<account-type>PASSWORD</account-type>
<password>v+Dq5KtKuj(^!x</password>
<enabled>true</enabled>
</user>
<user>
<name>operator0126795795152205</name>
<account-type>PASSWORD</account-type>
<password>RdPIGycV9r]R15N_k7Hnz5wF)vjY~dxBE!v^MxSq4Gke1nCkSCW+1)1z%2}kOtLnjiWbj]EY7QUk%15H0g~QYlrR0bRkZMz1x
TyDy3ca6-r</password>
<enabled>true</enabled>
</user>
<user>
<name>operator119986</name>
<account-type>PASSWORD</account-type>
<password>1Xrl)+$ki)QolcMi)vVRig.u</password>
<enabled>true</enabled>
</user>
<user>
<name>stl</name>
<account-type>PASSWORD</account-type>
```

```
<password>stli12345</password>
<enabled>true</enabled>
</user>
<user>
<name>operator72008202</name>
<account-type>PASSWORD</account-type>
<password>INxRH3HsE</password>
<enabled>true</enabled>
</user>
<user>
<name>operator06308723954138</name>
<account-type>PASSWORD</account-type>
<password>36eb.%^8cvTFI~5SYnjID9E7pVT$A9bJ]VKkDyfolI}Y~1V3uJWrh~]I^o4i}SzQJCD!ufgDHsR5pM-m-xLeMj(vl</password>
<enabled>true</enabled>
</user>
<user>
<name>operator21726001215379102</name>
<account-type>PASSWORD</account-type>
<password>PuUPKD.3JY4^2f1i$T~CTW12CO8yWjU$b}12jZwrb7kpkwd(b%2s1S}</password>
<enabled>true</enabled>
</user>
<user>
<name>operator441110748091</name>
<account-type>PASSWORD</account-type>
<password>uo7gz!W^7YY9Z23.%JJ$u[gDTV8E4EQuhke.8te(7xrg3v9kkN!6E3^VWGI-NuR^oQO-Z9~rDUBDqgxNC~u%]rKM1YSv.nD{pI<
/password>
<enabled>true</enabled>
</user>
<user>
<name>operator9933599780531</name>
<account-type>PASSWORD</account-type>
<password>IYK+djMy^bdGzSM)GBkY2PgQ5</password>
<enabled>true</enabled>
</user>
<user>
<name>operator682309505800</name>
<account-type>PASSWORD</account-type>
<password>W~V.FdF{rXU}11z~.Iob}m6kkMdi~UOD_CKfEwfc^b.q[oQ1cA)n(sFmLaF.1z$t%50))Y4WzC~ShIc^zr1Ut!7</password>
<enabled>true</enabled>
</user>
<user>
<name>operator13000</name>
<account-type>PASSWORD</account-type>
<password>+hgmsksT4LdHGfixUgry~!8ZdlTO7{aF][lj(ulCaDXizCx1+-}Gr5O-(Znes+0Jn)n[%V8n(oMiLCfM!.nx5J_CGiQmEpaiDoG89i</pas
sword>
<enabled>true</enabled>
</user>
</users>
</data>
```

```
=====
***** Connect to the NETCONF Server *****
=====
```

```
=====
***** Connect to the NETCONF Server *****
=====
```

```
> listen --ssh --login installer
```

```
Waiting 60s for an SSH Call Home connection on port 4334...
```

```
The authenticity of the host '::ffff:192.168.49.43' cannot be established.
```

```
ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83
```

```
Interactive SSH Authentication done.
```

```
> status
```

```
Current NETCONF session:
```

```
ID      : 61
```

```
Host     : 192.168.49.43
```

```
Port     : 830
```

```
Transport : SSH
```

```
Capabilities:
```

```
urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0
```

```
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0
```

```
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0
```

```
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
```

```
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0
```

```
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
```

```
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
```

```
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
```

```
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
```

```
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63
```

```
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
```

```
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
```

```
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,validate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
```

```
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
```

```
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
```

```
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
```

```
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
```

```
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
```

```
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history
```

```
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19
```

```
=====
> subscribe
=====
```

Ok

=====

## Step 2 TER NETCONF client attempts to configure a new user/password.

=====

=====

```
> edit-config --target running --config --defop merge
```

=====

=====

**\*\*\*\*\* Replace with below xml \*\*\*\*\***

=====

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
  <users xmlns="urn:o-ran:user-mgmt:1.0">
    <user>
      <name>operator822326998</name>
      <account-type>PASSWORD</account-type>
      <password>w0gglj(~^+CII9)HHjyGTSOTAdf^3G[+hT%vnNfT6}9l8heR_XBZJ6x7eQ)izt}w9(NTYe$^{</password>
      <enabled>true</enabled>
    </user>
  </users>
</config>
```

=====

=====

## Step 3 NETCONF server replies rejecting the protocol operation with an 'access-denied' error

=====

### ERROR

```
type      : protocol
tag       : access-denied
severity  : error
path      : /o-ran-usermgmt:users/user
message   : Access to the data model "o-ran-usermgmt" is denied because "installer" NACM authorization failed.
```

## =====

**##### SYSTEM LOGS #####**

=====

Oct 30 01:43:18 mcb1 user.err file\_manager[1352]: File transfer failed :Reason: Credentials validation failed

Oct 30 01:43:18 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-file-management" event with ID 105.

Oct 30 01:43:18 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 105 priority 0 (remaining 0 subscribers).

Oct 30 01:43:18 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:43:18 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:43:19 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:43:19 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Successfully connected to 192.168.49.88:4334 over IPv4.

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Session 20885 (user "root", CID 1) created.

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-auth" of subtype "password".

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: User "installer" authenticated.

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel-open" of subtype "session".

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Call Home client "default-client" session 61 established.

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Session 20886 (user "root", CID 1) created.

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 31 priority 0 for 1 subscribers.

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 31.

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 31 priority 0 (remaining 0 subscribers).

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-start).

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get" with ID 346 priority 0 for 1 subscribers.

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get" "rpc" event with ID 346 priority 0 (remaining 1 subscribers).

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 346 priority 0 (remaining 0 subscribers).

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 346 priority 0 succeeded.

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:20 mcb1 daemon.info netopeer2-server[980]: Session 61: thread 4 event new RPC.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get" with ID 347 priority 0 for 1 subscribers.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get" "rpc" event with ID 347 priority 0 (remaining 1 subscribers).

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 102.

Oct 30 01:43:21 mcb1 user.notice fw\_manager[1063]: RPC #102 recieved. xpath -> /o-ran-software-management:software-inventory

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Event "operational" with ID 102 succeeded.



Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 347 priority 0 (remaining 0 subscribers).

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 347 priority 0 succeeded.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Session 61: thread 4 event new RPC.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 23 priority 0 for 1 subscribers.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 23 priority 0 (remaining 1 subscribers).

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 23 priority 0 (remaining 0 subscribers).

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 23 priority 0 succeeded.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Session 61: thread 1 event new RPC.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Accepted a connection on :::830.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Session 20892 (user "root", CID 1) created.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-auth" of subtype "password".

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: User "root" authenticated.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel-open" of subtype "session".

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Session 20893 (user "root", CID 1) created.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 32 priority 0 for 1 subscribers.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-start).

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 32.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 32 priority 0 (remaining 0 subscribers).

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Accepted a connection on :::830.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Session 20895 (user "root", CID 1) created.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get" with ID 348 priority 0 for 1 subscribers.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get" "rpc" event with ID 348 priority 0 (remaining 1 subscribers).

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 348 priority 0 (remaining 0 subscribers).

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 348 priority 0 succeeded.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Session 62: thread 3 event new RPC.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-auth" of subtype "none".

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-auth" of subtype "interactive".

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Session 62: thread 3 event new RPC.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Session 62: thread 3 event session terminated.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 33 priority 0 for 1 subscribers.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-end).

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 33.

Oct 30 01:43:21 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 33 priority 0 (remaining 0 subscribers).

Oct 30 01:43:23 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-auth" of subtype "interactive".

Oct 30 01:43:23 mcb1 daemon.info netopeer2-server[980]: User "root" authenticated.

Oct 30 01:43:23 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel-open" of subtype "session".

Oct 30 01:43:23 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 30 01:43:23 mcb1 daemon.info netopeer2-server[980]: Session 20898 (user "root", CID 1) created.

Oct 30 01:43:23 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 34 priority 0 for 1 subscribers.

Oct 30 01:43:23 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-start).

Oct 30 01:43:23 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 34.

Oct 30 01:43:23 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 34 priority 0 (remaining 0 subscribers).

Oct 30 01:43:23 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:23 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:23 mcb1 daemon.info netopeer2-server[980]: Schema "ietf-yang-library" was requested.

Oct 30 01:43:23 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Page 11

Page 12



Page 13

Page 14

Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 0 event new RPC.

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4915971

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4290129

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-processing-element" was requested.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 2 event new RPC.

Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57 get-maximum-number-of-transport-flow

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-ald-port" was requested.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 0 event new RPC.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-supervision" was requested.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 2 event new RPC.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-hardware" was requested.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.



Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 0 event new RPC.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-fm" was requested.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 2 event new RPC.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-usermgmt" was requested.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 0 event new RPC.  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-sync" was requested.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 2 event new RPC.  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-compression-factors" was requested.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 1 event new RPC.  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-module-cap" was requested.  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4924161  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4297041  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0  
Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR  
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED  
Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 2 event new RPC.  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-compression-factors" was requested.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 1 event new RPC.  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-delay-management" was requested.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 2 event new RPC.  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-operations" was requested.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 1 event new RPC.  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-uplane-conf" was requested.  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 2 event new RPC.  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-processing-element" was requested.  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 2 event new RPC.

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4931809

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4303801

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!



Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4932537

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4303905  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0  
Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR  
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED  
Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-file-management" was requested.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 3 event new RPC.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-software-management" was requested.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 3 event new RPC.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-hardware" was requested.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 3 event new RPC.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-file-management" was requested.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 3 event new RPC.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-performance-management" was requested.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed

Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 3 event new RPC.

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4937909  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4308413  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0  
Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR  
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED  
Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-ald" was requested.  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 0 event new RPC.  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...



Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-ald-port" was requested.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 0 event new RPC.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-trace" was requested.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 0 event new RPC.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Schema "o-ran-troubleshooting" was requested.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Session 63: thread 0 event new RPC.

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed

Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4940637  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4310745  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0  
Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR  
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED  
Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4940637  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4310745  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0  
Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR  
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED  
Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)



Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4940637

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4310745

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4940637  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4310745

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed

Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4940637  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4310745  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0  
Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR



"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED  
Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4940637  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4310745  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0  
Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR  
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED  
Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: sr\_event\_notif\_send API failed  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0



Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX\_POWER", but it is not required.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 636.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 636 priority 0 (remaining 0 subscribers).  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4940847  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 637.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 637 priority 0 (remaining 0 subscribers).

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4941057

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4311057

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57



get-maximum-number-of-transport-flow

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX\_POWER\_LANE\_3", but it is not required.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 638.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 638 priority 0 (remaining 0 subscribers).  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX\_POWER\_LANE\_4", but it is not required.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 639.  
Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 639 priority 0 (remaining 0 subscribers).  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4941477  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0  
Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0  
Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490

Page 44



Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 640.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 640 priority 0 (remaining 0 subscribers).

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4941687

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4311525

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:43:24 mcb1 user.notice file\_manager[1352]: RPC #298 recieved. xpath -> /o-ran-file-management:file-upload

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED



Oct 30 01:43:24 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX\_POWER\_LANE\_2", but it is not required.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 641.

Oct 30 01:43:24 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 641 priority 0 (remaining 0 subscribers).

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:43:24 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:43:24 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560

Page 47

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX\_POWER\_LANE\_3", but it is not required.  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 642.  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 642 priority 0 (remaining 0 subscribers).  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4942037  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4311785

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:43:25 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:43:25 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX\_POWER\_LANE\_4", but it is not required.

Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not



required.

```
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 643.
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 643 priority 0 (remaining 0 subscribers).
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 21560
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4942177
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4311889
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0
Oct 30 01:43:25 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR
```



Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX\_BIAS\_COUNT\_LANE\_2", but it is not required.  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 645.  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 645 priority 0 (remaining 0 subscribers).  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4942457  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

```
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4312097
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0
Oct 30 01:43:25 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED
Oct 30 01:43:25 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:43:25 mcb1 user.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_BIAS_COUNT_LANE_3", but it
is not required.
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: There is no leafref
```



"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

```
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 646.
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 646 priority 0 (remaining 0 subscribers).
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 21560
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4942527
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4312149
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120
Oct 30 01:43:25 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0
Oct 30 01:43:25 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0
```



Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4942597

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4312201

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:43:25 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:43:25 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57 get-maximum-number-of-transport-flow

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "VOLTAGE", but it is not required.  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 648.  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 648 priority 0 (remaining 0 subscribers).  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : lo  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-octets: 21560  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-discards: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : lo in-errors: 0  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4942667  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.428  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.490  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4312253  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.100  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IFMNGR: getting state of interface : eth1.120  
Oct 30 01:43:25 mcb1 user.err nw\_manager[1012]: IF\_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0  
Oct 30 01:43:25 mcb1 user.info nw\_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0  
Oct 30 01:43:25 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:56 DATA FOR  
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED  
Oct 30 01:43:25 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 user.err SYSREPO\_CB\_PM[1374]: Failed at get item for eaxc-id!!  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: There is no leafref  
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TEMPERATURE", but it is not  
required.  
Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 649.

Oct 30 01:43:25 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 649 priority 0 (remaining 0 subscribers).

Oct 30 01:43:26 mcb1 user.notice SYNCMNGR[1310]: Received message from S-Plane

Oct 30 01:43:26 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:26 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:26 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:26 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:26 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/notifications:create-subscription" with ID 22 priority 0 for 1 subscribers.

Oct 30 01:43:26 mcb1 daemon.info netopeer2-server[980]: Processing "/notifications:create-subscription" "rpc" event with ID 22 priority 0 (remaining 1 subscribers).

Oct 30 01:43:27 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 22 priority 0 (remaining 0 subscribers).

Oct 30 01:43:27 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 22 priority 0 succeeded.

Oct 30 01:43:27 mcb1 daemon.info netopeer2-server[980]: Session 61: thread 3 event new RPC.

Oct 30 01:43:28 mcb1 user.err file\_manager[1352]: File transfer failed :Reason: Credentials validation failed

Oct 30 01:43:28 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-file-management" event with ID 106.

Oct 30 01:43:28 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 106 priority 0 (remaining 0 subscribers).

Oct 30 01:43:28 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:28 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:28 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:43:28 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:43:28 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:edit-config" with ID 18 priority 0 for 1 subscribers.

Oct 30 01:43:28 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 18 priority 0 (remaining 1 subscribers).

Oct 30 01:43:28 mcb1 daemon.info netopeer2-server[980]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Oct 30 01:43:28 mcb1 daemon.err netopeer2-server[980]: Access to the data model "o-ran-usermgmt" is denied because "installer" NACM authorization failed.

Oct 30 01:43:28 mcb1 daemon.info netopeer2-server[980]: Failed processing of "rpc" event with ID 18 priority 0 (remaining 1 subscribers).

Oct 30 01:43:28 mcb1 daemon.err netopeer2-server[980]: Access to the data model "o-ran-usermgmt" is denied because "installer" NACM authorization failed.

Oct 30 01:43:28 mcb1 daemon.warn netopeer2-server[980]: Event "rpc" with ID 18 priority 0 failed (User callback failed).

Oct 30 01:43:28 mcb1 daemon.err netopeer2-server[980]: Failed to send an RPC (User callback failed).

Oct 30 01:43:28 mcb1 daemon.info netopeer2-server[980]: Session 61: thread 0 event new RPC.

Oct 30 01:43:28 mcb1 daemon.info netopeer2-server[980]: Session 61: thread 0 event reply error.

Oct 30 01:43:33 mcb1 daemon.info netopeer2-server[980]: Session 61: thread 0 event new RPC.

Oct 30 01:43:33 mcb1 daemon.info netopeer2-server[980]: Session 61: thread 0 event session terminated.

Oct 30 01:43:33 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 35 priority 0 for 1 subscribers.

Oct 30 01:43:33 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 35.

Oct 30 01:43:33 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 35 priority 0 (remaining 0 subscribers).

Oct 30 01:43:33 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-end).

Oct 30 01:43:33 mcb1 daemon.info netopeer2-server[980]: Call Home client "default-client" session terminated.

Oct 30 01:43:33 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:43:33 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:43:33 mcb1 auth.info sshd[28780]: Accepted password for installer from 192.168.49.88 port 34038 ssh2



Oct 30 01:43:33 mcb1 authpriv.info sshd[28780]: pam\_unix(sshd:session): session opened for user installer by (uid=0)

**Expected Result : The NETCONF server replies rejecting the protocol operation with an "access-denied" error.**

=====

\*\*\*\*\* Actual Result \*\*\*\*\*

=====

=====

<b>Access Control NMS (negative case)</b>	<b>=</b>	<b>SUCCESS</b>
---	----------	----------------

=====