



@ FILE NAME: M_CTC_ID_010.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for LPRU: v1.1.0

Test Description : This scenario validates that the O-RU NETCONF Server properly executes a general get command.

***** Connect to the NETCONF Server *****

```
> connect --ssh --host 192.168.214.37 --port 830 --login operator
```

```
Interactive SSH Authentication
```

```
Type your password:
```

```
Password:
```

```
> status
```

```
Current NETCONF session:
```

```
ID      : 15
```

```
Host    : 192.168.214.37
```

```
Port    : 830
```

```
Transport : SSH
```

```
Capabilities:
```

```
urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid
ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19
```

```
> subscribe
```

```
Ok
```

=====

Step 1 The TER NETCONF Client triggers <rpc><get> towards the O-RU NETCONF Server.

=====

=====

> get

=====

=====

Step 2 The O-RU NETCONF Server responds with <rpc-reply><data> where <data> contains all information elements that the O-RU NETCONF Server is able to expose

=====

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <hardware xmlns="urn:ietf:params:xml:ns:yang:ietf-hardware">
    <component>
      <name>ru-module</name>
      <class xmlns:o-ran-hw="urn:o-ran:hardware:1.0">o-ran-hw:O-RAN-RADIO</class>
      <state>
        <oper-state>enabled</oper-state>
        <usage-state>busy</usage-state>
        <availability-state xmlns="urn:o-ran:hardware:1.0">DEGRADED</availability-state>
      </state>
      <o-ran-name xmlns="urn:o-ran:hardware:1.0">ru-module</o-ran-name>
      <description>VVDN-RU</description>
      <hardware-rev>B1-20220902</hardware-rev>
      <software-rev>01-v1.1.0</software-rev>
      <serial-num>2207248400121</serial-num>
      <mfg-name>VVDN-LPRU</mfg-name>
      <model-name>RU_INDOOR_LPRU</model-name>
      <uuid>f81d4fae-7dec-11d0-a765-00a0c91e6bf6</uuid>
      <label-content xmlns="urn:o-ran:hardware:1.0">
        <model-name>true</model-name>
        <serial-number>true</serial-number>
      </label-content>
      <product-code xmlns="urn:o-ran:hardware:1.0">O-RAN RU PROD v1.0.4</product-code>
      <contains-child>ru-port0</contains-child>
      <contains-child>ru-port1</contains-child>
    </component>
    <component>
      <name>ru-port0</name>
      <class xmlns:ianahw="urn:ietf:params:xml:ns:yang:iana-hardware">ianahw:port</class>
      <parent>ru-module</parent>
      <parent-rel-pos>0</parent-rel-pos>
      <state>
        <oper-state>enabled</oper-state>
        <usage-state>busy</usage-state>
        <availability-state xmlns="urn:o-ran:hardware:1.0">DEGRADED</availability-state>
```

```
</state>
<o-ran-name xmlns="urn:o-ran:hardware:1.0">ru-port0</o-ran-name>
<description>VVDN_RU_PORT</description>
<hardware-rev>B1-20220902</hardware-rev>
<is-fru>false</is-fru>
<mfg-date>2020-05-27T09:00:00-05:30</mfg-date>
</component>
<component>
<name>ru-port1</name>
<class xmlns:ianahw="urn:ietf:params:xml:ns:yang:iana-hardware">ianahw:port</class>
<parent>ru-module</parent>
<parent-rel-pos>1</parent-rel-pos>
<state>
<oper-state>enabled</oper-state>
<usage-state>busy</usage-state>
<availability-state xmlns="urn:o-ran:hardware:1.0">DEGRADED</availability-state>
</state>
<o-ran-name xmlns="urn:o-ran:hardware:1.0">ru-port1</o-ran-name>
<description>VVDN_RU_PORT</description>
<hardware-rev>B1-20220902</hardware-rev>
<is-fru>false</is-fru>
<mfg-date>2020-05-27T09:00:00-05:30</mfg-date>
</component>
<last-change>2000-11-04T00:00:44Z</last-change>
</hardware>
<mplane-info xmlns="urn:o-ran:mplane-interfaces:1.0">
<m-plane-interfaces>
<m-plane-sub-interfaces>
<interface-name>eth0.6</interface-name>
<sub-interface>6</sub-interface>
<client-info>
<mplane-ipv4-info>
<mplane-ipv4>192.168.214.234</mplane-ipv4>
<port>4334</port>
</mplane-ipv4-info>
</client-info>
</m-plane-sub-interfaces>
</m-plane-interfaces>
</mplane-info>
<port-transceivers xmlns="urn:o-ran:transceiver:1.0">
<port-transceiver-data>
<interface-name>eth0</interface-name>
<port-number>0</port-number>
<name>ru-port0</name>
<present>true</present>
<vendor-id>techNXT </vendor-id>
<vendor-part>INVALID</vendor-part>
<vendor-rev> </vendor-rev>
<serial-no>YF202104132464 </serial-no>
```

```
<SFF8472-compliance-code>rev10.2-diagnostics</SFF8472-compliance-code>
<connector-type>lucent-connector</connector-type>
<identifier>sfp</identifier>
<nominal-bitrate>103</nominal-bitrate>
<low-bitrate-margin>0</low-bitrate-margin>
<high-bitrate-margin>0</high-bitrate-margin>
<rx-power-type>avp</rx-power-type>
<rx-power>0.5346</rx-power>
<tx-power>0.583</tx-power>
<tx-bias-current>6.006</tx-bias-current>
</port-transceiver-data>
</port-transceivers>
<sync xmlns="urn:o-ran:sync:1.0">
  <ptp-config>
    <domain-number>24</domain-number>
    <accepted-clock-classes>
      <clock-classes>255</clock-classes>
    </accepted-clock-classes>
    <accepted-clock-classes>
      <clock-classes>248</clock-classes>
    </accepted-clock-classes>
    <accepted-clock-classes>
      <clock-classes>165</clock-classes>
    </accepted-clock-classes>
    <accepted-clock-classes>
      <clock-classes>160</clock-classes>
    </accepted-clock-classes>
    <accepted-clock-classes>
      <clock-classes>150</clock-classes>
    </accepted-clock-classes>
    <accepted-clock-classes>
      <clock-classes>140</clock-classes>
    </accepted-clock-classes>
    <accepted-clock-classes>
      <clock-classes>135</clock-classes>
    </accepted-clock-classes>
    <accepted-clock-classes>
      <clock-classes>7</clock-classes>
    </accepted-clock-classes>
    <accepted-clock-classes>
      <clock-classes>6</clock-classes>
    </accepted-clock-classes>
  </ptp-config>
  <ptp-profile>G_8275_1</ptp-profile>
  <g-8275-1-config>
    <multicast-mac-address>FORWARDABLE</multicast-mac-address>
    <delay-asymmetry>0</delay-asymmetry>
  </g-8275-1-config>
</ptp-config>
<ptp-status>
```

```
<reporting-period>10</reporting-period>
<lock-state>UNLOCKED</lock-state>
<clock-class>255</clock-class>
<clock-identity>0x787DF3FFFE0113BB</clock-identity>
<partial-timing-supported>false</partial-timing-supported>
<sources>
  <local-port-number>0</local-port-number>
  <state>DISABLED</state>
  <two-step-flag>true</two-step-flag>
  <leap61>false</leap61>
  <leap59>false</leap59>
  <current-utc-offset-valid>false</current-utc-offset-valid>
  <ptp-timescale>true</ptp-timescale>
  <time-traceable>false</time-traceable>
  <frequency-traceable>false</frequency-traceable>
  <source-clock-identity>0x787DF3FFFE0113BB</source-clock-identity>
  <source-port-number>0</source-port-number>
  <current-utc-offset>32</current-utc-offset>
  <priority1>128</priority1>
  <clock-class>255</clock-class>
  <clock-accuracy>254</clock-accuracy>
  <offset-scaled-log-variance>65535</offset-scaled-log-variance>
  <priority2>255</priority2>
  <grandmaster-clock-identity>0x787DF3FFFE0113BB</grandmaster-clock-identity>
  <steps-removed>0</steps-removed>
  <time-source>160</time-source>
</sources>
</ptp-status>
<synce-config>
  <acceptance-list-of-ssm>PRC</acceptance-list-of-ssm>
  <acceptance-list-of-ssm>EEC1</acceptance-list-of-ssm>
  <acceptance-list-of-ssm>DNU</acceptance-list-of-ssm>
  <acceptance-list-of-ssm>NONE</acceptance-list-of-ssm>
  <ssm-timeout>5</ssm-timeout>
</synce-config>
<synce-status>
  <reporting-period>10</reporting-period>
  <lock-state>UNLOCKED</lock-state>
  <sources>
    <local-port-number>0</local-port-number>
    <state>DISABLED</state>
    <quality-level>0</quality-level>
  </sources>
</synce-status>
<sync-status>
  <sync-state>FREERUN</sync-state>
  <supported-reference-types>
    <item>PTP</item>
  </supported-reference-types>
```

```
<supported-reference-types>
  <item>SYNCE</item>
</supported-reference-types>
</sync-status>
<sync-capability>
  <sync-t-tsc>ENCHANCED</sync-t-tsc>
</sync-capability>
</sync>
<module-capability xmlns="urn:o-ran:module-cap:1.0">
  <ru-capabilities>
    <ru-supported-category>CAT_A</ru-supported-category>
    <number-of-ru-ports>4</number-of-ru-ports>
    <number-of-spatial-streams>4</number-of-spatial-streams>
    <max-power-per-pa-antenna>25.0</max-power-per-pa-antenna>
    <min-power-per-pa-antenna>23.0</min-power-per-pa-antenna>
    <fronthaul-split-option>7</fronthaul-split-option>
    <format-of-iq-sample>
      <dynamic-compression-supported>>false</dynamic-compression-supported>
      <realtime-variable-bit-width-supported>>false</realtime-variable-bit-width-supported>
      <compression-method-supported>
        <iq-bitwidth>9</iq-bitwidth>
        <compression-type>STATIC</compression-type>
        <bitwidth>9</bitwidth>
        <exponent>4</exponent>
      </compression-method-supported>
      <compression-method-supported>
        <iq-bitwidth>12</iq-bitwidth>
        <compression-type>STATIC</compression-type>
        <bitwidth>12</bitwidth>
        <exponent>4</exponent>
      </compression-method-supported>
      <compression-method-supported>
        <iq-bitwidth>16</iq-bitwidth>
      </compression-method-supported>
      <variable-bit-width-per-channel-supported>>false</variable-bit-width-per-channel-supported>
      <syminc-supported>>false</syminc-supported>
    </format-of-iq-sample>
    <energy-saving-by-transmission-blanks>>false</energy-saving-by-transmission-blanks>
    <dynamic-transport-delay-management-supported>>false</dynamic-transport-delay-management-supported>
  </ru-capabilities>
  <band-capabilities>
    <band-number>78</band-number>
    <max-supported-frequency-dl>3800000000</max-supported-frequency-dl>
    <min-supported-frequency-dl>3600000000</min-supported-frequency-dl>
    <max-supported-bandwidth-dl>100000000</max-supported-bandwidth-dl>
    <max-num-carriers-dl>1</max-num-carriers-dl>
    <max-carrier-bandwidth-dl>100000000</max-carrier-bandwidth-dl>
    <min-carrier-bandwidth-dl>5000000</min-carrier-bandwidth-dl>
    <max-supported-frequency-ul>3800000000</max-supported-frequency-ul>
```

```
<min-supported-frequency-ul>3600000000</min-supported-frequency-ul>
<max-supported-bandwidth-ul>100000000</max-supported-bandwidth-ul>
<max-num-carriers-ul>1</max-num-carriers-ul>
<max-carrier-bandwidth-ul>100000000</max-carrier-bandwidth-ul>
<min-carrier-bandwidth-ul>20000000</min-carrier-bandwidth-ul>
<max-num-component-carriers>1</max-num-component-carriers>
<max-num-bands>1</max-num-bands>
<max-num-sectors>1</max-num-sectors>
<max-power-per-antenna>25.0</max-power-per-antenna>
<min-power-per-antenna>23.0</min-power-per-antenna>
</band-capabilities>
</module-capability>
<delay-management xmlns="urn:o-ran:delay:1.0">
  <bandwidth-scs-delay-state>
    <bandwidth>100000</bandwidth>
    <subcarrier-spacing>30000</subcarrier-spacing>
    <ru-delay-profile>
      <t2a-min-up>105000</t2a-min-up>
      <t2a-max-up>375000</t2a-max-up>
      <t2a-min-cp-dl>200000</t2a-min-cp-dl>
      <t2a-max-cp-dl>233000</t2a-max-cp-dl>
      <tcp-adv-dl>125000</tcp-adv-dl>
      <ta3-min>75000</ta3-min>
      <ta3-max>108000</ta3-max>
      <t2a-min-cp-ul>336000</t2a-min-cp-ul>
      <t2a-max-cp-ul>125000</t2a-max-cp-ul>
    </ru-delay-profile>
  </bandwidth-scs-delay-state>
</delay-management>
<operational-info xmlns="urn:o-ran:operations:1.0">
  <clock>
    <timezone-utc-offset>0</timezone-utc-offset>
    <timezone-name>GMT</timezone-name>
  </clock>
  <declarations>
    <ru-instance-id>VVDN_RU_MODEL_2020_VVDN_RU_01</ru-instance-id>
    <supported-mplane-version>2.0.0</supported-mplane-version>
    <supported-cusplane-version>2.0.0</supported-cusplane-version>
    <supported-header-mechanism>
      <protocol>ECPRI</protocol>
      <protocol-version>1.0</protocol-version>
    </supported-header-mechanism>
  </declarations>
  <operational-state>
    <restart-cause>POWER-ON</restart-cause>
    <restart-datetime>2000-11-04T00:21:21Z</restart-datetime>
  </operational-state>
</operational-info>
<users xmlns="urn:o-ran:user-mgmt:1.0">
```



```
<user>
  <name>oranuser</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
</user>
<user>
  <name>operator</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
</user>
<user>
  <name>observer</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
</user>
<user>
  <name>installer</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
</user>
<user>
  <name>operator10804206543</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
</user>
<user>
  <name>operator27689832</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
</user>
<user>
  <name>operator569496134733421925922</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
</user>
<user>
  <name>operator018</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
</user>
<user>
  <name>operator12478769987269804814311</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
</user>
</users>
<nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">
  <enable-nacm>true</enable-nacm>
  <read-default>deny</read-default>
```

```
<write-default>deny</write-default>
<exec-default>deny</exec-default>
<enable-external-groups>false</enable-external-groups>
<groups>
  <group>
    <name>sudo</name>
    <user-name>operator</user-name>
    <user-name>operator12478769987269804814311</user-name>
  </group>
  <group>
    <name>fm-pm</name>
    <user-name>observer</user-name>
    <user-name>operator10804206543</user-name>
  </group>
  <group>
    <name>nms</name>
    <user-name>installer</user-name>
    <user-name>operator27689832</user-name>
  </group>
  <group>
    <name>swm</name>
    <user-name>operator569496134733421925922</user-name>
    <user-name>operator018</user-name>
  </group>
</groups>
<rule-list>
  <name>sudo-access</name>
  <group>sudo</group>
  <rule>
    <name>ietf-netconf-permission</name>
    <module-name>ietf-netconf</module-name>
    <access-operations>exec</access-operations>
    <action>permit</action>
  </rule>
  <rule>
    <name>o-ran-supervision-permission</name>
    <module-name>o-ran-supervision</module-name>
    <access-operations>exec</access-operations>
    <action>permit</action>
  </rule>
  <rule>
    <name>o-ran-hardware-permission</name>
    <module-name>o-ran-hardware</module-name>
    <access-operations>read exec</access-operations>
    <action>permit</action>
  </rule>
  <rule>
    <name>ietf-hardware-permission</name>
    <module-name>ietf-hardware</module-name>
```

```
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>iana-hardware-permission</name>
<module-name>iana-hardware</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-usermgmt-permission1</name>
<module-name>o-ran-usermgmt</module-name>
<path xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user</path>
<access-operations>create update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-usermgmt-permission2</name>
<module-name>o-ran-usermgmt</module-name>
<path xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user/o-ran-usermgmt:name</path>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-usermgmt-permission3</name>
<module-name>o-ran-usermgmt</module-name>
<path xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user/o-ran-usermgmt:account-type</path>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-usermgmt-permission4</name>
<module-name>o-ran-usermgmt</module-name>
<path xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user/o-ran-usermgmt:password</path>
<access-operations>create update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-usermgmt-permission5</name>
<module-name>o-ran-usermgmt</module-name>
<path xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user/o-ran-usermgmt:enabled</path>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-fm-permission</name>
<module-name>o-ran-fm</module-name>
<access-operations>read exec</access-operations>
<action>permit</action>
```

```
</rule>
<rule>
  <name>o-ran-sync-permission</name>
  <module-name>o-ran-sync</module-name>
  <access-operations>create read update delete</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-delay-management-permission</name>
  <module-name>o-ran-delay-management</module-name>
  <access-operations>create read update delete</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-module-cap-permission</name>
  <module-name>o-ran-module-cap</module-name>
  <access-operations>read</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-udp-echo-permission</name>
  <module-name>o-ran-udp-echo</module-name>
  <access-operations>create read update delete</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-operations-permission</name>
  <module-name>o-ran-operations</module-name>
  <access-operations>read exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-uplane-conf</name>
  <module-name>o-ran-uplane-conf</module-name>
  <access-operations>create read update delete exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-lbm-permission</name>
  <module-name>o-ran-lbm</module-name>
  <access-operations>create read update delete exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-software-management-permission</name>
  <module-name>o-ran-software-management</module-name>
  <access-operations>create read update delete exec</access-operations>
  <action>permit</action>
</rule>
```

```
<rule>
<name>o-ran-file-management-permission</name>
<module-name>o-ran-file-management</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-performance-management-permission</name>
<module-name>o-ran-performance-management</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-transceiver-permission</name>
<module-name>o-ran-transceiver</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-interfaces-permission</name>
<module-name>o-ran-interfaces</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-ip-permission</name>
<module-name>ietf-ip</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-interfaces-permission</name>
<module-name>ietf-interfaces</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>iana-if-type-permission</name>
<module-name>iana-if-type</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-inet-types-permission</name>
<module-name>ietf-inet-types</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
```

```
<name>o-ran-processing-elements-permission</name>
<module-name>o-ran-processing-element</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-mplane-interfaces-permission</name>
<module-name>o-ran-mplane-int</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-dhcp-permission</name>
<module-name>o-ran-dhcp</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-troubleshooting-permission</name>
<module-name>o-ran-troubleshooting</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-trace-permission</name>
<module-name>o-ran-trace</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-acm-permission1</name>
<module-name>ietf-netconf-acm</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-acm-permission2</name>
<module-name>ietf-netconf-acm</module-name>
<path xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:name</path>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-acm-permission3</name>
<module-name>ietf-netconf-acm</module-name>
<path xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group/nacm:user-name</path>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
```

```
<rule>
<name>ietf-yang-library-permission</name>
<module-name>ietf-yang-library</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-monitoring-permission</name>
<module-name>ietf-netconf-monitoring</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-notifications-permission</name>
<module-name>ietf-netconf-notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>nc-notifications-permission</name>
<module-name>nc-notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>notifications-permission</name>
<module-name>notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
</rule-list>
<rule-list>
<name>nms-access</name>
<group>nms</group>
<rule>
<name>ietf-netconf-permission</name>
<module-name>ietf-netconf</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-hardware-permission</name>
<module-name>o-ran-hardware</module-name>
<access-operations>read exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-hardware-permission</name>
<module-name>ietf-hardware</module-name>
```

```
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>iana-hardware-permission</name>
<module-name>iana-hardware</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-fm-permission</name>
<module-name>o-ran-fm</module-name>
<access-operations>read exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-sync-permission</name>
<module-name>o-ran-sync</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-delay-management-permission</name>
<module-name>o-ran-delay-management</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-module-cap-permission</name>
<module-name>o-ran-module-cap</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-udp-echo-permission</name>
<module-name>o-ran-udp-echo</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-operations-permission</name>
<module-name>o-ran-operations</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-uplane-conf</name>
<module-name>o-ran-uplane-conf</module-name>
<access-operations>create read update delete exec</access-operations>
```



```
<action>permit</action>
</rule>
<rule>
  <name>o-ran-lbm-permission</name>
  <module-name>o-ran-lbm</module-name>
  <access-operations>create read update delete</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-software-management-permission</name>
  <module-name>o-ran-software-management</module-name>
  <access-operations>create read update delete exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-file-management-permission</name>
  <module-name>o-ran-file-management</module-name>
  <access-operations>exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-performance-management-permission</name>
  <module-name>o-ran-performance-management</module-name>
  <access-operations>create read update delete exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-transceiver-permission</name>
  <module-name>o-ran-transceiver</module-name>
  <access-operations>create read update delete</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-interfaces-permission</name>
  <module-name>o-ran-interfaces</module-name>
  <access-operations>create read update delete exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>ietf-ip-permission</name>
  <module-name>ietf-ip</module-name>
  <access-operations>create read update delete</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>ietf-interfaces-permission</name>
  <module-name>ietf-interfaces</module-name>
  <access-operations>create read update delete</access-operations>
  <action>permit</action>
```

```
</rule>
<rule>
  <name>iana-if-type-permission</name>
  <module-name>iana-if-type</module-name>
  <access-operations>read</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>ietf-inet-types-permission</name>
  <module-name>ietf-inet-types</module-name>
  <access-operations>read</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-processing-elements-permission</name>
  <module-name>o-ran-processing-element</module-name>
  <access-operations>create read update delete</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-mplane-interfaces-permission</name>
  <module-name>o-ran-mplane-int</module-name>
  <access-operations>create read update delete</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-dhcp-permission</name>
  <module-name>o-ran-dhcp</module-name>
  <access-operations>read</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-troubleshooting-permission</name>
  <module-name>o-ran-troubleshooting</module-name>
  <access-operations>exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-trace-permission</name>
  <module-name>o-ran-trace</module-name>
  <access-operations>exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>ietf-netconf-acm-permission</name>
  <module-name>ietf-netconf-acm</module-name>
  <access-operations>read</access-operations>
  <action>permit</action>
</rule>
```

```
<rule>
<name>ietf-yang-library-permission</name>
<module-name>ietf-yang-library</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-monitoring-permission</name>
<module-name>ietf-netconf-monitoring</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-notifications-permission</name>
<module-name>ietf-netconf-notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>nc-notifications-permission</name>
<module-name>nc-notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>notifications-permission</name>
<module-name>notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
</rule-list>
<rule-list>
<name>fm-pm-access</name>
<group>fm-pm</group>
<rule>
<name>ietf-netconf-permission</name>
<module-name>ietf-netconf</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-hardware-permission</name>
<module-name>ietf-hardware</module-name>
<access-operations>read exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>iana-hardware-permission</name>
<module-name>iana-hardware</module-name>
```

```
<access-operations>read exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-fm-permission</name>
<module-name>o-ran-fm</module-name>
<access-operations>read exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-sync-permission</name>
<module-name>o-ran-sync</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-delay-management-permission</name>
<module-name>o-ran-delay-management</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-module-cap-permission</name>
<module-name>o-ran-module-cap</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-operations-permission</name>
<module-name>o-ran-operations</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-uplane-conf</name>
<module-name>o-ran-uplane-conf</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-lbm-permission</name>
<module-name>o-ran-lbm</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-software-management-permission</name>
<module-name>o-ran-software-management</module-name>
<access-operations>read</access-operations>
```

```
<action>permit</action>
</rule>
<rule>
<name>o-ran-file-management-permission</name>
<module-name>o-ran-file-management</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-performance-management-permission</name>
<module-name>o-ran-performance-management</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-transceiver-permission</name>
<module-name>o-ran-transceiver</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-interfaces-permission</name>
<module-name>o-ran-interfaces</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-ip-permission</name>
<module-name>ietf-ip</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-interfaces-permission</name>
<module-name>ietf-interfaces</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>iana-if-type-permission</name>
<module-name>iana-if-type</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-inet-types-permission</name>
<module-name>ietf-inet-types</module-name>
<access-operations>read</access-operations>
<action>permit</action>
```

```
</rule>
<rule>
  <name>o-ran-processing-elements-permission</name>
  <module-name>o-ran-processing-element</module-name>
  <access-operations>read</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-mplane-interfaces-permission</name>
  <module-name>o-ran-mplane-int</module-name>
  <access-operations>read</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-dhcp-permission</name>
  <module-name>o-ran-dhcp</module-name>
  <access-operations>read</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-troubleshooting-permission</name>
  <module-name>o-ran-troubleshooting</module-name>
  <access-operations>exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-trace-permission</name>
  <module-name>o-ran-trace</module-name>
  <access-operations>exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>ietf-netconf-acm-permission</name>
  <module-name>ietf-netconf-acm</module-name>
  <access-operations>read</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>ietf-yang-library-permission</name>
  <module-name>ietf-yang-library</module-name>
  <access-operations>*</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>ietf-netconf-monitoring-permission</name>
  <module-name>ietf-netconf-monitoring</module-name>
  <access-operations>*</access-operations>
  <action>permit</action>
</rule>
```

```
<rule>
<name>ietf-netconf-notifications-permission</name>
<module-name>ietf-netconf-notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>nc-notifications-permission</name>
<module-name>nc-notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>notifications-permission</name>
<module-name>notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
</rule-list>
<rule-list>
<name>swm-access</name>
<group>swm</group>
<rule>
<name>ietf-netconf-permission</name>
<module-name>ietf-netconf</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-software-management-permission</name>
<module-name>o-ran-software-management</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>iana-if-type-permission</name>
<module-name>iana-if-type</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-inet-types-permission</name>
<module-name>ietf-inet-types</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-acm-permission</name>
<module-name>ietf-netconf-acm</module-name>
```

```
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-yang-library-permission</name>
<module-name>ietf-yang-library</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-monitoring-permission</name>
<module-name>ietf-netconf-monitoring</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-notifications-permission</name>
<module-name>ietf-netconf-notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>nc-notifications-permission</name>
<module-name>nc-notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>notifications-permission</name>
<module-name>notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
</rule-list>
<denied-operations>0</denied-operations>
<denied-data-writes>3</denied-data-writes>
<denied-notifications>0</denied-notifications>
</nacm>
<interfaces xmlns="urn:ietf:params:xml:ns:yang:ietf-interfaces">
<interface>
<name>lo</name>
<enabled>true</enabled>
<type xmlns:ianaift="urn:ietf:params:xml:ns:yang:iana-if-type">ianaift:ethernetCsmacd</type>
<ipv4 xmlns="urn:ietf:params:xml:ns:yang:ietf-ip">
<address>
<ip>127.0.0.1</ip>
<netmask>255.0.0.0</netmask>
</address>
<enabled>true</enabled>
```



```
</ipv4>
<mac-address xmlns="urn:o-ran:interfaces:1.0">00:00:00:00:00:00</mac-address>
<statistics>
  <in-octets>0</in-octets>
  <in-discards>0</in-discards>
  <in-errors>0</in-errors>
  <out-octets>0</out-octets>
  <out-errors>0</out-errors>
  <out-discards>0</out-discards>
</statistics>
<oper-status>up</oper-status>
<phys-address>00:00:00:00:00:00</phys-address>
<last-cleared xmlns="urn:o-ran:interfaces:1.0">2020-05-19T16:39:57-08:00</last-cleared>
</interface>
<interface>
  <name>eth0</name>
  <enabled>true</enabled>
  <type xmlns:ianaift="urn:ietf:params:xml:ns:yang:iana-if-type">ianaift:ethernetCsmacd</type>
  <ipv4 xmlns="urn:ietf:params:xml:ns:yang:ietf-ip">
    <address>
      <ip>192.168.4.50</ip>
      <netmask>255.255.255.0</netmask>
    </address>
    <enabled>true</enabled>
    <forwarding>>false</forwarding>
    <m-plane-marking xmlns="urn:o-ran:interfaces:1.0">18</m-plane-marking>
  </ipv4>
  <mac-address xmlns="urn:o-ran:interfaces:1.0">78:7d:f3:01:13:bb</mac-address>
  <port-reference xmlns="urn:o-ran:interfaces:1.0">
    <port-name>ru-port0</port-name>
    <port-number>0</port-number>
  </port-reference>
  <l2-mtu xmlns="urn:o-ran:interfaces:1.0">1500</l2-mtu>
  <vlan-tagging xmlns="urn:o-ran:interfaces:1.0">true</vlan-tagging>
  <class-of-service xmlns="urn:o-ran:interfaces:1.0">
    <u-plane-marking>7</u-plane-marking>
    <c-plane-marking>7</c-plane-marking>
    <m-plane-marking>2</m-plane-marking>
    <s-plane-marking>7</s-plane-marking>
    <other-marking>1</other-marking>
  </class-of-service>
  <statistics>
    <in-octets>67357803</in-octets>
    <in-discards>0</in-discards>
    <in-errors>0</in-errors>
    <out-octets>1869071</out-octets>
    <out-errors>0</out-errors>
    <out-discards>0</out-discards>
  </statistics>
```

```
<oper-status>up</oper-status>
<phys-address>78:7d:f3:01:13:bb</phys-address>
<last-cleared xmlns="urn:o-ran:interfaces:1.0">2020-05-19T16:39:57-08:00</last-cleared>
</interface>
<interface>
  <name>eth0.6</name>
  <enabled>true</enabled>
  <type xmlns:ianaift="urn:ietf:params:xml:ns:yang:iana-if-type">ianaift:l2vlan</type>
  <ipv4 xmlns="urn:ietf:params:xml:ns:yang:ietf-ip">
    <address>
      <ip>192.168.214.37</ip>
      <netmask>255.255.255.0</netmask>
    </address>
    <enabled>true</enabled>
  </ipv4>
  <base-interface xmlns="urn:o-ran:interfaces:1.0">eth0</base-interface>
  <vlan-id xmlns="urn:o-ran:interfaces:1.0">6</vlan-id>
  <mac-address xmlns="urn:o-ran:interfaces:1.0">78:7d:f3:01:13:bb</mac-address>
  <port-reference xmlns="urn:o-ran:interfaces:1.0">
    <port-name>ru-port0</port-name>
    <port-number>0</port-number>
  </port-reference>
  <statistics>
    <in-octets>66462811</in-octets>
    <in-discards>0</in-discards>
    <in-errors>0</in-errors>
    <out-octets>1677849</out-octets>
    <out-errors>0</out-errors>
    <out-discards>0</out-discards>
  </statistics>
  <oper-status>up</oper-status>
  <phys-address>78:7d:f3:01:13:bb</phys-address>
  <last-cleared xmlns="urn:o-ran:interfaces:1.0">2020-05-19T16:39:57-08:00</last-cleared>
</interface>
<interface>
  <name>eth0.100</name>
  <type xmlns:ianaift="urn:ietf:params:xml:ns:yang:iana-if-type">ianaift:l2vlan</type>
  <enabled>true</enabled>
  <base-interface xmlns="urn:o-ran:interfaces:1.0">eth0</base-interface>
  <vlan-id xmlns="urn:o-ran:interfaces:1.0">100</vlan-id>
  <mac-address xmlns="urn:o-ran:interfaces:1.0">78:7d:f3:01:13:bb</mac-address>
  <port-reference xmlns="urn:o-ran:interfaces:1.0">
    <port-name>ru-port0</port-name>
    <port-number>0</port-number>
  </port-reference>
  <statistics>
    <in-octets>0</in-octets>
    <in-discards>0</in-discards>
    <in-errors>0</in-errors>
```

```
<out-octets>796</out-octets>
<out-errors>0</out-errors>
<out-discards>0</out-discards>
</statistics>
<oper-status>up</oper-status>
<phys-address>78:7d:f3:01:13:bb</phys-address>
<last-cleared xmlns="urn:o-ran:interfaces:1.0">2020-05-19T16:39:57-08:00</last-cleared>
</interface>
</interfaces>
<processing-elements xmlns="urn:o-ran:processing-element:1.0">
<transport-session-type>ETH-INTERFACE</transport-session-type>
<ru-elements>
<name>element0</name>
<transport-flow>
<interface-name>eth0.100</interface-name>
<eth-flow>
<ru-mac-address>78:7d:f3:01:13:bb</ru-mac-address>
<vlan-id>100</vlan-id>
<o-du-mac-address>64:9d:99:b1:7e:62</o-du-mac-address>
</eth-flow>
</transport-flow>
</ru-elements>
<maximum-number-of-transport-flows>4</maximum-number-of-transport-flows>
</processing-elements>
<user-plane-configuration xmlns="urn:o-ran:uplane-conf:1.0">
<low-level-tx-links>
<name>lltxlink0</name>
<processing-element>element0</processing-element>
<tx-array-carrier>txarraycarrier0</tx-array-carrier>
<low-level-tx-endpoint>slltx-endpoint0</low-level-tx-endpoint>
</low-level-tx-links>
<low-level-tx-links>
<name>lltxlink1</name>
<processing-element>element0</processing-element>
<tx-array-carrier>txarraycarrier0</tx-array-carrier>
<low-level-tx-endpoint>slltx-endpoint1</low-level-tx-endpoint>
</low-level-tx-links>
<low-level-tx-links>
<name>lltxlink2</name>
<processing-element>element0</processing-element>
<tx-array-carrier>txarraycarrier0</tx-array-carrier>
<low-level-tx-endpoint>slltx-endpoint2</low-level-tx-endpoint>
</low-level-tx-links>
<low-level-tx-links>
<name>lltxlink3</name>
<processing-element>element0</processing-element>
<tx-array-carrier>txarraycarrier0</tx-array-carrier>
<low-level-tx-endpoint>slltx-endpoint3</low-level-tx-endpoint>
</low-level-tx-links>
```

```
<low-level-rx-links>
  <name>llrxlink0</name>
  <processing-element>element0</processing-element>
  <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
  <low-level-rx-endpoint>sllrx-endpoint0</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
  <name>llrxlink1</name>
  <processing-element>element0</processing-element>
  <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
  <low-level-rx-endpoint>sllrx-endpoint1</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
  <name>llrxlink2</name>
  <processing-element>element0</processing-element>
  <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
  <low-level-rx-endpoint>sllrx-endpoint2</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
  <name>llrxlink3</name>
  <processing-element>element0</processing-element>
  <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
  <low-level-rx-endpoint>sllrx-endpoint3</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-tx-endpoints>
  <name>slltx-endpoint0</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
  </number-of-prb-per-scs>
  <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>1</eaxc-id>
  </e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
  <name>slltx-endpoint1</name>
  <compression>
    <compression-type>STATIC</compression-type>
```

```
<iq-bitwidth>16</iq-bitwidth>
</compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
<scs>KHZ_30</scs>
<number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<e-axcid>
<o-du-port-bitmask>65024</o-du-port-bitmask>
<band-sector-bitmask>448</band-sector-bitmask>
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>2</eaxc-id>
</e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
<name>slltx-endpoint2</name>
<compression>
<compression-type>STATIC</compression-type>
<iq-bitwidth>16</iq-bitwidth>
</compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
<scs>KHZ_30</scs>
<number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<e-axcid>
<o-du-port-bitmask>65024</o-du-port-bitmask>
<band-sector-bitmask>448</band-sector-bitmask>
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>3</eaxc-id>
</e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
<name>slltx-endpoint3</name>
<compression>
<compression-type>STATIC</compression-type>
<iq-bitwidth>16</iq-bitwidth>
</compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
<scs>KHZ_30</scs>
```

```
<number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<e-axcid>
  <o-du-port-bitmask>65024</o-du-port-bitmask>
  <band-sector-bitmask>448</band-sector-bitmask>
  <ccid-bitmask>56</ccid-bitmask>
  <ru-port-bitmask>7</ru-port-bitmask>
  <eaxc-id>4</eaxc-id>
</e-axcid>
</low-level-tx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint0</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
  <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_30</scs>
  </ul-fft-sampling-offsets>
</e-axcid>
  <o-du-port-bitmask>65024</o-du-port-bitmask>
  <band-sector-bitmask>448</band-sector-bitmask>
  <ccid-bitmask>56</ccid-bitmask>
  <ru-port-bitmask>7</ru-port-bitmask>
  <eaxc-id>1</eaxc-id>
</e-axcid>
  <non-time-managed-delay-enabled>>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint1</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
  <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
```

```
<scs>KHZ_30</scs>
</ul-fft-sampling-offsets>
<e-axcid>
  <o-du-port-bitmask>65024</o-du-port-bitmask>
  <band-sector-bitmask>448</band-sector-bitmask>
  <ccid-bitmask>56</ccid-bitmask>
  <ru-port-bitmask>7</ru-port-bitmask>
  <eaxc-id>2</eaxc-id>
</e-axcid>
<non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint2</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_30</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>3</eaxc-id>
  </e-axcid>
  <non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint3</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
```

```
<ul-fft-sampling-offsets>
<scs>KHZ_30</scs>
</ul-fft-sampling-offsets>
<e-axcid>
<o-du-port-bitmask>65024</o-du-port-bitmask>
<band-sector-bitmask>448</band-sector-bitmask>
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>4</eaxc-id>
</e-axcid>
<non-time-managed-delay-enabled>>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<tx-array-carriers>
<name>txarraycarrier0</name>
<absolute-frequency-center>641667</absolute-frequency-center>
<center-of-channel-bandwidth>3625005000</center-of-channel-bandwidth>
<channel-bandwidth>100000000</channel-bandwidth>
<gain>0.0</gain>
<downlink-radio-frame-offset>0</downlink-radio-frame-offset>
<downlink-sfn-offset>0</downlink-sfn-offset>
<rw-duplex-scheme>TDD</rw-duplex-scheme>
<rw-type>NR</rw-type>
<state>READY</state>
<type>NR</type>
<duplex-scheme>TDD</duplex-scheme>
</tx-array-carriers>
<rx-array-carriers>
<name>rxarraycarrier0</name>
<absolute-frequency-center>641667</absolute-frequency-center>
<center-of-channel-bandwidth>3625005000</center-of-channel-bandwidth>
<channel-bandwidth>100000000</channel-bandwidth>
<downlink-radio-frame-offset>0</downlink-radio-frame-offset>
<downlink-sfn-offset>0</downlink-sfn-offset>
<gain-correction>0.0</gain-correction>
<n-ta-offset>25600</n-ta-offset>
<state>READY</state>
<type>NR</type>
<duplex-scheme>TDD</duplex-scheme>
</rx-array-carriers>
<tx-arrays>
<name>sltx-endpoint0</name>
<number-of-rows>1</number-of-rows>
<number-of-columns>1</number-of-columns>
<number-of-array-layers>1</number-of-array-layers>
<horizontal-spacing>1.0</horizontal-spacing>
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
<azimuth-angle>1.0</azimuth-angle>
<zenith-angle>1.0</zenith-angle>
```



```
</normal-vector-direction>
<leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>78</band-number>
</tx-arrays>
<tx-arrays>
  <name>slltx-endpoint1</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>78</band-number>
</tx-arrays>
<tx-arrays>
  <name>slltx-endpoint2</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>78</band-number>
</tx-arrays>
<tx-arrays>
  <name>slltx-endpoint3</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
```

```
<horizontal-spacing>1.0</horizontal-spacing>
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>78</band-number>
</tx-arrays>
<rx-arrays>
  <name>sllrx-endpoint0</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>78</band-number>
</rx-arrays>
<rx-arrays>
  <name>sllrx-endpoint1</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>78</band-number>
</rx-arrays>
```

```
<rx-arrays>
  <name>sllrx-endpoint2</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>78</band-number>
</rx-arrays>
<rx-arrays>
  <name>sllrx-endpoint3</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>78</band-number>
</rx-arrays>
<relations>
  <entity>0</entity>
  <array1>
    <tx-array-name>slltx-endpoint0</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint0</rx-array-name>
  </array2>
</types/>
<types>
  <relation-type>COALLOCATED</relation-type>
  <pairs>
    <element-array1>1</element-array1>
```

```
<element-array2>0</element-array2>
</pairs>
</types>
</relations>
<relations>
  <entity>1</entity>
  <array1>
    <tx-array-name>slltx-endpoint1</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint1</rx-array-name>
  </array2>
</types/>
<types>
  <relation-type>COALLOCATED</relation-type>
<pairs>
  <element-array1>1</element-array1>
  <element-array2>1</element-array2>
</pairs>
</types>
</relations>
<relations>
  <entity>2</entity>
  <array1>
    <tx-array-name>slltx-endpoint2</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint2</rx-array-name>
  </array2>
</types/>
<types>
  <relation-type>COALLOCATED</relation-type>
<pairs>
  <element-array1>1</element-array1>
  <element-array2>2</element-array2>
</pairs>
</types>
</relations>
<relations>
  <entity>3</entity>
  <array1>
    <tx-array-name>slltx-endpoint3</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint3</rx-array-name>
  </array2>
</types/>
<types>
  <relation-type>COALLOCATED</relation-type>
```

```
<pairs>
  <element-array1>1</element-array1>
  <element-array2>3</element-array2>
</pairs>
</types>
</relations>
<endpoint-types>
  <id>1</id>
  <supported-section-types>
    <section-type>1</section-type>
  </supported-section-types>
  <supported-section-types>
    <section-type>3</section-type>
  </supported-section-types>
  <supported-frame-structures>193</supported-frame-structures>
  <managed-delay-support>MANAGED</managed-delay-support>
  <multiple-numerology-supported>false</multiple-numerology-supported>
  <max-sections-per-symbol>46</max-sections-per-symbol>
  <max-sections-per-slot>644</max-sections-per-slot>
  <max-prb-per-symbol>273</max-prb-per-symbol>
  <max-numerologies-per-symbol>1</max-numerologies-per-symbol>
</endpoint-types>
<static-low-level-tx-endpoints>
  <name>slltx-endpoint0</name>
  <array>slltx-endpoint0</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
  <name>slltx-endpoint1</name>
  <array>slltx-endpoint1</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
  <name>slltx-endpoint2</name>
  <array>slltx-endpoint2</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
  <name>slltx-endpoint3</name>
  <array>slltx-endpoint3</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint0</name>
  <array>sllrx-endpoint0</array>
```

```
<endpoint-type>1</endpoint-type>
<capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint1</name>
  <array>sllrx-endpoint1</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint2</name>
  <array>sllrx-endpoint2</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint3</name>
  <array>sllrx-endpoint3</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<endpoint-capacity-sharing-groups/>
<endpoint-capacity-sharing-groups>
  <id>1</id>
  <max-managed-delay-endpoints>4</max-managed-delay-endpoints>
  <max-non-managed-delay-endpoints>0</max-non-managed-delay-endpoints>
  <max-endpoints>4</max-endpoints>
  <max-sections-per-symbol>46</max-sections-per-symbol>
  <max-sections-per-slot>644</max-sections-per-slot>
  <max-prb-per-symbol>273</max-prb-per-symbol>
  <max-numerologies-per-symbol>1</max-numerologies-per-symbol>
</endpoint-capacity-sharing-groups>
</user-plane-configuration>
<yang-library xmlns="urn:ietf:params:xml:ns:yang:ietf-yang-library">
  <module-set>
    <name>complete</name>
    <import-only-module>
      <name>ietf-yang-metadata</name>
      <revision>2016-08-05</revision>
      <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-metadata</namespace>
    </import-only-module>
    <module>
      <name>yang</name>
      <revision>2017-02-20</revision>
      <namespace>urn:ietf:params:xml:ns:yang:1</namespace>
    </module>
    <import-only-module>
      <name>ietf-inet-types</name>
      <revision>2013-07-15</revision>
```

```
<namespace>urn:ietf:params:xml:ns:yang:ietf-inet-types</namespace>
<location>file:///etc/sysrepo/yang/yang_models/imported/ietf/ietf-inet-types.yang</location>
</import-only-module>
<import-only-module>
<name>ietf-yang-types</name>
<revision>2013-07-15</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-yang-types</namespace>
<location>file:///etc/sysrepo/yang/yang_models/imported/ietf/ietf-yang-types.yang</location>
</import-only-module>
<module>
<name>sysrepo</name>
<revision>2021-01-18</revision>
<namespace>http://www.sysrepo.org/yang/sysrepo</namespace>
</module>
<module>
<name>ietf-datastores</name>
<revision>2018-02-14</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-datastores</namespace>
<location>file:///etc/sysrepo/yang/ietf-datastores@2018-02-14.yang</location>
</module>
<module>
<name>ietf-yang-library</name>
<revision>2019-01-04</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-yang-library</namespace>
<location>file:///etc/sysrepo/yang/ietf-yang-library@2019-01-04.yang</location>
</module>
<module>
<name>sysrepo-monitoring</name>
<revision>2021-01-15</revision>
<namespace>http://www.sysrepo.org/yang/sysrepo-monitoring</namespace>
<location>file:///etc/sysrepo/yang/sysrepo-monitoring@2021-01-15.yang</location>
</module>
<module>
<name>sysrepo-plugind</name>
<revision>2020-12-10</revision>
<namespace>urn:sysrepo:plugind</namespace>
<location>file:///etc/sysrepo/yang/sysrepo-plugind@2020-12-10.yang</location>
</module>
<module>
<name>ietf-netconf-acm</name>
<revision>2018-02-14</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-acm</namespace>
<location>file:///etc/sysrepo/yang/ietf-netconf-acm@2018-02-14.yang</location>
</module>
<module>
<name>ietf-netconf</name>
<revision>2013-09-29</revision>
<namespace>urn:ietf:params:xml:ns:netconf:base:1.0</namespace>
<location>file:///etc/sysrepo/yang/ietf-netconf@2013-09-29.yang</location>
```

```
<feature>writable-running</feature>
<feature>candidate</feature>
<feature>rollback-on-error</feature>
<feature>validate</feature>
<feature>startup</feature>
<feature>url</feature>
<feature>xpath</feature>
</module>
<module>
  <name>ietf-netconf-with-defaults</name>
  <revision>2011-06-01</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults</namespace>
  <location>file:///etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang</location>
</module>
<module>
  <name>ietf-netconf-notifications</name>
  <revision>2012-02-06</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-notifications</namespace>
  <location>file:///etc/sysrepo/yang/ietf-netconf-notifications@2012-02-06.yang</location>
</module>
<module>
  <name>ietf-origin</name>
  <revision>2018-02-14</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-origin</namespace>
  <location>file:///etc/sysrepo/yang/ietf-origin@2018-02-14.yang</location>
</module>
<module>
  <name>ietf-netconf-monitoring</name>
  <revision>2010-10-04</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring</namespace>
  <location>file:///etc/sysrepo/yang/ietf-netconf-monitoring@2010-10-04.yang</location>
</module>
<module>
  <name>ietf-netconf-nmda</name>
  <revision>2019-01-07</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-nmda</namespace>
  <location>file:///etc/sysrepo/yang/ietf-netconf-nmda@2019-01-07.yang</location>
  <feature>origin</feature>
  <feature>with-defaults</feature>
</module>
<module>
  <name>notifications</name>
  <revision>2008-07-14</revision>
  <namespace>urn:ietf:params:xml:ns:netconf:notification:1.0</namespace>
  <location>file:///etc/sysrepo/yang/notifications@2008-07-14.yang</location>
</module>
<module>
  <name>nc-notifications</name>
  <revision>2008-07-14</revision>
```



```
<namespace>urn:ietf:params:xml:ns:netmod:notification</namespace>
<location>file:///etc/sysrepo/yang/nc-notifications@2008-07-14.yang</location>
</module>
<module>
<name>ietf-x509-cert-to-name</name>
<revision>2014-12-10</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name</namespace>
<location>file:///etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang</location>
</module>
<module>
<name>ietf-crypto-types</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-crypto-types</namespace>
<location>file:///etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang</location>
</module>
<module>
<name>ietf-keystore</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-keystore</namespace>
<location>file:///etc/sysrepo/yang/ietf-keystore@2019-07-02.yang</location>
<feature>keystore-supported</feature>
</module>
<module>
<name>ietf-truststore</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-truststore</namespace>
<location>file:///etc/sysrepo/yang/ietf-truststore@2019-07-02.yang</location>
<feature>truststore-supported</feature>
<feature>x509-certificates</feature>
</module>
<module>
<name>ietf-tcp-common</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-common</namespace>
<location>file:///etc/sysrepo/yang/ietf-tcp-common@2019-07-02.yang</location>
<feature>keepalives-supported</feature>
</module>
<import-only-module>
<name>ietf-ssh-common</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-common</namespace>
<location>file:///etc/sysrepo/yang/ietf-ssh-common@2019-07-02.yang</location>
</import-only-module>
<import-only-module>
<name>iana-crypt-hash</name>
<revision>2014-08-06</revision>
<namespace>urn:ietf:params:xml:ns:yang:iana-crypt-hash</namespace>
<location>file:///etc/sysrepo/yang/iana-crypt-hash@2014-08-06.yang</location>
</import-only-module>
```

```
<module>
<name>ietf-ssh-server</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-server</namespace>
<location>file:///etc/sysrepo/yang/ietf-ssh-server@2019-07-02.yang</location>
<feature>local-client-auth-supported</feature>
</module>
<import-only-module>
<name>ietf-tls-common</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tls-common</namespace>
<location>file:///etc/sysrepo/yang/ietf-tls-common@2019-07-02.yang</location>
</import-only-module>
<module>
<name>ietf-tls-server</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tls-server</namespace>
<location>file:///etc/sysrepo/yang/ietf-tls-server@2019-07-02.yang</location>
<feature>local-client-auth-supported</feature>
</module>
<import-only-module>
<name>ietf-tcp-client</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-client</namespace>
<location>file:///etc/sysrepo/yang/ietf-tcp-client@2019-07-02.yang</location>
</import-only-module>
<import-only-module>
<name>ietf-tcp-server</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-server</namespace>
<location>file:///etc/sysrepo/yang/ietf-tcp-server@2019-07-02.yang</location>
</import-only-module>
<module>
<name>ietf-netconf-server</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-server</namespace>
<location>file:///etc/sysrepo/yang/ietf-netconf-server@2019-07-02.yang</location>
<feature>ssh-listen</feature>
<feature>tls-listen</feature>
<feature>ssh-call-home</feature>
<feature>tls-call-home</feature>
</module>
<module>
<name>vvdn_lpru-wdm</name>
<revision>2021-05-06</revision>
<namespace>urn:vvdn_lpru:wdm:1.1</namespace>
<location>file:///etc/sysrepo/yang/vvdn_lpru-wdm@2021-05-06.yang</location>
</module>
</module>
```

```
<name>vvdn_lpru-opm</name>
<revision>2020-11-08</revision>
<namespace>urn:vvdn_lpru-opm:1.1</namespace>
<location>file:///etc/sysrepo/yang/vvdn_lpru-opm@2020-11-08.yang</location>
</module>
<module>
<name>notification_history</name>
<namespace>urn:notification_history</namespace>
<location>file:///etc/sysrepo/yang/notification_history.yang</location>
</module>
<module>
<name>iana-hardware</name>
<revision>2018-03-13</revision>
<namespace>urn:ietf:params:xml:ns:yang:iana-hardware</namespace>
<location>file:///etc/sysrepo/yang/iana-hardware@2018-03-13.yang</location>
</module>
<module>
<name>ietf-hardware</name>
<revision>2018-03-13</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-hardware</namespace>
<location>file:///etc/sysrepo/yang/ietf-hardware@2018-03-13.yang</location>
<feature>hardware-state</feature>
</module>
<module>
<name>ietf-interfaces</name>
<revision>2018-02-20</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-interfaces</namespace>
<location>file:///etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang</location>
</module>
<module>
<name>iana-if-type</name>
<revision>2017-01-19</revision>
<namespace>urn:ietf:params:xml:ns:yang:iana-if-type</namespace>
<location>file:///etc/sysrepo/yang/iana-if-type@2017-01-19.yang</location>
</module>
<module>
<name>ietf-dhcpv6-types</name>
<revision>2018-01-30</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-dhcpv6-types</namespace>
<location>file:///etc/sysrepo/yang/ietf-dhcpv6-types@2018-01-30.yang</location>
</module>
<module>
<name>ietf-ip</name>
<revision>2018-02-22</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ip</namespace>
<location>file:///etc/sysrepo/yang/ietf-ip@2018-02-22.yang</location>
<feature>ipv4-non-contiguous-netmasks</feature>
</module>
</module>
```

```
<name>o-ran-dhcp</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:dhcp:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-dhcp@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-interfaces</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:interfaces:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-mplane-int</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:mplane-interfaces:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-mplane-int@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-transceiver</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:transceiver:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-transceiver@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-processing-element</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:processing-element:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-supervision</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:supervision:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-supervision@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-hardware</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:hardware:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-fm</name>
<revision>2019-02-04</revision>
<namespace>urn:o-ran:fm:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-fm@2019-02-04.yang</location>
</module>
<module>
<name>o-ran-usermgmt</name>
```

```
<revision>2019-07-03</revision>
<namespace>urn:o-ran:user-mgmt:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-usermgmt@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-sync</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:sync:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-sync@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-compression-factors</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:compression-factors:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-module-cap</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:module-cap:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-module-cap@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-delay-management</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:delay:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-delay-management@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-operations</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:operations:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-operations@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-uplane-conf</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:uplane-conf:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-uplane-conf@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-file-management</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:file-management:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-software-management</name>
<revision>2019-07-03</revision>
```

```
<namespace>urn:o-ran:software-management:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-software-management@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-performance-management</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:performance-management:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-performance-management@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-trace</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:trace:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-trace@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-troubleshooting</name>
<revision>2019-02-04</revision>
<namespace>urn:o-ran:troubleshooting:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-troubleshooting@2019-02-04.yang</location>
</module>
</module-set>
<schema>
<name>complete</name>
<module-set>complete</module-set>
</schema>
<content-id>61</content-id>
<datastore>
<name xmlns:ds="urn:ietf:params:xml:ns:yang:ietf-datastores">ds:running</name>
<schema>complete</schema>
</datastore>
<datastore>
<name xmlns:ds="urn:ietf:params:xml:ns:yang:ietf-datastores">ds:candidate</name>
<schema>complete</schema>
</datastore>
<datastore>
<name xmlns:ds="urn:ietf:params:xml:ns:yang:ietf-datastores">ds:startup</name>
<schema>complete</schema>
</datastore>
<datastore>
<name xmlns:ds="urn:ietf:params:xml:ns:yang:ietf-datastores">ds:operational</name>
<schema>complete</schema>
</datastore>
</yang-library>
<modules-state xmlns="urn:ietf:params:xml:ns:yang:ietf-yang-library">
<module>
<name>ietf-yang-metadata</name>
<revision>2016-08-05</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-yang-metadata</namespace>
```

```
<conformance-type>import</conformance-type>
</module>
<module>
  <name>yang</name>
  <revision>2017-02-20</revision>
  <namespace>urn:ietf:params:xml:ns:yang:1</namespace>
  <conformance-type>implement</conformance-type>
</module>
<module>
  <name>ietf-inet-types</name>
  <revision>2013-07-15</revision>
  <schema>file:///etc/sysrepo/yang/yang_models/imported/ietf/ietf-inet-types.yang</schema>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-inet-types</namespace>
  <conformance-type>import</conformance-type>
</module>
<module>
  <name>ietf-yang-types</name>
  <revision>2013-07-15</revision>
  <schema>file:///etc/sysrepo/yang/yang_models/imported/ietf/ietf-yang-types.yang</schema>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-types</namespace>
  <conformance-type>import</conformance-type>
</module>
<module>
  <name>sysrepo</name>
  <revision>2021-01-18</revision>
  <namespace>http://www.sysrepo.org/yang/sysrepo</namespace>
  <conformance-type>implement</conformance-type>
</module>
<module>
  <name>ietf-datastores</name>
  <revision>2018-02-14</revision>
  <schema>file:///etc/sysrepo/yang/ietf-datastores@2018-02-14.yang</schema>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-datastores</namespace>
  <conformance-type>implement</conformance-type>
</module>
<module>
  <name>ietf-yang-library</name>
  <revision>2019-01-04</revision>
  <schema>file:///etc/sysrepo/yang/ietf-yang-library@2019-01-04.yang</schema>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-library</namespace>
  <conformance-type>implement</conformance-type>
</module>
<module>
  <name>sysrepo-monitoring</name>
  <revision>2021-01-15</revision>
  <schema>file:///etc/sysrepo/yang/sysrepo-monitoring@2021-01-15.yang</schema>
  <namespace>http://www.sysrepo.org/yang/sysrepo-monitoring</namespace>
  <conformance-type>implement</conformance-type>
</module>
```

```
<module>
<name>sysrepo-plugind</name>
<revision>2020-12-10</revision>
<schema>file:///etc/sysrepo/yang/sysrepo-plugind@2020-12-10.yang</schema>
<namespace>urn:sysrepo:plugind</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-netconf-acm</name>
<revision>2018-02-14</revision>
<schema>file:///etc/sysrepo/yang/ietf-netconf-acm@2018-02-14.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-acm</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-netconf</name>
<revision>2013-09-29</revision>
<schema>file:///etc/sysrepo/yang/ietf-netconf@2013-09-29.yang</schema>
<namespace>urn:ietf:params:xml:ns:netconf:base:1.0</namespace>
<feature>writable-running</feature>
<feature>candidate</feature>
<feature>rollback-on-error</feature>
<feature>validate</feature>
<feature>startup</feature>
<feature>url</feature>
<feature>xpath</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-netconf-with-defaults</name>
<revision>2011-06-01</revision>
<schema>file:///etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-netconf-notifications</name>
<revision>2012-02-06</revision>
<schema>file:///etc/sysrepo/yang/ietf-netconf-notifications@2012-02-06.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-notifications</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-origin</name>
<revision>2018-02-14</revision>
<schema>file:///etc/sysrepo/yang/ietf-origin@2018-02-14.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-origin</namespace>
<conformance-type>implement</conformance-type>
</module>
```



```
<module>
<name>ietf-netconf-monitoring</name>
<revision>2010-10-04</revision>
<schema>file:///etc/sysrepo/yang/ietf-netconf-monitoring@2010-10-04.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-netconf-nmda</name>
<revision>2019-01-07</revision>
<schema>file:///etc/sysrepo/yang/ietf-netconf-nmda@2019-01-07.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-nmda</namespace>
<feature>origin</feature>
<feature>with-defaults</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>notifications</name>
<revision>2008-07-14</revision>
<schema>file:///etc/sysrepo/yang/notifications@2008-07-14.yang</schema>
<namespace>urn:ietf:params:xml:ns:netconf:notification:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>nc-notifications</name>
<revision>2008-07-14</revision>
<schema>file:///etc/sysrepo/yang/nc-notifications@2008-07-14.yang</schema>
<namespace>urn:ietf:params:xml:ns:netmod:notification</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-x509-cert-to-name</name>
<revision>2014-12-10</revision>
<schema>file:///etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-crypto-types</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-crypto-types</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-keystore</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-keystore@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-keystore</namespace>
```

```
<feature>keystore-supported</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-truststore</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-truststore@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-truststore</namespace>
<feature>truststore-supported</feature>
<feature>x509-certificates</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-tcp-common</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-tcp-common@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-common</namespace>
<feature>keepalives-supported</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-ssh-common</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-ssh-common@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-common</namespace>
<conformance-type>import</conformance-type>
</module>
<module>
<name>iana-crypt-hash</name>
<revision>2014-08-06</revision>
<schema>file:///etc/sysrepo/yang/iana-crypt-hash@2014-08-06.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:iana-crypt-hash</namespace>
<conformance-type>import</conformance-type>
</module>
<module>
<name>ietf-ssh-server</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-ssh-server@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-server</namespace>
<feature>local-client-auth-supported</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-tls-common</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-tls-common@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tls-common</namespace>
<conformance-type>import</conformance-type>
</module>
```

```
<module>
<name>ietf-tls-server</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-tls-server@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tls-server</namespace>
<feature>local-client-auth-supported</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-tcp-client</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-tcp-client@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-client</namespace>
<conformance-type>import</conformance-type>
</module>
<module>
<name>ietf-tcp-server</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-tcp-server@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-server</namespace>
<conformance-type>import</conformance-type>
</module>
<module>
<name>ietf-netconf-server</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-netconf-server@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-server</namespace>
<feature>ssh-listen</feature>
<feature>tls-listen</feature>
<feature>ssh-call-home</feature>
<feature>tls-call-home</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>vvdn_lpru-wdm</name>
<revision>2021-05-06</revision>
<schema>file:///etc/sysrepo/yang/vvdn_lpru-wdm@2021-05-06.yang</schema>
<namespace>urn:vvdn_lpru:wdm:1.1</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>vvdn_lpru-opm</name>
<revision>2020-11-08</revision>
<schema>file:///etc/sysrepo/yang/vvdn_lpru-opm@2020-11-08.yang</schema>
<namespace>urn:vvdn_lpru-opm:1.1</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>notification_history</name>
```

```
<revision/>
<schema>file:///etc/sysrepo/yang/notification_history.yang</schema>
<namespace>urn:notification_history</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>iana-hardware</name>
<revision>2018-03-13</revision>
<schema>file:///etc/sysrepo/yang/iana-hardware@2018-03-13.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:iana-hardware</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-hardware</name>
<revision>2018-03-13</revision>
<schema>file:///etc/sysrepo/yang/ietf-hardware@2018-03-13.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-hardware</namespace>
<feature>hardware-state</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-interfaces</name>
<revision>2018-02-20</revision>
<schema>file:///etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-interfaces</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>iana-if-type</name>
<revision>2017-01-19</revision>
<schema>file:///etc/sysrepo/yang/iana-if-type@2017-01-19.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:iana-if-type</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-dhcpv6-types</name>
<revision>2018-01-30</revision>
<schema>file:///etc/sysrepo/yang/ietf-dhcpv6-types@2018-01-30.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-dhcpv6-types</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-ip</name>
<revision>2018-02-22</revision>
<schema>file:///etc/sysrepo/yang/ietf-ip@2018-02-22.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ip</namespace>
<feature>ipv4-non-contiguous-netmasks</feature>
<conformance-type>implement</conformance-type>
</module>
```

```
<module>
<name>o-ran-dhcp</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-dhcp@2019-07-03.yang</schema>
<namespace>urn:o-ran:dhcp:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-interfaces</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang</schema>
<namespace>urn:o-ran:interfaces:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-mplane-int</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-mplane-int@2019-07-03.yang</schema>
<namespace>urn:o-ran:mplane-interfaces:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-transceiver</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-transceiver@2019-07-03.yang</schema>
<namespace>urn:o-ran:transceiver:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-processing-element</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang</schema>
<namespace>urn:o-ran:processing-element:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-supervision</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-supervision@2019-07-03.yang</schema>
<namespace>urn:o-ran:supervision:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-hardware</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang</schema>
<namespace>urn:o-ran:hardware:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
```

```
<module>
<name>o-ran-fm</name>
<revision>2019-02-04</revision>
<schema>file:///etc/sysrepo/yang/o-ran-fm@2019-02-04.yang</schema>
<namespace>urn:o-ran:fm:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-usermgmt</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-usermgmt@2019-07-03.yang</schema>
<namespace>urn:o-ran:user-mgmt:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-sync</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-sync@2019-07-03.yang</schema>
<namespace>urn:o-ran:sync:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-compression-factors</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang</schema>
<namespace>urn:o-ran:compression-factors:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-module-cap</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-module-cap@2019-07-03.yang</schema>
<namespace>urn:o-ran:module-cap:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-delay-management</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-delay-management@2019-07-03.yang</schema>
<namespace>urn:o-ran:delay:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-operations</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-operations@2019-07-03.yang</schema>
<namespace>urn:o-ran:operations:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
```

```
<module>
<name>o-ran-uplane-conf</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-uplane-conf@2019-07-03.yang</schema>
<namespace>urn:o-ran:uplane-conf:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-file-management</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang</schema>
<namespace>urn:o-ran:file-management:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-software-management</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-software-management@2019-07-03.yang</schema>
<namespace>urn:o-ran:software-management:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-performance-management</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-performance-management@2019-07-03.yang</schema>
<namespace>urn:o-ran:performance-management:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-trace</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-trace@2019-07-03.yang</schema>
<namespace>urn:o-ran:trace:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-troubleshooting</name>
<revision>2019-02-04</revision>
<schema>file:///etc/sysrepo/yang/o-ran-troubleshooting@2019-02-04.yang</schema>
<namespace>urn:o-ran:troubleshooting:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module-set-id>61</module-set-id>
</modules-state>
<netconf-state xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring">
<capabilities>
<capability>urn:ietf:params:netconf:base:1.0</capability>
<capability>urn:ietf:params:netconf:base:1.1</capability>
<capability>urn:ietf:params:netconf:capability:writable-running:1.0</capability>
```

```
<capability>urn:ietf:params:netconf:capability:candidate:1.0</capability>
<capability>urn:ietf:params:netconf:capability:rollback-on-error:1.0</capability>
<capability>urn:ietf:params:netconf:capability:validate:1.1</capability>
<capability>urn:ietf:params:netconf:capability:startup:1.0</capability>
<capability>urn:ietf:params:netconf:capability:xpath:1.0</capability>
<capability>urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit</capability>
<capability>urn:ietf:params:netconf:capability:notification:1.0</capability>
<capability>urn:ietf:params:netconf:capability:interleave:1.0</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05</capability>
<capability>urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15</capability>
<capability>urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61</capability>
<capability>urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14</capability>
<capability>urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,validate,startup,url,xpath</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04</capability>
<capability>urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14</capability>
<capability>urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10</capability>
<capability>urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06</capability>
<capability>urn:notification_history?module=notification_history</capability>
<capability>urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19</capability>
</capabilities>
<datastores>
<datastore>
<name>running</name>
</datastore>
<datastore>
<name>startup</name>
</datastore>
<datastore>
<name>candidate</name>
</datastore>
</datastores>
<schemas>
<schema>
<identifier>ietf-yang-metadata</identifier>
<version>2016-08-05</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-yang-metadata</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-yang-metadata</identifier>
```



```
<version>2016-08-05</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-yang-metadata</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>yang</identifier>
  <version>2017-02-20</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:1</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>yang</identifier>
  <version>2017-02-20</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:1</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-inet-types</identifier>
  <version>2013-07-15</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-inet-types</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-inet-types</identifier>
  <version>2013-07-15</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-inet-types</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-yang-types</identifier>
  <version>2013-07-15</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-types</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-yang-types</identifier>
  <version>2013-07-15</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-types</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>sysrepo</identifier>
```

```
<version>2021-01-18</version>
<format>yang</format>
<namespace>http://www.sysrepo.org/yang/sysrepo</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>sysrepo</identifier>
  <version>2021-01-18</version>
  <format>yin</format>
  <namespace>http://www.sysrepo.org/yang/sysrepo</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-datastores</identifier>
  <version>2018-02-14</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-datastores</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-datastores</identifier>
  <version>2018-02-14</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-datastores</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-yang-library</identifier>
  <version>2019-01-04</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-library</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-yang-library</identifier>
  <version>2019-01-04</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-library</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>sysrepo-monitoring</identifier>
  <version>2021-01-15</version>
  <format>yang</format>
  <namespace>http://www.sysrepo.org/yang/sysrepo-monitoring</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>sysrepo-monitoring</identifier>
```

```
<version>2021-01-15</version>
<format>yin</format>
<namespace>http://www.sysrepo.org/yang/sysrepo-monitoring</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>sysrepo-plugind</identifier>
  <version>2020-12-10</version>
  <format>yang</format>
  <namespace>urn:sysrepo:plugind</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>sysrepo-plugind</identifier>
  <version>2020-12-10</version>
  <format>yin</format>
  <namespace>urn:sysrepo:plugind</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-acm</identifier>
  <version>2018-02-14</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-acm</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-acm</identifier>
  <version>2018-02-14</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-acm</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf</identifier>
  <version>2013-09-29</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:netconf:base:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf</identifier>
  <version>2013-09-29</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:netconf:base:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-with-defaults</identifier>
```

```
<version>2011-06-01</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-with-defaults</identifier>
  <version>2011-06-01</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-notifications</identifier>
  <version>2012-02-06</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-notifications</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-notifications</identifier>
  <version>2012-02-06</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-notifications</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-origin</identifier>
  <version>2018-02-14</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-origin</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-origin</identifier>
  <version>2018-02-14</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-origin</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-monitoring</identifier>
  <version>2010-10-04</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-monitoring</identifier>
```

```
<version>2010-10-04</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-nmda</identifier>
  <version>2019-01-07</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-nmda</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-nmda</identifier>
  <version>2019-01-07</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-nmda</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>notifications</identifier>
  <version>2008-07-14</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:netconf:notification:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>notifications</identifier>
  <version>2008-07-14</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:netconf:notification:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>nc-notifications</identifier>
  <version>2008-07-14</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:netmod:notification</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>nc-notifications</identifier>
  <version>2008-07-14</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:netmod:notification</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-x509-cert-to-name</identifier>
```

```
<version>2014-12-10</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-x509-cert-to-name</identifier>
  <version>2014-12-10</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-crypto-types</identifier>
  <version>2019-07-02</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-crypto-types</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-crypto-types</identifier>
  <version>2019-07-02</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-crypto-types</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-keystore</identifier>
  <version>2019-07-02</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-keystore</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-keystore</identifier>
  <version>2019-07-02</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-keystore</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-truststore</identifier>
  <version>2019-07-02</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-truststore</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-truststore</identifier>
```

```
<version>2019-07-02</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-truststore</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-tcp-common</identifier>
<version>2019-07-02</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-common</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-tcp-common</identifier>
<version>2019-07-02</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-common</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-ssh-common</identifier>
<version>2019-07-02</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-common</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-ssh-common</identifier>
<version>2019-07-02</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-common</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>iana-crypt-hash</identifier>
<version>2014-08-06</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:iana-crypt-hash</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>iana-crypt-hash</identifier>
<version>2014-08-06</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:iana-crypt-hash</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-ssh-server</identifier>
```

```
<version>2019-07-02</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-server</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-ssh-server</identifier>
<version>2019-07-02</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-server</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-tls-common</identifier>
<version>2019-07-02</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tls-common</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-tls-common</identifier>
<version>2019-07-02</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tls-common</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-tls-server</identifier>
<version>2019-07-02</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tls-server</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-tls-server</identifier>
<version>2019-07-02</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tls-server</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-tcp-client</identifier>
<version>2019-07-02</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-client</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-tcp-client</identifier>
```



```
<version>2019-07-02</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-client</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-tcp-server</identifier>
  <version>2019-07-02</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-server</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-tcp-server</identifier>
  <version>2019-07-02</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-server</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-server</identifier>
  <version>2019-07-02</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-server</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-server</identifier>
  <version>2019-07-02</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-server</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>vvdn_lpru-wdm</identifier>
  <version>2021-05-06</version>
  <format>yang</format>
  <namespace>urn:vvdn_lpru:wdm:1.1</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>vvdn_lpru-wdm</identifier>
  <version>2021-05-06</version>
  <format>yin</format>
  <namespace>urn:vvdn_lpru:wdm:1.1</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>vvdn_lpru-opm</identifier>
```

```
<version>2020-11-08</version>
<format>yang</format>
<namespace>urn:vvdn_lpru-opm:1.1</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>vvdn_lpru-opm</identifier>
  <version>2020-11-08</version>
  <format>yin</format>
  <namespace>urn:vvdn_lpru-opm:1.1</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>notification_history</identifier>
  <version/>
  <format>yang</format>
  <namespace>urn:notification_history</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>notification_history</identifier>
  <version/>
  <format>yin</format>
  <namespace>urn:notification_history</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>iana-hardware</identifier>
  <version>2018-03-13</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:iana-hardware</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>iana-hardware</identifier>
  <version>2018-03-13</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:iana-hardware</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-hardware</identifier>
  <version>2018-03-13</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-hardware</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-hardware</identifier>
```

```
<version>2018-03-13</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-hardware</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-interfaces</identifier>
  <version>2018-02-20</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-interfaces</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-interfaces</identifier>
  <version>2018-02-20</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-interfaces</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>iana-if-type</identifier>
  <version>2017-01-19</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:iana-if-type</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>iana-if-type</identifier>
  <version>2017-01-19</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:iana-if-type</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-dhcpv6-types</identifier>
  <version>2018-01-30</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-dhcpv6-types</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-dhcpv6-types</identifier>
  <version>2018-01-30</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-dhcpv6-types</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-ip</identifier>
```

```
<version>2018-02-22</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ip</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-ip</identifier>
<version>2018-02-22</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ip</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-dhcp</identifier>
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:dhcp:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-dhcp</identifier>
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:dhcp:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-interfaces</identifier>
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:interfaces:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-interfaces</identifier>
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:interfaces:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-mplane-int</identifier>
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:mplane-interfaces:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-mplane-int</identifier>
```

```
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:mplane-interfaces:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-transceiver</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:transceiver:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-transceiver</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:transceiver:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-processing-element</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:processing-element:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-processing-element</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:processing-element:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-supervision</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:supervision:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-supervision</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:supervision:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-hardware</identifier>
```

```
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:hardware:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-hardware</identifier>
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:hardware:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-fm</identifier>
<version>2019-02-04</version>
<format>yang</format>
<namespace>urn:o-ran:fm:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-fm</identifier>
<version>2019-02-04</version>
<format>yin</format>
<namespace>urn:o-ran:fm:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-usermgmt</identifier>
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:user-mgmt:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-usermgmt</identifier>
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:user-mgmt:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-sync</identifier>
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:sync:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-sync</identifier>
```

```
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:sync:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-compression-factors</identifier>
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:compression-factors:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-compression-factors</identifier>
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:compression-factors:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-module-cap</identifier>
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:module-cap:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-module-cap</identifier>
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:module-cap:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-delay-management</identifier>
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:delay:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-delay-management</identifier>
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:delay:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-operations</identifier>
```

```
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:operations:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-operations</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:operations:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-uplane-conf</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:uplane-conf:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-uplane-conf</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:uplane-conf:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-file-management</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:file-management:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-file-management</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:file-management:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-software-management</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:software-management:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-software-management</identifier>
```



```
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:software-management:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-performance-management</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:performance-management:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-performance-management</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:performance-management:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-trace</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:trace:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-trace</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:trace:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-troubleshooting</identifier>
  <version>2019-02-04</version>
  <format>yang</format>
  <namespace>urn:o-ran:troubleshooting:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-troubleshooting</identifier>
  <version>2019-02-04</version>
  <format>yin</format>
  <namespace>urn:o-ran:troubleshooting:1.0</namespace>
  <location>NETCONF</location>
</schema>
</schemas>
<sessions>
```

```
<session>
  <session-id>15</session-id>
  <transport>netconf-ssh</transport>
  <username>operator</username>
  <source-host>192.168.214.234</source-host>
  <login-time>2000-11-04T00:31:35Z</login-time>
  <in-rpcs>4</in-rpcs>
  <in-bad-rpcs>0</in-bad-rpcs>
  <out-rpc-errors>0</out-rpc-errors>
  <out-notifications>1</out-notifications>
</session>
</sessions>
<statistics>
  <netconf-start-time>2000-11-04T00:21:17Z</netconf-start-time>
  <in-bad-hellos>0</in-bad-hellos>
  <in-sessions>15</in-sessions>
  <dropped-sessions>1</dropped-sessions>
  <in-rpcs>94</in-rpcs>
  <in-bad-rpcs>0</in-bad-rpcs>
  <out-rpc-errors>4</out-rpc-errors>
  <out-notifications>35</out-notifications>
</statistics>
</netconf-state>
<netconf xmlns="urn:ietf:params:xml:ns:netmod:notification">
  <streams>
    <stream>
      <name>NETCONF</name>
      <description>Default NETCONF stream containing notifications from all the modules. Replays only notifications for modules that support
replay.</description>
      <replaySupport>true</replaySupport>
    </stream>
    <stream>
      <name>yang</name>
      <description>Stream with all notifications of a module.</description>
      <replaySupport>false</replaySupport>
    </stream>
    <stream>
      <name>ietf-datastores</name>
      <description>Stream with all notifications of a module.</description>
      <replaySupport>false</replaySupport>
    </stream>
    <stream>
      <name>ietf-yang-library</name>
      <description>Stream with all notifications of a module.</description>
      <replaySupport>false</replaySupport>
    </stream>
    <stream>
      <name>sysrepo-monitoring</name>
      <description>Stream with all notifications of a module.</description>
```

```
<replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>sysrepo-plugind</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>ietf-netconf-with-defaults</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>ietf-netconf-notifications</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>ietf-origin</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>ietf-netconf-acm</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>ietf-netconf</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>ietf-netconf-monitoring</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>ietf-netconf-nmda</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>nc-notifications</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>notifications</name>
```

```
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-x509-cert-to-name</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-crypto-types</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-keystore</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-truststore</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-tcp-common</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-ssh-server</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-tls-server</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-netconf-server</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>vvdn_lpru-wdm</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
```

```
<name>vvdn_lpru-opm</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>notification_history</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>iana-hardware</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-hardware</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-interfaces</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>iana-if-type</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-dhcpv6-types</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-ip</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>o-ran-dhcp</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>o-ran-interfaces</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
```

```
<stream>
<name>o-ran-mplane-int</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>o-ran-transceiver</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>o-ran-processing-element</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>o-ran-supervision</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>o-ran-hardware</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>o-ran-fm</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>o-ran-usermgmt</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>o-ran-sync</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>o-ran-compression-factors</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>o-ran-module-cap</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
```

```
</stream>
<stream>
  <name>o-ran-delay-management</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-operations</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-uplane-conf</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-file-management</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-software-management</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-performance-management</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-trace</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-troubleshooting</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
</streams>
</netconf>
<interfaces-state xmlns="urn:ietf:params:xml:ns:yang:ietf-interfaces">
  <interface>
    <name>lo</name>
    <oper-status>up</oper-status>
    <phys-address>00:00:00:00:00:00</phys-address>
    <statistics>
```

```
<in-octets>0</in-octets>
<in-discards>0</in-discards>
<in-errors>0</in-errors>
<out-octets>0</out-octets>
<out-errors>0</out-errors>
<out-discards>0</out-discards>
</statistics>
</interface>
<interface>
  <name>eth0</name>
  <oper-status>up</oper-status>
  <phys-address>78:7d:f3:01:13:bb</phys-address>
  <statistics>
    <in-octets>67357803</in-octets>
    <in-discards>0</in-discards>
    <in-errors>0</in-errors>
    <out-octets>1869071</out-octets>
    <out-errors>0</out-errors>
    <out-discards>0</out-discards>
  </statistics>
</interface>
<interface>
  <name>eth0.6</name>
  <oper-status>up</oper-status>
  <phys-address>78:7d:f3:01:13:bb</phys-address>
  <statistics>
    <in-octets>66462811</in-octets>
    <in-discards>0</in-discards>
    <in-errors>0</in-errors>
    <out-octets>1677849</out-octets>
    <out-errors>0</out-errors>
    <out-discards>0</out-discards>
  </statistics>
</interface>
<interface>
  <name>eth0.100</name>
  <oper-status>up</oper-status>
  <phys-address>78:7d:f3:01:13:bb</phys-address>
  <statistics>
    <in-octets>0</in-octets>
    <in-discards>0</in-discards>
    <in-errors>0</in-errors>
    <out-octets>796</out-octets>
    <out-errors>0</out-errors>
    <out-discards>0</out-discards>
  </statistics>
</interface>
</interfaces-state>
<dhcp xmlns="urn:o-ran:dhcp:1.0">
```



```
<interfaces>
<interface>eth0.6</interface>
<dhcpv4>
<dhcp-server-identifier>192.168.214.234</dhcp-server-identifier>
<domain-name>vvdntech.com</domain-name>
<domain-name-servers>192.168.214.234</domain-name-servers>
<interface-mtu>1500</interface-mtu>
<default-gateways>192.168.214.234</default-gateways>
<netconf-clients>
<client>192.168.214.234</client>
</netconf-clients>
</dhcpv4>
</interfaces>
</dhcp>
<active-alarm-list xmlns="urn:o-ran:fm:1.0">
<active-alarms>
<fault-id>18</fault-id>
<fault-source>Module</fault-source>
<affected-objects>
<name>Sync Module</name>
</affected-objects>
<fault-severity>CRITICAL</fault-severity>
<is-cleared>>false</is-cleared>
<fault-text>Synchronization Error</fault-text>
<event-time>2000-11-04T00:00:59Z</event-time>
</active-alarms>
<active-alarms>
<fault-id>23</fault-id>
<fault-source>Module</fault-source>
<affected-objects>
<name>Module</name>
</affected-objects>
<fault-severity>MAJOR</fault-severity>
<is-cleared>>false</is-cleared>
<fault-text>FPGA SW update failed</fault-text>
<event-time>2000-11-04T00:29:06Z</event-time>
</active-alarms>
</active-alarm-list>
<software-inventory xmlns="urn:o-ran:software-management:1.0">
<software-slot>
<name>swSlot1</name>
<status>VALID</status>
<active>>false</active>
<running>>false</running>
<access>READ_WRITE</access>
<product-code>VVDN O-RU</product-code>
<vendor-code>VN</vendor-code>
<build-id>90f0b6c</build-id>
<build-name>Beta Release</build-name>
```

```
<build-version>1.0.9</build-version>
<files>
  <name>boot</name>
  <version>1.0.0</version>
  <local-path>/media/sd-mmcb1k0p1/BOOT0001.BIN</local-path>
  <integrity>OK</integrity>
</files>
<files>
  <name>kernel</name>
  <version>1.0.0</version>
  <local-path>/media/sd-mmcb1k0p1/image0001.ub</local-path>
  <integrity>OK</integrity>
</files>
<files>
  <name>rootfs</name>
  <version>1.0.0</version>
  <local-path>/media/sd-mmcb1k0p2/</local-path>
  <integrity>OK</integrity>
</files>
</software-slot>
<software-slot>
  <name>swSlot2</name>
  <status>VALID</status>
  <active>true</active>
  <running>true</running>
  <access>READ_WRITE</access>
  <product-code>VVDN O-RU</product-code>
  <vendor-code>VN</vendor-code>
  <build-id>90f0b6c</build-id>
  <build-name>Beta Release</build-name>
  <build-version>1.1.0</build-version>
  <files>
    <name>boot</name>
    <version>1.0.0</version>
    <local-path>/media/sd-mmcb1k0p1/BOOT0002.BIN</local-path>
    <integrity>OK</integrity>
  </files>
  <files>
    <name>kernel</name>
    <version>1.0.0</version>
    <local-path>/media/sd-mmcb1k0p1/image0002.ub</local-path>
    <integrity>OK</integrity>
  </files>
  <files>
    <name>rootfs</name>
    <version>1.0.0</version>
    <local-path>/media/sd-mmcb1k0p3/</local-path>
    <integrity>OK</integrity>
  </files>
```

```
</software-slot>
<software-slot>
  <name>swRecoverySlot</name>
  <status>VALID</status>
  <active>false</active>
  <running>false</running>
  <access>READ_ONLY</access>
  <product-code>VVDN=O-RU</product-code>
  <vendor-code>VN</vendor-code>
  <build-id>factory_img</build-id>
  <build-name>Beta Release</build-name>
  <build-version>1.0.9</build-version>
  <files>
    <name>boot</name>
    <version>1.0.0</version>
    <local-path>/media/sd-mmcb1k0p1/BOOT0003.BIN</local-path>
    <integrity>OK</integrity>
  </files>
  <files>
    <name>kernel</name>
    <version>1.0.0</version>
    <local-path>/media/sd-mmcb1k0p1/golden.ub</local-path>
    <integrity>OK</integrity>
  </files>
  <files>
    <name>rootfs</name>
    <version>1.0.0</version>
    <local-path>/media/sd-mmcb1k0p1/golden.ub</local-path>
    <integrity>OK</integrity>
  </files>
</software-slot>
</software-inventory>
</data>
```

=====

SYSTEM LOGS

=====

Nov 4 00:31:33 vvdn_lpru user.notice SYNCMNGR[1175]: Received message from S-Plane

Nov 4 00:31:33 vvdn_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:31:33 vvdn_lpru daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Nov 4 00:31:34 vvdn_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:31:34 vvdn_lpru daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Successfully connected to 192.168.214.234:4334 over IPv4.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Session 318 (user "root", CID 1) created.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: User "operator" authenticated.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session 15 established.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Session 319 (user "root", CID 1) created.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 29 priority 0 for 1 subscribers.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 29 priority 0 (remaining 1 subscribers).

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 29 priority 0 (remaining 0 subscribers).

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 29 priority 0 succeeded.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Session 15: thread 4 event new RPC.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 30 priority 0 for 1 subscribers.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 30 priority 0 (remaining 1 subscribers).

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 15.

Nov 4 00:31:35 vvdn_lpru user.notice fw_manager[929]: RPC #15 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 15 succeeded.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 30 priority 0 (remaining 0 subscribers).

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 30 priority 0 succeeded.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:35 vvdn_lpru daemon.info netopeer2-server[858]: Session 15: thread 2 event new RPC.

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 22 priority 0 for 1 subscribers.

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 22 priority 0 (remaining 1 subscribers).

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 22 priority 0 (remaining 0 subscribers).

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 22 priority 0 succeeded.

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:36 vvdn_lpru daemon.info netopeer2-server[858]: Session 15: thread 0 event new RPC.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/notifications:create-subscription" with ID 12 priority 0 for 1 subscribers.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/notifications:create-subscription" "rpc" event with ID 12 priority 0 (remaining 1 subscribers).

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/operations_manager", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 12 priority 0 (remaining 0 subscribers).

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 12 priority 0 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Session 15: thread 2 event new RPC.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 31 priority 0 for 1 subscribers.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 31 priority 0 (remaining 1 subscribers).

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/ietf-netconf-acm:nacm/denied-operations" with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Processing "ietf-netconf-acm" "operational" event with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "operational" event with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/ietf-netconf-acm:nacm/denied-data-writes" with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Processing "ietf-netconf-acm" "operational" event with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "operational" event with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/ietf-netconf-acm:nacm/denied-notifications" with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Processing "ietf-netconf-acm" "operational" event with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "operational" event with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/ietf-netconf-monitoring:netconf-state" with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Processing "ietf-netconf-monitoring" "operational" event with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "operational" event with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/nc-notifications:netconf" with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Processing "nc-notifications" "operational" event with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "operational" event with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/ietf-hardware:hardware" with ID 1.

Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/ietf-interfaces:interfaces" with ID 1.

Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Nov 4 00:31:41 vvdn_lpru user.err nw_manager[887]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Nov 4 00:31:41 vvdn_lpru user.err nw_manager[887]: IF_CFG: File./sys/class/net/eth0/speed reading failed errno:(Invalid argument)

```
Nov 4 00:31:41 vvdn_lpru user.err nw_manager[887]: IF_CFG: File./sys/class/net/eth0.6/speed reading failed errno:(Invalid argument)
Nov 4 00:31:41 vvdn_lpru user.err nw_manager[887]: IF_CFG: File./sys/class/net/eth0.100/speed reading failed errno:(Invalid argument)
Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.
Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/ietf-interfaces:interfaces-state" with ID 1.
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: IFMNGR: /ietf-interfaces:interfaces-state
Nov 4 00:31:41 vvdn_lpru user.err nw_manager[887]: IFMNGR: getting state of interface : lo
Nov 4 00:31:41 vvdn_lpru user.err nw_manager[887]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: IFMNGR: Interface : lo in-octets: 0
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: IFMNGR: Interface : lo in-discards: 0
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: IFMNGR: Interface : lo in-errors: 0
Nov 4 00:31:41 vvdn_lpru user.err nw_manager[887]: IFMNGR: getting state of interface : eth0
Nov 4 00:31:41 vvdn_lpru user.err nw_manager[887]: IF_CFG: File./sys/class/net/eth0/speed reading failed errno:(Invalid argument)
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: IFMNGR: Interface : eth0 in-octets: 67357803
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: IFMNGR: Interface : eth0 in-discards: 0
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: IFMNGR: Interface : eth0 in-errors: 0
Nov 4 00:31:41 vvdn_lpru user.err nw_manager[887]: IFMNGR: getting state of interface : eth0.6
Nov 4 00:31:41 vvdn_lpru user.err nw_manager[887]: IF_CFG: File./sys/class/net/eth0.6/speed reading failed errno:(Invalid argument)
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: IFMNGR: Interface : eth0.6 in-octets: 66462811
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: IFMNGR: Interface : eth0.6 in-discards: 0
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: IFMNGR: Interface : eth0.6 in-errors: 0
Nov 4 00:31:41 vvdn_lpru user.err nw_manager[887]: IFMNGR: getting state of interface : eth0.100
Nov 4 00:31:41 vvdn_lpru user.err nw_manager[887]: IF_CFG: File./sys/class/net/eth0.100/speed reading failed errno:(Invalid argument)
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: IFMNGR: Interface : eth0.100 in-octets: 0
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: IFMNGR: Interface : eth0.100 in-discards: 0
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: IFMNGR: Interface : eth0.100 in-errors: 0
Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.
Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-dhcp:dhcp/interfaces" with ID 1.
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: Interface : eth0.6
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: Clientid :
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: Serverid : 192.168.214.234
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: MTU : 1500
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: Domain : vvdntech.com
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: DNS : 192.168.214.234
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: Gateway : 192.168.214.234
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: NC Client : 192.168.214.234
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: DHCP: DATA FOR "o-ran-dhcp" "/o-ran-dhcp:dhcp/interfaces" REQUESTED
Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.
Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/ietf-interfaces:name" with the value "eth0.6", but it is not required.
Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-mplane-int:mplane-info/m-plane-interfaces"
with ID 1.
Nov 4 00:31:41 vvdn_lpru user.info nw_manager[887]: Mplane: DATA FOR "o-ran-mplane-int"
"/o-ran-mplane-int:mplane-info/m-plane-interfaces" REQUESTED
Nov 4 00:31:41 vvdn_lpru user.err nw_manager[887]: Getting fqdn string
Nov 4 00:31:41 vvdn_lpru user.err nw_manager[887]: Unable to open fqdn file or file not created
Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.
```


Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/ietf-interfaces:name" with the value "eth0.6", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface[ietf-interfaces:name = current()../interface-name]/o-ran-interfaces:vlan-id" with the value "6", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-transceiver:port-transceivers" with ID 1.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/ietf-interfaces:name" with the value "eth0", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface[ietf-interfaces:name =
current()../interface-name]/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-processing-element:processing-elements" with ID 1.

Nov 4 00:31:41 vvdn_lpru user.notice PROCESSING-ELEMENTS[1186]: DATA FOR "o-ran-processing-element"
"/o-ran-processing-element:processing-elements" REQUESTED

Nov 4 00:31:41 vvdn_lpru user.notice PROCESSING-ELEMENTS[1186]: get-maximum-number-of-transport-flow

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-fm:active-alarm-list/active-alarms" with ID 1.

Nov 4 00:31:41 vvdn_lpru user.info FAULT MANAGEMENT[908]: ===== DATA FOR "o-ran-fm"
"/o-ran-fm:active-alarm-list/active-alarms" REQUESTED=====

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-sync:sync" with ID 4.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 4 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-module-cap:module-capability" with ID 1.

Nov 4 00:31:41 vvdn_lpru user.info radio_manager[1279]: Data for "o-ran-module-cap" "/o-ran-module-cap:module-capability" requested

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-delay-management:delay-management" with ID 1.

Nov 4 00:31:41 vvdn_lpru user.notice radio_manager[1279]: DATA FOR "o-ran-delay-management"
"/o-ran-delay-management:delay-management" REQUESTED

Nov 4 00:31:41 vvdn_lpru user.notice radio_manager[1279]: o-ran-delay-management: /o-ran-delay-management:delay-management

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-operations:operational-info" with ID 1.

Nov 4 00:31:41 vvdn_lpru user.notice SR_OP[1186]: Data for o-ran-operations on /o-ran-operations:operational-info requested

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"
"/o-ran-uplane-conf:user-plane-configuration/tx-arrays" with ID 4.

Nov 4 00:31:41 vvdn_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"
"/o-ran-uplane-conf:user-plane-configuration/tx-arrays" REQUESTED

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 4 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"
"/o-ran-uplane-conf:user-plane-configuration/rx-arrays" with ID 4.

Nov 4 00:31:41 vvdn_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"
"/o-ran-uplane-conf:user-plane-configuration/rx-arrays" REQUESTED

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 4 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"
"/o-ran-uplane-conf:user-plane-configuration/relations" with ID 4.

Nov 4 00:31:41 vvdn_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"
"/o-ran-uplane-conf:user-plane-configuration/relations" REQUESTED

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 4 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint0", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint0", but it is not

required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint2", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint2", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint3", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint3", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-types" with ID 4.

Nov 4 00:31:41 vvdn_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-types" REQUESTED

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 4 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" with ID 4.

Nov 4 00:31:41 vvdn_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" REQUESTED

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 4 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers" with ID 4.

Nov 4 00:31:41 vvdn_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers" REQUESTED

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 4 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-tx-endpoints" with ID 4.

Nov 4 00:31:41 vvdn_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-tx-endpoints" REQUESTED

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 4 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint0", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint2", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint3", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-uplane-conf:user-plane-configuration/static-low-level-rx-endpoints" with ID 4.

Nov 4 00:31:41 vvdn_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf" "/o-ran-uplane-conf:user-plane-configuration/static-low-level-rx-endpoints" REQUESTED

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 4 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint0", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint2", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint3", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-uplane-conf:user-plane-configuration/endpoint-capacity-sharing-groups" with ID 4.

Nov 4 00:31:41 vvdn_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf" "/o-ran-uplane-conf:user-plane-configuration/endpoint-capacity-sharing-groups" REQUESTED

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 4 succeeded.

Nov 4 00:31:41 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 16.

Nov 4 00:31:41 vvdn_lpru user.notice fw_manager[929]: RPC #16 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 16 succeeded.

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"
"/o-ran-performance-management:performance-measurement-objects" with ID 1.

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 31 priority 0 (remaining 0 subscribers).

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 31 priority 0 succeeded.

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:31:42 vvdn_lpru daemon.info netopeer2-server[858]: Session 15: thread 2 event new RPC.

Nov 4 00:31:43 vvdn_lpru daemon.info netopeer2-server[858]: Session 15: thread 0 event new RPC.

Nov 4 00:31:43 vvdn_lpru daemon.info netopeer2-server[858]: Session 15: thread 0 event session terminated.

Nov 4 00:31:43 vvdn_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:31:43 vvdn_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-end).

Nov 4 00:31:43 vvdn_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session terminated.

Nov 4 00:31:43 vvdn_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:31:43 vvdn_lpru daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Nov 4 00:31:43 vvdn_lpru authpriv.debug sshd[25887]: pam_unix(sshd:account): account operator has password changed in future

Nov 4 00:31:43 vvdn_lpru auth.info sshd[25887]: Accepted password for operator from 192.168.214.234 port 49814 ssh2

Nov 4 00:31:43 vvdn_lpru authpriv.info sshd[25887]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Expected Result : The O-RU NETCONF Server responds with <rpc-reply><data> where <data> contains all information elements that the O-RU NETCONF Server is able to expose

=====

***** **Actual Result** *****

=====

=====

Retrieval without Filter Applied	=	SUCCESS
---	----------	----------------

=====