



@ FILE NAME: M_CTC_ID_011.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.1

Test Description: This scenario validates that the O-RU NETCONF Server properly executes a get command with a filter applied.



****** Connect to the NETCONF Server *******

> connect --ssh --host 192.168.156.37 --port 830 --login operator

Interactive SSH Authentication

Type your password:

Password:

> status

Current NETCONF session:

ID : 11

Host : 192.168.156.37

Port: 830 Transport: SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0 urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0

urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0

urn: ietf: params: netconf: capability: with-defaults: 1.0? basic-mode = explicit & also-supported = report-all, report-all-tagged, trim, explicit & also-supported = report-all-tagged, trim

urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0

urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn: ietf: params: xml: ns: yang: ietf-yang-types? module = ietf-yang-types & revision = 2013-07-15

urn: ietf: params: netconf: capability: yang-library: 1.1? revision = 2019-01-04 & content-id = 63

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn: ietf: params: xml: ns: netconf: base: 1.0? module = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = ietf-netconf & revision

ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06

urn: ietf: params: xml: ns: yang: ietf-netconf-monitoring? module = ietf-netconf-monitoring & revision = 2010-10-04

urn: ietf: params: xml: ns: netconf: notification: 1.0? module = notifications & revision = 2008-07-14

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14

urn: ietf: params: xml: ns: yang: ietf-x509-cert-to-name? module = ietf-x509-cert-to-name & revision = 2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

> subscribe

Ok



********step 1 and 2 Retrival of ru information with filter *******

get --filter-xpath /o-ran-usermgmt:users/user

- <?xml version="1.0" ?>
- <data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
- <users xmlns="urn:o-ran:user-mgmt:1.0">
- <user>
- <name>oranuser</name>
- <account-type>PASSWORD</account-type>
- <enabled>true</enabled>
- </user>
- <user>
- <name>operator</name>
- <account-type>PASSWORD</account-type>
- <enabled>true</enabled>
- </user>
- <user>
- <name>observer</name>
- <account-type>PASSWORD</account-type>
- <enabled>true</enabled>
- </user>
- <user>
- <name>installer</name>
- <account-type>PASSWORD</account-type>
- <enabled>true</enabled>
- </user>
- <user>
- <name>garuda</name>
- <account-type>PASSWORD</account-type>
- <enabled>true</enabled>
- </user>
- <user>
- <name>operator11302326379</name>
- <account-type>PASSWORD</account-type>
- <enabled>true</enabled>
- </user>
- <user>
- <name>operator44567591</name>
- <account-type>PASSWORD</account-type>
- <enabled>true</enabled>
- </user>
- <user>
- <name>operator8075861281902</name>
- <account-type>PASSWORD</account-type>



<enabled>true</enabled> </user> <user> <name>operator17619020756748090</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator86938204120707827368</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator7596639986022389968</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator0126795795152205</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator119986</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>stl</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> </users>

</data>



Oct 30 00:17:20 mcb1 daemon.info netopeer2-server[981]: Trying to connect via IPv4 to 192.168.156.187:4334.

Oct 30 00:17:20 mcb1 daemon.info netopeer2-server[981]: getsockopt() error (Connection refused).

Oct 30 00:17:21 mcb1 daemon.info netopeer2-server[981]: Trying to connect via IPv4 to 192.168.156.187:4334.

Oct 30 00:17:21 mcb1 daemon.info netopeer2-server[981]: Successfully connected to 192.168.156.187:4334 over IPv4.

Oct 30 00:17:21 mcb1 daemon.info netopeer2-server[981]: Session 227 (user "root", CID 1) created.

Oct 30 00:17:21 mcb1 daemon.info netopeer2-server[981]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 30 00:17:21 mcb1 daemon.info netopeer2-server[981]: Received an SSH message "request-auth" of subtype "password".

Oct 30 00:17:21 mcb1 daemon.info netopeer2-server[981]: User "operator" authenticated.

Oct 30 00:17:21 mcb1 daemon.info netopeer2-server[981]: Received an SSH message "request-channel-open" of subtype "session".

Oct 30 00:17:21 mcb1 daemon.info netopeer2-server[981]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 30 00:17:21 mcb1 daemon.info netopeer2-server[981]: Call Home client "default-client" session 11 established.

Oct 30 00:17:21 mcb1 daemon.info netopeer2-server[981]: Session 228 (user "root", CID 1) created.

Oct 30 00:17:21 mcb1 daemon.info netopeer2-server[981]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 30 00:17:21 mcb1 daemon.info netopeer2-server[981]: Generated new event (netconf-session-start).

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Published event "rpc" "/ietf-netconf:get" with ID 17 priority 0 for 1 subscribers.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Processing "/ietf-netconf:get" "rpc" event with ID 17 priority 0 (remaining 1 subscribers).

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Successful processing of "rpc" event with ID 17 priority 0 (remaining 0 subscribers).

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Event "rpc" with ID 17 priority 0 succeeded.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Session 11: thread 4 event new RPC.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Published event "rpc" "/ietf-netconf:get" with ID 18 priority 0 for 1 subscribers.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Processing "/ietf-netconf:get" "rpc" event with ID 18 priority 0 (remaining 1 subscribers).

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 13.

Oct 30 00:17:22 mcb1 user.notice fw_manager[1064]: RPC #13 recieved. xpath -> /o-ran-software-management:software-inventory

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Event "operational" with ID 13 succeeded.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.



Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Successful processing of "rpc" event with ID 18 priority 0 (remaining 0 subscribers).

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Event "rpc" with ID 18 priority 0 succeeded.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Session 11: thread 4 event new RPC.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Published event "rpc" "/ietf-netconf:get-config" with ID 6 priority 0 for 1 subscribers.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Processing "/ietf-netconf:get-config" "rpc" event with ID 6 priority 0 (remaining 1 subscribers).

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Successful processing of "rpc" event with ID 6 priority 0 (remaining 0 subscribers).

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Event "rpc" with ID 6 priority 0 succeeded.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:22 mcb1 daemon.info netopeer2-server[981]: Session 11: thread 1 event new RPC.

Oct 30 00:17:25 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fw_manager

Oct 30 00:17:25 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/nw_manager

Oct 30 00:17:25 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager

Oct 30 00:17:25 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/pm_manager

Oct 30 00:17:25 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/um_manager

Oct 30 00:17:25 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sys_monitor

 $Oct\ 30\ 00:17:25\ mcb1\ user.notice\ wd_manager[1442]:\ Value\ is\ 1\ for\ Xpath\ / vvdn_mcel-wdm: system-apps/fault_manager[1442]:\ Value\ is\ 1\ for\ Xpath\ / vvdn_mcel-wdm: system-apps/fault_m$

Oct 30 00:17:25 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/file_manager

Oct 30 00:17:25 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/supervision

Oct 30 00:17:25 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sync_manager

Oct 30 00:17:25 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/ald_controller

Oct 30 00:17:25 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/log_manager

Oct 30 00:17:25 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/radio_manager Oct 30 00:17:25 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/cli_manager

Oct 30 00:17:28 mcb1 user.notice SYNCMNGR[1310]: Received message from S-Plane

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...



Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Published event "rpc" "/notifications:create-subscription" with ID 4 priority 0 for 1 subscribers.

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Processing "/notifications:create-subscription" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Event "rpc" with ID 4 priority 0 succeeded.

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Session 11: thread 1 event new RPC.

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: There is no instance of "/vvdn_mcel-wdm:system-apps/um_manager", but it is not required.

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

 $Oct\ 30\ 00:17:29\ mcb1\ daemon. info\ net opeer 2-server [981]:\ Successful\ processing\ of\ "notif"\ event\ with\ ID\ 1\ priority\ 0\ (remaining\ 0\ subscribers).$

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: There is no instance of "/vvdn_mcel-wdm:system-apps/radio_manager", but it is not required.

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Published event "rpc" "/ietf-netconf:get-config" with ID 7 priority 0 for 1 subscribers.

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Processing "/ietf-netconf:get-config" "rpc" event with ID 7 priority 0 (remaining 1 subscribers).

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Successful processing of "rpc" event with ID 7 priority 0 (remaining 0 subscribers).

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Event "rpc" with ID 7 priority 0 succeeded.

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Resolving unresolved data nodes and their constraints...

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: All data nodes and constraints resolved.

Oct 30 00:17:29 mcb1 daemon.info netopeer2-server[981]: Session 11: thread 3 event new RPC.

Oct 30 00:17:30 mcb1 daemon.info netopeer2-server[981]: Session 11: thread 3 event new RPC.

Oct 30 00:17:30 mcb1 daemon.info netopeer2-server[981]: Session 11: thread 3 event session terminated.

Oct 30 00:17:30 mcb1 daemon.info netopeer2-server[981]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 30 00:17:30 mcb1 daemon.info netopeer2-server[981]: Generated new event (netconf-session-end).

Oct 30 00:17:30 mcb1 daemon.info netopeer2-server[981]: Call Home client "default-client" session terminated.

 $Oct\ 30\ 00:17:30\ mcb1\ daemon. info\ net opeer 2-server [981]:\ Trying\ to\ connect\ via\ IPv4\ to\ 192.168.156.187:4334.$

Oct 30 00:17:30 mcb1 daemon.info netopeer2-server[981]: getsockopt() error (Connection refused).

Oct 30 00:17:30 mcb1 auth.info sshd[23444]: Accepted password for operator from 192.168.156.187 port 60242 ssh2

Oct 30 00:17:30 mcb1 authpriv.info sshd[23444]: pam_unix(sshd:session): session opened for user operator by (uid=0)



| Expected Result : The O-RU NETCONF Server responds with <rpc-reply><data> where</data></rpc-reply> | | | |
|--|---|---------|--------|
| <data> contains details for objects as conforming to the <filter>.</filter></data> | | | |
| | | | ====== |
| ******* Actual Result *********** | | | |
| | | | |
| Retrieval with filter applied | | SUCCESS | |
| Ketrievai with inter applied | = | SUCCESS | |
| | | | |