



@ FILE NAME: M_CTC_ID_018.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.1

Test Description : This scenario is MANDATORY for an O-RU supporting the Hybrid M-plane architecture model.

This test validates that user management model can be used to add users to the O-RU

This scenario corresponds to the following chapters in [3]:

3.3 SSH Connection Establishment

3.4 NETCONF Access Control

=====

STEP 1. The TER NETCONF Client establishes a connection with the O-RU NETCONF Server.

=====

=====

******* Connect to the NETCONF Server *******

=====

> listen --ssh --login root

Waiting 60s for an SSH Call Home connection on port 4334...

The authenticity of the host '::ffff:192.168.49.43' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

> status

Current NETCONF session:

ID : 59

Host : 192.168.49.43

Port : 830

Transport : SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0

urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0

urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0

urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit

urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0

urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15

urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,validate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06

urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04

urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14

urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history

urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

=====

> subscribe

=====

Ok

```
=====
##### Initial Get #####
=====
```

```
=====
> get --filter-xpath /o-ran-usermgmt:users/user
=====
```

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<users xmlns="urn:o-ran:user-mgmt:1.0">
  <user>
    <name>oranuser</name>
    <account-type>PASSWORD</account-type>
    <password>oranuser</password>
    <enabled>true</enabled>
  </user>
  <user>
    <name>operator</name>
    <account-type>PASSWORD</account-type>
    <password>admin1234895</password>
    <enabled>true</enabled>
  </user>
  <user>
    <name>observer</name>
    <account-type>PASSWORD</account-type>
    <password>admin123</password>
    <enabled>true</enabled>
  </user>
  <user>
    <name>installer</name>
    <account-type>PASSWORD</account-type>
    <password>wireless123</password>
    <enabled>true</enabled>
  </user>
  <user>
    <name>garuda</name>
    <account-type>PASSWORD</account-type>
    <password>garuda12345</password>
    <enabled>true</enabled>
  </user>
  <user>
    <name>operator11302326379</name>
    <account-type>PASSWORD</account-type>
    <password>Aemlsk9}{2xgQVF</password>
    <enabled>true</enabled>
  </user>
  <user>
    <name>operator44567591</name>
```

```
<account-type>PASSWORD</account-type>
<password>y07)BAFyAm0M7W1lc2mEA_D5[5YytpafL6xTTCXM%Q]~Z2Fv^</password>
<enabled>true</enabled>
</user>
<user>
<name>operator8075861281902</name>
<account-type>PASSWORD</account-type>
<password>GV2QSHVzl}B)vk(!tw2pZhuFkkn%L^E)wgk(Z{KfgXCpdkfEA+NGMY(B^+kDYB8R06v</password>
<enabled>true</enabled>
</user>
<user>
<name>operator17619020756748090</name>
<account-type>PASSWORD</account-type>
<password>nwk75gnD[44LqeBrwKFcBvaUNPKz6gArf_M.EHxwG.EGuk{-n_Os0avM}$XZ}LBYNb+)M!NcV0RunG}_-)9F2gu%nKKsd+X
kOgXvIYxh%QxBQsA7EYqB</password>
<enabled>true</enabled>
</user>
<user>
<name>operator86938204120707827368</name>
<account-type>PASSWORD</account-type>
<password>s8icesF.Hl~%FN4_]!MKBMVqa}{RUQkL07x.+)-VmZfAh3nJxwS+y6I!</password>
<enabled>true</enabled>
</user>
<user>
<name>operator7596639986022389968</name>
<account-type>PASSWORD</account-type>
<password>v+Dq5KtKuj(^!x</password>
<enabled>true</enabled>
</user>
<user>
<name>operator0126795795152205</name>
<account-type>PASSWORD</account-type>
<password>RdP1GycV9rjR15N_k7Hnz5wF)vjY~dxBE!v^MxSq4Gke1nCkSCW+1)1z%2}kOtLnjiWbjjEY7QUk%15H0g~QYlrR0bRkZMz1x
TyDy3ca6-r</password>
<enabled>true</enabled>
</user>
<user>
<name>operator119986</name>
<account-type>PASSWORD</account-type>
<password>1Xrl)+$ki)QoleMi)vVRig.u</password>
<enabled>true</enabled>
</user>
<user>
<name>stl</name>
<account-type>PASSWORD</account-type>
<password>stli12345</password>
<enabled>true</enabled>
</user>
<user>
```

```

<name>operator72008202</name>
<account-type>PASSWORD</account-type>
<password>INxRH3HsE</password>
<enabled>true</enabled>
</user>
<user>
<name>operator06308723954138</name>
<account-type>PASSWORD</account-type>
<password>36eb.%^8cvTFI~5SYnjID9E7pVT$A9bJjVKkDyfolI}Y~1V3uJWrh~]I^o4i}SzQJCD!ufgDHsR5pM-m-xLeMj(vl</password>
<enabled>true</enabled>
</user>
<user>
<name>operator21726001215379102</name>
<account-type>PASSWORD</account-type>
<password>PuUPKD.3JY4^2f1i$T~CTW12CO8yWjU$b}12jZwrb7kpkwd(b%2s1S}</password>
<enabled>true</enabled>
</user>
<user>
<name>operator441110748091</name>
<account-type>PASSWORD</account-type>
<password>uo7gz!W^7YY9Z23.%JJ$u[gDTV8E4EQuhke.8te(7xrg3v9kkN!6E3^VWGI-NuR^oQO-Z9~rDUBDqgxNC~u%JrKM1YSv.nD{pI<
/password>
<enabled>true</enabled>
</user>
</users>
</data>

```

```

=====
STEP 2. The TER NETCONF Client configures three new user accounts in addition to the default sudo
account already present and passwords these three accounts using o-ran-user.mgmt.yang
=====

```

```

=====
> edit-config --target running --config --defop merge
=====

```

```

=====
***** Replace with below xml *****
=====

```

```

<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
<users xmlns="urn:o-ran:user-mgmt:1.0">
  <user>
    <name>operator9933599780531</name>
    <account-type>PASSWORD</account-type>
    <password>lYK+djMy^bdGzSM)GBkY2PgQ5</password>
    <enabled>true</enabled>
  </user>
  <user>

```

```
<name>operator682309505800</name>
<account-type>PASSWORD</account-type>

<password>W~V.FdF{rXU}11z~.Iob}m6kkMdi~UOD_CKfEwfc^b.q[oQ1cA)n(sFmLaF.1z$t%50))Y4WzC~ShIc^zr1Ut!7</password>
  <enabled>true</enabled>
</user>
<user>
  <name>operator13000</name>
  <account-type>PASSWORD</account-type>

<password>+hgmskT4LdHGfixUgry~!8ZdlTO7{ aF][lj(ulCaDXizCx1+-}Gr5O-(Znes+0)n n[% V8n(oMiLCfM!.nx5J_CGiQmEpaiDoG89i</pass
word>
  <enabled>true</enabled>
</user>
</users>
</config>
```

```
=====
##### RPC Reply #####
=====
```

Ok

```
=====
##### NOTIFICATIONS #####
=====
```

```
<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
  <eventTime>2103-10-30T01:42:20Z</eventTime>
  <netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
    <changed-by>
      <username>root</username>
      <session-id>59</session-id>
    </changed-by>
    <datastore>running</datastore>
    <edit>
      <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator9933599780531']
</target>
      <operation>create</operation>
    </edit>
    <edit>
      <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator9933599780531']
/o-ran-usermgmt:name</target>
      <operation>create</operation>
    </edit>
    <edit>
      <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator9933599780531']
```

```
/o-ran-usermgmt:account-type</target>
  <operation>create</operation>
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator9933599780531']
/o-ran-usermgmt:password</target>
  <operation>create</operation>
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator9933599780531']
/o-ran-usermgmt:enabled</target>
  <operation>create</operation>
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator682309505800']<
/target>
  <operation>create</operation>
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator682309505800']/
o-ran-usermgmt:name</target>
  <operation>create</operation>
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator682309505800']/
o-ran-usermgmt:account-type</target>
  <operation>create</operation>
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator682309505800']/
o-ran-usermgmt:password</target>
  <operation>create</operation>
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator682309505800']/
o-ran-usermgmt:enabled</target>
  <operation>create</operation>
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator13000']</target>
  <operation>create</operation>
```



```
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator13000']/o-ran-use
rmgmt:name</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator13000']/o-ran-use
rmgmt:account-type</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator13000']/o-ran-use
rmgmt:password</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator13000']/o-ran-use
rmgmt:enabled</target>
    <operation>create</operation>
  </edit>
</netconf-config-change>
</notification>
```

```
=====
##### STEP 3. The TER NETCONF Client configures user account to group mappings for the
three
    new accounts using ietf-netconf-acm.yang respectively one with "nms", one with "fm-pm" and one
    with "swm" privilege. #####
=====
```

```
=====
> edit-config --target running --config --defop merge
=====
```

```
=====
***** Replace with below xml *****
=====
```

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
  <nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">
    <groups>
      <group>
        <name>fm-pm</name>
        <user-name>operator9933599780531</user-name>
      </group>
      <group>
        <name>nms</name>
        <user-name>operator682309505800</user-name>
      </group>
      <group>
        <name>swm</name>
        <user-name>operator13000</user-name>
      </group>
    </groups>
  </nacm>
</config>
```

```
=====
STEP 4. The O-RU NETCONF Server confirms the operations for the above transactions.
=====
```

Ok

```
=====
##### NOTIFICATIONS #####
=====
```

```
<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
  <eventTime>2103-10-30T01:42:20Z</eventTime>
  <netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
    <changed-by>
      <username>root</username>
      <session-id>59</session-id>
    </changed-by>
  </netconf-config-change>
</notification>
```

```

</changed-by>
<datastore>running</datastore>
<edit>
  <target
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='fm-pm']/nacm:user-name[.='operator9933599780531']</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='nms']/nacm:user-name[.='operator682309505800']</target>
    <operation>create</operation>
  </edit>
<edit>
  <target xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='swm']</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='swm']/nacm:name</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='swm']/nacm:user-name[.='operator13000']</target>
    <operation>create</operation>
  </edit>
</netconf-config-change>
</notification>

```

```

=====
> get --filter-xpath /ietf-netconf-acm:nacm/groups
=====

```

```

<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">
    <groups>
      <group>
        <name>sudo</name>
        <user-name>operator</user-name>
      </group>
      <group>
        <name>fm-pm</name>
        <user-name>observer</user-name>
        <user-name>operator9933599780531</user-name>
      </group>
      <group>

```

```
<name>nms</name>
<user-name>installer</user-name>
<user-name>operator682309505800</user-name>
</group>
<group>
  <name>swm</name>
  <user-name>operator13000</user-name>
</group>
</groups>
</nacm>
</data>
```

=====

STEP 5. The TER NETCONF Client retrieves a list of users from O-RU NETCONF Server. The newly created user accounts and mappings are validated.

=====

=====

```
> get --filter-xpath /o-ran-usermgmt:users/user
```

=====

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <users xmlns="urn:o-ran:user-mgmt:1.0">
    <user>
      <name>oranuser</name>
      <account-type>PASSWORD</account-type>
      <password>oranuser</password>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator</name>
      <account-type>PASSWORD</account-type>
      <password>admin1234895</password>
      <enabled>true</enabled>
    </user>
    <user>
      <name>observer</name>
      <account-type>PASSWORD</account-type>
      <password>admin123</password>
      <enabled>true</enabled>
    </user>
    <user>
      <name>installer</name>
      <account-type>PASSWORD</account-type>
      <password>wireless123</password>
      <enabled>true</enabled>
    </user>
    <user>
      <name>garuda</name>
```

```
<account-type>PASSWORD</account-type>
<password>garuda12345</password>
<enabled>true</enabled>
</user>
<user>
<name>operator11302326379</name>
<account-type>PASSWORD</account-type>
<password>Aemlsk9}{2xgQVF</password>
<enabled>true</enabled>
</user>
<user>
<name>operator44567591</name>
<account-type>PASSWORD</account-type>
<password>yo7)BAFyAm0M7W1lc2mEA_D5[5YytpafL6xTTCXM%Q]~Z2Fv^</password>
<enabled>true</enabled>
</user>
<user>
<name>operator8075861281902</name>
<account-type>PASSWORD</account-type>
<password>GV2QSHVzl}B)vk(!tw2pZhuFkkn%L^E)wgk(Z{KfgXCpdkfEA+NGMY(B^+kDYB8R06v</password>
<enabled>true</enabled>
</user>
<user>
<name>operator17619020756748090</name>
<account-type>PASSWORD</account-type>
<password>nwk75gnD[44LqeBrwKFcBvaUNPKz6gArf_M.EHxwG.EGuk{-n_Os0avM}$XZ}LBYNb+)M!NcV0RunG}_{_~)9F2gu%nKKsd+X
kOgXvIYxh%QxBQsA7EYqB</password>
<enabled>true</enabled>
</user>
<user>
<name>operator86938204120707827368</name>
<account-type>PASSWORD</account-type>
<password>s8icesF.HI~%FN4_]!MKBMVqa]{RUQkL07x.+)-VmZfAh3nJxwS+y6I!</password>
<enabled>true</enabled>
</user>
<user>
<name>operator7596639986022389968</name>
<account-type>PASSWORD</account-type>
<password>v+Dq5KtKuj(^!x</password>
<enabled>true</enabled>
</user>
<user>
<name>operator0126795795152205</name>
<account-type>PASSWORD</account-type>
<password>RdP1GycV9r]R15N_k7Hnz5wF)vjY~dxBE!v^MxSq4Gke1nCkSCW+1)1z%2}kOtLnjiWbj]EY7QUk%15H0g~QYlrR0bRkZMz1x
TyDy3ca6-r</password>
<enabled>true</enabled>
</user>
<user>
```

```
<name>operator119986</name>
<account-type>PASSWORD</account-type>
<password>IXrl)+$ki)QolcMi)vVRig.u</password>
<enabled>true</enabled>
</user>
<user>
<name>stl</name>
<account-type>PASSWORD</account-type>
<password>stli12345</password>
<enabled>true</enabled>
</user>
<user>
<name>operator72008202</name>
<account-type>PASSWORD</account-type>
<password>INxRH3HsE</password>
<enabled>true</enabled>
</user>
<user>
<name>operator06308723954138</name>
<account-type>PASSWORD</account-type>
<password>36eb.%^8cvTFI~5SYnjID9E7pVT$A9bJjVKkDyfolI}Y~1V3uJWrh~jI^o4i}SzQJCD!ufgDHsR5pM-m-xLeMj(vl</password>
<enabled>true</enabled>
</user>
<user>
<name>operator21726001215379102</name>
<account-type>PASSWORD</account-type>
<password>PuUPKD.3JY4^2f1i$T~CTW12CO8yWjU$b}12jZwrb7kpkwd(b%2s1S}</password>
<enabled>true</enabled>
</user>
<user>
<name>operator441110748091</name>
<account-type>PASSWORD</account-type>
<password>uo7gz!W~7YY9Z23.%JJ$u[gDTV8E4EQuhke.8te(7xrg3v9kkN!6E3^VWGI-NuR^oQO-Z9~rDUBDqgxNC~u%}rKM1YSv.nD{pI<
/password>
<enabled>true</enabled>
</user>
<user>
<name>operator9933599780531</name>
<account-type>PASSWORD</account-type>
<password>IYK+djMy^bdGzSM)GBkY2PgQ5</password>
<enabled>true</enabled>
</user>
<user>
<name>operator682309505800</name>
<account-type>PASSWORD</account-type>
<password>W~V.FdF{rXU}11z~.Iob}m6kkMdi~UOD_CKfEwfc^b.q[oQ1cA)n(sFmLaF.1z$t%50))Y4WzC~ShIc^zr1Ut!7</password>
<enabled>true</enabled>
</user>
<user>
```

```
<name>operator13000</name>
<account-type>PASSWORD</account-type>
<password>+hgmskT4LdHGfixUgry~!8ZdlTO7{aF}[lj(ulCaDXizCxl+-}Gr5O-(Znes+0)n n[% V8n(oMiLCfM!.nx5J_CGiQmEpaiDoG89i</pas
sword>
<enabled>true</enabled>
</user>
</users>
</data>
```

=====

SYSTEM LOGS

=====

Oct 30 01:42:16 mcb1 user.notice SYNCMNGR[1310]: Received message from S-Plane

Oct 30 01:42:16 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:42:16 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4788533

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4183931

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0
Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED
Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

```
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4788533
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4183931
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0
Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED
Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
```

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4788533
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4183931
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0
Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED
Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4788533

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4183931

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4788533
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Page 23

Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:17 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4788533

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4183931

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER", but it is not required.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 538.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 538 priority 0 (remaining 0 subscribers).

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4788743

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4184087

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4789013

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4184285

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER_LANE_3", but it is not required.
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 540.
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 540 priority 0 (remaining 0 subscribers).
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER_LANE_4", but it is not required.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 541.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 541 priority 0 (remaining 0 subscribers).

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4789433

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4184597

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4789643

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4184753

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POWER_LANE_2", but it is not required.
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 543.
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 543 priority 0 (remaining 0 subscribers).
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4789783

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4184857

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POWER_LANE_3", but it is not required.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 544.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 544 priority 0 (remaining 0 subscribers).

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4789853

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4184909

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4789923

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4184961

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:17 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_BIAS_COUNT", but it is not required.
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 546.
Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 546 priority 0 (remaining 0 subscribers).
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Page 41

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_BIAS_COUNT_LANE_2", but it is not required.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 547.

Oct 30 01:42:17 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 547 priority 0 (remaining 0 subscribers).

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20240

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4790133

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4185117

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Page 43

```
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 01:42:17 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20328
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 01:42:18 mcb1 user.err file_manager[1352]: File transfer failed :Reason: Credentials validation failed
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-file-management" event with ID 98.
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 98 priority 0 (remaining 0 subscribers).
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4790273
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4185325
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0
Oct 30 01:42:18 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED
Oct 30 01:42:18 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57
```


get-maximum-number-of-transport-flow

Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_BIAS_COUNT_LANE_4", but it is not required.
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 549.
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 549 priority 0 (remaining 0 subscribers).
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20328
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "VOLTAGE", but it is not required.
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 550.
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 550 priority 0 (remaining 0 subscribers).
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20328
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4790693
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4185533
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120
Oct 30 01:42:18 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0
Oct 30 01:42:18 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0
Oct 30 01:42:18 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED
Oct 30 01:42:18 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TEMPERATURE", but it is not
required.
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not
required.
Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 551.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 551 priority 0 (remaining 0 subscribers).

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Successfully connected to 192.168.49.88:4334 over IPv4.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Session 20181 (user "root", CID 1) created.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-auth" of subtype "password".

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: User "root" authenticated.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel-open" of subtype "session".

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Call Home client "default-client" session 59 established.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Session 20182 (user "root", CID 1) created.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 23 priority 0 for 1 subscribers.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 23.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 23 priority 0 (remaining 0 subscribers).

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-start).

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get" with ID 341 priority 0 for 1 subscribers.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get" "rpc" event with ID 341 priority 0 (remaining 1 subscribers).

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 341 priority 0 (remaining 0 subscribers).

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 341 priority 0 succeeded.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Session 59: thread 3 event new RPC.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get" with ID 342 priority 0 for 1 subscribers.

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get" "rpc" event with ID 342 priority 0 (remaining 1 subscribers).

Oct 30 01:42:18 mcb1 daemon.info netopeer2-server[980]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 100.

Oct 30 01:42:18 mcb1 user.notice fw_manager[1063]: RPC #100 recieved. xpath -> /o-ran-software-management:software-inventory

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Event "operational" with ID 100 succeeded.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 342 priority 0 (remaining 0 subscribers).

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 342 priority 0 succeeded.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Session 59: thread 3 event new RPC.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 18 priority 0 for 1 subscribers.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 18 priority 0 (remaining 1 subscribers).

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 18 priority 0 (remaining 0 subscribers).

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 18 priority 0 succeeded.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Session 59: thread 4 event new RPC.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/notifications:create-subscription" with ID 19 priority 0 for 1 subscribers.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Processing "/notifications:create-subscription" "rpc" event with ID 19 priority 0 (remaining 1 subscribers).

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 19 priority 0 (remaining 0 subscribers).

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 19 priority 0 succeeded.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Session 59: thread 4 event new RPC.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get" with ID 343 priority 0 for 1 subscribers.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get" "rpc" event with ID 343 priority 0 (remaining 1 subscribers).

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 343 priority 0 (remaining 0 subscribers).

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 343 priority 0 succeeded.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:19 mcb1 daemon.info netopeer2-server[980]: Session 59: thread 0 event new RPC.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:edit-config" with ID 16 priority 0 for 1 subscribers.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 16 priority 0 (remaining 1 subscribers).

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Published event "change" "o-ran-usermgmt" with ID 1 priority 0 for 1 subscribers.

Oct 30 01:42:20 mcb1 user.notice USERMGMT[1052]: operator9933599780531 added successfully !!

Oct 30 01:42:20 mcb1 user.notice USERMGMT[1052]: operator9933599780531 enabled !!

Oct 30 01:42:20 mcb1 user.notice USERMGMT[1052]: operator682309505800 added successfully !!

Oct 30 01:42:20 mcb1 user.notice USERMGMT[1052]: operator682309505800 enabled !!

Oct 30 01:42:20 mcb1 user.notice USERMGMT[1052]: operator13000 added successfully !!

Oct 30 01:42:20 mcb1 user.notice USERMGMT[1052]: operator13000 enabled !!

Oct 30 01:42:20 mcb1 user.notice USERMGMT[1052]: END OF CHANGES

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Event "change" with ID 1 priority 0 succeeded.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Published event "done" "o-ran-usermgmt" with ID 1 priority 0 for 1 subscribers.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/o-ran-usermgmt:users/user[name='operator9933599780531']", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of
"/o-ran-usermgmt:users/user[name='operator9933599780531']/name", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of
"/o-ran-usermgmt:users/user[name='operator9933599780531']/account-type", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of
"/o-ran-usermgmt:users/user[name='operator9933599780531']/password", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of
"/o-ran-usermgmt:users/user[name='operator9933599780531']/enabled", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/o-ran-usermgmt:users/user[name='operator682309505800']", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of
"/o-ran-usermgmt:users/user[name='operator682309505800']/name", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator682309505800']/account-type", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator682309505800']/password", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator682309505800']/enabled", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/o-ran-usermgmt:users/user[name='operator13000']", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/o-ran-usermgmt:users/user[name='operator13000']/name", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator13000']/account-type", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/o-ran-usermgmt:users/user[name='operator13000']/password", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/o-ran-usermgmt:users/user[name='operator13000']/enabled", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 24.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 24 priority 0 (remaining 0 subscribers).

Oct 30 01:42:20 mcb1 user.notice USERMGMT[1052]: END OF CHANGES

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 25 priority 0 for 2 subscribers.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 16 priority 0 (remaining 0 subscribers).

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 16 priority 0 succeeded.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Session 59: thread 0 event new RPC.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/o-ran-usermgmt:users/user[name='operator9933599780531']", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator9933599780531']/name", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator9933599780531']/account-type", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator9933599780531']/password", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator9933599780531']/enabled", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/o-ran-usermgmt:users/user[name='operator682309505800']", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator682309505800']/name", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator682309505800']/account-type", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator682309505800']/password", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator682309505800']/enabled", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/o-ran-usermgmt:users/user[name='operator13000']", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/o-ran-usermgmt:users/user[name='operator13000']/name", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/o-ran-usermgmt:users/user[name='operator13000']/account-type", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/o-ran-usermgmt:users/user[name='operator13000']/password", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/o-ran-usermgmt:users/user[name='operator13000']/enabled", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 25.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 25 priority 0 (remaining 0 subscribers).

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:edit-config" with ID 17 priority 0 for 1 subscribers.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 17 priority 0 (remaining 1 subscribers).

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Published event "done" "ietf-netconf-acm" with ID 3 priority 0 for 4 subscribers.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Processing "ietf-netconf-acm" "done" event with ID 3 priority 0 (remaining 4 subscribers).

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Successful processing of "done" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 26 priority 0 for 2 subscribers.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 17 priority 0 (remaining 0 subscribers).

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='fm-pm']/user-name[.='operator9933599780531']", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='nms']/user-name[.='operator682309505800']", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='swm']", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='swm']/name", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='swm']/user-name[.='operator13000']", but it is not required.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 26.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 26 priority 0 (remaining 0 subscribers).

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 17 priority 0 succeeded.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Session 59: thread 2 event new RPC.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 19 priority 0 for 1 subscribers.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 19 priority 0 (remaining 1 subscribers).

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 19 priority 0 (remaining 0 subscribers).

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 19 priority 0 succeeded.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Session 59: thread 2 event new RPC.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 20 priority 0 for 1 subscribers.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 20 priority 0 (remaining 1 subscribers).

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 20 priority 0 (remaining 0 subscribers).

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 20 priority 0 succeeded.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:20 mcb1 daemon.info netopeer2-server[980]: Session 59: thread 2 event new RPC.

Oct 30 01:42:24 mcb1 user.notice file_manager[1352]: RPC #292 recieved. xpath -> /o-ran-file-management:file-upload

Oct 30 01:42:25 mcb1 daemon.info netopeer2-server[980]: Session 59: thread 2 event new RPC.

Oct 30 01:42:25 mcb1 daemon.info netopeer2-server[980]: Session 59: thread 2 event session terminated.

Oct 30 01:42:26 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 27 priority 0 for 1 subscribers.

Oct 30 01:42:26 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-end).

Oct 30 01:42:26 mcb1 daemon.info netopeer2-server[980]: Call Home client "default-client" session terminated.

Oct 30 01:42:26 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:42:26 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 27.

Oct 30 01:42:26 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 27 priority 0 (remaining 0 subscribers).

Oct 30 01:42:26 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:42:26 mcb1 auth.info sshd[27587]: Accepted password for root from 192.168.49.88 port 60682 ssh2

Oct 30 01:42:26 mcb1 authpriv.info sshd[27587]: pam_unix(sshd:session): session opened for user root by (uid=0)

Expected Result : The TER NETCONF Client retrieves a list of users from O-RU NETCONF Server. The newly created user accounts and mappings are validated.

=====

***** Actual Result *****

=====

=====

Sudo on Hybrid M-plane Architecture (positive case) = SUCCESS

=====