



**@ FILE NAME: M\_FTC\_ID\_056.txt**

**@ TEST SCOPE: M PLANE O-RAN FUNCTIONAL**

**@ Software Release for B40: v0.0.5**

**Test Description : Test to verify whether from the NETCONF Error List with tag bad-attribute.**

```
=====
***** Connect to the NETCONF Server *****
=====
```

```
> connect --ssh --host 192.168.4.61 --port 830 --login operator
```

```
Interactive SSH Authentication
```

```
Type your password:
```

```
Password:
```

```
> status
```

```
Current NETCONF session:
```

```
ID      : 11
```

```
Host     : 192.168.4.61
```

```
Port     : 830
```

```
Transport : SSH
```

```
Capabilities:
```

```
urn:ietf:params:netconf:base:1.0urn:ietf:params:netconf:base:1.1urn:ietf:params:netconf:capability:writable-running:1.0
urn:ietf:params:netconf:capability:candidate:1.0urn:ietf:params:netconf:capability:rollback-on-error:1.0
urn:ietf:params:netconf:capability:validate:1.1urn:ietf:params:netconf:capability:startup:1.0urn:ietf:params:netconf:capability:xpath:1.0
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
urn:ietf:params:netconf:capability:notification:1.0urn:ietf:params:netconf:capability:interleave:1.0
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valida
te,startup,url,xpathurn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06urn:notification_history?module=notification_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19
```

```
=====
***** Create Subscription *****
=====
```

```
>subscribe
```

```
Ok
```

```
=====
***** User_mgmt GET FILTER*****
=====
```

```
=====
>get --filter-xpath /o-ran-usermgmt:users/user
=====
```

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<users xmlns="urn:o-ran:user-mgmt:1.0">
  <user>
    <name>oranuser</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>operator</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>observer</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>installer</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
</users>
</data>
```

```
=====
***** Create NEW USER *****
=====
```

```
=====
> edit-config --target running --config --defop merge
=====
```

```
=====
***** Replace with XMI *****
=====
```

```
<users xmlns="urn:o-ran:user-mgmt:1.0">
  <user>
    <name>OPERATOR</name>
    <account-type>PASSWORD</account-type>
    <password>admin123</password>
    <enabled>true</enabled>
  </user>
</users>
```

```
=====
##### Rpc Reply #####
=====
```

**ERROR**

```
type      : application
tag       : operation-failed
severity  : error
path      : /o-ran-usermgmt:users/user[name='OPERATOR']/name
message   : [bad-attribute] Username not valid!!
```

## =====

**##### SYSTEM LOGS #####**

=====

May 18 04:31:53 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:31:53 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:31:54 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:31:54 b40 daemon.info netopeer2-server[965]: Successfully connected to 192.168.4.15:4334 over IPv4.

May 18 04:31:54 b40 daemon.info netopeer2-server[965]: Session 217 (user "root", CID 1) created.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Received an SSH message "request-service" of subtype "ssh-userauth".

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Received an SSH message "request-auth" of subtype "password".

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: User "operator" authenticated.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Received an SSH message "request-channel-open" of subtype "session".

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Received an SSH message "request-channel" of subtype "subsystem".

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Call Home client "default-client" session 9 established.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Session 218 (user "root", CID 1) created.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: There are no subscribers for "ietf-netconf-notifications" notifications.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Generated new event (netconf-session-start).

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Published event "rpc" "/ietf-netconf:get" with ID 31 priority 0 for 1 subscribers.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Processing "/ietf-netconf:get" "rpc" event with ID 31 priority 0 (remaining 1 subscribers).

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Successful processing of "rpc" event with ID 31 priority 0 (remaining 0 subscribers).

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Event "rpc" with ID 31 priority 0 succeeded.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Session 9: thread 2 event new RPC.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Published event "rpc" "/ietf-netconf:get" with ID 32 priority 0 for 1 subscribers.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Processing "/ietf-netconf:get" "rpc" event with ID 32 priority 0 (remaining 1 subscribers).

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 14.

May 18 04:31:55 b40 user.notice fw\_manager[1111]: RPC #14 recieved. xpath -> /o-ran-software-management:software-inventory

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Event "operational" with ID 14 succeeded.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "", but it is not required.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Successful processing of "rpc" event with ID 32 priority 0 (remaining 0 subscribers).

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Event "rpc" with ID 32 priority 0 succeeded.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "", but it is not required.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Session 9: thread 1 event new RPC.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Published event "rpc" "/ietf-netconf:get-config" with ID 14 priority 0 for 1 subscribers.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Processing "/ietf-netconf:get-config" "rpc" event with ID 14 priority 0 (remaining 1 subscribers).

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Successful processing of "rpc" event with ID 14 priority 0 (remaining 0 subscribers).

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Event "rpc" with ID 14 priority 0 succeeded.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:31:55 b40 daemon.info netopeer2-server[965]: Session 9: thread 2 event new RPC.

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Published event "rpc" "/notifications:create-subscription" with ID 9 priority 0 for 1 subscribers.

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Processing "/notifications:create-subscription" "rpc" event with ID 9 priority 0 (remaining 1 subscribers).

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Successful processing of "rpc" event with ID 9 priority 0 (remaining 0 subscribers).

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Event "rpc" with ID 9 priority 0 succeeded.

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Session 9: thread 1 event new RPC.

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Published event "rpc" "/ietf-netconf:edit-config" with ID 6 priority 0 for 1 subscribers.

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 6 priority 0 (remaining 1 subscribers).

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Published event "change" "o-ran-usermgmt" with ID 1 priority 0 for 1 subscribers.

May 18 04:32:01 b40 user.err USERMGMT[1031]: User name length should be between 3 - 32

May 18 04:32:01 b40 user.err USERMGMT[1031]: User name not valid !!

May 18 04:32:01 b40 daemon.err netopeer2-server[965]: [too-big/too-small] Username not valid, The request or response (that would be generated) istoo big/small for the implementation to handle.!!

May 18 04:32:01 b40 daemon.warn netopeer2-server[965]: Event "change" with ID 1 priority 0 failed (Validation failed).

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Failed processing of "rpc" event with ID 6 priority 0 (remaining 1 subscribers).

May 18 04:32:01 b40 daemon.err netopeer2-server[965]: [too-big/too-small] Username not valid, The request or response (that would be generated) istoo big/small for the implementation to handle.!!

May 18 04:32:01 b40 daemon.warn netopeer2-server[965]: Event "rpc" with ID 6 priority 0 failed (User callback failed).

May 18 04:32:01 b40 daemon.err netopeer2-server[965]: Failed to send an RPC (User callback failed).

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Session 9: thread 1 event new RPC.

May 18 04:32:01 b40 daemon.info netopeer2-server[965]: Session 9: thread 1 event reply error.

May 18 04:32:06 b40 daemon.info netopeer2-server[965]: Session 9: thread 1 event new RPC.

May 18 04:32:06 b40 daemon.info netopeer2-server[965]: Session 9: thread 1 event session terminated.

May 18 04:32:06 b40 daemon.info netopeer2-server[965]: There are no subscribers for "ietf-netconf-notifications" notifications.

May 18 04:32:06 b40 daemon.info netopeer2-server[965]: Generated new event (netconf-session-end).

May 18 04:32:06 b40 daemon.info netopeer2-server[965]: Call Home client "default-client" session terminated.

May 18 04:32:06 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:32:06 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:32:06 b40 authpriv.debug sshd[7789]: pam\_unix(sshd:account): account operator has password changed in future

May 18 04:32:06 b40 auth.info sshd[7789]: Accepted password for operator from 192.168.4.15 port 39576 ssh2

May 18 04:32:06 b40 authpriv.info sshd[7789]: pam\_unix(sshd:session): session opened for user operator by (uid=0)

May 18 04:32:07 b40 authpriv.info sshd[3347]: pam\_unix(sshd:session): session closed for user root

May 18 04:32:07 b40 authpriv.info sshd[7789]: pam\_unix(sshd:session): session closed for user operator

May 18 04:32:07 b40 daemon.err netopeer2-server[965]: Session 9: waiting for Call Home thread failed (Connection timed out).

May 18 04:32:07 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:32:07 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:32:08 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:32:08 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:32:09 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:32:09 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:32:10 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:32:10 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:32:11 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:32:11 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:32:12 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:32:12 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:32:13 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:32:13 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:32:14 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:32:14 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:32:15 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:32:15 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:32:16 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:32:16 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:32:17 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.



Page 8



Page 9

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

May 18 04:33:31 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:33:31 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:33:32 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:33:32 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:33:32 b40 daemon.info netopeer2-server[965]: Accepted a connection on 0.0.0.0:830.  
May 18 04:33:32 b40 daemon.info netopeer2-server[965]: Session 227 (user "root", CID 1) created.  
May 18 04:33:33 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:33:33 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:33:34 b40 daemon.info netopeer2-server[965]: Received an SSH message "request-service" of subtype "ssh-userauth".  
May 18 04:33:34 b40 daemon.info netopeer2-server[965]: Received an SSH message "request-auth" of subtype "none".  
May 18 04:33:34 b40 daemon.info netopeer2-server[965]: Received an SSH message "request-auth" of subtype "interactive".  
May 18 04:33:34 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:33:34 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:33:35 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:33:35 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:33:36 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:33:36 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:33:37 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:33:37 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Received an SSH message "request-auth" of subtype "interactive".  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: User "operator" authenticated.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Received an SSH message "request-channel-open" of subtype "session".  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Received an SSH message "request-channel" of subtype "subsystem".  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Session 228 (user "root", CID 1) created.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: There are no subscribers for "ietf-netconf-notifications" notifications.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Generated new event (netconf-session-start).  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Schema "ietf-yang-library" was requested.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Session 10: thread 2 event new RPC.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Schema "ietf-datastores" was requested.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Session 10: thread 4 event new RPC.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Schema "ietf-datastores" was requested.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Session 10: thread 2 event new RPC.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Published event "rpc" "/ietf-netconf:get" with ID 33 priority 0 for 1 subscribers.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Processing "/ietf-netconf:get" "rpc" event with ID 33 priority 0 (remaining 1 subscribers).

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Successful processing of "rpc" event with ID 33 priority 0 (remaining 0 subscribers).

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Event "rpc" with ID 33 priority 0 succeeded.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Session 10: thread 1 event new RPC.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Schema "sysrepo" was requested.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Session 10: thread 1 event new RPC.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Schema "sysrepo-monitoring" was requested.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Session 10: thread 1 event new RPC.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Schema "sysrepo-pluginind" was requested.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Session 10: thread 1 event new RPC.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Schema "ietf-netconf-with-defaults" was requested.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Session 10: thread 1 event new RPC.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Schema "ietf-netconf-notifications" was requested.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Session 10: thread 1 event new RPC.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Schema "ietf-origin" was requested.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:33:38 b40 daemon.info netopeer2-server[965]: Session 10: thread 1 event new RPC.



Page 13

Page 14



Page 15

Page 16

Page 17

Page 18



Page 19

Page 20



May 18 04:34:49 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:34:49 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:34:50 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:34:50 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:34:51 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:34:51 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:34:52 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:34:52 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:34:53 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:34:53 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:34:54 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:34:54 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:34:54 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:34:54 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:34:54 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:34:54 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:34:54 b40 daemon.info netopeer2-server[965]: Published event "rpc" "/ietf-netconf:edit-config" with ID 7 priority 0 for 1 subscribers.  
May 18 04:34:54 b40 daemon.info netopeer2-server[965]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 7 priority 0 (remaining 1 subscribers).  
May 18 04:34:54 b40 daemon.info netopeer2-server[965]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.  
May 18 04:34:54 b40 daemon.err netopeer2-server[965]: Unknown element "rpc". (/)  
May 18 04:34:54 b40 daemon.info netopeer2-server[965]: Failed processing of "rpc" event with ID 7 priority 0 (remaining 1 subscribers).  
May 18 04:34:54 b40 daemon.err netopeer2-server[965]: Unknown element "rpc".  
May 18 04:34:54 b40 daemon.warn netopeer2-server[965]: Event "rpc" with ID 7 priority 0 failed (libyang error).  
May 18 04:34:54 b40 daemon.err netopeer2-server[965]: Failed to send an RPC (User callback failed).  
May 18 04:34:54 b40 daemon.info netopeer2-server[965]: Session 10: thread 1 event new RPC.  
May 18 04:34:54 b40 daemon.info netopeer2-server[965]: Session 10: thread 1 event reply error.  
May 18 04:34:55 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:34:55 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:34:56 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:34:56 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:34:57 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:34:57 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:34:58 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:34:58 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:34:59 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:34:59 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:35:00 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:35:00 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:35:01 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:35:01 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:35:02 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:35:02 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:35:03 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:35:03 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:35:04 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:35:04 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:35:05 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

Page 22

Page 23

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd



Page 25

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd



Page 27

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Page 29

Page 30



Page 31

Page 32



Page 33

Page 34

May 18 04:40:24 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:24 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:25 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:25 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:26 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:26 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:27 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:27 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:28 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:28 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:29 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:29 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:30 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:30 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:31 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:31 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:32 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:32 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:33 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:33 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:34 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:34 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:35 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:35 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:36 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:36 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:37 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:37 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:38 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:38 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:39 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:39 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:40 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:40 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:41 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:40:41 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:40:42 b40 daemon.info netopeer2-server[965]: Published event "rpc" "/ietf-netconf:commit" with ID 1 priority 0 for 1 subscribers.  
May 18 04:40:42 b40 daemon.info netopeer2-server[965]: Processing "/ietf-netconf:commit" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).  
May 18 04:40:42 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:40:42 b40 daemon.info netopeer2-server[965]: There is no leafref  
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.  
May 18 04:40:42 b40 daemon.info netopeer2-server[965]: There is no leafref  
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.  
May 18 04:40:42 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:40:42 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:40:42 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

Page 36

the value "sllrx-endpoint2", but it is not required.

May 18 04:40:42 b40 daemon.info netopeer2-server[965]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

May 18 04:40:42 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:40:42 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:42 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:42 b40 daemon.info netopeer2-server[965]: No datastore changes to apply.

May 18 04:40:42 b40 daemon.info netopeer2-server[965]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

May 18 04:40:42 b40 daemon.info netopeer2-server[965]: Event "rpc" with ID 1 priority 0 succeeded.

May 18 04:40:42 b40 daemon.info netopeer2-server[965]: Session 10: thread 2 event new RPC.

May 18 04:40:43 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:43 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:44 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:44 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:45 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:45 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:46 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:46 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:47 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:47 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:48 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:48 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:49 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:49 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:50 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:50 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:51 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:51 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:52 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:52 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:53 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:53 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:54 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:54 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:55 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:55 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:56 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:56 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:57 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:57 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:58 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:58 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:40:59 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:40:59 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:41:00 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:41:00 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:41:01 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:41:01 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:41:02 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.



Page 38

Page 39

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Page 41



Page 42



May 18 04:43:06 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: Published event "rpc" "/ietf-netconf:get-config" with ID 15 priority 0 for 1 subscribers.

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: Processing "/ietf-netconf:get-config" "rpc" event with ID 15 priority 0 (remaining 1 subscribers).

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: Successful processing of "rpc" event with ID 15 priority 0 (remaining 0 subscribers).

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: Event "rpc" with ID 15 priority 0 succeeded.

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:43:06 b40 daemon.info netopeer2-server[965]: Session 10: thread 3 event new RPC.

May 18 04:43:07 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:43:07 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:43:08 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:43:08 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:43:09 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:43:09 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:43:10 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:43:10 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:43:11 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:43:11 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:43:12 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:43:12 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:43:13 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:43:13 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:43:14 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:43:14 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:43:15 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

Page 44

Page 45

Page 46



Page 47



Page 48

Page 49

Page 50

Page 51



Page 52



Page 53

Page 54

Page 55

Page 56



Page 57



Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Page 59

May 18 04:49:47 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:49:48 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:49:48 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:49:49 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:49:49 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:49:49 b40 daemon.info dhclient: DHCPREQUEST for 192.168.4.61 on eth1 to 192.168.4.15 port 67

May 18 04:49:49 b40 daemon.info dhclient: DHCPACK of 192.168.4.61 from 192.168.4.15

May 18 04:49:50 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:49:50 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:49:50 b40 user.info nw\_manager[1002]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces

May 18 04:49:50 b40 user.info nw\_manager[1002]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces

May 18 04:49:50 b40 user.err nw\_manager[1002]: IF\_CFG: SIOCGIFHWADDR : (Invalid argument)

May 18 04:49:50 b40 user.err nw\_manager[1002]: IFMNGR: Set MAC address 00:00:00:00:00:00 of interface lo failed

May 18 04:49:50 b40 user.err nw\_manager[1002]: Applying interface changes failed

May 18 04:49:50 b40 user.info nw\_manager[1002]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces

May 18 04:49:50 b40 user.info nw\_manager[1002]: Interface : eth1 Netmask : 255.255.255.0

May 18 04:49:50 b40 user.info nw\_manager[1002]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces

May 18 04:49:50 b40 user.err nw\_manager[1002]: IF\_CFG: SIOCGIFHWADDR : (Invalid argument)

May 18 04:49:50 b40 user.err nw\_manager[1002]: IFMNGR: Set MAC address 00:00:00:00:00:00 of interface lo failed

May 18 04:49:50 b40 user.err nw\_manager[1002]: Applying interface changes failed

May 18 04:49:50 b40 daemon.info dhclient: bound to 192.168.4.61 -- renewal in 3528 seconds.

May 18 04:49:51 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:49:51 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:49:52 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:49:52 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:49:53 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:49:53 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:49:54 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:49:54 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:49:55 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:49:55 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:49:56 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:49:56 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:49:57 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:49:57 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:49:58 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:49:58 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:49:59 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:49:59 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:50:00 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:50:00 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:50:01 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:50:01 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:50:02 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:50:02 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:50:03 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:50:03 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:50:04 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.

May 18 04:50:04 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).

May 18 04:50:05 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:50:05 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:50:06 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:50:06 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:50:07 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:50:07 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:50:08 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:50:08 b40 daemon.info netopeer2-server[965]: getsockopt() error (Connection refused).  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Trying to connect via IPv4 to 192.168.4.15:4334.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Successfully connected to 192.168.4.15:4334 over IPv4.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Session 241 (user "root", CID 1) created.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Received an SSH message "request-service" of subtype "ssh-userauth".  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Received an SSH message "request-auth" of subtype "password".  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: User "operator" authenticated.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Received an SSH message "request-channel-open" of subtype "session".  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Received an SSH message "request-channel" of subtype "subsystem".  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Call Home client "default-client" session 11 established.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Session 242 (user "root", CID 1) created.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: There are no subscribers for "ietf-netconf-notifications" notifications.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Generated new event (netconf-session-start).  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Published event "rpc" "/ietf-netconf:get" with ID 34 priority 0 for 1 subscribers.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Processing "/ietf-netconf:get" "rpc" event with ID 34 priority 0 (remaining 1 subscribers).  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Successful processing of "rpc" event with ID 34 priority 0 (remaining 0 subscribers).  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Event "rpc" with ID 34 priority 0 succeeded.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Session 11: thread 2 event new RPC.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Published event "rpc" "/ietf-netconf:get" with ID 35 priority 0 for 1 subscribers.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Processing "/ietf-netconf:get" "rpc" event with ID 35 priority 0 (remaining 1 subscribers).  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.  
May 18 04:50:09 b40 daemon.info netopeer2-server[965]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 15.  
May 18 04:50:09 b40 user.notice fw\_manager[1111]: RPC #15 recieved. xpath -> /o-ran-software-management:software-inventory  
May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Event "operational" with ID 15 succeeded.  
May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...  
May 18 04:50:10 b40 daemon.info netopeer2-server[965]: There is no leafref



"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "", but it is not required.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Successful processing of "rpc" event with ID 35 priority 0 (remaining 0 subscribers).

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Event "rpc" with ID 35 priority 0 succeeded.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "", but it is not required.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Session 11: thread 2 event new RPC.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Published event "rpc" "/ietf-netconf:get-config" with ID 16 priority 0 for 1 subscribers.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Processing "/ietf-netconf:get-config" "rpc" event with ID 16 priority 0 (remaining 1 subscribers).

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Successful processing of "rpc" event with ID 16 priority 0 (remaining 0 subscribers).

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Event "rpc" with ID 16 priority 0 succeeded.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:50:10 b40 daemon.info netopeer2-server[965]: Session 11: thread 4 event new RPC.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Published event "rpc" "/notifications:create-subscription" with ID 10 priority 0 for 1 subscribers.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Processing "/notifications:create-subscription" "rpc" event with ID 10 priority 0 (remaining 1 subscribers).

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Successful processing of "rpc" event with ID 10 priority 0 (remaining 0 subscribers).

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Event "rpc" with ID 10 priority 0 succeeded.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Session 11: thread 2 event new RPC.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...



May 18 04:50:15 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Published event "rpc" "/ietf-netconf:get" with ID 36 priority 0 for 1 subscribers.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Processing "/ietf-netconf:get" "rpc" event with ID 36 priority 0 (remaining 1 subscribers).

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Successful processing of "rpc" event with ID 36 priority 0 (remaining 0 subscribers).

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Event "rpc" with ID 36 priority 0 succeeded.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Session 11: thread 2 event new RPC.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Published event "rpc" "/ietf-netconf:edit-config" with ID 8 priority 0 for 1 subscribers.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 8 priority 0 (remaining 1 subscribers).

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Resolving unresolved data nodes and their constraints...

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: All data nodes and constraints resolved.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Published event "change" "o-ran-usermgmt" with ID 2 priority 0 for 1 subscribers.

May 18 04:50:15 b40 user.err USERMGMT[1031]: First Letter of User name should be in lowercase and remaining should be in lowercase and numbers!!

May 18 04:50:15 b40 user.err USERMGMT[1031]: User name not valid !!

May 18 04:50:15 b40 daemon.err netopeer2-server[965]: [bad-attribute] Username not valid!!

May 18 04:50:15 b40 daemon.warn netopeer2-server[965]: Event "change" with ID 2 priority 0 failed (Validation failed).

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Failed processing of "rpc" event with ID 8 priority 0 (remaining 1 subscribers).

May 18 04:50:15 b40 daemon.err netopeer2-server[965]: [bad-attribute] Username not valid!!

May 18 04:50:15 b40 daemon.warn netopeer2-server[965]: Event "rpc" with ID 8 priority 0 failed (User callback failed).

May 18 04:50:15 b40 daemon.err netopeer2-server[965]: Failed to send an RPC (User callback failed).

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Session 11: thread 2 event new RPC.

May 18 04:50:15 b40 daemon.info netopeer2-server[965]: Session 11: thread 2 event reply error.

May 18 04:50:16 b40 authpriv.debug sshd[17427]: pam\_unix(sshd:account): account operator has password changed in future

May 18 04:50:16 b40 auth.info sshd[17427]: Accepted password for operator from 192.168.4.15 port 51242 ssh2

May 18 04:50:16 b40 authpriv.info sshd[17427]: pam\_unix(sshd:session): session opened for user operator by (uid=0)

**Expected Result :** The request or response have an expected attribute missing.same of the element that is supposed to contain the missing attribute

**error-tag:** bad-attribute

**error-type:** rpc, protocol, application

**error-severity:** error

**error-info:**<bad-attribute> : name of the attribute w/ bad value

**<bad-element> :** name of the element that contains the attribute with the bad value

**Description:** An attribute value is not correct; e.g., wrong type, out of range, pattern mismatch.

=====

\*\*\*\*\* Actual Result \*\*\*\*\*

=====

=====

<b>Error_Tag[bad-attribute]</b>	<b>=</b>	<b>PASS</b>
---------------------------------	----------	-------------

=====