



**@ FILE NAME: M\_CTC\_ID\_009.txt**

**@ TEST SCOPE: M PLANE O-RAN CONFORMANCE**

**@ Software Release for LPRU: v1.1.0**

**Test Description : This test validates that the O-RU manages the connection supervision process correctly.**

=====

**\*\*\*\*\* Connect to the NETCONF Server \*\*\*\*\***

=====

```
> connect --ssh --host 192.168.214.37 --port 830 --login operator
```

```
Interactive SSH Authentication
```

```
Type your password:
```

```
Password:
```

```
> status
```

```
Current NETCONF session:
```

```
ID      : 1
```

```
Host    : 192.168.214.37
```

```
Port    : 830
```

```
Transport : SSH
```

```
Capabilities:
```

```
urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid
ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19
```

=====

\*\*\*\*\*step 1 and 2 Retrival of ru information with filter \*\*\*\*\*

=====

=====

> subscribe

=====

Ok

=====

**TER NETCONF Client responds with <rpc supervision-watchdog-reset></rpc> to the O-RU NETCONF Server**

=====

=====

> user-rpc

=====

=====

\*\*\*\*\* Replace with below xml \*\*\*\*\*

=====

```
<supervision-watchdog-reset xmlns="urn:o-ran:supervision:1.0">
  <supervision-notification-interval>4</supervision-notification-interval>
  <guard-timer-overhead>2</guard-timer-overhead>
</supervision-watchdog-reset>
```

=====

**O-RU NETCONF Server sends a reply to the TER NETCONF Client**  
**<rpc-reply><next-update-at>date-time</next-update-at></rpc-reply>**

=====

```
<nc:rpc-reply xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0"
message-id="urn:uuid:dcc32ba5-8e77-4931-9f0b-5ef16d9fcd15"><next-update-at
xmlns="urn:o-ran:supervision:1.0">2000-11-04T00:01:16Z</next-update-at></nc:rpc-reply>
```

## =====

**##### SYSTEM LOGS #####**

=====

Nov 4 00:01:04 vvdn\_lpru daemon.info netopeer2-server[861]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:04 vvdn\_lpru daemon.info netopeer2-server[861]: getsockopt() error (Connection refused).

Nov 4 00:01:05 vvdn\_lpru daemon.info netopeer2-server[861]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:05 vvdn\_lpru daemon.info netopeer2-server[861]: getsockopt() error (Connection refused).

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Successfully connected to 192.168.214.234:4334 over IPv4.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Session 79 (user "root", CID 1) created.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: User "operator" authenticated.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Call Home client "default-client" session 1 established.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Session 80 (user "root", CID 1) created.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Generated new event (netconf-session-start).

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Published event "rpc" "/ietf-netconf:get" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Processing "/ietf-netconf:get" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Session 1: thread 0 event new RPC.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Published event "rpc" "/ietf-netconf:get" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Processing "/ietf-netconf:get" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/ietf-interfaces:name" with the value "eth0.6", but it is not required.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface[ietf-interfaces:name = current()/../interface-name]/o-ran-interfaces:vlan-id" with the value "6", but it is not required.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/ietf-interfaces:name" with the value "eth0", but it is not required.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface[ietf-interfaces:name = current()/../interface-name]/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 1.

Nov 4 00:01:06 vvdn\_lpru user.notice fw\_manager[931]: RPC #1 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Event "operational" with ID 1 succeeded.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:06 vvdn\_lpru daemon.info netopeer2-server[861]: Session 1: thread 0 event new RPC.

Nov 4 00:01:07 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:07 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:07 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:07 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:07 vvdn\_lpru daemon.info netopeer2-server[861]: Published event "rpc" "/ietf-netconf:get-config" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:01:07 vvdn\_lpru daemon.info netopeer2-server[861]: Processing "/ietf-netconf:get-config" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:01:07 vvdn\_lpru daemon.info netopeer2-server[861]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:01:07 vvdn\_lpru daemon.info netopeer2-server[861]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:01:07 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:07 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:07 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:07 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:01:07 vvdn\_lpru daemon.info netopeer2-server[861]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:01:07 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:07 vvdn\_lpru daemon.info netopeer2-server[861]: Session 1: thread 4 event new RPC.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Processing "/notifications:create-subscription" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Session 1: thread 0 event new RPC.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Published event "rpc" "/o-ran-supervision:supervision-watchdog-reset" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Processing "ietf-netconf-monitoring" "operational" event with ID 1.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Successful processing of "operational" event with ID 1.

Nov 4 00:01:12 vvdn\_lpru user.notice supervision[1230]: RPC #1 recieved from "operator" user. xpath ->  
/o-ran-supervision:supervision-watchdog-reset

Nov 4 00:01:12 vvdn\_lpru user.info supervision[1230]: "watchdog-reset" received from user 'operator'. Expecting next one at  
2000-11-04T00:01:16Z

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: All data nodes and constraints resolved.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Session 1: thread 0 event new RPC.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Session 1: thread 0 event new RPC.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Session 1: thread 0 event session terminated.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Generated new event (netconf-session-end).

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Call Home client "default-client" session terminated.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:12 vvdn\_lpru daemon.info netopeer2-server[861]: getsockopt() error (Connection refused).

Nov 4 00:01:13 vvdn\_lpru user.notice SYNCMNGR[1177]: Received message from S-Plane

Nov 4 00:01:13 vvdn\_lpru daemon.err netopeer2-server[861]: Session 1: waiting for Call Home thread failed (Connection timed out).

Nov 4 00:01:13 vvdn\_lpru daemon.info netopeer2-server[861]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:13 vvdn\_lpru daemon.info netopeer2-server[861]: getsockopt() error (Connection refused).

Nov 4 00:01:14 vvdn\_lpru daemon.info netopeer2-server[861]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:14 vvdn\_lpru daemon.info netopeer2-server[861]: getsockopt() error (Connection refused).

Nov 4 00:01:15 vvdn\_lpru daemon.info netopeer2-server[861]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:15 vvdn\_lpru daemon.info netopeer2-server[861]: getsockopt() error (Connection refused).

Nov 4 00:01:16 vvdn\_lpru user.notice supervision[1230]: Interval timer exceeded. Waiting on guard timer...

Nov 4 00:01:16 vvdn\_lpru daemon.info netopeer2-server[861]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:16 vvdn\_lpru daemon.info netopeer2-server[861]: getsockopt() error (Connection refused).

Nov 4 00:01:17 vvdn\_lpru daemon.info netopeer2-server[861]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:17 vvdn\_lpru daemon.info netopeer2-server[861]: getsockopt() error (Connection refused).

Nov 4 00:01:18 vvdn\_lpru user.notice supervision[1230]: O-RU has entered "supervision-failure" state Resetting...

Nov 4 00:01:18 vvdn\_lpru user.notice supervision[1230]: Exiting

Nov 4 00:01:18 vvdn\_lpru user.notice supervision[1230]: Waiting for pending jobs

Nov 4 00:01:18 vvdn\_lpru user.info supervision[1230]: O-RU going for reboot

Nov 4 00:01:18 vvdn\_lpru daemon.info netopeer2-server[861]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:18 vvdn\_lpru daemon.info netopeer2-server[861]: getsockopt() error (Connection refused).

Nov 4 00:01:19 vvdn\_lpru daemon.info netopeer2-server[861]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:19 vvdn\_lpru daemon.info netopeer2-server[861]: getsockopt() error (Connection refused).

Nov 4 00:01:20 vvdn\_lpru daemon.info netopeer2-server[861]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:20 vvdn\_lpru daemon.info netopeer2-server[861]: getsockopt() error (Connection refused).

Nov 4 00:01:20 vvdn\_lpru authpriv.debug sshd[2353]: pam\_unix(sshd:account): account operator has password changed in future

Nov 4 00:01:20 vvdn\_lpru auth.info sshd[2353]: Accepted password for operator from 192.168.214.234 port 50496 ssh2

Nov 4 00:01:20 vvdn\_lpru authpriv.info sshd[2353]: pam\_unix(sshd:session): session opened for user operator by (uid=0)



**Expected Result : TER NETCONF Client can change the value of the supervision timer in the supervision watchdog reset message. The O-RU NETCONF server must adjust the timer accordingly if this optional test is performed.**

=====

\*\*\*\*\* **Actual Result** \*\*\*\*\*

=====

=====

<b>M-Plane Connection Supervision (negative case)</b>	<b>=</b>	<b>SUCCESS</b>
---	----------	----------------

=====