



@ FILE NAME: M_CTC_ID_018.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MC1: v1.0.5

Test Description : This scenario is MANDATORY for an O-RU supporting the Hybrid M-plane architecture model.

This test validates that user management model can be used to add users to the O-RU

This scenario corresponds to the following chapters in [3]:

3.3 SSH Connection Establishment

3.4 NETCONF Access Control

=====

STEP 1. The TER NETCONF Client establishes a connection with the O-RU NETCONF Server.

=====

=====

******* Connect to the NETCONF Server *******

=====

> listen --ssh --login operator

Waiting 60s for an SSH Call Home connection on port 4334...

The authenticity of the host '::ffff:192.168.4.43' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

> status

Current NETCONF session:

ID : 52

Host : 192.168.4.43

Port : 830

Transport : SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0

urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0

urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0

urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit

urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0

urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15

urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,validate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06

urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04

urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14

urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history

urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

=====

> subscribe

=====

Ok

```
##### Initial Get #####
```

```
> get --filter-xpath /o-ran-usermgmt:users/user
```

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<users xmlns="urn:o-ran:user-mgmt:1.0">
<user>
<name>oranuser</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>operator</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>observer</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>installer</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
</users>
</data>
```

STEP 2. The TER NETCONF Client configures three new user accounts in addition to the default sudo account already present and passwords these three accounts using o-ran-user.mgmt.yang

```
> edit-config --target running --config --defop merge
```

```
***** Replace with below xml *****
```

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
<users xmlns="urn:o-ran:user-mgmt:1.0">
```

```

<user>
  <name>operator4902007191052112</name>
  <account-type>PASSWORD</account-type>
  <password>-e{E{po~El2pUz}O.uM]-TqZvrZs}xdDBCxW89M^8$cNW7ul9Xf0^M]~B]I2D+}OeFIImiJH!iyM</password>
  <enabled>true</enabled>
</user>
<user>
  <name>operator839366804111370</name>
  <account-type>PASSWORD</account-type>
  <password>R_dRIwCB8DC]v$$r5Hfq$d{FN-)cyvLj[CSZ0WSvzk$6tSXm1BzVR{Soy+.qSoF.Hdu9t]ErEjcb)g1A_WD)R1t</password>
  <enabled>true</enabled>
</user>
<user>
  <name>operator49793707</name>
  <account-type>PASSWORD</account-type>
  <password>5r(KrIkMIZa)BQ3K9AW]CdkpkvU7zXgKvzQ7qt0PW5p5nGUNO</password>
  <enabled>true</enabled>
</user>
</users>
</config>

```

```

=====
##### RPC Reply #####
=====

```

Ok

```

=====
##### NOTIFICATIONS #####
=====

```

```

<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
  <eventTime>2103-10-29T23:14:38Z</eventTime>
  <netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
    <changed-by>
      <username>root</username>
      <session-id>52</session-id>
    </changed-by>
    <datastore>running</datastore>
    <edit>
      <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator49020071910521
12']</target>
      <operation>create</operation>
    </edit>
    <edit>
      <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator49020071910521
12']/o-ran-usermgmt:name</target>

```

```
<operation>create</operation>
</edit>
<edit>
<target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator49020071910521
12']/o-ran-usermgmt:account-type</target>
<operation>create</operation>
</edit>
<edit>
<target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator49020071910521
12']/o-ran-usermgmt:password</target>
<operation>create</operation>
</edit>
<edit>
<target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator49020071910521
12']/o-ran-usermgmt:enabled</target>
<operation>create</operation>
</edit>
<edit>
<target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator49020071910521
12']/o-ran-usermgmt:enabled</target>
<operation>create</operation>
</edit>
<edit>
<target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator83936680411137
0']/</target>
<operation>create</operation>
</edit>
<edit>
<target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator83936680411137
0']/o-ran-usermgmt:name</target>
<operation>create</operation>
</edit>
<edit>
<target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator83936680411137
0']/o-ran-usermgmt:account-type</target>
<operation>create</operation>
</edit>
<edit>
<target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator83936680411137
0']/o-ran-usermgmt:password</target>
<operation>create</operation>
</edit>
<edit>
<target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator83936680411137
0']/o-ran-usermgmt:enabled</target>
<operation>create</operation>
```

```
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator49793707']</target>
  <operation>create</operation>
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator49793707']/o-ran-usermgmt:name</target>
  <operation>create</operation>
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator49793707']/o-ran-usermgmt:account-type</target>
  <operation>create</operation>
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator49793707']/o-ran-usermgmt:password</target>
  <operation>create</operation>
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator49793707']/o-ran-usermgmt:enabled</target>
  <operation>create</operation>
</edit>
</netconf-config-change>
</notification>
```

```
=====
##### STEP 3. The TER NETCONF Client configures user account to group mappings for the
three
    new accounts using ietf-netconf-acm.yang respectively one with "nms", one with "fm-pm" and one
    with "swm" privilege. #####
=====
```

```
=====
> edit-config --target running --config --defop merge
=====
```

```
=====
***** Replace with below xml *****
=====
```

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
  <nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">
    <groups>
      <group>
        <name>fm-pm</name>
        <user-name>operator4902007191052112</user-name>
      </group>
      <group>
        <name>nms</name>
        <user-name>operator839366804111370</user-name>
      </group>
      <group>
        <name>swm</name>
        <user-name>operator49793707</user-name>
      </group>
    </groups>
  </nacm>
</config>
```

```
=====
STEP 4. The O-RU NETCONF Server confirms the operations for the above transactions.
=====
```

Ok

```
=====
##### NOTIFICATIONS #####
=====
```

```
<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
  <eventTime>2103-10-29T23:14:39Z</eventTime>
  <netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
    <changed-by>
      <username>root</username>
      <session-id>52</session-id>
    </changed-by>
  </netconf-config-change>
</notification>
```



```

</changed-by>
<datastore>running</datastore>
<edit>
  <target
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='fm-pm']/nacm:user-name[.='operator4902007191052112']</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='nms']/nacm:user-name[.='operator839366804111370']</target>
    <operation>create</operation>
  </edit>
<edit>
  <target xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='swm']</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='swm']/nacm:name</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='swm']/nacm:user-name[.='operator49793707']</target>
    <operation>create</operation>
  </edit>
</netconf-config-change>
</notification>

```

```

=====
> get --filter-xpath /ietf-netconf-acm:nacm/groups
=====

```

```

<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">
    <groups>
      <group>
        <name>sudo</name>
        <user-name>operator</user-name>
      </group>
      <group>
        <name>fm-pm</name>
        <user-name>observer</user-name>
        <user-name>operator4902007191052112</user-name>
      </group>
      <group>

```

```
<name>nms</name>
<user-name>installer</user-name>
<user-name>operator839366804111370</user-name>
</group>
<group>
  <name>swm</name>
  <user-name>operator49793707</user-name>
</group>
</groups>
</nacm>
</data>
```

=====

STEP 5. The TER NETCONF Client retrieves a list of users from O-RU NETCONF Server. The newly created user accounts and mappings are validated.

=====

=====

```
> get --filter-xpath /o-ran-usermgmt:users/user
```

=====

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <users xmlns="urn:o-ran:user-mgmt:1.0">
    <user>
      <name>oranuser</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>observer</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>installer</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator4902007191052112</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
```

```
<name>operator839366804111370</name>  
<account-type>PASSWORD</account-type>  
<enabled>true</enabled>  
</user>  
<user>  
<name>operator49793707</name>  
<account-type>PASSWORD</account-type>  
<enabled>true</enabled>  
</user>  
</users>  
</data>
```

=====

SYSTEM LOGS

=====

Oct 29 23:14:35 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 23:14:35 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 23:14:36 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 23:14:36 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Successfully connected to 192.168.4.15:4334 over IPv4.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Session 636 (user "root", CID 1) created.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-auth" of subtype "password".

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: User "operator" authenticated.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel-open" of subtype "session".

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Call Home client "default-client" session 52 established.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Session 637 (user "root", CID 1) created.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-start).

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 125 priority 0 for 1 subscribers.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 125 priority 0 (remaining 1 subscribers).

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 125 priority 0 (remaining 0 subscribers).

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 125 priority 0 succeeded.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Session 52: thread 2 event new RPC.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 126 priority 0 for 1 subscribers.

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 126 priority 0 (remaining 1 subscribers).

Oct 29 23:14:37 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 20.

Oct 29 23:14:37 mcb1 user.notice fw_manager[1067]: RPC #20 recieved. xpath -> /o-ran-software-management:software-inventory

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 20 succeeded.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 126 priority 0 (remaining 0 subscribers).

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 126 priority 0 succeeded.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Session 52: thread 2 event new RPC.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get-config" with ID 24 priority 0 for 1 subscribers.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get-config" "rpc" event with ID 24 priority 0 (remaining 1 subscribers).

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 24 priority 0 (remaining 0 subscribers).

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 24 priority 0 succeeded.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Session 52: thread 3 event new RPC.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/notifications:create-subscription" with ID 14 priority 0 for 1 subscribers.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Processing "/notifications:create-subscription" "rpc" event with ID 14 priority 0 (remaining 1 subscribers).

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 14 priority 0 (remaining 0 subscribers).

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 14 priority 0 succeeded.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Session 52: thread 3 event new RPC.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 127 priority 0 for 1 subscribers.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 127 priority 0 (remaining 1 subscribers).

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 127 priority 0 (remaining 0 subscribers).

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 127 priority 0 succeeded.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Session 52: thread 4 event new RPC.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:edit-config" with ID 2 priority 0 for 1 subscribers.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Published event "change" "o-ran-usermgmt" with ID 1 priority 0 for 1 subscribers.

Oct 29 23:14:38 mcb1 user.notice USERMGMT[1056]: operator4902007191052112 added successfully !!

Oct 29 23:14:38 mcb1 user.notice USERMGMT[1056]: operator4902007191052112 enabled !!

Oct 29 23:14:38 mcb1 user.notice USERMGMT[1056]: operator839366804111370 added successfully !!

Oct 29 23:14:38 mcb1 user.notice USERMGMT[1056]: operator839366804111370 enabled !!

Oct 29 23:14:38 mcb1 user.notice USERMGMT[1056]: operator49793707 added successfully !!

Oct 29 23:14:38 mcb1 user.notice USERMGMT[1056]: operator49793707 enabled !!

Oct 29 23:14:38 mcb1 user.notice USERMGMT[1056]: END OF CHANGES

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Event "change" with ID 1 priority 0 succeeded.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Published event "done" "o-ran-usermgmt" with ID 1 priority 0 for 1 subscribers.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator4902007191052112']", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator4902007191052112']/name", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator4902007191052112']/account-type", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator4902007191052112']/password", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator4902007191052112']/enabled", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator839366804111370']", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator839366804111370']/name", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator839366804111370']/account-type", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator839366804111370']/password", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator839366804111370']/enabled", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator49793707']", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator49793707']/name", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator49793707']/account-type", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator49793707']/password", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator49793707']/enabled", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Oct 29 23:14:38 mcb1 user.notice USERMGMT[1056]: END OF CHANGES

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Published event "notif" "ietf-netconf-notifications" with ID 2 priority 0 for 1 subscribers.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator4902007191052112']", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator4902007191052112']/name", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator4902007191052112']/account-type", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator4902007191052112']/password", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator4902007191052112']/enabled", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator839366804111370']", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 2 priority 0 succeeded.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator839366804111370']/name", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator839366804111370']/account-type", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator839366804111370']/password", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator839366804111370']/enabled", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator49793707']", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator49793707']/name", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator49793707']/account-type", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator49793707']/password", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-usermgmt:users/user[name='operator49793707']/enabled", but it is not required.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 29 23:14:38 mcb1 daemon.info netopeer2-server[986]: Session 52: thread 4 event new RPC.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:edit-config" with ID 3 priority 0 for 1 subscribers.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Published event "done" "ietf-netconf-acm" with ID 3 priority 0 for 4 subscribers.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-acm" "done" event with ID 3 priority 0 (remaining 4 subscribers).

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Published event "notif" "ietf-netconf-notifications" with ID 3 priority 0 for 1 subscribers.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: There is no instance of
"/ietf-netconf-acm:nacm/groups/group[name='fm-pm']/user-name[.='operator4902007191052112']", but it is not required.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: There is no instance of
"/ietf-netconf-acm:nacm/groups/group[name='nms']/user-name[.='operator839366804111370']", but it is not required.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='swm']", but it is not required.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='swm']/name", but it is not required.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: There is no instance of
"/ietf-netconf-acm:nacm/groups/group[name='swm']/user-name[.='operator49793707']", but it is not required.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 3.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 3 priority 0 succeeded.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Session 52: thread 0 event new RPC.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get-config" with ID 25 priority 0 for 1 subscribers.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get-config" "rpc" event with ID 25 priority 0 (remaining 1 subscribers).

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 25 priority 0 (remaining 0 subscribers).

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 25 priority 0 succeeded.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Session 52: thread 1 event new RPC.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get-config" with ID 26 priority 0 for 1 subscribers.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get-config" "rpc" event with ID 26 priority 0 (remaining 1 subscribers).

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 26 priority 0 (remaining 0 subscribers).

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 26 priority 0 succeeded.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:39 mcb1 daemon.info netopeer2-server[986]: Session 52: thread 1 event new RPC.

Oct 29 23:14:43 mcb1 user.notice SYNCMNGR[1313]: Received message from S-Plane

Oct 29 23:14:44 mcb1 user.notice wd_manager[1448]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fw_manager

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/fw_manager", but it is not required.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 4.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).

Oct 29 23:14:44 mcb1 user.notice wd_manager[1448]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/nw_manager

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/nw_manager", but it is not required.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 5.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 5 priority 0 (remaining 0 subscribers).

Oct 29 23:14:44 mcb1 user.notice wd_manager[1448]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/operations_manager", but it is not required.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 6.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 6 priority 0 (remaining 0 subscribers).

Oct 29 23:14:44 mcb1 user.notice wd_manager[1448]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/pm_manager

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/pm_manager", but it is not required.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 7.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 7 priority 0 (remaining 0 subscribers).

Oct 29 23:14:44 mcb1 user.notice wd_manager[1448]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/um_manager

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/um_manager", but it is not required.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 8.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 8 priority 0 (remaining 0 subscribers).

Oct 29 23:14:44 mcb1 user.notice wd_manager[1448]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sys_monitor

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/sys_monitor", but it is not required.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 9.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 9 priority 0 (remaining 0 subscribers).

Oct 29 23:14:44 mcb1 user.notice wd_manager[1448]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fault_manager

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/fault_manager", but it is not required.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 10.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 10 priority 0 (remaining 0 subscribers).

Oct 29 23:14:44 mcb1 user.notice wd_manager[1448]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/file_manager

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/file_manager", but it is not required.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 11.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 11 priority 0 (remaining 0 subscribers).

Oct 29 23:14:44 mcb1 user.notice wd_manager[1448]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/supervision

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/supervision", but it is not required.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 12.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 12 priority 0 (remaining 0 subscribers).

Oct 29 23:14:44 mcb1 user.notice wd_manager[1448]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sync_manager

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/sync_manager", but it is not required.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 13.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 13 priority 0 (remaining 0 subscribers).

Oct 29 23:14:44 mcb1 user.notice wd_manager[1448]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/ald_controller

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/ald_controller", but it is not required.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 14.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 14 priority 0 (remaining 0 subscribers).

Oct 29 23:14:44 mcb1 user.notice wd_manager[1448]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/log_manager

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/log_manager", but it is not required.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 15.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 15 priority 0 (remaining 0 subscribers).

Oct 29 23:14:44 mcb1 user.notice wd_manager[1448]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/radio_manager

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/radio_manager", but it is not required.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 16.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 16 priority 0 (remaining 0 subscribers).

Oct 29 23:14:44 mcb1 user.notice wd_manager[1448]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/cli_manager

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/cli_manager", but it is not required.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 17.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 17 priority 0 (remaining 0 subscribers).

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Session 52: thread 1 event new RPC.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Session 52: thread 1 event session terminated.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/cli_manager", but it is not required.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 18.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 18 priority 0 (remaining 0 subscribers).

Oct 29 23:14:44 mcb1 daemon.err netopeer2-server[986]: Session 52: invalid session to write to.

Oct 29 23:14:44 mcb1 daemon.err netopeer2-server[986]: Session 52: failed to write notification (error).

Oct 29 23:14:44 mcb1 daemon.err netopeer2-server[986]: Sending a notification to session 52 failed.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-end).

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Call Home client "default-client" session terminated.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 23:14:44 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 23:14:44 mcb1 auth.info sshd[13216]: Accepted password for operator from 192.168.4.15 port 48786 ssh2

Oct 29 23:14:44 mcb1 authpriv.info sshd[13216]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Expected Result : The TER NETCONF Client retrieves a list of users from O-RU NETCONF Server. The newly created user accounts and mappings are validated.

=====

***** Actual Result *****

=====

=====

Sudo on Hybrid M-plane Architecture (positive case) = SUCCESS

=====