



@ FILE NAME: M_CTC_ID_023.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.7

Test Description: This scenario is MANDATORY for an O-RU supporting the

Hierarchical M-plane architecture model.

This test validates that the O-RU can successfully start up with activated

software.

This scenario corresponds to the following chapters in [3]:

3.3 SSH Connection Establishment

3.4 NETCONF Access Control

3.7 closing a NETCONF Session



****** Connect to the NETCONF Server ******** Step 1 and 2: The TER NETCONF Client establishes connection and creates an account for new user using o-ran-user9 mgmt.yang > connect --ssh --host 192.168.3.38 --port 830 --login operator ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83 Interactive SSH Authentication done. > status Current NETCONF session: ID . 6 Host : 192.168.3.38 : 830 Port Transport : SSH Capabilities: urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0 urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0 urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0 urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0 urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05 urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20 urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15 urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15 urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63 urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10 urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14 urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01 urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06 urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04 urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14 urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14 urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10 urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19 > subscribe --filter-xpath /ietf-netconf-notifications:*

> edit-config --target running --config --defop merge

Ok



****** Replace with below xml ****** <config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0"> <users xmlns="urn:o-ran:user-mgmt:1.0"> <user> <name>operator42833240511400619</name> <account-type>PASSWORD</account-type> $<\!password\!>\!x\%n^DUuoBv]ZbONgC.D^t]2E_\$zBrRKBS50rA\%KO6Y-AFuYA^14x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!/password\!>\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDCk_Mtk<\!x(1RDC$ <enabled>true</enabled> </user> </users> </config> Ok ***** NOTIFICATIONS ****** <?xml version="1.0" ?> <notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0"> <eventTime>2000-11-04T00:13:05Z</eventTime> <netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications"> <changed-by> <username>root</username> <session-id>6</session-id> </changed-by> <datastore>running</datastore> <edit> <target xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator42833240511400 619']</target> <operation>create</operation> </edit> <edit> <target xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:users/o-ran-usermgmt:name='operator42833240511400 619']/o-ran-usermgmt:name</target> <operation>create</operation> </edit> <edit> xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator42833240511400



619']/o-ran-usermgmt:account-type
<pre><operation>create</operation></pre>
<edit></edit>
<target< td=""></target<>
xmlns: o-ran-usermgmt: user-gmt: 1.0">/o-ran-usermgmt: users/o-ran-usermgmt: user[o-ran-usermgmt: name='operator 428332405114000000000000000000000000000000000
619']/o-ran-usermgmt:password
<pre><operation>create</operation></pre>
<edit></edit>
<target< td=""></target<>
xmlns: o-ran-usermgmt: user-gmt: 1.0">/o-ran-usermgmt: users/o-ran-usermgmt: user[o-ran-usermgmt: name='operator 428332405114000000000000000000000000000000000
619']/o-ran-usermgmt:enabled
<pre><operation>create</operation></pre>



Step 3 and 4: The TER NETCONF Client retrieves a list of users

> get --filter-xpath /o-ran-usermgmt:users/user

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<users xmlns="urn:o-ran:user-mgmt:1.0">
<user>
 <name>oranuser</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>observer</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>installer</name>
```

- Caracant tames DACCW
- <account-type>PASSWORD</account-type>
- <enabled>true</enabled>
- </user>
- <user>
- <name>user1</name>
- <account-type>PASSWORD</account-type>
- <enabled>true</enabled>
- </user>
- <user>
- <name>User2</name>
- <account-type>PASSWORD</account-type>
- <enabled>true</enabled>
- </user>
- <user>
- <name>User3</name>
- $<\!\!account\text{-type}\!\!>\!\!PASSWORD\!<\!\!/account\text{-type}\!\!>$
- <enabled>true</enabled>
- </user>
- <user>
- <name>user2</name>
- <account-type>PASSWORD</account-type>



<enabled>true</enabled>
<user></user>
<name>user3</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
<user></user>
<name>user4</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
<user></user>
<name>operator9272416</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
<user></user>
<name>operator08457170344525021180394</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
<user></user>
<name>operator1767096287497333</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
<user></user>
<name>operator450724443082658</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
<user></user>
<name>operator0217</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
<user></user>
<name>operator7460405868</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
<user></user>
<name>operator42833240511400619</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>



******** Replace with below xml *******
<pre><config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0"> <nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm"> <groups></groups></nacm></config></pre>
<nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm"> <groups> <group> <name>sudo</name> <user-name>operator42833240511400619</user-name> </group> </groups> </nacm>
<groups <group=""> <name>sudo</name> <user-name>operator42833240511400619</user-name> </groups>
<group> <name>sudo</name> <user-name>operator42833240511400619</user-name> </group>
<name>sudo</name> <user-name>operator42833240511400619</user-name>
<user-name>operator42833240511400619</user-name>
Ok ====================================
<pre>====================================</pre>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0"></notification>
<eventtime>2000-11-04T00:13:05Z</eventtime>
<netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications"></netconf-config-change>
<changed-by></changed-by>
<username>root</username>
<session-id>6</session-id>
<datastore>running</datastore>
<edit></edit>
<target< td=""></target<>
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:groups/nacm:groups/nacm:name="sudo"]/nacm:user-name[.='operations']
tor42833240511400619']
<pre><operation>create</operation></pre>



Step 5 and 6: NETCONF Server establishes a TCP connection and performs the Call Home procedure to the TER NETCONF Client using the same IP and VLAN.

Error: timed out



- Nov 4 00:11:58 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:12:00 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:12:01 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:12:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- $Nov\ 4\ 00:12:02\ mcb1\ user.warn\ pm_manager[1373]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- $Nov\ 4\ 00:12:02\ mcb1\ user.warn\ pm_manager[1373]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- Nov 4 00:12:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- $Nov\ 4\ 00:12:02\ mcb1\ user.warn\ pm_manager[1373]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- $Nov\ 4\ 00:12:02\ mcb1\ user.warn\ pm_manager [1373]:\ Failed\ to\ open\ / media/sd-mmcblk 0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- Nov 4 00:12:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:03 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:12:04 mcb1 user.notice SYNCMNGR[1307]: Received message from S-Plane
- Nov 4 00:12:04 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:12:07 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:12:08 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:12:10 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:12:11 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:12:12 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- $Nov\ 4\ 00:12:12\ mcb1\ user.warn\ pm_manager [1373]:\ Failed\ to\ open\ / media/sd-mmcblk 0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- Nov 4 00:12:12 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:12 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- $Nov\ 4\ 00:12:12\ mcb1\ user.warn\ pm_manager[1373]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- $Nov\ 4\ 00:12:12\ mcb1\ user.warn\ pm_manager[1373]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- Nov 4 00:12:12 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:12 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- $Nov\ 4\ 00:12:12\ mcb1\ user.warn\ pm_manager[1373]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- Nov 4 00:12:13 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:12:14 mcb1 user.notice SYNCMNGR[1307]: Received message from S-Plane
- Nov 4 00:12:14 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:12:16 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:12:17 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:12:19 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:12:20 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:12:22 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:22 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:22 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:22 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- $Nov\ 4\ 00:12:22\ mcb1\ user.warn\ pm_manager[1373]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- Nov 4 00:12:22 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:22 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:22 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

 Nov 4 00:12:22 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:22 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fw_manager



```
Nov 4 00:12:22 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/nw_manager
Nov 4 00:12:22 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager
Nov 4 00:12:22 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/pm_manager
Nov 4 00:12:22 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/um_manager
Nov 4 00:12:22 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sys_monitor
Nov 4 00:12:22 mcb1 user.notice wd manager [1442]: Value is 1 for Xpath /vvdn mcel-wdm:system-apps/fault manager
Nov 4 00:12:22 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/file_manager
Nov 4 00:12:22 mcb1 user.notice wd manager[1442]: Value is 1 for Xpath /vvdn mcel-wdm:system-apps/supervision
Nov 4 00:12:22 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sync_manager
Nov 4 00:12:22 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/ald_controller
Nov 4 00:12:22 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/log_manager
Nov 4 00:12:22 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/radio_manager
Nov 4 00:12:22 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/cli_manager
Nov 4 00:12:22 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:12:23 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:12:24 mcb1 user.notice SYNCMNGR[1307]: Received message from S-Plane
Nov 4 00:12:25 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:12:26 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:12:28 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:12:29 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:12:31 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:12:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:32 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:12:34 mcb1 user.notice SYNCMNGR[1307]: Received message from S-Plane
Nov 4 00:12:34 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:12:35 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:12:37 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:12:38 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:12:40 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:12:41 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:12:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:12:43 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:12:44 mcb1 user.notice SYNCMNGR[1307]: Received message from S-Plane
```



- Nov 4 00:12:44 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:12:46 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:12:47 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:12:50 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:12:51 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:12:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:12:53 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:12:54 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:12:54 mcb1 user.notice SYNCMNGR[1307]: Received message from S-Plane
- Nov 4 00:12:56 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Accepted a connection on :::830.
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Session 228 (user "root", CID 1) created.
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-service" of subtype "ssh-userauth".
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-auth" of subtype "password".
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: User "operator" authenticated.
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel-open" of subtype "session".
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel" of subtype "subsystem".
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Session 229 (user "root", CID 1) created.
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-start).
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 13 priority 0 for 1 subscribers.
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 13 priority 0 (remaining 1 subscribers).
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 13 priority 0 (remaining 0 subscribers).
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 13 priority 0 succeeded.
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:12:57 mcb1 daemon.info netopeer2-server[986]: Session 6: thread 4 event new RPC.
- Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 14 priority 0 for 1 subscribers.
- Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 14 priority 0 (remaining 1 subscribers).
- Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-software-management:software-inventory" with



ID 6.

Nov 4 00:12:58 mcb1 user.notice fw_manager[1061]: RPC #6 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 6 succeeded.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 14 priority 0 (remaining 0 subscribers).

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 14 priority 0 succeeded.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Session 6: thread 4 event new RPC.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

 $Nov\ \ 4\ 00:12:58\ mcb1\ daemon. info\ net opeer 2-server [986]:\ All\ data\ nodes\ and\ constraints\ resolved.$

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get-config" with ID 8 priority 0 for 1 subscribers.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get-config" "rpc" event with ID 8 priority 0 (remaining 1 subscribers).

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 8 priority 0 (remaining 0 subscribers).

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 8 priority 0 succeeded.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: There is no leafref

 $"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name"\ with\ the\ value\ "ru-port1",\ but\ it\ is\ not\ required.$

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:12:58 mcb1 daemon.info netopeer2-server[986]: Session 6: thread 1 event new RPC.

 $Nov\ \ 4\ 00:12:59\ mcb1\ daemon.info\ netopeer2-server[986]:\ getsockopt()\ error\ (No\ route\ to\ host).$

Nov 4 00:13:00 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:13:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:13:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:13:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...



- Nov 4 00:13:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:13:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:13:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:13:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:13:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:13:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:13:02 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:13:03 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:13:03 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:03 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:03 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:03 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:03 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/notifications:create-subscription" with ID 5 priority 1 for 1 subscribers.
- Nov 4 00:13:03 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-monitoring" "operational" event with ID 6.
- Nov 4 00:13:03 mcb1 daemon.info netopeer2-server[986]: Successful processing of "operational" event with ID 6.
- Nov 4 00:13:04 mcb1 user.notice SYNCMNGR[1307]: Received message from S-Plane
- Nov 4 00:13:04 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 5 priority 1 succeeded.
- Nov 4 00:13:04 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/notifications:create-subscription" with ID 5 priority 0 for 1 subscribers.
- Nov 4 00:13:04 mcb1 daemon.info netopeer2-server[986]: Processing "/notifications:create-subscription" "rpc" event with ID 5 priority 0 (remaining 1 subscribers).
- Nov 4 00:13:04 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 5 priority 0 (remaining 0 subscribers).
- Nov 4 00:13:04 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 5 priority 0 succeeded.
- Nov 4 00:13:04 mcb1 daemon.info netopeer2-server[986]: Session 6: thread 4 event new RPC.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:edit-config" with ID 9 priority 0 for 1 subscribers.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 9 priority 0 (remaining 1 subscribers).
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Published event "change" "o-ran-usermgmt" with ID 2 priority 0 for 1 subscribers.
- $Nov\ \ 4\ 00:13:05\ mcb1\ user.notice\ USERMGMT[1050]:\ operator 42833240511400619\ added\ successfully\ !!$
- Nov 4 00:13:05 mcb1 user.notice USERMGMT[1050]: operator42833240511400619 enabled !!
- Nov 4 00:13:05 mcb1 user.notice USERMGMT[1050]: END OF CHANGES
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Event "change" with ID 2 priority 0 succeeded.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Published event "done" "o-ran-usermgmt" with ID 2 priority 0 for 1 subscribers.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of
- "/o-ran-usermgmt:users/user[name='operator 42833240511400619']", but it is not required.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of
- "/o-ran-usermgmt:users/user[name='operator42833240511400619']/name", but it is not required.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of
- "/o-ran-usermgmt:users/user[name='operator42833240511400619']/account-type", but it is not required.



Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator42833240511400619']/password", but it is not required.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator42833240511400619']/enabled", but it is not required.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:13:05 mcb1 user.notice USERMGMT[1050]: END OF CHANGES

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Published event "notif" "ietf-netconf-notifications" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator42833240511400619']", but it is not required.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator42833240511400619']/name", but it is not required.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 9 priority 0 (remaining 0 subscribers).

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator42833240511400619']/account-type", but it is not required.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator42833240511400619']/password", but it is not required.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator42833240511400619']/enabled", but it is not required.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 9 priority 0 succeeded.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Session 6: thread 4 event new RPC.

 $Nov\ 4\ 00:13:05\ mcb1\ daemon. info\ net opeer 2-server [986]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get-config" with ID 9 priority 0 for 1 subscribers.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get-config" "rpc" event with ID 9 priority 0 (remaining 1 subscribers).

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 9 priority 0 (remaining 0 subscribers).

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 9 priority 0 succeeded.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

 $Nov\ \ 4\ 00:13:05\ mcb1\ daemon. info\ net opeer 2-server [986]:\ All\ data\ nodes\ and\ constraints\ resolved.$

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Session 6: thread 4 event new RPC.

Nov 4 00:13:05 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fw_manager

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/fw_manager", but it is not required.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

 $Nov\ 4\ 00:13:05\ mcb1\ daemon. info\ netopeer 2-server [986]:\ Processing\ "notif"\ "ietf-netconf-notifications"\ event\ with\ ID\ 3.$

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:13:05 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/nw_manager

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/nw_manager", but it is not



required.

- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 4.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).
- Nov 4 00:13:05 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/operations_manager", but it is not required.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 5.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 5 priority 0 (remaining 0 subscribers).
- Nov 4 00:13:05 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/pm_manager
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/pm_manager", but it is not required.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 6.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 6 priority 0 (remaining 0 subscribers).
- Nov 4 00:13:05 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/um_manager
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/um_manager", but it is not required.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 7.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 7 priority 0 (remaining 0 subscribers).
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sys_monitor
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/sys_monitor", but it is not required.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 8.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 8 priority 0 (remaining 0 subscribers).
- Nov 4 00:13:05 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fault_manager
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/fault_manager", but it is not required.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 9.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 9 priority 0 (remaining 0 subscribers).
- Nov 4 00:13:05 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/file_manager
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/file_manager", but it is not required.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 10.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 10 priority 0 (remaining 0 subscribers).
- Nov 4 00:13:05 mcb1 user.notice wd manager[1442]: Value is 1 for Xpath /vvdn mcel-wdm:system-apps/supervision
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/supervision", but it is not



required.

- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 11.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 11 priority 0 (remaining 0 subscribers).
- Nov 4 00:13:05 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sync_manager
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/sync_manager", but it is not required.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 12.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 12 priority 0 (remaining 0 subscribers).
- Nov 4 00:13:05 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/ald_controller
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/ald_controller", but it is not required.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 13.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 13 priority 0 (remaining 0 subscribers).
- Nov 4 00:13:05 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/log_manager
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/log_manager", but it is not required.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 14.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 14 priority 0 (remaining 0 subscribers).
- $Nov\ 4\ 00:13:05\ mcb1\ user.notice\ wd_manager[1442]:\ Value\ is\ 1\ for\ Xpath\ /vvdn_mcel-wdm:system-apps/radio_manager[1442]:\ Value\ is\ 1\ for\ Xpath\ /vvdn_mcel-w$
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/radio_manager", but it is not required.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 15.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 15 priority 0 (remaining 0 subscribers).
- Nov 4 00:13:05 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/cli_manager
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn_mcel-wdm:system-apps/cli_manager", but it is not required.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- $Nov\ 4\ 00:13:05\ mcb1\ daemon. info\ net opeer 2-server [986]: Processing\ "notif"\ "ietf-net conf-notifications"\ event\ with\ ID\ 16.$
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 16 priority 0 (remaining 0 subscribers).
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:edit-config" with ID 10 priority 0 for 1 subscribers.
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 10 priority 0 (remaining 1 subscribers).
- Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.



Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Published event "done" "ietf-netconf-acm" with ID 4 priority 0 for 4 subscribers.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-acm" "done" event with ID 4 priority 0 (remaining 4 subscribers).

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Published event "notif" "ietf-netconf-notifications" with ID 17 priority 0 for 1 subscribers.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There is no instance of

"/ietf-netconf-acm:nacm/groups/group[name='sudo']/user-name[.='operator42833240511400619']", but it is not required.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 17.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 17 priority 0 (remaining 0 subscribers).

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 10 priority 0 (remaining 0 subscribers).

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 10 priority 0 succeeded.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Session 6: thread 4 event new RPC.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Session 6: thread 4 event new RPC.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Session 6: thread 4 event session terminated.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:13:05 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-end).

Nov 4 00:13:06 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:13:08 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).

Nov 4 00:13:09 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:13:11 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).

Nov 4 00:13:12 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:13:12 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:13:12 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:13:12 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

 $Nov\ 4\ 00:13:12\ mcb1\ user.warn\ pm_manager[1373]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$

 $Nov\ 4\ 00:13:12\ mcb1\ user.warn\ pm_manager[1373]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$

Nov 4 00:13:12 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:13:12 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

 $Nov\ 4\ 00:13:12\ mcb1\ user.warn\ pm_manager[1373]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$

Nov 4 00:13:12 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:13:14 mcb1 user.notice SYNCMNGR[1307]: Received message from S-Plane

 $Nov\ \ 4\ 00:13:14\ mcb1\ daemon.info\ netopeer2-server[986]:\ getsockopt()\ error\ (No\ route\ to\ host).$

Nov 4 00:13:15 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:13:17 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).

 $Nov\ \ 4\ 00:13:18\ mcb1\ daemon. info\ net opeer 2-server [986]: Trying\ to\ connect\ via\ IPv4\ to\ 192.168.4.15:4336.$

Nov 4 00:13:20 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).

Nov 4 00:13:21 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:13:22 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:13:22 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:13:22 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

 $Nov\ 4\ 00:13:22\ mcb1\ user.warn\ pm_manager [1373]:\ Failed\ to\ open\ / media/sd-mmcblk 0p4/O-RAN/log/timezone.\ Using\ default\ value...$

 $Nov\ 4\ 00:13:22\ mcb1\ user.warn\ pm_manager[1373]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$

 $Nov\ 4\ 00:13:22\ mcb1\ user.warn\ pm_manager [1373]:\ Failed\ to\ open\ / media/sd-mmcblk 0p4/O-RAN/log/timezone.\ Using\ default\ value...$

 $Nov\ 4\ 00:13:22\ mcb1\ user.warn\ pm_manager [1373]:\ Failed\ to\ open\ / media/sd-mmcblk 0p4/O-RAN/log/timezone.\ Using\ default\ value...$

Nov 4 00:13:22 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:13:22 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...



```
Nov 4 00:13:23 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:13:24 mcb1 user.notice SYNCMNGR[1307]: Received message from S-Plane
Nov 4 00:13:24 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:13:26 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:13:27 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:13:29 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:13:30 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:13:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:32 mcb1 user.warn pm manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:32 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:33 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:13:34 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:13:34 mcb1 user.notice SYNCMNGR[1307]: Received message from S-Plane
Nov 4 00:13:36 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:13:37 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:13:39 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:13:40 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:13:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:42 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:13:42 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:13:43 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:13:44 mcb1 user.notice SYNCMNGR[1307]: Received message from S-Plane
Nov 4 00:13:45 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:13:46 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:13:48 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fw_manager
Nov 4 00:13:48 mcb1 user.notice wd manager[1442]: Value is 1 for Xpath /vvdn mcel-wdm:system-apps/nw manager
Nov 4 00:13:48 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager
Nov 4 00:13:48 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/pm_manager
Nov 4 00:13:48 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/um_manager
Nov 4 00:13:48 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sys_monitor
Nov 4 00:13:48 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fault_manager
Nov 4 00:13:48 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/file_manager
Nov 4 00:13:48 mcb1 user.notice wd manager[1442]: Value is 1 for Xpath /vvdn mcel-wdm:system-apps/supervision
Nov 4 00:13:48 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sync_manager
Nov 4 00:13:48 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/ald_controller
Nov 4 00:13:48 mcb1 user.notice wd manager[1442]: Value is 1 for Xpath /vvdn mcel-wdm:system-apps/log manager
```



- Nov 4 00:13:48 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/radio_manager
- Nov 4 00:13:48 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/cli_manager
- Nov 4 00:13:48 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:13:49 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:13:51 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:13:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:13:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:13:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:13:52 mcb1 user.warn pm manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:13:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:13:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:13:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:13:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:13:52 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:13:52 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:13:54 mcb1 user.notice SYNCMNGR[1307]: Received message from S-Plane
- Nov 4 00:13:54 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:13:55 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:13:57 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:13:58 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:14:00 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
- Nov 4 00:14:01 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:14:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- Nov 4 00:14:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- $Nov\ 4\ 00:14:02\ mcb1\ user.warn\ pm_manager [1373]:\ Failed\ to\ open\ / media/sd-mmcblk 0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- $Nov\ 4\ 00:14:02\ mcb1\ user.warn\ pm_manager[1373]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- Nov 4 00:14:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- $Nov\ 4\ 00:14:02\ mcb1\ user.warn\ pm_manager[1373]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- $Nov\ 4\ 00:14:02\ mcb1\ user.warn\ pm_manager[1373]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- $Nov\ 4\ 00:14:02\ mcb1\ user.warn\ pm_manager [1373]:\ Failed\ to\ open\ / media/sd-mmcblk 0p4/O-RAN/log/timezone.\ Using\ default\ value...$
- Nov 4 00:14:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
- $Nov\ \ 4\ 00:14:03\ mcb1\ daemon.info\ netopeer2-server[986]:\ getsockopt()\ error\ (No\ route\ to\ host).$
- Nov 4 00:14:04 mcb1 user.notice SYNCMNGR[1307]: Received message from S-Plane
- Nov 4 00:14:04 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.
- Nov 4 00:14:05 mcb1 authpriv.debug sshd[3482]: pam_unix(sshd:account): account operator has password changed in future
- Nov 4 00:14:05 mcb1 auth.info sshd[3482]: Accepted password for operator from 192.168.3.15 port 45274 ssh2
- Nov 4 00:14:05 mcb1 authpriv.info sshd[3482]: pam_unix(sshd:session): session opened for user operator by (uid=0)



Expected Result: The TER NETCONF Client establishes a Call Home & SSH session towards the NETCONF Server with new user created above.

timed out					
Error occured in line number 239					
Sudo on Hierarchical M-plane architecture (positive case)	=	FAIL			