



**@ FILE NAME: M\_CTC\_ID\_026.txt**

**@ TEST SCOPE: M PLANE O-RAN CONFORMANCE**

**@ Software Release for LPRU: v1.1.0**

**Test Description : This scenario is MANDATORY.**

**This test validates eAxC configuration and validation. The test scenario is intentionally limited in scope to be applicable to any O-RU hardware design.**

**This scenario corresponds to the following chapters in [3]:**

**Chapter 6 Configuration Management**

**Chapter 12.2 User plane message routing**

=====

**\*\*\*\*\* Connect to the NETCONF Server \*\*\*\*\***

=====

> connect --ssh --host 192.168.214.37 --port 830 --login operator

Interactive SSH Authentication

Type your password:

Password:

> status

Current NETCONF session:

ID : 13

Host : 192.168.214.37

Port : 830

Transport : SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0  
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0  
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0  
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit  
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0  
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05  
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20  
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15  
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15  
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61  
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10  
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14  
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid  
ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01  
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06  
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04  
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14  
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14  
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10  
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification\_history?module=notification\_history  
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

=====

> subscribe

=====

Ok

```
=====
##### Pre get filter #####
=====
```

```
=====
> get --filter-xpath /o-ran-uplane-conf:user-plane-configuration
=====
```

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<user-plane-configuration xmlns="urn:o-ran:uplane-conf:1.0">
<tx-arrays>
<name>slltx-endpoint0</name>
<number-of-rows>1</number-of-rows>
<number-of-columns>1</number-of-columns>
<number-of-array-layers>1</number-of-array-layers>
<horizontal-spacing>1.0</horizontal-spacing>
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
<azimuth-angle>1.0</azimuth-angle>
<zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
<x>1.0</x>
<y>1.0</y>
<z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>78</band-number>
</tx-arrays>
<tx-arrays>
<name>slltx-endpoint1</name>
<number-of-rows>1</number-of-rows>
<number-of-columns>1</number-of-columns>
<number-of-array-layers>1</number-of-array-layers>
<horizontal-spacing>1.0</horizontal-spacing>
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
<azimuth-angle>1.0</azimuth-angle>
<zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
<x>1.0</x>
<y>1.0</y>
<z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>78</band-number>
</tx-arrays>
<tx-arrays>
<name>slltx-endpoint2</name>
```

```
<number-of-rows>1</number-of-rows>
<number-of-columns>1</number-of-columns>
<number-of-array-layers>1</number-of-array-layers>
<horizontal-spacing>1.0</horizontal-spacing>
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>78</band-number>
</tx-arrays>
<tx-arrays>
  <name>slltx-endpoint3</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>78</band-number>
</tx-arrays>
<rx-arrays>
  <name>sllrx-endpoint0</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
```

```
</leftmost-bottom-array-element-position>
<band-number>78</band-number>
</rx-arrays>
<rx-arrays>
  <name>sllrx-endpoint1</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>78</band-number>
</rx-arrays>
<rx-arrays>
  <name>sllrx-endpoint2</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>78</band-number>
</rx-arrays>
<rx-arrays>
  <name>sllrx-endpoint3</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
```

```
</normal-vector-direction>
<leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>78</band-number>
</rx-arrays>
<relations>
  <entity>0</entity>
  <array1>
    <tx-array-name>slltx-endpoint0</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint0</rx-array-name>
  </array2>
  <types/>
  <types>
    <relation-type>COALLOCATED</relation-type>
  <pairs>
    <element-array1>1</element-array1>
    <element-array2>0</element-array2>
  </pairs>
  </types>
</relations>
<relations>
  <entity>1</entity>
  <array1>
    <tx-array-name>slltx-endpoint1</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint1</rx-array-name>
  </array2>
  <types/>
  <types>
    <relation-type>COALLOCATED</relation-type>
  <pairs>
    <element-array1>1</element-array1>
    <element-array2>1</element-array2>
  </pairs>
  </types>
</relations>
<relations>
  <entity>2</entity>
  <array1>
    <tx-array-name>slltx-endpoint2</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint2</rx-array-name>
```

```
</array2>
<types/>
<types>
  <relation-type>COALLOCATED</relation-type>
  <pairs>
    <element-array1>1</element-array1>
    <element-array2>2</element-array2>
  </pairs>
</types>
</relations>
<relations>
  <entity>3</entity>
  <array1>
    <tx-array-name>slltx-endpoint3</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint3</rx-array-name>
  </array2>
<types/>
<types>
  <relation-type>COALLOCATED</relation-type>
  <pairs>
    <element-array1>1</element-array1>
    <element-array2>3</element-array2>
  </pairs>
</types>
</relations>
<endpoint-types>
  <id>1</id>
  <supported-section-types>
    <section-type>1</section-type>
  </supported-section-types>
  <supported-section-types>
    <section-type>3</section-type>
  </supported-section-types>
  <supported-frame-structures>193</supported-frame-structures>
  <managed-delay-support>MANAGED</managed-delay-support>
  <multiple-numerology-supported>false</multiple-numerology-supported>
  <max-sections-per-symbol>46</max-sections-per-symbol>
  <max-sections-per-slot>644</max-sections-per-slot>
  <max-prb-per-symbol>273</max-prb-per-symbol>
  <max-numerologies-per-symbol>1</max-numerologies-per-symbol>
</endpoint-types>
<static-low-level-tx-endpoints>
  <name>slltx-endpoint0</name>
  <array>slltx-endpoint0</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
```

```
<static-low-level-tx-endpoints>
  <name>slltx-endpoint1</name>
  <array>slltx-endpoint1</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
  <name>slltx-endpoint2</name>
  <array>slltx-endpoint2</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
  <name>slltx-endpoint3</name>
  <array>slltx-endpoint3</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint0</name>
  <array>sllrx-endpoint0</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint1</name>
  <array>sllrx-endpoint1</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint2</name>
  <array>sllrx-endpoint2</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint3</name>
  <array>sllrx-endpoint3</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<endpoint-capacity-sharing-groups/>
<endpoint-capacity-sharing-groups>
  <id>1</id>
  <max-managed-delay-endpoints>4</max-managed-delay-endpoints>
  <max-non-managed-delay-endpoints>0</max-non-managed-delay-endpoints>
  <max-endpoints>4</max-endpoints>
  <max-sections-per-symbol>46</max-sections-per-symbol>
```



```
<max-sections-per-slot>644</max-sections-per-slot>  
<max-prb-per-symbol>273</max-prb-per-symbol>  
<max-numerologies-per-symbol>1</max-numerologies-per-symbol>  
</endpoint-capacity-sharing-groups>  
</user-plane-configuration>  
</data>
```

=====

**STEP 1 The TER NETCONF Client assigns unique eAxC\_IDs to low-level-rx-endpoints. The same set of eAxC\_IDs is also assigned to low-level-tx-endpoints. The TER NETCONF Client uses <rpc><editconfig>.**

=====

=====

```
> edit-config --target running --config --defop replace
```

=====

=====

**\*\*\*\*\* Replace with below xml \*\*\*\*\***

=====

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
  <user-plane-configuration xmlns="urn:o-ran:uplane-conf:1.0">
    <low-level-tx-links>
      <name>lltxlink0</name>
      <processing-element>element0</processing-element>
      <tx-array-carrier>txarraycarrier0</tx-array-carrier>
      <low-level-tx-endpoint>slltx-endpoint0</low-level-tx-endpoint>
    </low-level-tx-links>
    <low-level-tx-links>
      <name>lltxlink1</name>
      <processing-element>element0</processing-element>
      <tx-array-carrier>txarraycarrier0</tx-array-carrier>
      <low-level-tx-endpoint>slltx-endpoint1</low-level-tx-endpoint>
    </low-level-tx-links>
    <low-level-tx-links>
      <name>lltxlink2</name>
      <processing-element>element0</processing-element>
      <tx-array-carrier>txarraycarrier0</tx-array-carrier>
      <low-level-tx-endpoint>slltx-endpoint2</low-level-tx-endpoint>
    </low-level-tx-links>
    <low-level-tx-links>
      <name>lltxlink3</name>
      <processing-element>element0</processing-element>
      <tx-array-carrier>txarraycarrier0</tx-array-carrier>
      <low-level-tx-endpoint>slltx-endpoint3</low-level-tx-endpoint>
    </low-level-tx-links>

    <low-level-rx-links>
      <name>llrxlink0</name>
      <processing-element>element0</processing-element>
      <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
      <low-level-rx-endpoint>sllrx-endpoint0</low-level-rx-endpoint>
    </low-level-rx-links>
  </low-level-rx-links>
</config>
```

```
<name>llrxlink1</name>
<processing-element>element0</processing-element>
<rx-array-carrier>rxarraycarrier0</rx-array-carrier>
<low-level-rx-endpoint>sllrx-endpoint1</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
  <name>llrxlink2</name>
  <processing-element>element0</processing-element>
  <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
  <low-level-rx-endpoint>sllrx-endpoint2</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
  <name>llrxlink3</name>
  <processing-element>element0</processing-element>
  <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
  <low-level-rx-endpoint>sllrx-endpoint3</low-level-rx-endpoint>
</low-level-rx-links>

<low-level-tx-endpoints>
  <name>slltx-endpoint0</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>1</eaxc-id>
  </e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
  <name>slltx-endpoint1</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
```

```
<scs>KHZ_30</scs>
<number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<e-axcid>
  <o-du-port-bitmask>65024</o-du-port-bitmask>
  <band-sector-bitmask>448</band-sector-bitmask>
  <ccid-bitmask>56</ccid-bitmask>
  <ru-port-bitmask>7</ru-port-bitmask>
  <eaxc-id>2</eaxc-id>
</e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
  <name>slltx-endpoint2</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>3</eaxc-id>
  </e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
  <name>slltx-endpoint3</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
```

```
<ru-port-bitmask>7</ru-port-bitmask>
<eexc-id>4</eexc-id>
</e-axcid>
</low-level-tx-endpoints>

<low-level-rx-endpoints>
  <name>sllrx-endpoint0</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_30</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eexc-id>1</eexc-id>
  </e-axcid>
  <non-time-managed-delay-enabled>>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint1</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_30</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
```

```
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>2</eaxc-id>
</e-axcid>
<non-time-managed-delay-enabled>>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint2</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_30</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>3</eaxc-id>
  </e-axcid>
  <non-time-managed-delay-enabled>>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint3</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_30</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
```

```
<band-sector-bitmask>448</band-sector-bitmask>
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>4</eaxc-id>
</e-axcid>
<non-time-managed-delay-enabled>>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<tx-array-carriers>
  <name>txarraycarrier0</name>
  <absolute-frequency-center>641667</absolute-frequency-center>
  <center-of-channel-bandwidth>3625005000</center-of-channel-bandwidth>
  <channel-bandwidth>100000000</channel-bandwidth>
  <gain>0</gain>
  <downlink-radio-frame-offset>0</downlink-radio-frame-offset>
  <downlink-sfn-offset>0</downlink-sfn-offset>
  <rw-duplex-scheme>TDD</rw-duplex-scheme>
  <rw-type>NR</rw-type>
</tx-array-carriers>
<rx-array-carriers>
  <name>rxarraycarrier0</name>
  <absolute-frequency-center>641667</absolute-frequency-center>
  <center-of-channel-bandwidth>3625005000</center-of-channel-bandwidth>
  <channel-bandwidth>100000000</channel-bandwidth>
  <downlink-radio-frame-offset>0</downlink-radio-frame-offset>
  <downlink-sfn-offset>0</downlink-sfn-offset>
  <gain-correction>0</gain-correction>
  <n-ta-offset>25600</n-ta-offset>
</rx-array-carriers>
</user-plane-configuration>

</config>
```

=====

**STEP 2 The O-RU NETCONF Sever responds with the <rpc-reply> message indicating completion of the requested procedure.**

=====

Ok

=====

**\*\*\*\*\* NOTIFICATIONS \*\*\*\*\***

=====

```
<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
  <eventTime>2000-11-04T00:30:35Z</eventTime>
  <netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
    <changed-by>
      <username>root</username>
      <session-id>13</session-id>
    </changed-by>
    <datastore>running</datastore>
    <edit>
      <target xmlns:if="urn:ietf:params:xml:ns:yang:ietf-interfaces">/if:interfaces/if:interface[if:name='eth0.100']</target>
      <operation>create</operation>
    </edit>
    <edit>
      <target xmlns:if="urn:ietf:params:xml:ns:yang:ietf-interfaces">/if:interfaces/if:interface[if:name='eth0.100']/if:name</target>
      <operation>create</operation>
    </edit>
    <edit>
      <target xmlns:if="urn:ietf:params:xml:ns:yang:ietf-interfaces">/if:interfaces/if:interface[if:name='eth0.100']/if:type</target>
      <operation>create</operation>
    </edit>
    <edit>
      <target xmlns:if="urn:ietf:params:xml:ns:yang:ietf-interfaces">/if:interfaces/if:interface[if:name='eth0.100']/if:enabled</target>
      <operation>create</operation>
    </edit>
    <edit>
      <target xmlns:if="urn:ietf:params:xml:ns:yang:ietf-interfaces"
xmlns:o-ran-int="urn:o-ran:interfaces:1.0">/if:interfaces/if:interface[if:name='eth0.100']/o-ran-int:base-interface</target>
      <operation>create</operation>
    </edit>
    <edit>
      <target xmlns:if="urn:ietf:params:xml:ns:yang:ietf-interfaces"
xmlns:o-ran-int="urn:o-ran:interfaces:1.0">/if:interfaces/if:interface[if:name='eth0.100']/o-ran-int:vlan-id</target>
      <operation>create</operation>
    </edit>
    <edit>
      <target xmlns:if="urn:ietf:params:xml:ns:yang:ietf-interfaces"
xmlns:o-ran-int="urn:o-ran:interfaces:1.0">/if:interfaces/if:interface[if:name='eth0.100']/o-ran-int:mac-address</target>
```



```

    <operation>create</operation>
  </edit>
<edit>
  <target xmlns:if="urn:ietf:params:xml:ns:yang:ietf-interfaces"
xmlns:o-ran-int="urn:o-ran:interfaces:1.0">/if:interfaces/if:interface[if:name='eth0.100']/o-ran-int:port-reference</target>
  <operation>create</operation>
</edit>
<edit>
  <target xmlns:if="urn:ietf:params:xml:ns:yang:ietf-interfaces"
xmlns:o-ran-int="urn:o-ran:interfaces:1.0">/if:interfaces/if:interface[if:name='eth0.100']/o-ran-int:port-reference/o-ran-int:port-name</target>
  <operation>create</operation>
</edit>
<edit>
  <target xmlns:if="urn:ietf:params:xml:ns:yang:ietf-interfaces"
xmlns:o-ran-int="urn:o-ran:interfaces:1.0">/if:interfaces/if:interface[if:name='eth0.100']/o-ran-int:port-reference/o-ran-int:port-number</target>
  <operation>create</operation>
</edit>
</netconf-config-change>
</notification>

```

```

=====
##### Post get filter #####
=====

```

```

=====
> get --filter-xpath /o-ran-uplane-conf:user-plane-configuration
=====

```

```

<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <user-plane-configuration xmlns="urn:o-ran:uplane-conf:1.0">
    <low-level-tx-links>
      <name>lltxlink0</name>
      <processing-element>element0</processing-element>
      <tx-array-carrier>txarraycarrier0</tx-array-carrier>
      <low-level-tx-endpoint>slltx-endpoint0</low-level-tx-endpoint>
    </low-level-tx-links>
    <low-level-tx-links>
      <name>lltxlink1</name>
      <processing-element>element0</processing-element>
      <tx-array-carrier>txarraycarrier0</tx-array-carrier>
      <low-level-tx-endpoint>slltx-endpoint1</low-level-tx-endpoint>
    </low-level-tx-links>
    <low-level-tx-links>
      <name>lltxlink2</name>
      <processing-element>element0</processing-element>
      <tx-array-carrier>txarraycarrier0</tx-array-carrier>
      <low-level-tx-endpoint>slltx-endpoint2</low-level-tx-endpoint>
    </low-level-tx-links>
    <low-level-tx-links>

```

```
<name>lltxlink3</name>
<processing-element>element0</processing-element>
<tx-array-carrier>txarraycarrier0</tx-array-carrier>
<low-level-tx-endpoint>slltx-endpoint3</low-level-tx-endpoint>
</low-level-tx-links>
<low-level-rx-links>
<name>llrxlink0</name>
<processing-element>element0</processing-element>
<rx-array-carrier>rxarraycarrier0</rx-array-carrier>
<low-level-rx-endpoint>sllrx-endpoint0</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
<name>llrxlink1</name>
<processing-element>element0</processing-element>
<rx-array-carrier>rxarraycarrier0</rx-array-carrier>
<low-level-rx-endpoint>sllrx-endpoint1</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
<name>llrxlink2</name>
<processing-element>element0</processing-element>
<rx-array-carrier>rxarraycarrier0</rx-array-carrier>
<low-level-rx-endpoint>sllrx-endpoint2</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
<name>llrxlink3</name>
<processing-element>element0</processing-element>
<rx-array-carrier>rxarraycarrier0</rx-array-carrier>
<low-level-rx-endpoint>sllrx-endpoint3</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-tx-endpoints>
<name>slltx-endpoint0</name>
<compression>
<compression-type>STATIC</compression-type>
<iq-bitwidth>16</iq-bitwidth>
</compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
<scs>KHZ_30</scs>
<number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<e-axcid>
<o-du-port-bitmask>65024</o-du-port-bitmask>
<band-sector-bitmask>448</band-sector-bitmask>
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>1</eaxc-id>
</e-axcid>
```

```
</low-level-tx-endpoints>
<low-level-tx-endpoints>
  <name>slltx-endpoint1</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>2</eaxc-id>
  </e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
  <name>slltx-endpoint2</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>3</eaxc-id>
  </e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
  <name>slltx-endpoint3</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
```

```
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
<scs>KHZ_30</scs>
<number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<e-axcid>
<o-du-port-bitmask>65024</o-du-port-bitmask>
<band-sector-bitmask>448</band-sector-bitmask>
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>4</eaxc-id>
</e-axcid>
</low-level-tx-endpoints>
<low-level-rx-endpoints>
<name>sllrx-endpoint0</name>
<compression>
<compression-type>STATIC</compression-type>
<iq-bitwidth>16</iq-bitwidth>
</compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
<scs>KHZ_30</scs>
<number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<ul-fft-sampling-offsets>
<scs>KHZ_30</scs>
</ul-fft-sampling-offsets>
<e-axcid>
<o-du-port-bitmask>65024</o-du-port-bitmask>
<band-sector-bitmask>448</band-sector-bitmask>
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>1</eaxc-id>
</e-axcid>
<non-time-managed-delay-enabled>>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
<name>sllrx-endpoint1</name>
<compression>
<compression-type>STATIC</compression-type>
<iq-bitwidth>16</iq-bitwidth>
</compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
```

```
<number-of-prb-per-scs>
<scs>KHZ_30</scs>
<number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<ul-fft-sampling-offsets>
<scs>KHZ_30</scs>
</ul-fft-sampling-offsets>
<e-axcid>
<o-du-port-bitmask>65024</o-du-port-bitmask>
<band-sector-bitmask>448</band-sector-bitmask>
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>2</eaxc-id>
</e-axcid>
<non-time-managed-delay-enabled>>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
<name>sllrx-endpoint2</name>
<compression>
<compression-type>STATIC</compression-type>
<iq-bitwidth>16</iq-bitwidth>
</compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
<scs>KHZ_30</scs>
<number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<ul-fft-sampling-offsets>
<scs>KHZ_30</scs>
</ul-fft-sampling-offsets>
<e-axcid>
<o-du-port-bitmask>65024</o-du-port-bitmask>
<band-sector-bitmask>448</band-sector-bitmask>
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>3</eaxc-id>
</e-axcid>
<non-time-managed-delay-enabled>>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
<name>sllrx-endpoint3</name>
<compression>
<compression-type>STATIC</compression-type>
<iq-bitwidth>16</iq-bitwidth>
</compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
```

```
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
<scs>KHZ_30</scs>
<number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<ul-fft-sampling-offsets>
<scs>KHZ_30</scs>
</ul-fft-sampling-offsets>
<e-axcid>
<o-du-port-bitmask>65024</o-du-port-bitmask>
<band-sector-bitmask>448</band-sector-bitmask>
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>4</eaxc-id>
</e-axcid>
<non-time-managed-delay-enabled>>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<tx-array-carriers>
<name>txarraycarrier0</name>
<absolute-frequency-center>641667</absolute-frequency-center>
<center-of-channel-bandwidth>3625005000</center-of-channel-bandwidth>
<channel-bandwidth>100000000</channel-bandwidth>
<gain>0.0</gain>
<downlink-radio-frame-offset>0</downlink-radio-frame-offset>
<downlink-sfn-offset>0</downlink-sfn-offset>
<rw-duplex-scheme>TDD</rw-duplex-scheme>
<rw-type>NR</rw-type>
<state>READY</state>
<type>NR</type>
<duplex-scheme>TDD</duplex-scheme>
</tx-array-carriers>
<rx-array-carriers>
<name>rxarraycarrier0</name>
<absolute-frequency-center>641667</absolute-frequency-center>
<center-of-channel-bandwidth>3625005000</center-of-channel-bandwidth>
<channel-bandwidth>100000000</channel-bandwidth>
<downlink-radio-frame-offset>0</downlink-radio-frame-offset>
<downlink-sfn-offset>0</downlink-sfn-offset>
<gain-correction>0.0</gain-correction>
<n-ta-offset>25600</n-ta-offset>
<state>READY</state>
<type>NR</type>
<duplex-scheme>TDD</duplex-scheme>
</rx-array-carriers>
<tx-arrays>
<name>slltx-endpoint0</name>
<number-of-rows>1</number-of-rows>
<number-of-columns>1</number-of-columns>
<number-of-array-layers>1</number-of-array-layers>
```

```
<horizontal-spacing>1.0</horizontal-spacing>
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>78</band-number>
</tx-arrays>
<tx-arrays>
  <name>slltx-endpoint1</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>78</band-number>
</tx-arrays>
<tx-arrays>
  <name>slltx-endpoint2</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>78</band-number>
</tx-arrays>
```

```
<tx-arrays>
<name>slltx-endpoint3</name>
<number-of-rows>1</number-of-rows>
<number-of-columns>1</number-of-columns>
<number-of-array-layers>1</number-of-array-layers>
<horizontal-spacing>1.0</horizontal-spacing>
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
<azimuth-angle>1.0</azimuth-angle>
<zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
<x>1.0</x>
<y>1.0</y>
<z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>78</band-number>
</tx-arrays>
<rx-arrays>
<name>sllrx-endpoint0</name>
<number-of-rows>1</number-of-rows>
<number-of-columns>1</number-of-columns>
<number-of-array-layers>1</number-of-array-layers>
<horizontal-spacing>1.0</horizontal-spacing>
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
<azimuth-angle>1.0</azimuth-angle>
<zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
<x>1.0</x>
<y>1.0</y>
<z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>78</band-number>
</rx-arrays>
<rx-arrays>
<name>sllrx-endpoint1</name>
<number-of-rows>1</number-of-rows>
<number-of-columns>1</number-of-columns>
<number-of-array-layers>1</number-of-array-layers>
<horizontal-spacing>1.0</horizontal-spacing>
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
<azimuth-angle>1.0</azimuth-angle>
<zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
<x>1.0</x>
```



```
<y>1.0</y>
<z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>78</band-number>
</rx-arrays>
<rx-arrays>
  <name>sllrx-endpoint2</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>78</band-number>
</rx-arrays>
<rx-arrays>
  <name>sllrx-endpoint3</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>78</band-number>
</rx-arrays>
<relations>
  <entity>0</entity>
  <array1>
    <tx-array-name>slltx-endpoint0</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint0</rx-array-name>
  </array2>
```

```
<types/>
<types>
  <relation-type>COALLOCATED</relation-type>
  <pairs>
    <element-array1>1</element-array1>
    <element-array2>0</element-array2>
  </pairs>
</types>
</relations>
<relations>
  <entity>1</entity>
  <array1>
    <tx-array-name>slltx-endpoint1</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint1</rx-array-name>
  </array2>
<types/>
<types>
  <relation-type>COALLOCATED</relation-type>
  <pairs>
    <element-array1>1</element-array1>
    <element-array2>1</element-array2>
  </pairs>
</types>
</relations>
<relations>
  <entity>2</entity>
  <array1>
    <tx-array-name>slltx-endpoint2</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint2</rx-array-name>
  </array2>
<types/>
<types>
  <relation-type>COALLOCATED</relation-type>
  <pairs>
    <element-array1>1</element-array1>
    <element-array2>2</element-array2>
  </pairs>
</types>
</relations>
<relations>
  <entity>3</entity>
  <array1>
    <tx-array-name>slltx-endpoint3</tx-array-name>
  </array1>
  <array2>
```

```
<rx-array-name>sllrx-endpoint3</rx-array-name>
</array2>
<types/>
<types>
<relation-type>COALLOCATED</relation-type>
<pairs>
<element-array1>1</element-array1>
<element-array2>3</element-array2>
</pairs>
</types>
</relations>
<endpoint-types>
<id>1</id>
<supported-section-types>
<section-type>1</section-type>
</supported-section-types>
<supported-section-types>
<section-type>3</section-type>
</supported-section-types>
<supported-frame-structures>193</supported-frame-structures>
<managed-delay-support>MANAGED</managed-delay-support>
<multiple-numerology-supported>>false</multiple-numerology-supported>
<max-sections-per-symbol>46</max-sections-per-symbol>
<max-sections-per-slot>644</max-sections-per-slot>
<max-prb-per-symbol>273</max-prb-per-symbol>
<max-numerologies-per-symbol>1</max-numerologies-per-symbol>
</endpoint-types>
<static-low-level-tx-endpoints>
<name>slltx-endpoint0</name>
<array>slltx-endpoint0</array>
<endpoint-type>1</endpoint-type>
<capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
<name>slltx-endpoint1</name>
<array>slltx-endpoint1</array>
<endpoint-type>1</endpoint-type>
<capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
<name>slltx-endpoint2</name>
<array>slltx-endpoint2</array>
<endpoint-type>1</endpoint-type>
<capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
<name>slltx-endpoint3</name>
<array>slltx-endpoint3</array>
<endpoint-type>1</endpoint-type>
```

```
<capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint0</name>
  <array>sllrx-endpoint0</array>
  <endpoint-type>1</endpoint-type>
</capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint1</name>
  <array>sllrx-endpoint1</array>
  <endpoint-type>1</endpoint-type>
</capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint2</name>
  <array>sllrx-endpoint2</array>
  <endpoint-type>1</endpoint-type>
</capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint3</name>
  <array>sllrx-endpoint3</array>
  <endpoint-type>1</endpoint-type>
</capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<endpoint-capacity-sharing-groups/>
<endpoint-capacity-sharing-groups>
  <id>1</id>
  <max-managed-delay-endpoints>4</max-managed-delay-endpoints>
  <max-non-managed-delay-endpoints>0</max-non-managed-delay-endpoints>
  <max-endpoints>4</max-endpoints>
  <max-sections-per-symbol>46</max-sections-per-symbol>
  <max-sections-per-slot>644</max-sections-per-slot>
  <max-prb-per-symbol>273</max-prb-per-symbol>
  <max-numerologies-per-symbol>1</max-numerologies-per-symbol>
</endpoint-capacity-sharing-groups>
</user-plane-configuration>
</data>
```

## =====

**##### SYSTEM LOGS #####**

=====

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: User "operator" authenticated.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session 13 established.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Session 229 (user "root", CID 1) created.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 22 priority 0 for 1 subscribers.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 22 priority 0 (remaining 1 subscribers).

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 22 priority 0 (remaining 0 subscribers).

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 22 priority 0 succeeded.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Session 13: thread 2 event new RPC.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 23 priority 0 for 1 subscribers.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 23 priority 0 (remaining 1 subscribers).

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 13.

Nov 4 00:30:29 vvdn\_lpru user.notice fw\_manager[929]: RPC #13 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 13 succeeded.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 23 priority 0 (remaining 0 subscribers).

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 23 priority 0 succeeded.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Session 13: thread 3 event new RPC.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 18 priority 0 for 1 subscribers.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 18 priority 0 (remaining 1 subscribers).

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 18 priority 0 (remaining 0 subscribers).

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 18 priority 0 succeeded.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:29 vvdn\_lpru daemon.info netopeer2-server[858]: Session 13: thread 2 event new RPC.

Nov 4 00:30:30 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:30 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:30 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:30 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:30 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 19 priority 0 for 1 subscribers.

Nov 4 00:30:30 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 19 priority 0 (remaining 1 subscribers).

Nov 4 00:30:30 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 19 priority 0 (remaining 0 subscribers).

Nov 4 00:30:30 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 19 priority 0 succeeded.

Nov 4 00:30:30 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:30 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:30 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:30 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:30:30 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:30:30 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:30 vvdn\_lpru daemon.info netopeer2-server[858]: Session 13: thread 2 event new RPC.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/notifications:create-subscription" with ID 10 priority 0 for 1 subscribers.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/notifications:create-subscription" "rpc" event with ID 10 priority 0 (remaining 1 subscribers).

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 10 priority 0 (remaining 0 subscribers).

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 10 priority 0 succeeded.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Session 13: thread 2 event new RPC.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:edit-config" with ID 10 priority 0 for 1 subscribers.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 10 priority 0 (remaining 1 subscribers).

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "change" "ietf-interfaces" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:30:35 vvdn\_lpru user.info nw\_manager[887]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces

Nov 4 00:30:35 vvdn\_lpru user.info nw\_manager[887]: IFMNGR: vlan base = eth0, vlan id = 100

Nov 4 00:30:35 vvdn\_lpru user.info nw\_manager[887]: Interface : eth0.100 O-RU port name ru-port0

Nov 4 00:30:35 vvdn\_lpru user.info nw\_manager[887]: Base interface : eth0.100 standard port : eth0 O-RU port-number : 0

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "change" with ID 3 priority 0 succeeded.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "done" "ietf-interfaces" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:30:35 vvdn\_lpru user.info nw\_manager[887]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces

Nov 4 00:30:35 vvdn\_lpru user.info nw\_manager[887]: VLAN: Added VLAN with VID == 100 to IF -:eth0:- devname eth0.100

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "notif" "ietf-netconf-notifications" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth0.100']", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth0.100']/name", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth0.100']/type", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth0.100']/enabled", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth0.100']/o-ran-interfaces:base-interface", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth0.100']/o-ran-interfaces:vlan-id", but it is not required.



Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth0.100']/o-ran-interfaces:mac-address", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth0.100']/o-ran-interfaces:port-reference", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth0.100']/o-ran-interfaces:port-reference/port-name", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth0.100']/o-ran-interfaces:port-reference/port-number", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 10 priority 0 (remaining 0 subscribers).

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 10 priority 0 succeeded.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Session 13: thread 1 event new RPC.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:edit-config" with ID 11 priority 0 for 1 subscribers.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 11 priority 0 (remaining 1 subscribers).

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "change" "o-ran-processing-element" with ID 1 priority 0 for 3 subscribers.

Nov 4 00:30:35 vvdn\_lpru user.notice PROCESSING-ELEMENTS[1186]: EVENT change CHANGES

Nov 4 00:30:35 vvdn\_lpru user.notice PROCESSING-ELEMENTS[1186]: FPGA interface element0: interface name : eth0.100

Nov 4 00:30:35 vvdn\_lpru user.notice PROCESSING-ELEMENTS[1186]: FPGA interface element0: ru-mac : 78:7d:f3:01:13:bb

Nov 4 00:30:35 vvdn\_lpru user.notice PROCESSING-ELEMENTS[1186]: FPGA interface element0: VLAN-ID : 100

Nov 4 00:30:35 vvdn\_lpru user.notice PROCESSING-ELEMENTS[1186]: FPGA interface element0: du-mac : 64:9d:99:b1:7e:62

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "change" with ID 1 priority 0 succeeded.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "done" "o-ran-processing-element" with ID 1 priority 0 for 3 subscribers.

Nov 4 00:30:35 vvdn\_lpru user.notice PROCESSING-ELEMENTS[1186]: EVENT done CHANGES

Nov 4 00:30:35 vvdn\_lpru user.notice PROCESSING-ELEMENTS[1186]: FPGA interface element0: interface name : eth0.100

Nov 4 00:30:35 vvdn\_lpru user.notice PROCESSING-ELEMENTS[1186]: FPGA interface element0: ru-mac : 78:7d:f3:01:13:bb

Nov 4 00:30:35 vvdn\_lpru user.notice PROCESSING-ELEMENTS[1186]: FPGA interface element0: VLAN-ID : 100

Nov 4 00:30:35 vvdn\_lpru user.notice PROCESSING-ELEMENTS[1186]: FPGA interface element0: du-mac : 64:9d:99:b1:7e:62

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "notif" "ietf-netconf-notifications" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-processing-element:processing-elements/ru-elements[name='element0']", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of



"/o-ran-processing-element:processing-elements/ru-elements[name='element0']/name", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 11 priority 0 (remaining 0 subscribers).

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-processing-element:processing-elements/ru-elements[name='element0']/transport-flow", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-processing-element:processing-elements/ru-elements[name='element0']/transport-flow/interface-name", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-processing-element:processing-elements/ru-elements[name='element0']/transport-flow/eth-flow", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-processing-element:processing-elements/ru-elements[name='element0']/transport-flow/eth-flow/ru-mac-address", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 11 priority 0 succeeded.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-processing-element:processing-elements/ru-elements[name='element0']/transport-flow/eth-flow/vlan-id", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-processing-element:processing-elements/ru-elements[name='element0']/transport-flow/eth-flow/o-du-mac-address", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Session 13: thread 0 event new RPC.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "ietf-netconf:get" with ID 24 priority 0 for 1 subscribers.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "ietf-netconf:get" "rpc" event with ID 24 priority 0 (remaining 1 subscribers).

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"  
"/o-ran-uplane-conf:user-plane-configuration/tx-arrays" with ID 1.

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"  
"/o-ran-uplane-conf:user-plane-configuration/tx-arrays" REQUESTED

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"  
"/o-ran-uplane-conf:user-plane-configuration/rx-arrays" with ID 1.

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"  
"/o-ran-uplane-conf:user-plane-configuration/rx-arrays" REQUESTED

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"  
"/o-ran-uplane-conf:user-plane-configuration/relations" with ID 1.

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"  
"/o-ran-uplane-conf:user-plane-configuration/relations" REQUESTED

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint0", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint0", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint2", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint2", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint3", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint3", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-types" with ID 1.

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-types" REQUESTED

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" with ID 1.

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" REQUESTED

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers" with ID 1.

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers" REQUESTED

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-tx-endpoints" with ID 1.

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-tx-endpoints" REQUESTED

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint0", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint2", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint3", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-rx-endpoints" with ID 1.

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-rx-endpoints" REQUESTED

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint0", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint2", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint3", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"  
"/o-ran-uplane-conf:user-plane-configuration/endpoint-capacity-sharing-groups" with ID 1.

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"  
"/o-ran-uplane-conf:user-plane-configuration/endpoint-capacity-sharing-groups" REQUESTED

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 24 priority 0 (remaining 0 subscribers).

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 24 priority 0 succeeded.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Session 13: thread 4 event new RPC.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:edit-config" with ID 12 priority 0 for 1 subscribers.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 12 priority 0 (remaining 1 subscribers).

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "change" "o-ran-uplane-conf" with ID 1 priority 0 for 6 subscribers.

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: EVENT change CHANGES:

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-link name : lltxlink0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-processing element : element0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-array-carrier : txarraycarrier0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-endpoint : slltx-endpoint0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-link name : lltxlink1

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-processing element : element0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-array-carrier : txarraycarrier0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-endpoint : slltx-endpoint1

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-link name : lltxlink2

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-processing element : element0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-array-carrier : txarraycarrier0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-endpoint : slltx-endpoint2

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: EVENT change CHANGES

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-link name : lltxlink3

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-processing element : element0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-array-carrier : txarraycarrier0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-endpoint : slltx-endpoint3

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: END OF CHANGES

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-link name : llrxlink0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-processing element : element0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-array-carrier : rxarraycarrier0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-endpoint : sllrx-endpoint0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-link name : llrxlink1

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-processing element : element0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-array-carrier : rxarraycarrier0

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-endpoint : sllrx-endpoint1

Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-link name : llrxlink2



Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-processing element : element0  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-array-carrier : rxarraycarrier0  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-endpoint : sllrx-endpoint2  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-link name : llrxlink3  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-processing element : element0  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-array-carrier : rxarraycarrier0  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-endpoint : sllrx-endpoint3  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: END OF CHANGES  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: EVENT change CHANGES:  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-name : rxarraycarrier0  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-absolute-frequency-center : 641667  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-frequency-reference-center: 0.000000  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-center-of-channel-bandwidth : 3625005000  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-channel-bandwidth : 100000000  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-downlink-radio-frame-offset : 0  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-downlink-sfn-offset : 0  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-gain-correction : 0.000000  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-n-ta-offset : 25600  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-active : INACTIVE  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: END OF CHANGES  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: EVENT change CHANGES:  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-name : txarraycarrier0  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-absolute-frequency-center : 641667  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-frequency-reference-center: 0.000000  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-channel-bandwidth : 100000000  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-gain : 0.000000  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-downlink-radio-frame-offset : 0  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-downlink-sfn-offset : 0  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-rw-duplex-scheme : TDD  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: EVENT change CHANGES:  
/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-rw-type : NR  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: EVENT change CHANGES:  
/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-endpoint name : slltx-endpoint0  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-active : INACTIVE  
Nov 4 00:30:35 vvdn\_lpru user.notice UPLANECONF[1186]: END OF CHANGES  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-endpoint name : sllrx-endpoint0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-compression-type : STATIC  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-iq-bitwidth : 16  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length : 352  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-compression-type : STATIC  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length-other : 288  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-iq-bitwidth : 16  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length : 352  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length-other : 288  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-number-of-prb : 273

Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-o-du-port-bitmask : 65024  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-band-sector-bitmask : 448  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ccid-bitmask : 56  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ru-port-bitmask : 7  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-eaxc-id : 1  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-endpoint name : slltx-endpoint1  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-compression-type : STATIC  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-o-du-port-bitmask : 65024  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-iq-bitwidth : 16  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length : 352  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-band-sector-bitmask : 448  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length-other : 288  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ccid-bitmask : 56  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ru-port-bitmask : 7  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-number-of-prb : 273  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-eaxc-id : 1  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-o-du-port-bitmask : 65024  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-band-sector-bitmask : 448  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ccid-bitmask : 56  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ru-port-bitmask : 7  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-eaxc-id : 2  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-endpoint name : sllrx-endpoint1  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-endpoint name : slltx-endpoint2  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-compression-type : STATIC  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-iq-bitwidth : 16  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-compression-type : STATIC  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length : 352  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length-other : 288  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-iq-bitwidth : 16  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length : 352  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-number-of-prb : 273  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length-other : 288  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-o-du-port-bitmask : 65024  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-band-sector-bitmask : 448  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ccid-bitmask : 56  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ru-port-bitmask : 7  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-eaxc-id : 3  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-number-of-prb : 273  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-endpoint name : slltx-endpoint3

Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-compression-type : STATIC  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-iq-bitwidth : 16  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length : 352  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length-other : 288  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-o-du-port-bitmask : 65024  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-band-sector-bitmask : 448  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-number-of-prb : 273  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ccid-bitmask : 56  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-o-du-port-bitmask : 65024  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-band-sector-bitmask : 448  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ru-port-bitmask : 7  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ccid-bitmask : 56  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ru-port-bitmask : 7  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-eaxc-id : 2  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-eaxc-id : 4  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: END OF CHANGES  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-endpoint name : sllrx-endpoint2  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-compression-type : STATIC  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-iq-bitwidth : 16  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length : 352  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length-other : 288  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-o-du-port-bitmask : 65024  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-band-sector-bitmask : 448  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ccid-bitmask : 56  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ru-port-bitmask : 7  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-eaxc-id : 3  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-endpoint name : sllrx-endpoint3  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-compression-type : STATIC  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-iq-bitwidth : 16  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length : 352  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length-other : 288  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-number-of-prb : 273  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-o-du-port-bitmask : 65024  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-band-sector-bitmask : 448  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ccid-bitmask : 56  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ru-port-bitmask : 7  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-eaxc-id : 4  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0



```
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: END OF CHANGES
Nov 4 00:30:36 vvdn_lpru daemon.info netopeer2-server[858]: Event "change" with ID 1 priority 0 succeeded.
Nov 4 00:30:36 vvdn_lpru daemon.info netopeer2-server[858]: Published event "done" "o-ran-uplane-conf" with ID 1 priority 0 for 6 subscribers.
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: EVENT done CHANGES:
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-name : txarraycarrier0
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: EVENT done CHANGES:
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: END OF CHANGES
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-absolute-frequency-center : 641667
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: EVENT done CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor d1a62c21
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor 3fb1f9ba
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor c9eeddc3
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor 15903c42
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor 1413c33b
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor cac9238e
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor 3fd404b5
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor d094d505
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor af13f0f
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor 1e2bc78f
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor c57e19ef
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor 3e150f8d
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor d8a0cd8c
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor 4000
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor 2e5ad3df
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor c04f0646
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor 3612223d
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor ea70c3be
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor ebed3cc5
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor 3537dc72
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor c02cfb4b
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor 2f6c2afb
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor f50fc0f1
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor e1d53871
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor 3a82e611
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor c1ebf073
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor 27603274
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: tx-comp-factor c000
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-frequency-reference-center: 3625005000.000000
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: EVENT done CHANGES:
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-name : rxarraycarrier0
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-absolute-frequency-center : 641667
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-comp-factor 2e5a2c21
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-compt-factor c04ff9ba
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-compt-factor 3612ddc3
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-comp-factor ea703c42
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-compt-factor ebedc33b
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-comp-factor 3537238e
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-comp-factor c02c04b5
```

```
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-compt-factor 2f6cd505
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-comp-factor f50f3f0f
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-compt-factor e1d5c78f
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-comp-factor 3a8219ef
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-comp-factor c1eb0f8d
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: EVENT done CHANGES
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: END OF CHANGES
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-compt-factor 2760cd8c
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-comp-factor 4000
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-compt-factor d1a6d3df
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-comp-factor 3fb10646
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-comp-factor c9ee223d
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-compt-factor 1590c3be
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-comp-factor 14133cc5
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-compt-factor cac9dc72
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-compt-factor 3fd4fb4b
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-comp-factor d0942afb
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-compt-factor af1c0f1
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-comp-factor 1e2b3871
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-compt-factor c57ee611
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-compt-factor 3e15f073
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-comp-factor d8a03274
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: rx-compt-factor c000
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-frequency-reference-center: 3625005000.000000
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-center-of-channel-bandwidth : 3625005000
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-channel-bandwidth : 100000000
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-downlink-radio-frame-offset : 0
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-downlink-sfn-offset : 0
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-gain-correction : 0.000000
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-n-ta-offset : 25600
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | rx-array-carriers-active : INACTIVE
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: END OF CHANGES
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | lltx-endpoint name : slltx-endpoint0
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: EVENT done CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-channel-bandwidth : 100000000
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-gain : 0.000000
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-downlink-radio-frame-offset : 0
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-downlink-sfn-offset : 0
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-rw-duplex-scheme : TDD
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-rw-type : NR
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-compression-type : STATIC
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | tx-array-carriers-active : INACTIVE
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: END OF CHANGES
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | llrx-endpoint name : sllrx-endpoint0
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-iq-bitwidth : 16
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length : 352
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length-other : 288
Nov 4 00:30:36 vvdn_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
```

Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-compression-type : STATIC  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-iq-bitwidth : 16  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-number-of-prb : 273  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length : 352  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-o-du-port-bitmask : 65024  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-band-sector-bitmask : 448  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length-other : 288  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ccid-bitmask : 56  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ru-port-bitmask : 7  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-eaxc-id : 1  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-endpoint name : slltx-endpoint1  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-compression-type : STATIC  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-iq-bitwidth : 16  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length : 352  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length-other : 288  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-number-of-prb : 273  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-o-du-port-bitmask : 65024  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-o-du-port-bitmask : 65024  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-band-sector-bitmask : 448  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-band-sector-bitmask : 448  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ccid-bitmask : 56  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ru-port-bitmask : 7  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ccid-bitmask : 56  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-eaxc-id : 2  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ru-port-bitmask : 7  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-endpoint name : slltx-endpoint2  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-eaxc-id : 1  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-compression-type : STATIC  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-iq-bitwidth : 16  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length : 352  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length-other : 288  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-scs : KHZ\_30  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-endpoint name : sllrx-endpoint1  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-number-of-prb : 273  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-o-du-port-bitmask : 65024  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-band-sector-bitmask : 448  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-compression-type : STATIC  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ccid-bitmask : 56  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ru-port-bitmask : 7  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-eaxc-id : 3  
Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-iq-bitwidth : 16

Nov 4 00:30:36 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length : 352  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-endpoint name : slltx-endpoint3  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length-other : 288  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-compression-type : STATIC  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-iq-bitwidth : 16  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length : 352  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-cp-length-other : 288  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-scs : KHZ\_30  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-number-of-prb : 273  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-number-of-prb : 273  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-o-du-port-bitmask : 65024  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-band-sector-bitmask : 448  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ccid-bitmask : 56  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-ru-port-bitmask : 7  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | lltx-ep-eaxc-id : 4  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: END OF CHANGES  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-o-du-port-bitmask : 65024  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-band-sector-bitmask : 448  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ccid-bitmask : 56  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ru-port-bitmask : 7  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-eaxc-id : 2  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-endpoint name : sllrx-endpoint2  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-compression-type : STATIC  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-iq-bitwidth : 16  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length : 352  
Nov 4 00:30:37 vvdn\_lpru user.notice SYNCMNGR[1175]: Received message from S-Plane  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length-other : 288  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-o-du-port-bitmask : 65024  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-band-sector-bitmask : 448  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ccid-bitmask : 56  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ru-port-bitmask : 7  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-eaxc-id : 3  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-endpoint name : sllrx-endpoint3  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-compression-type : STATIC  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-iq-bitwidth : 16  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length : 352  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-cp-length-other : 288  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30  
Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-number-of-prb : 273



Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-scs : KHZ\_30

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-o-du-port-bitmask : 65024

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-band-sector-bitmask : 448

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ccid-bitmask : 56

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-ru-port-bitmask : 7

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-eaxc-id : 4

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: END OF CHANGES

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "notif" "ietf-netconf-notifications" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 12 priority 0 (remaining 0 subscribers).

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 12 priority 0 succeeded.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Session 13: thread 4 event new RPC.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink0']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink0']/name", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink0']/processing-element", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink0']/tx-array-carrier", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink0']/low-level-tx-endpoint", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink1']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink1']/name", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink1']/processing-element", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink1']/tx-array-carrier", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink1']/low-level-tx-endpoint", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink2']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink2']/name", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink2']/processing-element", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink2']/tx-array-carrier", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink2']/low-level-tx-endpoint", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink3']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-links[name='lltxlink3']/name", but it is not required.

Page 46

"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/name", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/compression", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/compression/compression-type", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/compression/iq-bitwidth", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/cp-length", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/cp-length-other", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/offset-to-absolute-frequency-center", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/number-of-prb-per-scs[scs='KHZ\_30']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/number-of-prb-per-scs[scs='KHZ\_30']/scs", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/number-of-prb-per-scs[scs='KHZ\_30']/number-of-prb", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/e-axcid", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/e-axcid/o-du-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/e-axcid/band-sector-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/e-axcid/ccid-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/e-axcid/ru-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint0']/e-axcid/eaxc-id", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/name", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/compression", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/compression/compression-type", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/compression/iq-bitwidth", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of  
"/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/cp-length", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/cp-length-other", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/offset-to-absolute-frequency-center", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/number-of-prb-per-scs[scs='KHZ\_30']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/number-of-prb-per-scs[scs='KHZ\_30']/scs", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/number-of-prb-per-scs[scs='KHZ\_30']/number-of-prb", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/e-axcid", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/e-axcid/o-du-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/e-axcid/band-sector-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/e-axcid/ccid-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/e-axcid/ru-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint1']/e-axcid/eaxc-id", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/name", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/compression", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/compression/compression-type", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/compression/iq-bitwidth", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/cp-length", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/cp-length-other", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/offset-to-absolute-frequency-center", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/number-of-prb-per-scs[scs='KHZ\_30']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/number-of-prb-per-scs[scs='KHZ\_30']/scs", but it is



not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/number-of-prb-per-scs[scs='KHZ\_30']/number-of-prb", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/e-axcid", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/e-axcid/o-du-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/e-axcid/band-sector-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/e-axcid/ccid-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/e-axcid/ru-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint2']/e-axcid/eaxc-id", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/name", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/compression", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/compression/compression-type", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/compression/iq-bitwidth", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/cp-length", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/cp-length-other", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/offset-to-absolute-frequency-center", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/number-of-prb-per-scs[scs='KHZ\_30']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/number-of-prb-per-scs[scs='KHZ\_30']/scs", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/number-of-prb-per-scs[scs='KHZ\_30']/number-of-prb", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/e-axcid", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/e-axcid/o-du-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/e-axcid/band-sector-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/e-axcid/ccid-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/e-axcid/ru-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints[name='slltx-endpoint3']/e-axcid/eaxc-id", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/name", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/compression", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/compression/compression-type", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/compression/iq-bitwidth", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/cp-length", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/cp-length-other", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/offset-to-absolute-frequency-center", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/number-of-prb-per-scs[scs='KHZ\_30']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/number-of-prb-per-scs[scs='KHZ\_30']/scs", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/number-of-prb-per-scs[scs='KHZ\_30']/number-of-prb", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/ul-fft-sampling-offsets[scs='KHZ\_30']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/ul-fft-sampling-offsets[scs='KHZ\_30']/scs", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/e-axcid", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/e-axcid/o-du-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/e-axcid/band-sector-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/e-axcid/ccid-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/e-axcid/ru-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/e-axcid/eaxc-id", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint0']/non-time-managed-delay-enabled", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/name", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/compression", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/compression/compression-type", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/compression/iq-bitwidth", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/cp-length", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/cp-length-other", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/offset-to-absolute-frequency-center", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/number-of-prb-per-scs[scs='KHZ\_30']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/number-of-prb-per-scs[scs='KHZ\_30']/scs", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/number-of-prb-per-scs[scs='KHZ\_30']/number-of-prb", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/ul-fft-sampling-offsets[scs='KHZ\_30']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/ul-fft-sampling-offsets[scs='KHZ\_30']/scs", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/e-axcid", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/e-axcid/o-du-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/e-axcid/band-sector-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/e-axcid/ccid-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/e-axcid/ru-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/e-axcid/eaxc-id", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint1']/non-time-managed-delay-enabled", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/name", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/compression", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/compression/compression-type", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/compression/iq-bitwidth", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/cp-length", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/cp-length-other", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/offset-to-absolute-frequency-center", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/number-of-prb-per-scs[scs='KHZ\_30']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/number-of-prb-per-scs[scs='KHZ\_30']/scs", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/number-of-prb-per-scs[scs='KHZ\_30']/number-of-prb", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/ul-fft-sampling-offsets[scs='KHZ\_30']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/ul-fft-sampling-offsets[scs='KHZ\_30']/scs", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/e-axcid", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/e-axcid/o-du-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/e-axcid/band-sector-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/e-axcid/ccid-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/e-axcid/ru-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/e-axcid/eaxc-id", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint2']/non-time-managed-delay-enabled", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/name", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/compression", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/compression/compression-type", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/compression/iq-bitwidth", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/cp-length", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/cp-length-other", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/offset-to-absolute-frequency-center", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/number-of-prb-per-scs[scs='KHZ\_30']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/number-of-prb-per-scs[scs='KHZ\_30']/scs", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/number-of-prb-per-scs[scs='KHZ\_30']/number-of-prb", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/ul-fft-sampling-offsets[scs='KHZ\_30']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/ul-fft-sampling-offsets[scs='KHZ\_30']/scs", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/e-axcid", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/e-axcid/o-du-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/e-axcid/band-sector-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/e-axcid/ccid-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/e-axcid/ru-port-bitmask", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/e-axcid/eaxc-id", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of



"/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints[name='sllrx-endpoint3']/non-time-managed-delay-enabled", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers[name='txarraycarrier0']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers[name='txarraycarrier0']/name", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers[name='txarraycarrier0']/absolute-frequency-center", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers[name='txarraycarrier0']/center-of-channel-bandwidth", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers[name='txarraycarrier0']/channel-bandwidth", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers[name='txarraycarrier0']/gain", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers[name='txarraycarrier0']/downlink-radio-frame-offset", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers[name='txarraycarrier0']/downlink-sfn-offset", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers[name='txarraycarrier0']/rw-duplex-scheme", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers[name='txarraycarrier0']/rw-type", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers[name='txarraycarrier0']/active", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers[name='rxarraycarrier0']", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers[name='rxarraycarrier0']/name", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers[name='rxarraycarrier0']/absolute-frequency-center", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers[name='rxarraycarrier0']/center-of-channel-bandwidth", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers[name='rxarraycarrier0']/channel-bandwidth", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers[name='rxarraycarrier0']/downlink-radio-frame-offset", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers[name='rxarraycarrier0']/downlink-sfn-offset", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers[name='rxarraycarrier0']/gain-correction", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers[name='rxarraycarrier0']/n-ta-offset", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers[name='rxarraycarrier0']/active", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 3.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 25 priority 0 for 1 subscribers.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 25 priority 0 (remaining 1 subscribers).

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"  
"/o-ran-uplane-conf:user-plane-configuration/tx-arrays" with ID 2.

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"  
"/o-ran-uplane-conf:user-plane-configuration/tx-arrays" REQUESTED

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 2 succeeded.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"  
"/o-ran-uplane-conf:user-plane-configuration/rx-arrays" with ID 2.

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"  
"/o-ran-uplane-conf:user-plane-configuration/rx-arrays" REQUESTED

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 2 succeeded.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"  
"/o-ran-uplane-conf:user-plane-configuration/relations" with ID 2.

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"  
"/o-ran-uplane-conf:user-plane-configuration/relations" REQUESTED

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 2 succeeded.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint0", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint0", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint2", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint2", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint3", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref  
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint3", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"  
"/o-ran-uplane-conf:user-plane-configuration/endpoint-types" with ID 2.

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"  
"/o-ran-uplane-conf:user-plane-configuration/endpoint-types" REQUESTED

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 2 succeeded.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"  
"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" with ID 2.

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"  
"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" REQUESTED

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 2 succeeded.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"  
"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers" with ID 2.

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"  
"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers" REQUESTED

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 2 succeeded.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"  
"/o-ran-uplane-conf:user-plane-configuration/static-low-level-tx-endpoints" with ID 2.

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"  
"/o-ran-uplane-conf:user-plane-configuration/static-low-level-tx-endpoints" REQUESTED

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 2 succeeded.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint0", but it is not required.



Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint2", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint3", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-rx-endpoints" with ID 2.

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-rx-endpoints" REQUESTED

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 2 succeeded.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint0", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint2", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint3", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-capacity-sharing-groups" with ID 2.

Nov 4 00:30:37 vvdn\_lpru user.notice UPLANECONF[1186]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-capacity-sharing-groups" REQUESTED

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 2 succeeded.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 25 priority 0 (remaining 0 subscribers).

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 25 priority 0 succeeded.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not

required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:30:37 vvdn\_lpru daemon.info netopeer2-server[858]: Session 13: thread 0 event new RPC.

Nov 4 00:30:38 vvdn\_lpru daemon.info netopeer2-server[858]: Session 13: thread 0 event new RPC.

Nov 4 00:30:38 vvdn\_lpru daemon.info netopeer2-server[858]: Session 13: thread 0 event session terminated.

Nov 4 00:30:38 vvdn\_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:30:38 vvdn\_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-end).

Nov 4 00:30:38 vvdn\_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session terminated.

Nov 4 00:30:38 vvdn\_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:30:38 vvdn\_lpru daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Nov 4 00:30:38 vvdn\_lpru authpriv.debug sshd[24477]: pam\_unix(sshd:account): account operator has password changed in future

Nov 4 00:30:38 vvdn\_lpru auth.info sshd[24477]: Accepted password for operator from 192.168.214.234 port 49380 ssh2

Nov 4 00:30:38 vvdn\_lpru authpriv.info sshd[24477]: pam\_unix(sshd:session): session opened for user operator by (uid=0)

**Expected Result : The O-RU NETCONF Sever responds with a <rpc-reply> message indicating successful completion of requested procedure.**

=====

\*\*\*\*\* Actual Result \*\*\*\*\*

=====

=====

<b>O-RU configurability test (positive case)</b>	<b>=</b>	<b>SUCCESS</b>
--	----------	----------------

=====