@ FILE NAME: M_CTC_ID_011.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1:   v1.0.1

Test Description : This scenario validates that the O-RU NETCONF Server properly executes a get command with a filter applied.

==

********** Connect to the NETCONF Server **********

==

> listen --ssh --login root

Waiting 60s for an SSH Call Home connection on port 4334...

The authenticity of the host '::ffff:192.168.49.43' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

> status

Current NETCONF session:

ID   : 58

Host   : 192.168.49.43

Port   : 830

Transport   : SSH

Capabilities:

 urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid
ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

==

> **subscribe**

==

Ok

```
================================================================================
```
 **********step 1 and 2 Retrival of ru information with filter **********
```
================================================================================
```

```
================================================================================
```
get --filter-xpath /o-ran-usermgmt:users/user
```
================================================================================
```

```xml
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
 <users xmlns="urn:o-ran:user-mgmt:1.0">
  <user>
   <name>oranuser</name>
   <account-type>PASSWORD</account-type>
   <password>oranuser</password>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator</name>
   <account-type>PASSWORD</account-type>
   <password>admin1234895</password>
   <enabled>true</enabled>
  </user>
  <user>
   <name>observer</name>
   <account-type>PASSWORD</account-type>
   <password>admin123</password>
   <enabled>true</enabled>
  </user>
  <user>
   <name>installer</name>
   <account-type>PASSWORD</account-type>
   <password>wireless123</password>
   <enabled>true</enabled>
  </user>
  <user>
   <name>garuda</name>
   <account-type>PASSWORD</account-type>
   <password>garuda12345</password>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator11302326379</name>
   <account-type>PASSWORD</account-type>
   <password>Aemlsk9}{2xgQVF</password>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator44567591</name>
```

```xml
<account-type>PASSWORD</account-type>
<password>yo7)BAFyAm0M7W1lc2mEA_D5[5YytpafL6xTTCXM%Q]~Z2Fv^</password>
<enabled>true</enabled>
</user>
<user>
<name>operator8075861281902</name>
<account-type>PASSWORD</account-type>
<password>GV2QSHVzl}B)vk(!tw2pZhuFkkn%L^E)wgk(Z{KfgXCpdkfEA+NGMY(B^+kDYB8R06v</password>
<enabled>true</enabled>
</user>
<user>
<name>operator17619020756748090</name>
<account-type>PASSWORD</account-type>
<password>nwk75gnD[44LqeBrwKFcBvaUNPKz6gARf_M.EHxwG.EGuk{-n_Os0avM}$XZ}LBYNb+)M!NcV0RunG}_-)9F2gu%nKKsd+XkOgXvIYxh%QxBQsA7EYqB</password>
<enabled>true</enabled>
</user>
<user>
<name>operator86938204120707827368</name>
<account-type>PASSWORD</account-type>
<password>s8icesF.Hl~%FN4_]!MKBMVqa]{RUQkL07x.+)-VmZfAh3nJxwS+y6I!</password>
<enabled>true</enabled>
</user>
<user>
<name>operator7596639986022389968</name>
<account-type>PASSWORD</account-type>
<password>v+Dq5KtKuj(^!x</password>
<enabled>true</enabled>
</user>
<user>
<name>operator0126795795152205</name>
<account-type>PASSWORD</account-type>
<password>RdP1GycV9r]R15N_k7Hnz5wF)vjY~dxBE!v^MxSq4Gke1nCkSCW+1)1z%2}kOtLnjiWbj]EY7QUk%15H0g~QYlrR0bRkZMz1xTyDy3ca6-r</password>
<enabled>true</enabled>
</user>
<user>
<name>operator119986</name>
<account-type>PASSWORD</account-type>
<password>1Xrl)+$ki)QolcMi)vVRig.u</password>
<enabled>true</enabled>
</user>
<user>
<name>stl</name>
<account-type>PASSWORD</account-type>
<password>stli12345</password>
<enabled>true</enabled>
</user>
<user>
```

```xml
  <name>operator72008202</name>
  <account-type>PASSWORD</account-type>
  <password>INxRH3HsE</password>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator06308723954138</name>
  <account-type>PASSWORD</account-type>
  <password>36eb.%^8cvTFI~5SYnjID9E7pVT$A9bJ]VKkDyfolI}Y~1V3uJWrh~]I^o4i}SzQJCD!ufgDHsR5pM-m-xLeMj(vl</password>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator21726001215379102</name>
  <account-type>PASSWORD</account-type>
  <password>PuUPKD.3JY4^2f1i$T~CTW12CO8yWjU$b}12jZwrb7kpkwd(b%2s1S}</password>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator441110748091</name>
  <account-type>PASSWORD</account-type>
  <password>uo7gz!W^7YY9Z23.%JJ$u[gDTV8E4EQuhke.8te(7xrg3v9kkN!6E3^VWGI-NuR^oQO-Z9~rDUBDqgxNC~u%]rKM1YSv.nD{pI</password>
  <enabled>true</enabled>
 </user>
 </users>
</data>
```

===

############ SYSTEM LOGS #############

===

Oct 30 01:41:19 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:41:19 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:41:20 mcb1 user.notice SYNCMNGR[1310]: Received message from S-Plane

Oct 30 01:41:20 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:41:20 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4753324

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4155580

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4753394

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4155632

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4753394

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4155632

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4753394

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4155632

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Successfully connected to 192.168.49.88:4334 over IPv4.

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Session 19466 (user "root", CID 1) created.

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4755063

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4157193

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-auth" of subtype "password".

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: User "root" authenticated.

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel-open" of subtype "session".

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Call Home client "default-client" session 58 established.

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Session 19471 (user "root", CID 1) created.

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 21 priority 0 for 1 subscribers.

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 21.

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 21 priority 0 (remaining 0 subscribers).

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-start).

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4757933

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4159757

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57 get-maximum-number-of-transport-flow

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4758003

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4159809

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER", but it is not required.

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 468.

Oct 30 01:41:21 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 468 priority 0 (remaining 0 subscribers).

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4758635

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4160369

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:21 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:21 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:21 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:21 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER_LANE_2", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 469.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 469 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get" with ID 339 priority 0 for 1 subscribers.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get" "rpc" event with ID 339 priority 0 (remaining 1 subscribers).

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 339 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 339 priority 0 succeeded.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Session 58: thread 3 event new RPC.

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4758915

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4160577

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57 get-maximum-number-of-transport-flow

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER_LANE_3", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 470.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 470 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4759195

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4160785

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER_LANE_4", but it is not

required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not

required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 471.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 471 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid corgument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4759405

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4160941

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57 get-maximum-number-of-transport-flow

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POPWER", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 472.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 472 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4760015

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4161497

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57 get-maximum-number-of-transport-flow

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POWER_LANE_2", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 473.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 473 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4760085

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4161549

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get" with ID 340 priority 0 for 1 subscribers.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get" "rpc" event with ID 340 priority 0 (remaining 1 subscribers).

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 99.

Oct 30 01:41:22 mcb1 user.notice fw_manager[1063]: RPC #99 recieved. xpath -> /o-ran-software-management:software-inventory

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POWER_LANE_3", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 474.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 474 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4760155

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4161601

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POWER_LANE_4", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 475.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 475 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4760295

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4161705

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_BIAS_COUNT", but it is not

required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not

required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 476.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 476 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4760435

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4161809

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_BIAS_COUNT_LANE_2", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 477.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 477 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4760645

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4161965

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_BIAS_COUNT_LANE_3", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 478.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 478 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4760785

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4162069

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_BIAS_COUNT_LANE_4", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 479.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 479 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4760925

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4162173

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "VOLTAGE", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 480.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 480 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 19360

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4761065

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4162277

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:41:22 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:41:22 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:41:22 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TEMPERATURE", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 481.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 481 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Event "operational" with ID 99 succeeded.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 340 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 340 priority 0 succeeded.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Session 58: thread 3 event new RPC.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 16 priority 0 for 1 subscribers.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 16 priority 0 (remaining 1 subscribers).

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 16 priority 0 (remaining 0 subscribers).

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 16 priority 0 succeeded.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:22 mcb1 daemon.info netopeer2-server[980]: Session 58: thread 1 event new RPC.

Oct 30 01:41:24 mcb1 user.notice file_manager[1352]: RPC #286 recieved. xpath -> /o-ran-file-management:file-upload

Oct 30 01:41:27 mcb1 user.err file_manager[1352]: File transfer failed :Reason: Credentials validation failed

Oct 30 01:41:27 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-file-management" event with ID 93.

Oct 30 01:41:27 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 93 priority 0 (remaining 0 subscribers).

Oct 30 01:41:28 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:28 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:28 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:28 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:28 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/notifications:create-subscription" with ID 18 priority 0 for 1 subscribers.

Oct 30 01:41:28 mcb1 daemon.info netopeer2-server[980]: Processing "/notifications:create-subscription" "rpc" event with ID 18 priority 0 (remaining 1 subscribers).

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 18 priority 0 (remaining 0 subscribers).

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 18 priority 0 succeeded.

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Session 58: thread 1 event new RPC.

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 17 priority 0 for 1 subscribers.

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 17 priority 0 (remaining 1 subscribers).

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 17 priority 0 (remaining 0 subscribers).

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 17 priority 0 succeeded.

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Session 58: thread 2 event new RPC.

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Session 58: thread 2 event new RPC.

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Session 58: thread 2 event session terminated.

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 22 priority 0 for 1 subscribers.

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 22.

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 22 priority 0 (remaining 0 subscribers).

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-end).

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Call Home client "default-client" session terminated.

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:41:29 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:41:29 mcb1 auth.info sshd[26739]: Accepted password for root from 192.168.49.88 port 43818 ssh2

Oct 30 01:41:29 mcb1 authpriv.info sshd[26739]: pam_unix(sshd:session): session opened for user root by (uid=0)

Expected Result : The O-RU NETCONF Server responds with <rpc-reply><data> where

<data> contains details for objects as conforming to the <filter>.

```
================================================================
  **************** Actual Result *****************
================================================================


================================================================
Retrieval with filter applied                =        SUCCESS

================================================================
```