



@ FILE NAME: M_CTC_ID_018.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.1

Test Description : This scenario is MANDATORY for an O-RU supporting the Hybrid M-plane architecture model.

This test validates that user management model can be used to add users to the O-RU

This scenario corresponds to the following chapters in [3]:

3.3 SSH Connection Establishment

3.4 NETCONF Access Control

=====

STEP 1. The TER NETCONF Client establishes a connection with the O-RU NETCONF Server.

=====

=====

******* Connect to the NETCONF Server *******

=====

The authenticity of the host '::ffff:192.168.49.43' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

> status

Current NETCONF session:

ID : 5

Host : 192.168.49.43

Port : 830

Transport : SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0

urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0

urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0

urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit

urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0

urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15

urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,validate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06

urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04

urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14

urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history

urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

=====

> subscribe

=====

Ok

```
=====
##### Initial Get #####
=====
```

```
=====
> get --filter-xpath /o-ran-usermgmt:users/user
=====
```

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<users xmlns="urn:o-ran:user-mgmt:1.0">
  <user>
    <name>oranuser</name>
    <account-type>PASSWORD</account-type>
    <password>oranuser</password>
    <enabled>true</enabled>
  </user>
  <user>
    <name>operator</name>
    <account-type>PASSWORD</account-type>
    <password>admin1234895</password>
    <enabled>true</enabled>
  </user>
  <user>
    <name>observer</name>
    <account-type>PASSWORD</account-type>
    <password>admin123</password>
    <enabled>true</enabled>
  </user>
  <user>
    <name>installer</name>
    <account-type>PASSWORD</account-type>
    <password>wireless123</password>
    <enabled>true</enabled>
  </user>
  <user>
    <name>garuda</name>
    <account-type>PASSWORD</account-type>
    <password>garuda12345</password>
    <enabled>true</enabled>
  </user>
  <user>
    <name>operator11302326379</name>
    <account-type>PASSWORD</account-type>
    <password>Aemlsk9}{2xgQVF</password>
    <enabled>true</enabled>
  </user>
  <user>
    <name>operator44567591</name>
```

```
<account-type>PASSWORD</account-type>
<password>y07)BAFyAm0M7W1lc2mEA_D5[5YytpafL6xTTCXM%Q]~Z2Fv^</password>
<enabled>true</enabled>
</user>
<user>
<name>operator8075861281902</name>
<account-type>PASSWORD</account-type>
<password>GV2QSHVzl}B)vk(!tw2pZhuFkkn%L^E)wgk(Z{KfgXCpdkfEA+NGMY(B^+kDYB8R06v</password>
<enabled>true</enabled>
</user>
<user>
<name>operator17619020756748090</name>
<account-type>PASSWORD</account-type>
<password>nwk75gnD[44LqeBrwKFcBvaUNPKz6gARf_M.EHxwG.EGuk{-n_Os0avM}$XZ}LBYNb+)M!NcV0RunG}_-)9F2gu%nKKsd+X
kOgXvIYxh%QxBQsA7EYqB</password>
<enabled>true</enabled>
</user>
<user>
<name>operator86938204120707827368</name>
<account-type>PASSWORD</account-type>
<password>s8icesF.Hl~%FN4_]!MKBMVqa}{RUQkL07x.+)-VmZfAh3nJxwS+y6I!</password>
<enabled>true</enabled>
</user>
<user>
<name>operator7596639986022389968</name>
<account-type>PASSWORD</account-type>
<password>v+Dq5KtKuj(^!x</password>
<enabled>true</enabled>
</user>
<user>
<name>operator0126795795152205</name>
<account-type>PASSWORD</account-type>
<password>RdP1GycV9rjR15N_k7Hnz5wF)vjY~dxBE!v^MxSq4Gke1nCkSCW+1)1z%2}kOtLnjiWbjjEY7QUk%15H0g~QYlrR0bRkZMz1x
TyDy3ca6-r</password>
<enabled>true</enabled>
</user>
<user>
<name>operator119986</name>
<account-type>PASSWORD</account-type>
<password>1Xrl)+$ki)QoleMi)vVRig.u</password>
<enabled>true</enabled>
</user>
<user>
<name>stl</name>
<account-type>PASSWORD</account-type>
<password>stli12345</password>
<enabled>true</enabled>
</user>
</users>
```

```
</data>
```

```
=====
STEP 2. The TER NETCONF Client configures three new user accounts in addition to the default sudo
account already present and passwords these three accounts using o-ran-user.mgmt.yang
=====
```

```
=====
> edit-config --target running --config --defop merge
=====
```

```
=====
***** Replace with below xml *****
=====
```

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
<users xmlns="urn:o-ran:user-mgmt:1.0">
  <user>
    <name>operator72008202</name>
    <account-type>PASSWORD</account-type>
    <password>INxRH3HsE</password>
    <enabled>true</enabled>
  </user>
  <user>
    <name>operator06308723954138</name>
    <account-type>PASSWORD</account-type>
    <password>36eb.%^8cvTFI~5SYnjID9E7pVT$A9bJ]VKkDyfolI}Y~lV3uJWrh~]I^o4i}SzQJCD!ufgDHsR5pM-m-xLeMj(vl</password>
    <enabled>true</enabled>
  </user>
  <user>
    <name>operator21726001215379102</name>
    <account-type>PASSWORD</account-type>
    <password>PuUPKD.3JY4^2f1i$T~CTW12CO8yWjU$b}12jZwrb7kpkwd(b%2s1S}</password>
    <enabled>true</enabled>
  </user>
</users>
</config>
```

```
=====
##### RPC Reply #####
=====
```

Ok

```
=====
##### NOTIFICATIONS #####
=====
```

```
<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
```

```
<eventTime>2103-10-30T00:04:08Z</eventTime>
<netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
  <changed-by>
    <username>root</username>
    <session-id>5</session-id>
  </changed-by>
  <datastore>running</datastore>
  <edit>
    <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator72008202']</target>
    <operation>create</operation>
  </edit>
  <edit>
    <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator72008202']/o-ran-usermgmt:name</target>
    <operation>create</operation>
  </edit>
  <edit>
    <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator72008202']/o-ran-usermgmt:account-type</target>
    <operation>create</operation>
  </edit>
  <edit>
    <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator72008202']/o-ran-usermgmt:password</target>
    <operation>create</operation>
  </edit>
  <edit>
    <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator72008202']/o-ran-usermgmt:enabled</target>
    <operation>create</operation>
  </edit>
  <edit>
    <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator06308723954138']</target>
    <operation>create</operation>
  </edit>
  <edit>
    <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator06308723954138']/o-ran-usermgmt:name</target>
    <operation>create</operation>
  </edit>
```

```
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator06308723954138'
]/o-ran-usermgmt:account-type</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator06308723954138'
]/o-ran-usermgmt:password</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator06308723954138'
]/o-ran-usermgmt:enabled</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator21726001215379
102']</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator21726001215379
102']/o-ran-usermgmt:name</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator21726001215379
102']/o-ran-usermgmt:account-type</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator21726001215379
102']/o-ran-usermgmt:password</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator21726001215379
102']/o-ran-usermgmt:enabled</target>
    <operation>create</operation>
  </edit>
</netconf-config-change>
```

</notification>


```
=====
##### STEP 3. The TER NETCONF Client configures user account to group mappings for the
three
    new accounts using ietf-netconf-acm.yang respectively one with "nms", one with "fm-pm" and one
    with "swm" privilege. #####
=====
```

```
=====
> edit-config --target running --config --defop merge
=====
```

```
=====
***** Replace with below xml *****
=====
```

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
  <nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">
    <groups>
      <group>
        <name>fm-pm</name>
        <user-name>operator72008202</user-name>
      </group>
      <group>
        <name>nms</name>
        <user-name>operator06308723954138</user-name>
      </group>
      <group>
        <name>swm</name>
        <user-name>operator21726001215379102</user-name>
      </group>
    </groups>
  </nacm>
</config>
```

```
=====
STEP 4. The O-RU NETCONF Server confirms the operations for the above transactions.
=====
```

Ok

```
=====
##### NOTIFICATIONS #####
=====
```

```
<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
  <eventTime>2103-10-30T00:04:08Z</eventTime>
  <netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
    <changed-by>
      <username>root</username>
      <session-id>5</session-id>
```

```

</changed-by>
<datastore>running</datastore>
<edit>
  <target
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='fm-pm']/nacm:user-name[.='operator72008202']</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='nms']/nacm:user-name[.='operator06308723954138']</target>
    <operation>create</operation>
  </edit>
<edit>
  <target xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='swm']</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='swm']/nacm:name</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='swm']/nacm:user-name[.='operator21726001215379102']</target>
    <operation>create</operation>
  </edit>
</netconf-config-change>
</notification>

```

```

=====
> get --filter-xpath /ietf-netconf-acm:nacm/groups
=====

```

```

<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">
    <groups>
      <group>
        <name>sudo</name>
        <user-name>operator</user-name>
      </group>
      <group>
        <name>fm-pm</name>
        <user-name>observer</user-name>
        <user-name>operator72008202</user-name>
      </group>
      <group>

```

```
<name>nms</name>
<user-name>installer</user-name>
<user-name>operator06308723954138</user-name>
</group>
<group>
  <name>swm</name>
  <user-name>operator21726001215379102</user-name>
</group>
</groups>
</nacm>
</data>
```

=====

STEP 5. The TER NETCONF Client retrieves a list of users from O-RU NETCONF Server. The newly created user accounts and mappings are validated.

=====

=====

```
> get --filter-xpath /o-ran-usermgmt:users/user
```

=====

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <users xmlns="urn:o-ran:user-mgmt:1.0">
    <user>
      <name>oranuser</name>
      <account-type>PASSWORD</account-type>
      <password>oranuser</password>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator</name>
      <account-type>PASSWORD</account-type>
      <password>admin1234895</password>
      <enabled>true</enabled>
    </user>
    <user>
      <name>observer</name>
      <account-type>PASSWORD</account-type>
      <password>admin123</password>
      <enabled>true</enabled>
    </user>
    <user>
      <name>installer</name>
      <account-type>PASSWORD</account-type>
      <password>wireless123</password>
      <enabled>true</enabled>
    </user>
    <user>
      <name>garuda</name>
```

```
<account-type>PASSWORD</account-type>
<password>garuda12345</password>
<enabled>true</enabled>
</user>
<user>
<name>operator11302326379</name>
<account-type>PASSWORD</account-type>
<password>Aemlsk9}{2xgQVF</password>
<enabled>true</enabled>
</user>
<user>
<name>operator44567591</name>
<account-type>PASSWORD</account-type>
<password>yo7)BAFyAm0M7W1lc2mEA_D5[5YytpafL6xTTCXM%Q]~Z2Fv^</password>
<enabled>true</enabled>
</user>
<user>
<name>operator8075861281902</name>
<account-type>PASSWORD</account-type>
<password>GV2QSHVzl}B)vk(!tw2pZhuFkkn%L^E)wgk(Z{KfgXCpdkfEA+NGMY(B^+kDYB8R06v</password>
<enabled>true</enabled>
</user>
<user>
<name>operator17619020756748090</name>
<account-type>PASSWORD</account-type>
<password>nwk75gnD[44LqeBrwKFcBvaUNPKz6gArf_M.EHxwG.EGuk{-n_Os0avM}$XZ}LBYNb+)M!NcV0RunG}_{_~)9F2gu%nKKsd+X
kOgXvIYxh%QxBQsA7EYqB</password>
<enabled>true</enabled>
</user>
<user>
<name>operator86938204120707827368</name>
<account-type>PASSWORD</account-type>
<password>s8icesF.HI~%FN4_]!MKBMVqa]{RUQkL07x.+)-VmZfAh3nJxwS+y6I!</password>
<enabled>true</enabled>
</user>
<user>
<name>operator7596639986022389968</name>
<account-type>PASSWORD</account-type>
<password>v+Dq5KtKuj(^!x</password>
<enabled>true</enabled>
</user>
<user>
<name>operator0126795795152205</name>
<account-type>PASSWORD</account-type>
<password>RdP1GycV9r]R15N_k7Hnz5wF)vjY~dxBE!v^MxSq4Gke1nCkSCW+1)1z%2}kOtLnjiWbj]EY7QUk%15H0g~QYlrR0bRkZMz1x
TyDy3ca6-r</password>
<enabled>true</enabled>
</user>
<user>
```

```
<name>operator119986</name>
<account-type>PASSWORD</account-type>
<password>IXrl)+$ki)QolcMi)vVRig.u</password>
<enabled>true</enabled>
</user>
<user>
<name>stl</name>
<account-type>PASSWORD</account-type>
<password>stli12345</password>
<enabled>true</enabled>
</user>
<user>
<name>operator72008202</name>
<account-type>PASSWORD</account-type>
<password>INxRH3HsE</password>
<enabled>true</enabled>
</user>
<user>
<name>operator06308723954138</name>
<account-type>PASSWORD</account-type>
<password>36eb.%^8cvTFI~5SYnjID9E7pVT$A9bJjVKkDyfolI}Y~1V3uJWrh~jI^o4i}SzQJCD!ufgDHsR5pM-m-xLeMj(vl</password>
<enabled>true</enabled>
</user>
<user>
<name>operator21726001215379102</name>
<account-type>PASSWORD</account-type>
<password>PuUPKD.3JY4^2flI$T~CTW12CO8yWjU$b}12jZwrb7kpkwd(b%2s1S}</password>
<enabled>true</enabled>
</user>
</users>
</data>
```

=====

SYSTEM LOGS

=====

Oct 30 00:04:04 mcb1 daemon.info netopeer2-server[982]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 00:04:04 mcb1 daemon.info netopeer2-server[982]: getsockopt() error (Connection refused).

Oct 30 00:04:05 mcb1 daemon.info netopeer2-server[982]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 00:04:05 mcb1 daemon.info netopeer2-server[982]: getsockopt() error (Connection refused).

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Successfully connected to 192.168.49.88:4334 over IPv4.

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Session 363 (user "root", CID 1) created.

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Received an SSH message "request-auth" of subtype "password".

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: User "root" authenticated.

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Received an SSH message "request-channel-open" of subtype "session".

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Call Home client "default-client" session 5 established.

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Session 364 (user "root", CID 1) created.

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Published event "notif" "ietf-netconf-notifications" with ID 2 priority 0 for 1 subscribers.

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Generated new event (netconf-session-start).

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Published event "rpc" "/ietf-netconf:get" with ID 25 priority 0 for 1 subscribers.

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Processing "/ietf-netconf:get" "rpc" event with ID 25 priority 0 (remaining 1 subscribers).

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Successful processing of "rpc" event with ID 25 priority 0 (remaining 0 subscribers).

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Event "rpc" with ID 25 priority 0 succeeded.

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:06 mcb1 daemon.info netopeer2-server[982]: Session 5: thread 0 event new RPC.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Published event "rpc" "/ietf-netconf:get" with ID 26 priority 0 for 1 subscribers.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Processing "/ietf-netconf:get" "rpc" event with ID 26 priority 0 (remaining 1 subscribers).

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 9.

Oct 30 00:04:07 mcb1 user.notice fw_manager[1067]: RPC #9 recieved. xpath -> /o-ran-software-management:software-inventory

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Event "operational" with ID 9 succeeded.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Successful processing of "rpc" event with ID 26 priority 0 (remaining 0 subscribers).

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Event "rpc" with ID 26 priority 0 succeeded.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Session 5: thread 3 event new RPC.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Published event "rpc" "/ietf-netconf:get-config" with ID 2 priority 0 for 1 subscribers.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Processing "/ietf-netconf:get-config" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Event "rpc" with ID 2 priority 0 succeeded.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Session 5: thread 4 event new RPC.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Published event "rpc" "/notifications:create-subscription" with ID 2 priority 0 for 1 subscribers.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Processing "/notifications:create-subscription" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Event "rpc" with ID 2 priority 0 succeeded.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Session 5: thread 4 event new RPC.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Published event "rpc" "/ietf-netconf:get" with ID 27 priority 0 for 1 subscribers.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Processing "/ietf-netconf:get" "rpc" event with ID 27 priority 0 (remaining 1 subscribers).

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Successful processing of "rpc" event with ID 27 priority 0 (remaining 0 subscribers).

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Event "rpc" with ID 27 priority 0 succeeded.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:07 mcb1 daemon.info netopeer2-server[982]: Session 5: thread 1 event new RPC.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Published event "rpc" "/ietf-netconf:edit-config" with ID 2 priority 0 for 1 subscribers.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Published event "change" "o-ran-usermgmt" with ID 1 priority 0 for 1 subscribers.

Oct 30 00:04:08 mcb1 user.notice USERMGMT[1056]: operator72008202 added successfully !!

Oct 30 00:04:08 mcb1 user.notice USERMGMT[1056]: operator72008202 enabled !!

Oct 30 00:04:08 mcb1 user.notice USERMGMT[1056]: operator06308723954138 added successfully !!

Oct 30 00:04:08 mcb1 user.notice USERMGMT[1056]: operator06308723954138 enabled !!

Oct 30 00:04:08 mcb1 user.notice USERMGMT[1056]: operator21726001215379102 added successfully !!

Oct 30 00:04:08 mcb1 user.notice USERMGMT[1056]: operator21726001215379102 enabled !!

Oct 30 00:04:08 mcb1 user.notice USERMGMT[1056]: END OF CHANGES

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Event "change" with ID 1 priority 0 succeeded.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Published event "done" "o-ran-usermgmt" with ID 1 priority 0 for 1 subscribers.

Oct 30 00:04:08 mcb1 user.notice USERMGMT[1056]: END OF CHANGES

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator72008202']", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator72008202']/name", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of
"/o-ran-usermgmt:users/user[name='operator72008202']/account-type", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of
"/o-ran-usermgmt:users/user[name='operator72008202']/password", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of
"/o-ran-usermgmt:users/user[name='operator72008202']/enabled", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of
"/o-ran-usermgmt:users/user[name='operator06308723954138']", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of
"/o-ran-usermgmt:users/user[name='operator06308723954138']/name", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of
"/o-ran-usermgmt:users/user[name='operator06308723954138']/account-type", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator06308723954138']/password", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator06308723954138']/enabled", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator21726001215379102']", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator21726001215379102']/name", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator21726001215379102']/account-type", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator21726001215379102']/password", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator21726001215379102']/enabled", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "ietf-netconf-notifications" event with ID 3.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Published event "notif" "ietf-netconf-notifications" with ID 4 priority 0 for 2 subscribers.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Event "rpc" with ID 2 priority 0 succeeded.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator72008202']", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator72008202']/name", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Session 5: thread 1 event new RPC.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator72008202']/account-type", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator72008202']/password", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator72008202']/enabled", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator06308723954138']", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator06308723954138']/name", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator06308723954138']/account-type", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator06308723954138']/password", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator06308723954138']/enabled", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator21726001215379102']", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator21726001215379102']/name", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator21726001215379102']/account-type", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator21726001215379102']/password", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/o-ran-usermgmt:users/user[name='operator21726001215379102']/enabled", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "ietf-netconf-notifications" event with ID 4.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Published event "rpc" "/ietf-netconf:edit-config" with ID 3 priority 0 for 1 subscribers.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Published event "done" "ietf-netconf-acm" with ID 3 priority 0 for 4 subscribers.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Processing "ietf-netconf-acm" "done" event with ID 3 priority 0 (remaining 4 subscribers).

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Successful processing of "done" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Published event "notif" "ietf-netconf-notifications" with ID 5 priority 0 for 2 subscribers.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='fm-pm']/user-name[.='operator72008202']", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='nms']/user-name[.='operator06308723954138']", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='swm']", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='swm']/name", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='swm']/user-name[.='operator21726001215379102']", but it is not required.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "ietf-netconf-notifications" event with ID 5.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 5 priority 0 (remaining 0 subscribers).

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Event "rpc" with ID 3 priority 0 succeeded.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Session 5: thread 2 event new RPC.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Published event "rpc" "/ietf-netconf:get-config" with ID 3 priority 0 for 1 subscribers.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Processing "/ietf-netconf:get-config" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Event "rpc" with ID 3 priority 0 succeeded.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Session 5: thread 2 event new RPC.

Oct 30 00:04:08 mcb1 user.notice file_manager[1356]: RPC #3 recieved. xpath -> /o-ran-file-management:file-upload

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Published event "rpc" "/ietf-netconf:get-config" with ID 4 priority 0 for 1 subscribers.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Processing "/ietf-netconf:get-config" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Event "rpc" with ID 4 priority 0 succeeded.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:08 mcb1 daemon.info netopeer2-server[982]: Session 5: thread 2 event new RPC.

Oct 30 00:04:09 mcb1 user.notice file_manager[1356]: /O-RAN/PM/C210310300853+0850_210310300854+0850_ru-module.csv File is Uploaded

Oct 30 00:04:09 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "o-ran-file-management" event with ID 3.

Oct 30 00:04:09 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: Session 4: thread 2 event new RPC.

Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: Session 4: thread 2 event session terminated.

Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: Published event "notif" "ietf-netconf-notifications" with ID 6 priority 0 for 1 subscribers.

Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: Generated new event (netconf-session-end).

Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "ietf-netconf-notifications" event with ID 6.

Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 6 priority 0 (remaining 0 subscribers).

Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!

Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!

Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!

Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 175529

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.490
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-octets: 154973
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED
Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: sr_event_notif_send API failed
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 175529

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.490

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-octets: 154973

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: sr_event_notif_send API failed
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 175529
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.490
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-octets: 154973
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED
Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: sr_event_notif_send API failed
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 175529
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.490
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-octets: 154973
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED
Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: sr_event_notif_send API failed
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 175529

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.490

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-octets: 154973

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: sr_event_notif_send API failed
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.err UPLANECONF[1377]: Failed at uplane get item !!
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 175529
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.490
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-octets: 154973
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED
Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: sr_event_notif_send API failed
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 175529
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 175739

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.490

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-octets: 155129

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...
Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER_LANE_2", but it is not required.
Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.
Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.
Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "o-ran-performance-management" event with ID 30.
Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 30 priority 0 (remaining 0 subscribers).
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 175949
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.490
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-octets: 155285
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER_LANE_3", but it is not required.

Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "o-ran-performance-management" event with ID 31.

Oct 30 00:04:10 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 31 priority 0 (remaining 0 subscribers).

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0

Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0

Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 176159
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.490
Oct 30 00:04:10 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-octets: 155441
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 00:04:10 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED
Oct 30 00:04:10 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:10 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER_LANE_4", but it is not required.

Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "o-ran-performance-management" event with ID 32.

Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 32 priority 0 (remaining 0 subscribers).

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 176369

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.490

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-octets: 155597

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 00:04:11 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 00:04:11 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POPWER", but it is not required.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "o-ran-performance-management" event with ID 33.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 33 priority 0 (remaining 0 subscribers).
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 176579
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POWER_LANE_3", but it is not required.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "o-ran-performance-management" event with ID 35.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 35 priority 0 (remaining 0 subscribers).
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 176789
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.490

Page 38

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_BIAS_COUNT", but it is not required.

Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "o-ran-performance-management" event with ID 37.

Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 37 priority 0 (remaining 0 subscribers).

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 176929

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.490

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-octets: 156013

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 00:04:11 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 00:04:11 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_BIAS_COUNT_LANE_2", but it is not required.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "o-ran-performance-management" event with ID 38.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 38 priority 0 (remaining 0 subscribers).
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0

Page 42

is not required.

```
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not
required.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "o-ran-performance-management" event with ID 39.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 39 priority 0 (remaining 0 subscribers).
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 177315
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.490
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-octets: 156309
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 00:04:11 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED
Oct 30 00:04:11 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
```

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_BIAS_COUNT_LANE_4", but it is not required.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "o-ran-performance-management" event with ID 40.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 40 priority 0 (remaining 0 subscribers).
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 177385
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File:/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-errors: 0
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.490
Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File:/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-octets: 156361
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-discards: 0
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-errors: 0
Oct 30 00:04:11 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:56 DATA FOR
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED
Oct 30 00:04:11 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:57
get-maximum-number-of-transport-flow
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "VOLTAGE", but it is not required.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "o-ran-performance-management" event with ID 41.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 41 priority 0 (remaining 0 subscribers).
Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : lo

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-octets: 1408

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : lo in-errors: 0

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-octets: 177455

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.428

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IFMNGR: getting state of interface : eth1.490

Oct 30 00:04:11 mcb1 user.err nw_manager[1016]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-octets: 156413

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 00:04:11 mcb1 user.info nw_manager[1016]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 00:04:11 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 00:04:11 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!

Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 user.err SYSREPO_CB_PM[1377]: Failed at get item for eaxc-id!!
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TEMPERATURE", but it is not required.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Processing "notif" "o-ran-performance-management" event with ID 42.
Oct 30 00:04:11 mcb1 daemon.info netopeer2-server[982]: Successful processing of "notif" event with ID 42 priority 0 (remaining 0 subscribers).
Oct 30 00:04:13 mcb1 daemon.info netopeer2-server[982]: Session 5: thread 2 event new RPC.
Oct 30 00:04:13 mcb1 daemon.info netopeer2-server[982]: Session 5: thread 2 event session terminated.
Oct 30 00:04:13 mcb1 daemon.info netopeer2-server[982]: There are no subscribers for "ietf-netconf-notifications" notifications.
Oct 30 00:04:13 mcb1 daemon.info netopeer2-server[982]: Generated new event (netconf-session-end).
Oct 30 00:04:13 mcb1 daemon.info netopeer2-server[982]: Call Home client "default-client" session terminated.
Oct 30 00:04:13 mcb1 daemon.info netopeer2-server[982]: Trying to connect via IPv4 to 192.168.49.88:4334.
Oct 30 00:04:13 mcb1 daemon.info netopeer2-server[982]: getsockopt() error (Connection refused).
Oct 30 00:04:13 mcb1 auth.info sshd[5279]: Accepted password for root from 192.168.49.88 port 43048 ssh2
Oct 30 00:04:13 mcb1 authpriv.info sshd[5279]: pam_unix(sshd:session): session opened for user root by (uid=0)

Expected Result : The TER NETCONF Client retrieves a list of users from O-RU NETCONF Server. The newly created user accounts and mappings are validated.

=====

***** Actual Result *****

=====

=====

Sudo on Hybrid M-plane Architecture (positive case) = SUCCESS

=====