



@ FILE NAME: M\_CTC\_ID\_011.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for LPRU: v1.1.0

Test Description: This scenario validates that the O-RU NETCONF Server properly executes a get command with a filter applied.



\_\_\_\_\_

## \*\*\*\*\*\* Connect to the NETCONF Server \*\*\*\*\*\*\*

\_\_\_\_\_

> connect --ssh --host 192.168.214.37 --port 830 --login operator

Interactive SSH Authentication

Type your password:

Password:

> status

Current NETCONF session:

ID : 1

Host : 192.168.214.37

Port: 830 Transport: SSH Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0 urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0

urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit

urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0

urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn: ietf: params: xml: ns: yang: ietf-yang-types? module = ietf-yang-types & revision = 2013-07-15

urn: ietf: params: netconf: capability: yang-library: 1.1? revision = 2019-01-04 & content-id = 61

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid

urn: ietf: params: xml: ns: yang: ietf-net conf-notifications? module = ietf-net conf-notifications & revision = 2012-02-06 and the conf-notifications is a simple of the conf-notification of the conf-notification is a simple of the conf-notification of the conf-notification is a simple of the conf-notification of the

urn: ietf: params: xml: ns: yang: ietf-netconf-monitoring? module = ietf-netconf-monitoring & revision = 2010-10-04

urn: ietf: params: xml: ns: netconf: notification: 1.0? module = notifications & revision = 2008-07-14

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14

urn: ietf: params: xml: ns: yang: ietf-x509-cert-to-name? module = ietf-x509-cert-to-name & revision = 2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification\_history?module=notification\_history urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

\_\_\_\_\_

## > subscribe

Ok



\*\*\*\*\*\*\*step 1 and 2 Retrival of ru information with filter \*\*\*\*\*\*\* get --filter-xpath /o-ran-usermgmt:users/user \_\_\_\_\_ <?xml version="1.0" ?> <data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0"> <users xmlns="urn:o-ran:user-mgmt:1.0"> <user> <name>oranuser</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>observer</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>installer</name> <account-type>PASSWORD</account-type> <enabled>true</enabled>

</user>
</users>
</data>



\_\_\_\_\_\_

## 

Nov 4 00:00:53 vvdn\_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:00:53 vvdn\_lpru daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Nov 4 00:00:54 vvdn\_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:00:54 vvdn\_lpru daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Successfully connected to 192.168.214.234:4334 over IPv4.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Session 76 (user "root", CID 1) created.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: User "operator" authenticated.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session 1 established.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Session 77 (user "root", CID 1) created.

Nov 4 00:00:55 vvdn lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Session 1: thread 3 event new RPC.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Nov 4 00:00:55 vvdn lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...



Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:00:55 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:00:55 vvdn lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:55 vvdn lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:name" with the value "eth0.6", but it is not required.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-interfaces:interfaces:interfaces:interfaces:interfaces:name = current()/../interface-name]/o-ran-interfaces:vlan-id" with the value "6", but it is not required.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:name" with the value "eth0", but it is not required.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface[ietf-interfaces:name =

current()/../interface-name]/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 1.

Nov 4 00:00:56 vvdn\_lpru user.notice fw\_manager[929]: RPC #1 recieved. xpath -> /o-ran-software-management:software-inventory

 $Nov\ \ 4\ 00:00:56\ vvdn\_lpru\ daemon.info\ netopeer 2-server [858]:\ Event\ "operational"\ with\ ID\ 1\ succeeded.$ 

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov  $4\,00:00:56\,vvdn\_lpru$  daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:56 vvdn lpru daemon.info netopeer2-server[858]: Session 1: thread 1 event new RPC.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.



Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:00:56 vvdn\_lpru daemon.info netopeer2-server[858]: Session 1: thread 0 event new RPC.

Nov 4 00:00:59 vvdn\_lpru user.notice SYNCMNGR[1175]: Received message from S-Plane

Nov 4 00:00:59 vvdn\_lpru user.notice SYNCMNGR[1175]: SYNC Lock state : FREE RUN

Nov 4 00:00:59 vvdn\_lpru user.notice SYNCMNGR[1175]: SYNCE Lock state: UNLOCKED

Nov 4 00:00:59 vvdn\_lpru user.notice SYNCMNGR[1175]: PTP Lock state: UNLOCKED

Nov 4 00:00:59 vvdn\_lpru user.err FAULT MANAGER[873]: sendData : Source ID: 15

Nov 4 00:00:59 vvdn\_lpru user.err FAULT MANAGER[873]: sendData : Fault ID: 18

Nov 4 00:00:59 vvdn\_lpru user.err FAULT MANAGER[873]: sendData : FAULT\_IS\_CLEARED: FALSE

Nov 4 00:00:59 vvdn\_lpru user.err FAULT MANAGER[873]: sendData : FAULT\_SEVERITY: 3

Nov 4 00:00:59 vvdn\_lpru user.err FAULT MANAGER[873]: sendData : FAULT\_TIME: 2000-11-04T00:00:59Z

Nov 4 00:01:00 vvdn\_lpru user.err FAULT MANAGER[873]: sendData : Source ID: 15

Nov  $4\,00:01:00\,vvdn\_lpru\,user.err\,FAULT\,MANAGER[873]:\,sendData:Fault\,ID:\,18$ 

Nov 4 00:01:00 vvdn\_lpru user.err FAULT MANAGER[873]: sendData : FAULT\_IS\_CLEARED: FALSE

Nov 4 00:01:00 vvdn\_lpru user.err FAULT MANAGER[873]: sendData: FAULT\_SEVERITY: 3

Nov 4 00:01:00 vvdn\_lpru user.err FAULT MANAGER[873]: sendData: FAULT\_TIME: 2000-11-04T00:01:00Z

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/notifications:create-subscription" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: Session 1: thread 1 event new RPC.

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:01 vvdn lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 2 priority 0 for 1



## subscribers.

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:01 vvdn lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:01 vvdn\_lpru daemon.info netopeer2-server[858]: Session 1: thread 1 event new RPC.

Nov 4 00:01:02 vvdn\_lpru daemon.info netopeer2-server[858]: Session 1: thread 1 event new RPC.

Nov 4 00:01:02 vvdn\_lpru daemon.info netopeer2-server[858]: Session 1: thread 1 event session terminated.

Nov 4 00:01:02 vvdn\_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:01:02 vvdn\_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-end).

Nov 4 00:01:02 vvdn\_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session terminated.

Nov 4 00:01:02 vvdn\_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:02 vvdn\_lpru daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Nov 4 00:01:02 vvdn\_lpru authpriv.debug sshd[2229]: pam\_unix(sshd:account): account operator has password changed in future

Nov 4 00:01:02 vvdn\_lpru auth.info sshd[2229]: Accepted password for operator from 192.168.214.234 port 43202 ssh2

Nov 4 00:01:02 vvdn\_lpru authpriv.info sshd[2229]: pam\_unix(sshd:session): session opened for user operator by (uid=0)



Expected Result : The O-RU NETCONF Server responds with <rpc-reply><data> where</data></rpc-reply>			
<data> contains details for objects as conforming to the <filter>.</filter></data>			
			======
******* Actual Result ***********			
Retrieval with filter applied		SUCCESS	
Ketrievai with inter applied	=	SUCCESS	