



**@ FILE NAME: M\_CTC\_ID\_011.txt**

**@ TEST SCOPE: M PLANE O-RAN CONFORMANCE**

**@ Software Release for MCB1: v1.0.5**

**Test Description : This scenario validates that the O-RU NETCONF Server properly executes a get command with a filter applied.**

=====

**\*\*\*\*\* Connect to the NETCONF Server \*\*\*\*\***

=====

> listen --ssh --login operator

Waiting 60s for an SSH Call Home connection on port 4334...

The authenticity of the host '192.168.4.39' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

> status

Current NETCONF session:

ID : 2

Host : 192.168.4.39

Port : 830

Transport : SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0  
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0  
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0  
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit  
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0  
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05  
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20  
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15  
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15  
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63  
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10  
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14  
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,validate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01  
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06  
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04  
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14  
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14  
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10  
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification\_history?module=notification\_history  
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

=====

> subscribe

=====

Ok

```
=====
*****step 1 and 2 Retrival of ru information with filter *****
=====
```

```
=====
get --filter-xpath /o-ran-usermgmt:users/user
=====
```

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<users xmlns="urn:o-ran:user-mgmt:1.0">
<user>
<name>oranuser</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>operator</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>observer</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>installer</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
</users>
</data>
```

## =====

**##### SYSTEM LOGS #####**

=====

Oct 29 14:27:20 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 14:27:20 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 14:27:21 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 14:27:21 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Successfully connected to 192.168.4.15:4334 over IPv4.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Session 116 (user "root", CID 1) created.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-auth" of subtype "password".

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: User "operator" authenticated.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel-open" of subtype "session".

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Call Home client "default-client" session 2 established.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Session 117 (user "root", CID 1) created.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-start).

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 4 priority 0 for 1 subscribers.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 4 priority 0 succeeded.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Session 2: thread 4 event new RPC.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 5 priority 0 for 1 subscribers.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 5 priority 0 (remaining 1 subscribers).

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 3.

Oct 29 14:27:22 mcb1 user.notice fw\_manager[1060]: RPC #3 recieved. xpath -> /o-ran-software-management:software-inventory

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 3 succeeded.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 5 priority 0 (remaining 0 subscribers).

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 5 priority 0 succeeded.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Session 2: thread 2 event new RPC.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get-config" with ID 2 priority 0 for 1 subscribers.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get-config" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 2 priority 0 succeeded.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:22 mcb1 daemon.info netopeer2-server[986]: Session 2: thread 3 event new RPC.

Oct 29 14:27:26 mcb1 user.notice SYNCMNGR[1306]: Received message from S-Plane

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/notifications:create-subscription" with ID 2 priority 0 for 1 subscribers.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Processing "/notifications:create-subscription" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 2 priority 0 succeeded.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Session 2: thread 3 event new RPC.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get-config" with ID 3 priority 0 for 1 subscribers.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get-config" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 3 priority 0 succeeded.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Session 2: thread 4 event new RPC.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Session 2: thread 4 event new RPC.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Session 2: thread 4 event session terminated.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-end).

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Call Home client "default-client" session terminated.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 14:27:30 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 14:27:30 mcb1 auth.info sshd[21025]: Accepted password for operator from 192.168.4.15 port 38226 ssh2

Oct 29 14:27:30 mcb1 authpriv.info sshd[21025]: pam\_unix(sshd:session): session opened for user operator by (uid=0)

**Expected Result : The O-RU NETCONF Server responds with <rpc-reply><data> where <data> contains details for objects as conforming to the <filter>.**

=====

\*\*\*\*\* Actual Result \*\*\*\*\*

=====

=====

<b>Retrieval with filter applied</b>	<b>=</b>	<b>SUCCESS</b>
--------------------------------------	----------	----------------

=====