@ FILE NAME: M_CTC_ID_019.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1:   v1.0.1

Test Description : This scenario is MANDATORY for an O-RU supporting the Hybrid M-plane architecture model.

This test validates that the O-RU correctly implements NETCONF Access Control security aspects.

The scenario corresponds to the following chapters in [3]:

3.3 SSH Connection Establishment

3.4 NETCONF Access Control

==
STEP 1. The TER NETCONF Client establishes a connection with the O-RU NETCONF Server.
==

==

********** Connect to the NETCONF Server **********

==
> listen --ssh --login root

　　　　Waiting 60s for an SSH Call Home connection on port 4334...

　　　　The authenticity of the host '::ffff:192.168.49.43' cannot be established.

　　　　ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

　　　　Interactive SSH Authentication done.

　　> status

　　Current NETCONF session:

　　ID　　　: 60

　　Host　　: 192.168.49.43

　　Port　　: 830

　　Transport　: SSH

　　Capabilities:

　　urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0

urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0

urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0

urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit

urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0

urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15

urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid

ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06

urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04

urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14

urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history

urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

==
> subscribe
==

Ok

==
########## **Step 2 and 3 O-RU NETCONF server replies by silently omitting data nodes###################**
==

===
> get --filter-xpath /o-ran-usermgmt:users/user
===

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
 <users xmlns="urn:o-ran:user-mgmt:1.0">
  <user>
   <name>oranuser</name>
   <account-type>PASSWORD</account-type>
   <password>oranuser</password>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator</name>
   <account-type>PASSWORD</account-type>
   <password>admin1234895</password>
   <enabled>true</enabled>
  </user>
  <user>
   <name>observer</name>
   <account-type>PASSWORD</account-type>
   <password>admin123</password>
   <enabled>true</enabled>
  </user>
  <user>
   <name>installer</name>
   <account-type>PASSWORD</account-type>
   <password>wireless123</password>
   <enabled>true</enabled>
  </user>
  <user>
   <name>garuda</name>
   <account-type>PASSWORD</account-type>
   <password>garuda12345</password>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator11302326379</name>
   <account-type>PASSWORD</account-type>
   <password>Aemlsk9}{2xgQVF</password>
   <enabled>true</enabled>
  </user>
  <user>
```

  <name>operator44567591</name>
  <account-type>PASSWORD</account-type>
  <password>yo7)BAFyAm0M7W1lc2mEA_D5[5YytpafL6xTTCXM%Q]~Z2Fv^</password>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator8075861281902</name>
  <account-type>PASSWORD</account-type>
  <password>GV2QSHVzl}B)vk(!tw2pZhuFkkn%L^E)wgk(Z{KfgXCpdkfEA+NGMY(B^+kDYB8R06v</password>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator17619020756748090</name>
  <account-type>PASSWORD</account-type>
  <password>nwk75gnD[44LqeBrwKFcBvaUNPKz6gARf_M.EHxwG.EGuk{-n_Os0avM}$XZ}LBYNb+)M!NcV0RunG}_-)9F2gu%nKKsd+X
kOgXvIYxh%QxBQsA7EYqB</password>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator86938204120707827368</name>
  <account-type>PASSWORD</account-type>
  <password>s8icesF.Hl~%FN4_]!MKBMVqa]{RUQkL07x.+)-VmZfAh3nJxwS+y6I!</password>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator7596639986022389968</name>
  <account-type>PASSWORD</account-type>
  <password>v+Dq5KtKuj(^!x</password>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator0126795795152205</name>
  <account-type>PASSWORD</account-type>
  <password>RdP1GycV9r]R15N_k7Hnz5wF)vjY~dxBE!v^MxSq4Gke1nCkSCW+1)1z%2}kOtLnjiWbj]EY7QUk%15H0g~QYlrR0bRkZMz1x
TyDy3ca6-r</password>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator119986</name>
  <account-type>PASSWORD</account-type>
  <password>1Xrl)+$ki)QolcMi)vVRig.u</password>
  <enabled>true</enabled>
 </user>
 <user>
  <name>stl</name>
  <account-type>PASSWORD</account-type>
  <password>stli12345</password>
  <enabled>true</enabled>
 </user>

```
<user>
 <name>operator72008202</name>
 <account-type>PASSWORD</account-type>
 <password>INxRH3HsE</password>
 <enabled>true</enabled>
</user>
<user>
 <name>operator06308723954138</name>
 <account-type>PASSWORD</account-type>
 <password>36eb.%^8cvTFI~5SYnjID9E7pVT$A9bJ]VKkDyfolI}Y~1V3uJWrh~]I^o4i}SzQJCD!ufgDHsR5pM-m-xLeMj(vl</password>
 <enabled>true</enabled>
</user>
<user>
 <name>operator21726001215379102</name>
 <account-type>PASSWORD</account-type>
 <password>PuUPKD.3JY4^2f1i$T~CTW12CO8yWjU$b}12jZwrb7kpkwd(b%2s1S}</password>
 <enabled>true</enabled>
</user>
<user>
 <name>operator441110748091</name>
 <account-type>PASSWORD</account-type>
 <password>uo7gz!W^7YY9Z23.%JJ$u[gDTV8E4EQuhke.8te(7xrg3v9kkN!6E3^VWGI-NuR^oQO-Z9~rDUBDqgxNC~u%]rKM1YSv.nD{pI</password>
 <enabled>true</enabled>
</user>
<user>
 <name>operator9933599780531</name>
 <account-type>PASSWORD</account-type>
 <password>lYK+djMy^bdGzSM)GBkY2PgQ5</password>
 <enabled>true</enabled>
</user>
<user>
 <name>operator682309505800</name>
 <account-type>PASSWORD</account-type>
 <password>W~V.FdF{rXU)11z~.Iob}m6kkMdi~UOD_CKfEwfc^b.q[oQ1cA)n(sFmLaF.1z$t%50])Y4WzC~ShIc^zr1Ut!7</password>
 <enabled>true</enabled>
</user>
<user>
 <name>operator13000</name>
 <account-type>PASSWORD</account-type>
 <password>+hgmsksT4LdHGfixUgry~!8ZdlTO7{aF][lj(ulCaDXizCxl+-}Gr5O-(Znes+0]n)n[%V8n(oMiLCfM!.nx5J_CGiQmEpaiDoG89i</password>
 <enabled>true</enabled>
</user>
</users>
</data>
```

```
====================================================================
  ############ SYSTEM LOGS #############
====================================================================
```

Oct 30 01:42:43 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:42:43 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:42:44 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:42:44 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:42:44 mcb1 user.notice SYNCMNGR[1310]: Received message from S-Plane

Oct 30 01:42:44 mcb1 user.notice file_manager[1352]: RPC #294 recieved. xpath -> /o-ran-file-management:file-upload

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Successfully connected to 192.168.49.88:4334 over IPv4.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Session 20439 (user "root", CID 1) created.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-auth" of subtype "password".

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: User "root" authenticated.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel-open" of subtype "session".

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Call Home client "default-client" session 60 established.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Session 20440 (user "root", CID 1) created.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 28 priority 0 for 2 subscribers.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 28.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 28 priority 0 (remaining 0 subscribers).

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-start).

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get" with ID 344 priority 0 for 1 subscribers.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get" "rpc" event with ID 344 priority 0 (remaining 1 subscribers).

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 344 priority 0 (remaining 0 subscribers).

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 344 priority 0 succeeded.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Session 60: thread 2 event new RPC.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get" with ID 345 priority 0 for 1 subscribers.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get" "rpc" event with ID 345 priority 0 (remaining 1 subscribers).

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 101.

Oct 30 01:42:45 mcb1 user.notice fw_manager[1063]: RPC #101 recieved. xpath -> /o-ran-software-management:software-inventory

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Event "operational" with ID 101 succeeded.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 345 priority 0 (remaining 0 subscribers).

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 345 priority 0 succeeded.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Session 60: thread 2 event new RPC.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 21 priority 0 for 1 subscribers.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 21 priority 0 (remaining 1 subscribers).

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 21 priority 0 (remaining 0 subscribers).

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 21 priority 0 succeeded.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:45 mcb1 daemon.info netopeer2-server[980]: Session 60: thread 3 event new RPC.

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/notifications:create-subscription" with ID 21 priority 0 for 1 subscribers.

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: Processing "/notifications:create-subscription" "rpc" event with ID 21 priority 0 (remaining 1 subscribers).

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 21 priority 0 (remaining 0 subscribers).

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 21 priority 0 succeeded.

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: Session 60: thread 3 event new RPC.

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 22 priority 0 for 1 subscribers.

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 22 priority 0 (remaining 1 subscribers).

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 22 priority 0 (remaining 0 subscribers).

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 22 priority 0 succeeded.

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:46 mcb1 daemon.info netopeer2-server[980]: Session 60: thread 4 event new RPC.

Oct 30 01:42:48 mcb1 user.err file_manager[1352]: File transfer failed :Reason: Credentials validation failed

Oct 30 01:42:48 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-file-management" event with ID 101.

Oct 30 01:42:48 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 101 priority 0 (remaining 0 subscribers).

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4834061

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4222115

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4834061

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4222115

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4834061

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4222115

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4834061

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4222115

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4834061

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4222115

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!
Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed
Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:50 mcb1 user.err UPLANECONF[1374]: Failed at uplane get item !!
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED
Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state
Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo
Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0
Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0
Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1
Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4834061
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0
Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428
Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0
Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4222115

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: sr_event_notif_send API failed

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4834061

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4222115

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 580.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 580 priority 0 (remaining 0 subscribers).

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4834481

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4222427

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER_LANE_2", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 581.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 581 priority 0 (remaining 0 subscribers).

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4834901

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4222739

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER_LANE_3", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 582.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 582 priority 0 (remaining 0 subscribers).

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4835321

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4223051

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER_LANE_4", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 583.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 583 priority 0 (remaining 0 subscribers).

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4835741

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4223363

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POPWER", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 584.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 584 priority 0 (remaining 0 subscribers).

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4836161

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4223675

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POWER_LANE_2", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 585.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 585 priority 0 (remaining 0 subscribers).

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4836511

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4223935

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POWER_LANE_3", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 586.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 586 priority 0 (remaining 0 subscribers).

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4836651

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4224039

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POWER_LANE_4", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 587.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 587 priority 0 (remaining 0 subscribers).

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4836791

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4224143

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57 get-maximum-number-of-transport-flow

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref "/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_BIAS_COUNT", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: There is no leafref "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 588.

Oct 30 01:42:50 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 588 priority 0 (remaining 0 subscribers).

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4836931

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4224247

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:50 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:50 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:50 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_BIAS_COUNT_LANE_2", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 589.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 589 priority 0 (remaining 0 subscribers).

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20856

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4837071

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4224351

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR "o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57 get-maximum-number-of-transport-flow

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_BIAS_COUNT_LANE_3", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 590.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 590 priority 0 (remaining 0 subscribers).

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20944

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4837211

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4224455

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_BIAS_COUNT_LANE_4", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 591.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 591 priority 0 (remaining 0 subscribers).

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20944

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4837351

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4224559

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "VOLTAGE", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 592.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 592 priority 0 (remaining 0 subscribers).

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20944

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4837491

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4224663

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TEMPERATURE", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 593.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 593 priority 0 (remaining 0 subscribers).

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20944

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4837631

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4224767

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 594.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 594 priority 0 (remaining 0 subscribers).

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20944

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4837771

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4224871

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER_LANE_2", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 595.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 595 priority 0 (remaining 0 subscribers).

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20944

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4837911

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4224975

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER_LANE_3", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 596.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 596 priority 0 (remaining 0 subscribers).

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20944

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4838307

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4225335

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "RX_POWER_LANE_4", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 597.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 597 priority 0 (remaining 0 subscribers).

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20944

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4838447

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4225439

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POPWER", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 598.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 598 priority 0 (remaining 0 subscribers).

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20944

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Session 60: thread 4 event new RPC.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Session 60: thread 4 event session terminated.

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4838587

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4225595

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POWER_LANE_2", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 599.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 599 priority 0 (remaining 0 subscribers).

Oct 30 01:42:51 mcb1 daemon.err netopeer2-server[980]: Session 60: invalid session to write to.

Oct 30 01:42:51 mcb1 daemon.err netopeer2-server[980]: Session 60: failed to write notification (error).

Oct 30 01:42:51 mcb1 daemon.err netopeer2-server[980]: Sending a notification to session 60 failed.

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20944

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4840466

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4227260

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 29 priority 0 for 2

subscribers.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-end).

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 29.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 29 priority 0 (remaining 0 subscribers).

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Call Home client "default-client" session terminated.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.49.88:4334.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POWER_LANE_3", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 600.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 600 priority 0 (remaining 0 subscribers).

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 30 01:42:51 mcb1 auth.info sshd[28098]: Accepted password for root from 192.168.49.88 port 39344 ssh2

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : lo

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-octets: 20944

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : lo in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-discards: 0

Oct 30 01:42:51 mcb1 authpriv.info sshd[28098]: pam_unix(sshd:session): session opened for user root by (uid=0)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth0 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-octets: 4841588

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.428

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.428 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.490

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-octets: 4228166

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.490 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.100

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.100 in-errors: 0

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IFMNGR: getting state of interface : eth1.120

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-octets: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-discards: 0

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: Interface : eth1.120 in-errors: 0

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:56 DATA FOR

"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED

Oct 30 01:42:51 mcb1 user.notice PROCESSING-ELEMENTS[1321]: @function:pe_get_items_cb line:57

get-maximum-number-of-transport-flow

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 user.err SYSREPO_CB_PM[1374]: Failed at get item for eaxc-id!!

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/performance-measurement-objects/transceiver-measurement-objects/measurement-object" with the value "TX_POWER_LANE_4", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "1", but it is not required.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "o-ran-performance-management" event with ID 601.

Oct 30 01:42:51 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 601 priority 0 (remaining 0 subscribers).

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 30 01:42:51 mcb1 user.info nw_manager[1012]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.428/speed reading failed errno:(Invalid argument)
Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.490/speed reading failed errno:(Invalid argument)
Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)
Oct 30 01:42:51 mcb1 user.err nw_manager[1012]: IF_CFG: File,/sys/class/net/eth1.120/speed reading failed errno:(Invalid argument)

Expected Result : The O-RU NETCONF server replies by silently omitting data nodes and their descendants to which the client does not have read access from the <rpc-reply> message

```
========================================================================
  ***************** Actual Result *****************
========================================================================


========================================================================
***************** FAIL_REASON *******************
========================================================================
admin1234895
========================================================================
```

Access Control Sudo (negative case)   =   FAIL

```
========================================================================
```