



@ FILE NAME: M\_CTC\_ID\_021.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for Garuda RevD: v5.0.2

Test Description: This scenario is MANDATORY for an O-RU supporting the Hybrid M-plane architecture model.

This test validates that the O-RU correctly implements NETCONF Access Control user privileges.

The scenario corresponds to the following chapters in [3]:

3.4 NETCONF Access Control



\_\_\_\_\_

\*\*\*\*\*\* Initial Get \*\*\*\*\*\*\*

\_\_\_\_\_\_

> connect --ssh --host 192.168.4.40 --port 830 --login operator

Interactive SSH Authentication

Type your password:

Password:

\_\_\_\_\_\_

## > get --filter-xpath /o-ran-usermgmt:users/user

\_\_\_\_\_

<enabled>true</enabled>
</user>

<user>

<name>observer</name>

<account-type>PASSWORD</account-type>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>installer</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>operator363904219774937034226</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>operator0534452414116716545446</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>operator6163823880175</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>





</user>

</users>

</data>



\_\_\_\_\_\_

\*\*\*\*\*\* Connect to the NETCONF Server \*\*\*\*\*\*\*\*

## STEP 1 TER NETCONF client establishes a connection using a user account with fm-pm privileges.

> connect --ssh --host 192.168.4.40 --port 830 --login observer

Interactive SSH Authentication

Type your password:

Password:

> status

Current NETCONF session:

ID : 30

Host : 192.168.4.40

Port: 830 Transport: SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0

 $urn: ietf: params: netconf: capability: candidate: 1.0 \ urn: ietf: params: netconf: capability: rollback-on-error: 1.0$ 

urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0

urn: ietf: params: netconf: capability: with-defaults: 1.0? basic-mode = explicit & also-supported = report-all, report-all-tagged, trim, explicit & also-supported = report-all, report-all-tagged, trim, explicit & also-supported = report-all, report-all-tagged, trim, explicit & also-supported = report-all-tagged, trim, explicit & also-supported =

 $urn: ietf: params: netconf: capability: notification: 1.0 \ urn: ietf: params: netconf: capability: interleave: 1.0 \ urn: ietf: params: netconf: params: netc$ 

urn: ietf: params: xml: ns: yang: ietf-yang-metadata? module = ietf-yang-metadata & revision = 2016-08-05 + 1000

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn: ietf: params: xml: ns: yang: ietf-yang-types? module = ietf-yang-types & revision = 2013-07-15

urn: ietf: params: netconf: capability: yang-library: 1.1? revision = 2019-01-04 & content-id = 61

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn: ietf: params: xml: ns: netconf: base: 1.0? module = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, rollback-on-error, rollback-on-error,

ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06

urn: ietf: params: xml: ns: yang: ietf-netconf-monitoring? module = ietf-netconf-monitoring & revision = 2010-10-04

urn: ietf: params: xml: ns: netconf: notification: 1.0? module = notifications & revision = 2008-07-14

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14

urn: ietf: params: xml: ns: yang: ietf-x509-cert-to-name? module = ietf-x509-cert-to-name & revision = 2014-12-10 + 100

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification\_history?module=notification\_history urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

dimetriparans, vang. and it type into date - and it type error is to 12

\_\_\_\_\_\_

## >subscribe

\_\_\_\_\_\_\_

Ok



\_\_\_\_\_

# Step 3 NETCONF server replies rejecting the protocol operation with an 'access-denied' error.

\_\_\_\_\_\_

### **ERROR**

</ru-elements>

type : protocol tag : access-denied severity : error

 $path \hspace{1cm} : \hspace{1cm} / o-ran-processing-element: processing-elements/ru-elements/transport-flow/eth-flow/o-du-mac-address$ 

message : Access to the data model "o-ran-processing-element" is denied because "observer" NACM authorization failed.



\_\_\_\_\_\_

#### 

- Aug 19 12:31:54 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:31:54 garuda daemon.info netopeer2-server[853]; getsockopt() error (Connection refused).
- Aug 19 12:31:54 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:31:54 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:31:55 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:31:55 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:31:55 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:31:55 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:31:56 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:31:56 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:31:56 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:31:56 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:31:57 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:31:57 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:31:57 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:31:57 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:31:58 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:31:58 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:31:58 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:31:58 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:31:59 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:31:59 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:31:59 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:31:59 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:00 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:00 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:00 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:00 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:01 garuda user.notice SYNCMNGR[1176]: Received message from S-Plane
- Aug 19 12:32:01 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:01 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:01 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:01 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:02 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:02 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:02 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:02 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:03 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:03 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:03 garuda daemon.info netopeer2-server[853]: Accepted a connection on :::830.
- Aug 19 12:32:03 garuda daemon.info netopeer2-server[853]: Session 1684 (user "root", CID 1) created.
- Aug 19 12:32:03 garuda daemon.info netopeer2-server[853]: Received an SSH message "request-service" of subtype "ssh-userauth".
- Aug 19 12:32:03 garuda daemon.info netopeer2-server[853]: Received an SSH message "request-auth" of subtype "password".
- Aug 19 12:32:03 garuda daemon.info netopeer2-server[853]: User "observer" authenticated.
- Aug 19 12:32:03 garuda daemon.info netopeer2-server[853]: Received an SSH message "request-channel-open" of subtype "session".



- Aug 19 12:32:03 garuda daemon.info netopeer2-server[853]: Received an SSH message "request-channel" of subtype "subsystem".
- Aug 19 12:32:03 garuda daemon.info netopeer2-server[853]: Session 1685 (user "root", CID 1) created.
- Aug 19 12:32:03 garuda daemon.info netopeer2-server[853]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Aug 19 12:32:03 garuda daemon.info netopeer2-server[853]: Generated new event (netconf-session-start).
- Aug 19 12:32:03 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:03 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Published event "rpc" "/notifications:create-subscription" with ID 6 priority 0 for 1 subscribers.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Processing "/notifications:create-subscription" "rpc" event with ID 6 priority 0 (remaining 1 subscribers).
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Successful processing of "rpc" event with ID 6 priority 0 (remaining 0 subscribers).
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Event "rpc" with ID 6 priority 0 succeeded.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Session 30: thread 0 event new RPC.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Resolving unresolved data nodes and their constraints...
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: All data nodes and constraints resolved.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Published event "rpc" "/ietf-netconf:edit-config" with ID 4 priority 0 for 1 subscribers.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.
- Aug 19 12:32:04 garuda daemon.err netopeer2-server[853]: Access to the data model "o-ran-processing-element" is denied because "observer" NACM authorization failed.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Failed processing of "rpc" event with ID 4 priority 0 (remaining 1 subscribers).
- Aug 19 12:32:04 garuda daemon.err netopeer2-server[853]: Access to the data model "o-ran-processing-element" is denied because "observer" NACM authorization failed.
- Aug 19 12:32:04 garuda daemon.warn netopeer2-server[853]: Event "rpc" with ID 4 priority 0 failed (User callback failed).
- Aug 19 12:32:04 garuda daemon.err netopeer2-server[853]: Failed to send an RPC (User callback failed).
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Session 30: thread 3 event new RPC.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Session 30: thread 3 event reply error.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Session 30: thread 3 event new RPC.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Session 30: thread 3 event session terminated.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Generated new event (netconf-session-end).
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:04 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:05 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:05 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:05 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:05 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:06 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.



- Aug 19 12:32:06 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:06 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:06 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:07 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:07 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:07 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:07 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:08 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:08 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:08 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:08 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:09 garuda daemon.info netopeer2-server[853]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 19 12:32:09 garuda daemon.info netopeer2-server[853]: getsockopt() error (Connection refused).
- Aug 19 12:32:09 garuda authpriv.debug sshd[11400]: pam\_unix(sshd:account): account observer has password changed in future
- Aug 19 12:32:09 garuda auth.info sshd[11400]: Accepted password for observer from 192.168.4.15 port 34998 ssh2
- Aug 19 12:32:09 garuda authpriv.info sshd[11400]: pam\_unix(sshd:session): session opened for user observer by (uid=0)



Expected Result: The NETCONF server replies rejecting the protocol operation with an			
"access-denied" error.			
******* Actual Result ***********			
			=======
Access Control FM-PM (negative case)		SUCCESS	
Access Control Pivi-1 ivi (negative case)		BUCCESS	