Evolution contributions

1 Genuine contributions

1.1 Group I

1.1.1 Row I

Only 4 ρ's

1.1.2 Row II

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Bigg[\\
+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\Bigg]
\end{aligned}
\tag{1.1}
$$

1.1.3 Row III

Only 3 ρ's

1.1.4 Row IV

Only 3 ρ's

1.1.5 Row V

We write it in two parts:

$$
\begin{aligned}
\frac{d^3N_{2a\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Bigg[\\
+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
- 2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{be}(z)\,U^{ch}(w)\,\rho^l(x')\,\rho^d(x) \\
+ 2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{be}(z)\,U^{ch}(w)\,\rho^l(x')\,\rho^d(x) \\
+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x) \\
- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x) \\
+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
- 2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{be}(z)\,U^{ch}(w')\,\rho^d(x')\,\rho^l(x) \\
+ 2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(w)\,U^{be}(z)\,U^{ch}(w')\,\rho^d(x')\,\rho^l(x) \\
+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x) \\
- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x) \\
- \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
+ \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{be}(z)\,U^{ch}(w)\,\rho^l(x')\,\rho^d(x) \\
- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{be}(z)\,U^{ch}(w)\,\rho^l(x')\,\rho^d(x) \\
- \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x) \\
+ \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x) \\
- \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
+ \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{be}(z)\,U^{ch}(w')\,\rho^d(x')\,\rho^l(x) \\
- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(w)\,U^{be}(z)\,U^{ch}(w')\,\rho^d(x')\,\rho^l(x) \\
- \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x) \\
+ \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x)\Bigg]
\end{aligned}
\tag{1.2}
$$

$$
\begin{aligned}
\frac{d^3N_{2b\,\mathrm{UV\,NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Bigg[\\
&- 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
&+ 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&+ 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
&- 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&- 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
&+ 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+ 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
&- 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+ 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
&- 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&- 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
&+ 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&+ 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
&- 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&- 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
&+ 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\Bigg]
\end{aligned}
\tag{1.3}
$$

$$
\begin{aligned}
\frac{d^3N_{2b\,\text{finite NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Bigg[\\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
&+ 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
&- 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
&+ 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
&- 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x) \\
&+ \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&- \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&+ \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x) \\
&- \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x) \\
&+ \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&- \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+ \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x) \\
&- \frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x)\Bigg]
\end{aligned}
\tag{1.4}
$$

$$
\begin{aligned}
\frac{d^3N_{2b\,\text{finite}\,\text{CT}\,NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Bigg[\\
+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\Bigg]
\end{aligned}
\tag{1.5}
$$

This is the counterterm of Part 2b: it is $-d^3N_{2b\,\text{UV}}$ term by term, so the two cancel. The label "finite" of the first d^3N_{2b} list is the right one; this one is not a finite part.

1.2 Group II

1.2.1 Row I

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Bigg[\\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^l(x')\,\rho^h(x) \\
+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x) \\
-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^l(x')\,\rho^h(x) \\
+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^l(x')\,\rho^h(x) \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^l(x')\,\rho^h(x) \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x)\Bigg] \qquad (1.6)
\end{aligned}
$$

1.2.2 Row II

Only 4 ρ's

1.2.3 Row III

Only 4 ρ's

1.2.4 Row IV

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\,\Bigg[\\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+ 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
&+ 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w')\,U^{cb}(w)\,\rho^a(x')\,\rho^c(x) \\
&- 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w')\,U^{cb}(x)\,\rho^a(x')\,\rho^c(x) \\
&- 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{cb}(w)\,\rho^a(x')\,\rho^c(x)\Bigg]
\end{aligned}
\tag{1.7}
$$

1.3 Group III (with c.c.)

1.3.1 Row I

Only 3 ρ's

1.3.2 Row II

Only 3 ρ's

1.3.3 Row III

We write it in two parts:

1.3.4 First part:

Only 3 ρ's

1.3.5 Second part:

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Bigg[\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^l(x')\,\rho^h(x) \\
&-4\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w')\,U^{cb}(x)\,\rho^a(x')\,\rho^c(x) \\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{cb}(w)\,\rho^a(x')\,\rho^c(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{la}(w')\,U^{be}(z)\,U^{cd}(w)\,\rho^l(x')\,\rho^h(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{la}(w)\,U^{be}(z)\,U^{cd}(w')\,\rho^h(x')\,\rho^l(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^l(x')\,\rho^h(x) \\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{la}(w')\,U^{be}(z)\,U^{cd}(w)\,\rho^l(x')\,\rho^h(x) \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{la}(w)\,U^{be}(z)\,U^{cd}(w')\,\rho^h(x')\,\rho^l(x) \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w)\,U^{bc}(x')\,\rho^c(x')\,\rho^a(x)\Bigg]
\end{aligned}
\tag{1.8}
$$

1.3.6 Row IV

Only 4 ρ's

1.3.7 Row V

Only 3 ρ's

1.3.8 Row VI

Only 3 ρ's

2 Symmetrizing three and four ρ's

2.1 From $4\,\rho' s$

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{bc}(w)\,\rho^a(x')\,\rho^c(x) \\
+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w)\,U^{ca}(x')\,\rho^c(x')\,\rho^b(x) \\
-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w')\,U^{ca}(x)\,\rho^b(x')\,\rho^c(x) \\
-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w')\,U^{cb}(w)\,\rho^a(x')\,\rho^c(x) \\
-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{bc}(x')\,\rho^a(x)\,\rho^c(x') \\
+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{ade}\,U^{dh}(w')\,U^{hb}(w)\,\rho^e(x')\,\rho^c(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{ade}\,U^{hb}(w)\,U^{dh}(x')\,\rho^e(x')\,\rho^c(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dae}\,U^{hb}(w')\,U^{dh}(x)\,\rho^c(x')\,\rho^e(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{eb}(w')\,U^{lc}(x)\,U^{ad}(x')\,\rho^h(x')\,\rho^l(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{lc}(x')\,U^{eb}(w)\,U^{ad}(x)\,\rho^l(x')\,\rho^h(x) \\
-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{dh}(w')\,U^{hb}(w)\,\rho^a(x)\,\rho^e(x') \\
+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hb}(w)\,U^{dh}(x')\,\rho^a(x)\,\rho^e(x') \\
-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hb}(w')\,U^{dh}(x')\,\rho^a(x)\,\rho^e(x') \\
+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{bh}(w')\,U^{dh}(w)\,\rho^a(x)\,\rho^e(x') \\
-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{eb}(w')\,U^{dc}(x')\,U^{al}(x)\,\rho^l(x)\,\rho^h(x') \\
+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ec}(x')\,U^{db}(w)\,U^{al}(x)\,\rho^h(x')\,\rho^l(x) \\
-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\Bigg]
\end{aligned}
\tag{2.1}
$$

Missing (M1): the two-ρ terms of `4rho.tex` ("Two ρ contribution", $dN^{(1)}$, $dN^{(2)}$ with c.c., with the fixes F1, F2 of `Final_evolution_check.pdf`). They belong to "From $4\,\rho$'s". Without them Secs. 1 and 2 do not add up to the JIMWLK

contribution of Sec. 3.

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&-3\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{ah}(z)\,U^{bl}(w)\,U^{dh}(x)\,U^{ml}(w')\,\rho^m(x')\,\rho^e(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{ah}(z)\,U^{bl}(x)\,U^{dh}(x)\,U^{ml}(w')\,\rho^m(x')\,\rho^e(x) \\
&-3\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{ah}(w)\,U^{bl}(x)\,U^{dl}(z)\,U^{mh}(w')\,\rho^m(x')\,\rho^e(x) \\
&+3\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{ah}(z)\,U^{dl}(w)\,U^{lm}(w')\,U^{hb}(x)\,\rho^m(x')\,\rho^e(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hd}(w)\,U^{hl}(x')\,U^{ma}(z)\,U^{mb}(x)\,\rho^l(x')\,\rho^e(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{ah}(z)\,U^{bl}(x)\,U^{dh}(x)\,U^{ml}(x')\,\rho^m(x')\,\rho^e(x) \\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hd}(x)\,U^{hl}(w')\,U^{ma}(z)\,U^{mb}(x)\,\rho^l(x')\,\rho^e(x) \\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hd}(x)\,U^{hl}(x')\,U^{ma}(z)\,U^{mb}(x)\,\rho^l(x')\,\rho^e(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{ha}(w)\,U^{hl}(x')\,U^{mb}(z)\,U^{md}(x)\,\rho^l(x')\,\rho^e(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hb}(w)\,U^{hl}(x')\,U^{ma}(x)\,U^{md}(z)\,\rho^l(x')\,\rho^e(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{deh}\,U^{ad}(z)\,U^{bh}(x)\,U^{el}(x')\,\rho^l(x')\,\rho^c(x) \\
&+3\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{deh}\,U^{ah}(x)\,U^{dl}(w')\,U^{eb}(z)\,\rho^l(x')\,\rho^c(x) \\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{cde}\,U^{hb}(x')\,U^{hl}(w)\,U^{ma}(z)\,U^{md}(x')\,\rho^l(x)\,\rho^e(x') \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{cde}\,U^{hb}(x')\,U^{hl}(x)\,U^{ma}(z)\,U^{md}(x')\,\rho^l(x)\,\rho^e(x') \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{hl}(w)\,U^{ma}(z)\,U^{mb}(x')\,\rho^l(x)\,\rho^e(x') \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{hl}(x)\,U^{ma}(z)\,U^{mb}(x')\,\rho^l(x)\,\rho^e(x') \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x) \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^l(x')\,\rho^h(x) \\
&+\frac{3}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{eb}(w)\,U^{lh}(x')\,U^{da}(x)\,\rho^l(x')\,\rho^c(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{ade}\,U^{hb}(w)\,U^{hd}(x')\,\rho^e(x')\,\rho^c(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{ade}\,U^{hb}(x)\,U^{hd}(x')\,\rho^e(x')\,\rho^c(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dae}\,U^{hb}(w')\,U^{hd}(x)\,\rho^e(x)\,\rho^c(x') \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{eb}(x')\,U^{lh}(x)\,U^{da}(z)\,\rho^l(x)\,\rho^c(x') \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{lc}(x')\,U^{be}(x)\,\rho^h(x)\,\rho^l(x')\Bigg]
\end{aligned}
\tag{2.2}
$$

From three ρ's

2.2 Group I (with c.c.)

2.2.1 Row I

Only 4 ρ's

2.2.2 Row II

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
&- 2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(x)\,U^{cd}(x')\,\rho^l(x)\,\rho^h(x') \\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{bl}(x')\,U^{ce}(x)\,\rho^l(x')\,\rho^h(x) \\
&+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x)\,U^{ah}(w')\,\rho^b(x')\,\rho^e(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(w)\,U^{ah}(w')\,\rho^b(x')\,\rho^e(x) \\
&+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{bl}(x')\,U^{ce}(x)\,\rho^l(x')\,\rho^h(x) \\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ah}(w)\,\rho^b(x)\,\rho^e(x') \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ah}(w)\,\rho^b(x)\,\rho^e(x') \\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(x)\,U^{cd}(x')\,\rho^l(x)\,\rho^h(x') \\
&+ 2\,N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(x')\,U^{cl}(x)\,\rho^h(x')\,\rho^l(x) \\
&- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{be}(x')\,U^{cl}(x)\,\rho^l(x)\,\rho^h(x') \\
&- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{bde}\,U^{hd}(x')\,U^{ah}(w)\,\rho^e(x')\,\rho^c(x) \\
&- N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{bde}\,U^{hd}(w')\,U^{ah}(w)\,\rho^e(x')\,\rho^c(x) \\
&- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(x')\,U^{cl}(x)\,\rho^h(x')\,\rho^l(x) \\
&+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dbe}\,U^{hd}(x')\,U^{ah}(w')\,\rho^c(x)\,\rho^e(x') \\
&- N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dbe}\,U^{hd}(w)\,U^{ah}(w')\,\rho^c(x)\,\rho^e(x') \\
&+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{be}(x')\,U^{cl}(x)\,\rho^l(x)\,\rho^h(x')\Bigg]
\end{aligned}
\tag{2.3}
$$

2.2.3 Row III

We write it in two parts:

$$
\begin{aligned}
\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{ce}(x)\,U^{bd}(z)\,\rho^l(x')\,\rho^h(x) \\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{ce}(x)\,U^{bd}(z)\,\rho^l(x')\,\rho^h(x) \\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{cd}(x')\,U^{be}(z)\,\rho^h(x')\,\rho^l(x) \\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(w)\,U^{cd}(x')\,U^{be}(z)\,\rho^h(x')\,\rho^l(x) \\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{cl}(x)\,U^{bd}(z)\,\rho^l(x)\,\rho^h(x') \\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(z)\,\rho^l(x)\,\rho^h(x') \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(x')\,\rho^l(x)\,\rho^h(x') \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(x)\,U^{cl}(x')\,U^{be}(z)\,\rho^l(x')\,\rho^h(x) \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(z)\,\rho^l(x')\,\rho^h(x) \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(x)\,\rho^l(x')\,\rho^h(x) \\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(z)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(z)\,\rho^h(x')\,\rho^l(x) \\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(x)\,\rho^h(x')\,\rho^l(x) \\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x')\,U^{bl}(z)\,\rho^l(x)\,\rho^h(x') \\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x')\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x')\Bigg]
\end{aligned}
\tag{2.4}
$$

$$
\begin{aligned}
\frac{d^3N_{2\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Bigg[\\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{ce}(x)\,U^{bd}(w)\,\rho^l(x')\,\rho^h(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{ce}(x)\,U^{bd}(w)\,\rho^l(x')\,\rho^h(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x)\,U^{bl}(w')\,\rho^l(x')\,\rho^h(x) \\
&+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x)\,U^{bl}(x')\,\rho^l(x')\,\rho^h(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(w)\,\rho^h(x')\,\rho^l(x) \\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(x)\,\rho^h(x')\,\rho^l(x) \\
&+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{cd}(x')\,U^{be}(w')\,\rho^h(x')\,\rho^l(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(w)\,U^{cd}(x')\,U^{be}(w')\,\rho^h(x')\,\rho^l(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{cl}(x)\,U^{bd}(w)\,\rho^l(x)\,\rho^h(x') \\
&- N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(w)\,\rho^l(x)\,\rho^h(x') \\
&- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(x')\,\rho^l(x)\,\rho^h(x') \\
&+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(x')\,U^{cl}(x)\,U^{be}(w')\,\rho^l(x)\,\rho^h(x') \\
&- N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x)\,U^{be}(w')\,\rho^l(x)\,\rho^h(x') \\
&+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x)\,U^{be}(x')\,\rho^l(x)\,\rho^h(x')\Bigg]
\end{aligned}
\tag{2.5}
$$

2.2.4 Row IV

We write it in two parts:

$$
\begin{aligned}
\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{ah}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^l(x')\,\rho^e(x) \\
+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hl}(w')\,U^{ah}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^l(x')\,\rho^e(x) \\
-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{ah}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^e(x')\,\rho^l(x) \\
+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{bc}(x')\,\rho^c(x')\,\rho^a(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{hl}(w)\,U^{ah}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^e(x')\,\rho^l(x) \\
-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{bc}(x')\,\rho^c(x')\,\rho^a(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w)\,U^{db}(z)\,U^{hl}(x')\,\rho^l(x')\,\rho^c(x) \\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ca}(x')\,\rho^c(x')\,\rho^b(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{le}(w')\,U^{al}(w)\,U^{mb}(z)\,U^{md}(x')\,\rho^h(x')\,\rho^c(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ea}(w')\,U^{bd}(x')\,U^{cl}(x)\,\rho^h(x')\,\rho^l(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w')\,U^{eb}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ld}(w)\,U^{al}(w')\,U^{mb}(z)\,U^{me}(x)\,\rho^c(x')\,\rho^h(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{da}(w)\,U^{cl}(x')\,U^{be}(x)\,\rho^l(x')\,\rho^h(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{ah}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^l(x')\,\rho^e(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hl}(w')\,U^{ah}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^l(x')\,\rho^e(x) \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w')\,U^{eb}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ld}(w)\,U^{al}(w')\,U^{mb}(z)\,U^{me}(x)\,\rho^c(x')\,\rho^h(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{be}(x)\,U^{ad}(w)\,U^{cl}(x')\,\rho^l(x')\,\rho^h(x) \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w)\,U^{db}(z)\,U^{hl}(x')\,\rho^l(x')\,\rho^c(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{le}(w')\,U^{al}(w)\,U^{mb}(z)\,U^{md}(x')\,\rho^h(x')\,\rho^c(x) \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{cb}(x')\,\rho^c(x')\,\rho^a(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ea}(w')\,U^{bd}(x')\,U^{lc}(x)\,\rho^h(x')\,\rho^l(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{ah}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^e(x')\,\rho^l(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hl}(w)\,U^{ah}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^e(x')\,\rho^l(x) \\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ah}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x') \\
-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ca}(x')\,\rho^b(x)\,\rho^c(x')\Bigg]
\end{aligned}
\tag{2.6}
$$

$$
\begin{aligned}
\frac{d^3N_{2\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ah}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x') \\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ea}(w')\,U^{bl}(x)\,U^{cd}(x')\,\rho^l(x)\,\rho^h(x') \\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{ah}(w')\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x') \\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hd}(w)\,U^{ah}(w')\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x') \\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{da}(w)\,U^{ce}(x')\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x') \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ah}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x') \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ah}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x') \\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ca}(x')\,\rho^b(x)\,\rho^c(x') \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ea}(w')\,U^{bl}(x)\,U^{dc}(x')\,\rho^l(x)\,\rho^h(x') \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{ah}(w')\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x') \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(w)\,U^{ah}(w')\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x') \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{bl}(x)\,U^{ad}(w)\,U^{ce}(x')\,\rho^l(x)\,\rho^h(x') \\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\Bigg]
\end{aligned}
\tag{2.7}
$$

2.2.5 Row V

$$
\begin{aligned}
\frac{d^3N_{\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(x)\,U^{be}(z)\,U^{cl}(w')\,\rho^l(x')\,\rho^h(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{be}(z)\,U^{cl}(w')\,\rho^l(x')\,\rho^h(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{be}(x)\,U^{cl}(x')\,\rho^l(x')\,\rho^h(x) \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{bd}(z)\,U^{cl}(w)\,\rho^l(x)\,\rho^h(x') \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(z)\,U^{cl}(w)\,\rho^l(x)\,\rho^h(x') \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(x')\,\rho^l(x)\,\rho^h(x') \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{bl}(z)\,U^{cd}(w)\,\rho^h(x')\,\rho^l(x) \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(z)\,U^{cd}(w)\,\rho^h(x')\,\rho^l(x) \\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(x)\,\rho^h(x')\,\rho^l(x) \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(x')\,U^{bl}(z)\,U^{ce}(w')\,\rho^l(x)\,\rho^h(x') \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{bl}(z)\,U^{ce}(w')\,\rho^l(x)\,\rho^h(x') \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{bl}(x)\,U^{ce}(x')\,\rho^l(x)\,\rho^h(x') \\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\Bigg]
\end{aligned}
\tag{2.8}
$$

2.3 Group II

2.3.1 Row I

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
&\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ca}(w)\,\rho^b(x')\,\rho^c(x) \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{deh}\,U^{be}(z)\,U^{al}(w')\,U^{cd}(x)\,\rho^l(x')\,\rho^h(x) \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{bm}(z)\,U^{md}(x)\,U^{ah}(w)\,\rho^l(x')\,\rho^e(x) \\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w')\,U^{bc}(w)\,\rho^c(x)\,\rho^a(x') \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{ah}(w')\,U^{bl}(z)\,U^{hm}(x)\,U^{ld}(x')\,\rho^m(x)\,\rho^e(x') \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{deh}\,U^{bd}(z)\,U^{ce}(x')\,U^{al}(w)\,\rho^l(x)\,\rho^h(x') \\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ca}(w)\,\rho^b(x')\,\rho^c(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{eb}(z)\,U^{cd}(x)\,\rho^l(x')\,\rho^h(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{bm}(z)\,U^{md}(x)\,U^{ha}(w)\,\rho^l(x')\,\rho^e(x) \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w')\,U^{bc}(w)\,\rho^c(x)\,\rho^a(x') \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{ah}(w')\,U^{bl}(z)\,U^{hm}(x)\,U^{ld}(x')\,\rho^m(x)\,\rho^e(x') \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ce}(x')\,U^{db}(z)\,U^{al}(w)\,\rho^l(x)\,\rho^h(x') \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ah}(w)\,\rho^b(x)\,\rho^e(x') \\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{bl}(z)\,U^{ae}(w')\,U^{cd}(x')\,\rho^l(x)\,\rho^h(x') \\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{bl}(z)\,U^{lm}(x)\,U^{ah}(w)\,\rho^m(x)\,\rho^e(x') \\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{ah}(w')\,U^{hd}(w)\,\rho^e(x')\,\rho^b(x) \\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{ah}(w')\,U^{bl}(z)\,U^{hd}(x')\,U^{lm}(x)\,\rho^e(x')\,\rho^m(x) \\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{bl}(z)\,U^{ce}(x')\,U^{ad}(w)\,\rho^h(x')\,\rho^l(x) \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ah}(w)\,\rho^b(x)\,\rho^e(x') \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{lb}(z)\,U^{cd}(x')\,\rho^l(x)\,\rho^h(x') \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{bl}(z)\,U^{lm}(x)\,U^{ha}(w)\,\rho^m(x)\,\rho^e(x') \\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ca}(x')\,\rho^b(x)\,\rho^c(x') \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{ah}(w')\,U^{hd}(w)\,\rho^e(x')\,\rho^b(x) \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{ah}(w')\,U^{bl}(z)\,U^{hd}(x')\,U^{lm}(x)\,\rho^e(x')\,\rho^m(x) \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ce}(x')\,U^{lb}(z)\,U^{ad}(w)\,\rho^h(x')\,\rho^l(x) \\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\Bigg]
\end{aligned}
\tag{2.9}
$$

2.3.2 Row II

Only 4 ρ's

2.3.3 Row III

Only 4 ρ's

2.3.4 Row IV

Only 2 ρ's

2.4 Group III (with c.c.)

2.4.1 Row I

We write it in two parts:

$$
\begin{aligned}
\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{md}(x)\,U^{mb}(z)\,U^{ah}(w)\,\rho^l(x')\,\rho^e(x) \\
-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{bh}(z)\,U^{hd}(x)\,U^{lm}(w')\,U^{al}(w)\,\rho^m(x')\,\rho^e(x) \\
+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{md}(x')\,U^{mb}(z)\,U^{ah}(w')\,\rho^e(x')\,\rho^l(x) \\
-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{bh}(z)\,U^{hd}(x')\,U^{lm}(w)\,U^{la}(w')\,\rho^e(x')\,\rho^m(x) \\
+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{db}(z)\,U^{ae}(w)\,U^{hl}(x')\,\rho^l(x')\,\rho^c(x) \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{bl}(z)\,U^{ld}(x')\,U^{me}(w')\,U^{am}(w)\,\rho^h(x')\,\rho^c(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(x')\,U^{cl}(x)\,\rho^h(x')\,\rho^l(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{eb}(z)\,U^{ad}(w')\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{bl}(z)\,U^{le}(x)\,U^{md}(w)\,U^{ma}(w')\,\rho^c(x')\,\rho^h(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{be}(x)\,U^{ad}(w)\,U^{cl}(x')\,\rho^l(x')\,\rho^h(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{md}(x)\,U^{mb}(z)\,U^{ah}(w)\,\rho^l(x')\,\rho^e(x) \\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{bh}(z)\,U^{hd}(x)\,U^{lm}(w')\,U^{al}(w)\,\rho^m(x')\,\rho^e(x) \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{eb}(z)\,U^{ad}(w')\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{le}(x)\,U^{md}(w)\,U^{lb}(z)\,U^{ma}(w')\,\rho^c(x')\,\rho^h(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{be}(x)\,U^{ad}(w)\,U^{cl}(x')\,\rho^l(x')\,\rho^h(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{db}(z)\,U^{ae}(w)\,U^{hl}(x')\,\rho^l(x')\,\rho^c(x) \\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{bl}(z)\,U^{ld}(x')\,U^{me}(w')\,U^{am}(w)\,\rho^h(x')\,\rho^c(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(x')\,U^{cl}(x)\,\rho^h(x')\,\rho^l(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{md}(x')\,U^{mb}(z)\,U^{ah}(w')\,\rho^e(x')\,\rho^l(x) \\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{lm}(w)\,U^{hb}(z)\,U^{la}(w')\,\rho^e(x')\,\rho^m(x)\Bigg]
\end{aligned}
\tag{2.10}
$$

$$
\begin{aligned}
\frac{d^3N_{2\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
- \frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{lm}(x)\,U^{lb}(z)\,U^{ah}(w)\,\rho^m(x)\,\rho^e(x') \\
+ N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
+ \frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{bh}(z)\,U^{hl}(x)\,U^{md}(w')\,U^{am}(w)\,\rho^l(x)\,\rho^e(x') \\
- \frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(x)\,U^{cd}(x')\,\rho^l(x)\,\rho^h(x') \\
+ \frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{lm}(x)\,U^{lb}(z)\,U^{ah}(w')\,\rho^m(x)\,\rho^e(x') \\
- \frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{bh}(z)\,U^{hl}(x)\,U^{md}(w)\,U^{ma}(w')\,\rho^l(x)\,\rho^e(x') \\
+ \frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{bl}(x)\,U^{ad}(w)\,U^{ce}(x')\,\rho^l(x)\,\rho^h(x') \\
+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{lm}(x)\,U^{lb}(z)\,U^{ah}(w)\,\rho^m(x)\,\rho^e(x') \\
- N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{bh}(z)\,U^{hl}(x)\,U^{md}(w')\,U^{am}(w)\,\rho^l(x)\,\rho^e(x') \\
+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(x)\,U^{cd}(x')\,\rho^l(x)\,\rho^h(x') \\
- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{lm}(x)\,U^{lb}(z)\,U^{ah}(w')\,\rho^m(x)\,\rho^e(x') \\
- N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{md}(w)\,U^{hb}(z)\,U^{ma}(w')\,\rho^l(x)\,\rho^e(x') \\
- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{bl}(x)\,U^{ad}(w)\,U^{ce}(x')\,\rho^l(x)\,\rho^h(x')\Bigg]
\end{aligned}
\tag{2.11}
$$

2.4.2 Row II

We write it in two parts:

$$
\begin{aligned}
\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Bigg[\\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hd}(x)\,U^{lm}(x')\,U^{bh}(z)\,U^{al}(w)\,\rho^m(x')\,\rho^e(x) \\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ca}(w)\,\rho^b(x')\,\rho^c(x) \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{eb}(z)\,U^{cd}(x)\,\rho^l(x')\,\rho^h(x) \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{lm}(x)\,U^{bh}(z)\,U^{al}(w')\,\rho^m(x)\,\rho^e(x') \\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ca}(w')\,\rho^b(x)\,\rho^c(x') \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{db}(z)\,U^{ce}(x')\,\rho^l(x)\,\rho^h(x') \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{be}(z)\,U^{ad}(w)\,U^{hl}(x')\,\rho^l(x')\,\rho^c(x) \\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dbe}\,U^{hd}(x')\,U^{ah}(w)\,\rho^e(x')\,\rho^c(x) \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(x')\,U^{eb}(z)\,U^{cl}(x)\,\rho^h(x')\,\rho^l(x) \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{bd}(z)\,U^{ae}(w')\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{bde}\,U^{hd}(x)\,U^{ah}(w')\,\rho^c(x')\,\rho^e(x) \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(x)\,U^{db}(z)\,U^{cl}(x')\,\rho^l(x')\,\rho^h(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(x)\,U^{lm}(x')\,U^{bh}(z)\,U^{la}(w)\,\rho^m(x')\,\rho^e(x) \\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ca}(x)\,\rho^b(x')\,\rho^c(x) \\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{eb}(z)\,U^{cd}(x)\,\rho^l(x')\,\rho^h(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{bd}(z)\,U^{ea}(w')\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{bde}\,U^{hd}(x)\,U^{ah}(w')\,\rho^c(x')\,\rho^e(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(x)\,U^{db}(z)\,U^{cl}(x')\,\rho^l(x')\,\rho^h(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{be}(z)\,U^{da}(w)\,U^{hl}(x')\,\rho^l(x')\,\rho^c(x) \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{dbe}\,U^{hd}(x')\,U^{ha}(w)\,\rho^e(x')\,\rho^c(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(x')\,U^{eb}(z)\,U^{cl}(x)\,\rho^h(x')\,\rho^l(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{lm}(x)\,U^{bh}(z)\,U^{la}(w')\,\rho^m(x)\,\rho^e(x') \\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ca}(w')\,\rho^b(x)\,\rho^c(x') \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{db}(z)\,U^{ce}(x')\,\rho^l(x)\,\rho^h(x') \\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hl}(x)\,U^{md}(x')\,U^{bh}(z)\,U^{am}(w)\,\rho^l(x)\,\rho^e(x') \\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ah}(w)\,\rho^b(x)\,\rho^e(x')\Bigg]
\end{aligned}
\tag{2.12}
$$

$$
\begin{aligned}
\frac{d^3N_{2\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Bigg[\\
&- N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(z)\,U^{bc}(x')\,\rho^a(x)\,\rho^c(x') \\
&+ \frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{md}(x')\,U^{bh}(z)\,U^{am}(w')\,\rho^e(x')\,\rho^l(x) \\
&- \frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{ah}(w')\,\rho^e(x')\,\rho^b(x) \\
&+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hl}(x)\,U^{md}(x')\,U^{bh}(z)\,U^{ma}(w)\,\rho^l(x)\,\rho^e(x') \\
&- N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{bc}(x')\,\rho^a(x)\,\rho^c(x') \\
&- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,\rho^b(x)\,\rho^e(x') \\
&+ N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(z)\,U^{bc}(x')\,\rho^a(x)\,\rho^c(x') \\
&- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{md}(x')\,U^{bh}(z)\,U^{ma}(w')\,\rho^e(x')\,\rho^l(x) \\
&- N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{ah}(w')\,\rho^e(x')\,\rho^b(x) \\
&+ N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(z)\,U^{bc}(x')\,\rho^c(x')\,\rho^a(x)\Bigg]
\end{aligned}
\tag{2.13}
$$

2.4.3 Row III

$$
\begin{aligned}
\frac{d^3N_{\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Bigg[\\
&+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{be}(z)\,U^{cl}(w')\,\rho^l(x')\,\rho^h(x) \\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(x)\,\rho^l(x')\,\rho^h(x) \\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{eb}(z)\,U^{ad}(x)\,U^{cl}(w')\,\rho^l(x')\,\rho^h(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(z)\,U^{cl}(w)\,\rho^l(x)\,\rho^h(x') \\
&+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(x')\,\rho^l(x)\,\rho^h(x') \\
&+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{bd}(z)\,U^{ae}(x')\,U^{cl}(w)\,\rho^l(x)\,\rho^h(x') \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{bl}(z)\,U^{ce}(w')\,\rho^l(x)\,\rho^h(x') \\
&- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x')\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x') \\
&- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{lb}(z)\,U^{ad}(x')\,U^{ce}(w')\,\rho^l(x)\,\rho^h(x') \\
&- N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(z)\,U^{cd}(w)\,\rho^h(x')\,\rho^l(x) \\
&+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(x)\,\rho^h(x')\,\rho^l(x) \\
&+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{bl}(z)\,U^{ae}(x')\,U^{cd}(w)\,\rho^h(x')\,\rho^l(x) \\
&- N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\Bigg]
\end{aligned}
\tag{2.14}
$$

2.4.4 Row IV

Only 4 ρ's

2.4.5 Row V

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
&+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{be}(x)\,U^{cl}(x')\,\rho^l(x')\,\rho^h(x) \\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(w')\,U^{be}(x)\,\rho^l(x')\,\rho^h(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{cd}(w)\,U^{be}(x)\,\rho^l(x')\,\rho^h(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{cd}(w)\,U^{be}(x)\,\rho^l(x')\,\rho^h(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(w)\,U^{ce}(w')\,U^{bd}(x')\,\rho^h(x')\,\rho^l(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{ce}(w')\,U^{bd}(x')\,\rho^h(x')\,\rho^l(x) \\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(x')\,U^{cl}(x)\,\rho^h(x')\,\rho^l(x) \\
&+ \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(w)\,U^{bd}(x')\,\rho^h(x')\,\rho^l(x) \\
&- N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+ N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{bl}(x)\,U^{ce}(x')\,\rho^l(x)\,\rho^h(x') \\
&- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(w')\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x') \\
&+ N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(x')\,U^{ce}(w')\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x') \\
&- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(x)\,U^{cd}(x')\,\rho^l(x)\,\rho^h(x') \\
&+ \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(w)\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x') \\
&+ N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&- \mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{cd}(w)\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x')\Bigg]
\end{aligned}
\tag{2.15}
$$

2.4.6 Row VI

$$\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[$$

$$\begin{aligned}
&\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(x)\,\rho^l(x')\,\rho^h(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{be}(z)\,U^{cl}(x')\,\rho^l(x')\,\rho^h(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(x)\,U^{cl}(x')\,U^{eb}(z)\,\rho^l(x')\,\rho^h(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{bd}(z)\,U^{ce}(x)\,\rho^l(x')\,\rho^h(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{ce}(x)\,U^{bd}(z)\,\rho^l(x')\,\rho^h(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(w)\,U^{be}(z)\,U^{cd}(x')\,\rho^h(x')\,\rho^l(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{cd}(x')\,U^{eb}(z)\,\rho^h(x')\,\rho^l(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(x')\,U^{cl}(x)\,\rho^l(x)\,\rho^h(x')\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(z)\,U^{cl}(x)\,\rho^l(x)\,\rho^h(x')\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{cl}(x)\,U^{bd}(z)\,\rho^l(x)\,\rho^h(x')\\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x')\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x')\\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{bl}(z)\,U^{ce}(x')\,\rho^l(x)\,\rho^h(x')\\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(z)\,U^{bc}(x')\,\rho^a(x)\,\rho^c(x')\\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(x)\,U^{cd}(x')\,\rho^h(x')\,\rho^l(x)\\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(z)\,U^{cd}(x')\,\rho^h(x')\,\rho^l(x)\\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(z)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\Bigg]
\end{aligned}\tag{2.16}$$

3 JIMWLK contribution

Eqs. (3.1)–(3.3) are the sum of all $\log\frac{\vee}{\Lambda}$ terms of Secs. 1 and 2 (with the 4ρ lists added): their bracket, $\mathcal{J}$, is JIMWLK⊗LO, for any U. In the final result (Sec. 5) half of it, $\frac{1}{2}\log\frac{\vee}{\Lambda}\,\mathcal{J}$, is the JIMWLK evolution of the target; the other half combines with the $\log\frac{\vee}{k^+}$ terms of the rows into the BFKL evolution of the projectile, Sec. 4.

$$
\begin{aligned}
\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
&2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{ah}(z)\,U^{bl}(x)\,U^{dh}(x)\,U^{ml}(w')\,\rho^m(x')\,\rho^e(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{ah}(z)\,U^{bl}(x)\,U^{dh}(x)\,U^{ml}(x')\,\rho^m(x')\,\rho^e(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hd}(x)\,U^{hl}(w')\,U^{ma}(z)\,U^{mb}(x)\,\rho^l(x')\,\rho^e(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hd}(x)\,U^{hl}(x')\,U^{ma}(z)\,U^{mb}(x)\,\rho^l(x')\,\rho^e(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{deh}\,U^{ad}(z)\,U^{bh}(x)\,U^{el}(x')\,\rho^l(x')\,\rho^c(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{deh}\,U^{ah}(x)\,U^{dl}(w')\,U^{eb}(z)\,\rho^l(x')\,\rho^c(x) \\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{cde}\,U^{hb}(x')\,U^{hl}(w)\,U^{ma}(z)\,U^{md}(x')\,\rho^l(x)\,\rho^e(x') \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{cde}\,U^{hb}(x')\,U^{hl}(x)\,U^{ma}(z)\,U^{md}(x')\,\rho^l(x)\,\rho^e(x') \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{hl}(w)\,U^{ma}(z)\,U^{mb}(x')\,\rho^l(x)\,\rho^e(x') \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{hl}(x)\,U^{ma}(z)\,U^{mb}(x')\,\rho^l(x)\,\rho^e(x') \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{cd}(x')\,U^{be}(z)\,\rho^h(x')\,\rho^l(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(w)\,U^{cd}(x')\,U^{be}(z)\,\rho^h(x')\,\rho^l(x) \\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{ade}\,U^{hb}(x)\,U^{hd}(x')\,\rho^e(x')\,\rho^c(x) \\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{eb}(x')\,U^{lh}(x)\,U^{da}(z)\,\rho^l(x)\,\rho^c(x') \\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{lc}(x')\,U^{be}(x)\,\rho^h(x)\,\rho^l(x') \\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{be}(z)\,U^{ch}(w)\,\rho^l(x')\,\rho^d(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{be}(z)\,U^{ch}(w)\,\rho^l(x')\,\rho^d(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,f^{abc}\,f^{dea}\,U^{hd}(z)\,U^{he}(w)\,U^{lm}(w')\,U^{lb}(w)\,\rho^m(x')\,\rho^c(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,f^{abc}\,f^{deb}\,U^{hd}(z)\,U^{ha}(w)\,U^{lm}(w')\,U^{le}(w)\,\rho^m(x')\,\rho^c(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,f^{abc}\,f^{dea}\,U^{hd}(z)\,U^{he}(w)\,U^{lm}(x')\,U^{lb}(w)\,\rho^m(x')\,\rho^c(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\,f^{abc}\,f^{deb}\,U^{hd}(z)\,U^{ha}(w)\,U^{lm}(x')\,U^{le}(w)\,\rho^m(x')\,\rho^c(x)\Bigg]
\end{aligned}
\tag{3.1}
$$

$$
\begin{aligned}
\frac{d^3N_{2\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
&-\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{be}(z)\,U^{ch}(w')\,\rho^d(x')\,\rho^l(x) \\
&+\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(w)\,U^{be}(z)\,U^{ch}(w')\,\rho^d(x')\,\rho^l(x) \\
&-\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,f^{abc}\,f^{dea}\,U^{hd}(z)\,U^{he}(w')\,U^{lb}(w')\,U^{lm}(w)\,\rho^c(x')\,\rho^m(x) \\
&-\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,f^{abc}\,f^{deb}\,U^{hd}(z)\,U^{ha}(w')\,U^{le}(w')\,U^{lm}(w)\,\rho^c(x')\,\rho^m(x) \\
&+\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,f^{abc}\,f^{dea}\,U^{hd}(z)\,U^{he}(w')\,U^{lb}(w')\,U^{lm}(x)\,\rho^c(x')\,\rho^m(x) \\
&+\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\,f^{abc}\,f^{deb}\,U^{hd}(z)\,U^{ha}(w')\,U^{le}(w')\,U^{lm}(x)\,\rho^c(x')\,\rho^m(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x) \\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w')\,U^{cb}(w)\,\rho^a(x')\,\rho^c(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{la}(w')\,U^{be}(z)\,U^{cd}(w)\,\rho^l(x')\,\rho^h(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{la}(w)\,U^{be}(z)\,U^{cd}(w')\,\rho^h(x')\,\rho^l(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x)\,U^{ah}(w')\,\rho^b(x')\,\rho^e(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(x)\,U^{be}(z)\,U^{cl}(w')\,\rho^l(x')\,\rho^h(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^l(x')\,\rho^h(x) \\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w)\,U^{bc}(x')\,\rho^c(x')\,\rho^a(x) \\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ah}(w)\,\rho^b(x)\,\rho^e(x') \\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{bd}(z)\,U^{cl}(w)\,\rho^l(x)\,\rho^h(x')\Bigg]
\end{aligned}
\tag{3.2}
$$

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\Big[\\
+2\,N_c\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) - 2\,N_c\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
+2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{el}(w')\,U^{hb}(x)\,\rho^l(x')\,\rho^c(x) - 2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{el}(x')\,U^{hb}(x)\,\rho^l(x')\,\rho^c(x)\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\Big[\\
+2\,N_c\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) - 2\,N_c\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
+2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{el}(w)\,U^{hb}(x')\,\rho^c(x')\,\rho^l(x) - 2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{el}(x)\,U^{hb}(x')\,\rho^c(x')\,\rho^l(x)\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\Big[\\
+2\,N_c\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) + 2\,f^{abc}\,f^{ade}\,U^{hb}(x')\,U^{hd}(x)\,\rho^c(x')\,\rho^e(x) \\
-2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{eb}(x)\,U^{hl}(x')\,\rho^l(x')\,\rho^c(x) - 2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{eb}(x')\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x)\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w-z)^2}\Big[\\
-2\,N_c\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) + 2\,N_c\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
-2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{el}(w')\,U^{hb}(w)\,\rho^l(x')\,\rho^c(x) + 2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{el}(x')\,U^{hb}(w)\,\rho^l(x')\,\rho^c(x)\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(w'-z)^2}\Big[\\
-2\,N_c\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) + 2\,N_c\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
-2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{el}(w)\,U^{hb}(w')\,\rho^c(x')\,\rho^l(x) + 2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{el}(x)\,U^{hb}(w')\,\rho^c(x')\,\rho^l(x)\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\Big[\\
+2\,N_c\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) + 2\,f^{abc}\,f^{ade}\,U^{hb}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x) \\
-2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{eb}(w)\,U^{hl}(w')\,\rho^l(x')\,\rho^c(x) - 2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{eb}(w')\,U^{hl}(w)\,\rho^c(x')\,\rho^l(x)\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\Big[\\
-2\,N_c\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
-2\,f^{abc}\,f^{ade}\,U^{hb}(w')\,U^{hd}(x)\,\rho^c(x')\,\rho^e(x) + 2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{eb}(x)\,U^{hl}(w')\,\rho^l(x')\,\rho^c(x) \\
+2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{eb}(w')\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x)\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\Big[\\
-2\,N_c\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) - 2\,f^{abc}\,f^{ade}\,U^{hb}(x')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x) \\
+2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{eb}(w)\,U^{hl}(x')\,\rho^l(x')\,\rho^c(x) + 2\,f^{abc}\,f^{deh}\,U^{da}(z)\,U^{eb}(x')\,U^{hl}(w)\,\rho^c(x')\,\rho^l(x)\Big]\Bigg]
\end{aligned}
\tag{3.3}
$$

Color singlet form (projectile in a colour singlet: $\rho^b(x')\,\rho^c(x) \to \delta^{bc}\,\langle\rho^f(x)\rho^f(y)\rangle/(N_c^2-1)$ with $x' \to y$; $K(a,b,z) \equiv \mathcal{K}(a-z)\cdot\mathcal{K}(b-z)$, $K(a,a,z) = \frac{1}{(a-z)^2}$; $U^\dagger = U^T$, any U)

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\,\frac{1}{N_c^2-1}\int_{x,x'y,z,w,w'} e^{-ik(w'-w)}\,\langle\rho^f(x)\rho^f(y)\rangle\Bigg[\\
\mathcal{K}(x-w)\cdot\mathcal{K}(y-w')\,K(w,w',z)\Big[4N_c{\rm Tr}\{U^\dagger(w)U(w')\} \\
-2{\rm Tr}\{T^eU^\dagger(w)U(w')T^eU^\dagger(w')U(z)\}-2{\rm Tr}\{T^eU^\dagger(w)U(w')T^eU^\dagger(z)U(w)\}\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(y-w')\,K(x,w',z)\Big[-4N_c{\rm Tr}\{U^\dagger(x)U(w')\} \\
+2{\rm Tr}\{T^eU^\dagger(w')U(x)T^eU^\dagger(x)U(z)\}+2{\rm Tr}\{T^eU^\dagger(w')U(x)T^eU^\dagger(z)U(w')\}\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(y-w')\,K(x,y,z)\Big[4N_c{\rm Tr}\{U^\dagger(x)U(y)\} \\
-2{\rm Tr}\{T^eU^\dagger(x)U(y)T^eU^\dagger(y)U(z)\}-2{\rm Tr}\{T^eU^\dagger(x)U(y)T^eU^\dagger(z)U(x)\}\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(y-w')\,K(y,w,z)\Big[-4N_c{\rm Tr}\{U^\dagger(w)U(y)\} \\
+2{\rm Tr}\{T^eU^\dagger(w)U(y)T^eU^\dagger(y)U(z)\}+2{\rm Tr}\{T^eU^\dagger(w)U(y)T^eU^\dagger(z)U(w)\}\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(y-w')\,K(w',w',z)\Big[-2N_c{\rm Tr}\{U^\dagger(w)U(w')\}+2N_c{\rm Tr}\{U^\dagger(x)U(w')\} \\
-{\rm Tr}\{T^eU^\dagger(w')U(x)T^eU^\dagger(w')U(z)\}-{\rm Tr}\{T^eU^\dagger(w')U(x)T^eU^\dagger(z)U(w')\} \\
+{\rm Tr}\{T^eU^\dagger(w)U(w')T^eU^\dagger(w')U(z)\}+{\rm Tr}\{T^eU^\dagger(w)U(w')T^eU^\dagger(z)U(w')\} \\
+{\rm Tr}\{T^eU^\dagger(w')U(x)\}\,{\rm Tr}\{T^eU^\dagger(w')U(z)\}+{\rm Tr}\{T^eU^\dagger(w)U(w')\}\,{\rm Tr}\{T^eU^\dagger(w')U(z)\}\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(y-w')\,K(w,w,z)\Big[-2N_c{\rm Tr}\{U^\dagger(w)U(w')\}+2N_c{\rm Tr}\{U^\dagger(w)U(y)\} \\
+{\rm Tr}\{T^eU^\dagger(w)U(w')T^eU^\dagger(w)U(z)\}+{\rm Tr}\{T^eU^\dagger(w)U(w')T^eU^\dagger(z)U(w)\} \\
-{\rm Tr}\{T^eU^\dagger(w)U(y)T^eU^\dagger(w)U(z)\}-{\rm Tr}\{T^eU^\dagger(w)U(y)T^eU^\dagger(z)U(w)\} \\
-{\rm Tr}\{T^eU^\dagger(w)U(w')\}\,{\rm Tr}\{T^eU^\dagger(w)U(z)\}+{\rm Tr}\{T^eU^\dagger(w)U(y)\}\,{\rm Tr}\{T^eU^\dagger(w)U(z)\}\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(y-w')\,K(x,x,z)\Big[2N_c{\rm Tr}\{U^\dagger(x)U(w')\}-2N_c{\rm Tr}\{U^\dagger(x)U(y)\} \\
-{\rm Tr}\{T^eU^\dagger(w')U(x)T^eU^\dagger(x)U(z)\}-{\rm Tr}\{T^eU^\dagger(w')U(x)T^eU^\dagger(z)U(x)\} \\
+{\rm Tr}\{T^eU^\dagger(x)U(y)T^eU^\dagger(x)U(z)\}+{\rm Tr}\{T^eU^\dagger(x)U(y)T^eU^\dagger(z)U(x)\} \\
-{\rm Tr}\{T^eU^\dagger(w')U(x)\}\,{\rm Tr}\{T^eU^\dagger(x)U(z)\}-{\rm Tr}\{T^eU^\dagger(x)U(y)\}\,{\rm Tr}\{T^eU^\dagger(x)U(z)\}\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(y-w')\,K(y,y,z)\Big[2N_c{\rm Tr}\{U^\dagger(w)U(y)\}-2N_c{\rm Tr}\{U^\dagger(x)U(y)\} \\
-{\rm Tr}\{T^eU^\dagger(w)U(y)T^eU^\dagger(y)U(z)\}-{\rm Tr}\{T^eU^\dagger(w)U(y)T^eU^\dagger(z)U(y)\} \\
+{\rm Tr}\{T^eU^\dagger(x)U(y)T^eU^\dagger(y)U(z)\}+{\rm Tr}\{T^eU^\dagger(x)U(y)T^eU^\dagger(z)U(y)\} \\
-{\rm Tr}\{T^eU^\dagger(w)U(y)\}\,{\rm Tr}\{T^eU^\dagger(y)U(z)\}+{\rm Tr}\{T^eU^\dagger(x)U(y)\}\,{\rm Tr}\{T^eU^\dagger(y)U(z)\}\Big]\Bigg] \qquad (3.4)
\end{aligned}
$$

where $K(y,y,z) = \frac{(y-z)\cdot(y-z)}{(y-z)^4}$

4 BFKL contribution

The bracket below, $\mathcal{B}$, is BFKL⊗LO (Eq. (4.2) for any U). It is not among the $\log\frac{\vee}{\Lambda}$ terms of Secs. 1, 2: in all of them the measured gluon is emitted by a valence charge, $\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')$, while in 23 of the 35 terms of Eq. (4.2) it is emitted by the gluon at z. These terms come from the upper limits of the p^+ integrals, $p^+ \to \vee$, $p^+ + k^+ \to \vee$, with $\log\frac{\vee}{k^+}$: the $\log\frac{\vee}{k^+}$ terms of all rows sum to $\log\frac{\vee}{k^+}(\mathcal{B}-\mathcal{J})$. With the other half of Sec. 3 they give the BFKL contribution $\frac{1}{2}\log\frac{\vee}{\Lambda}\,\mathcal{B}$ below, plus a finite remainder (Sec. 5). (Left-hand sides renamed from $d^3N_{\rm NLO}$ to $d^3N_{\rm BFKL}$.)

$$
\begin{aligned}
\frac{d^3 N_{\mathrm{BFKL}}}{d^3 k} = {} & \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\frac{1}{2}\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Bigg[N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
& - N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
& - N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
& + N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
& + N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
& - N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) \\
& - N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
& + N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
& - 2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,\rho^b(x)\,\rho^e(x') \\
& + 2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x)\,U^{ha}(w')\,\rho^b(x')\,\rho^e(x) \\
& + 2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ha}(w)\,\rho^b(x)\,\rho^e(x') \\
& + 2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{ade}\,U^{hb}(x)\,U^{hd}(x')\,\rho^e(x')\,\rho^c(x) \\
& + \mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x)\,\rho^e(x') \\
& + \mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x) \\
& + 2\,N_c\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,\rho^a(x)\,\rho^a(x') \\
& + \mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w)\,U^{eh}(z)\,\rho^d(x)\,\rho^c(x') \\
& + \mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w)\,U^{eh}(z)\,\rho^d(x')\,\rho^c(x) \\
& + \mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{eh}(z)\,\rho^c(x)\,\rho^d(x') \\
& + \mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{eh}(z)\,\rho^c(x')\,\rho^d(x) \\
& - N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
& + N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
& + N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ca}(z)\,\rho^b(x')\,\rho^c(x) \\
& - N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ca}(z)\,\rho^b(x')\,\rho^c(x) \\
& - 2\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{bde}\,U^{hd}(w')\,U^{ha}(w)\,\rho^e(x')\,\rho^c(x) \\
& - 2\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,\rho^b(x)\,\rho^e(x') \\
& + 2\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{ade}\,U^{hb}(w')\,U^{eh}(z)\,\rho^d(x)\,\rho^c(x') \\
& - 2\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{ade}\,U^{hb}(x')\,U^{eh}(z)\,\rho^d(x)\,\rho^c(x') \\
& - N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\frac{1}{(x'-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^c(x)\,\rho^b(x') \\
& + N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^b(x)\,\rho^c(x') \\
& + N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\frac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{ca}(z)\,\rho^b(x)\,\rho^c(x') \\
& - N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ca}(z)\,\rho^b(x)\,\rho^c(x') \\
& - 2\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{bde}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x) \\
& + 2\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{bde}\,U^{hd}(x)\,U^{ha}(w')\,\rho^c(x')\,\rho^e(x) \\
& - 2\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dae}\,U^{hb}(w)\,U^{eh}(z)\,\rho^d(x')\,\rho^c(x) \\
& + 2\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dae}\,U^{hb}(x)\,U^{eh}(z)\,\rho^d(x')\,\rho^c(x)\Bigg]
\end{aligned}
\tag{4.1}
$$

$$
\begin{aligned}
\frac{d^3N_{\rm BFKL}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\frac{1}{2}\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Bigg[\\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\Big[\\
-N_c\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)+N_c\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
+N_c\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)-N_c\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\Big[\\
-N_c\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)+N_c\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
+N_c\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)-N_c\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\Big[\\
+2\,f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x)-2\,f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(x)\,\rho^c(x')\,\rho^e(x) \\
-2\,f^{abc}\,f^{dbe}\,U^{ha}(x')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x)+2\,f^{abc}\,f^{dbe}\,U^{ha}(x')\,U^{hd}(x)\,\rho^c(x')\,\rho^e(x)\Big] \\
+\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\Big[\\
+2\,N_c\,\rho^a(x)\,\rho^a(x')-f^{abc}\,f^{dce}\,U^{ha}(w')\,U^{hd}(w)\,\rho^b(x)\,\rho^e(x') \\
-f^{abc}\,f^{dce}\,U^{ha}(w')\,U^{hd}(w)\,\rho^b(x')\,\rho^e(x)+f^{abc}\,f^{dce}\,U^{ha}(w')\,U^{hd}(z)\,\rho^b(x)\,\rho^e(x')+f^{abc}\,f^{dce}\,U^{ha}(w')\,U^{hd}(z)\,\rho^b(x')\,\rho^e(x) \\
+f^{abc}\,f^{dce}\,U^{ha}(z)\,U^{hd}(w)\,\rho^b(x)\,\rho^e(x')+f^{abc}\,f^{dce}\,U^{ha}(z)\,U^{hd}(w)\,\rho^b(x')\,\rho^e(x)\Big] \\
+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\frac{1}{(x-z)^2}\Big[\\
-N_c\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)+N_c\,U^{ab}(w')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x)+N_c\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) \\
-N_c\,U^{ab}(x')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x)\Big] \\
+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\Big[\\
+2\,f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ha}(w)\,\rho^b(x)\,\rho^e(x')-2\,f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ha}(z)\,\rho^b(x)\,\rho^e(x') \\
-2\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,\rho^b(x)\,\rho^e(x')+2\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(z)\,\rho^b(x)\,\rho^e(x')\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\frac{1}{(x'-z)^2}\Big[\\
-N_c\,U^{ab}(w')\,U^{ac}(w)\,\rho^c(x)\,\rho^b(x')+N_c\,U^{ab}(w')\,U^{ac}(x)\,\rho^c(x)\,\rho^b(x') \\
+N_c\,U^{ab}(z)\,U^{ac}(w)\,\rho^c(x)\,\rho^b(x')-N_c\,U^{ab}(z)\,U^{ac}(x)\,\rho^c(x)\,\rho^b(x')\Big] \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\Big[\\
+2\,f^{abc}\,f^{cde}\,U^{ha}(w')\,U^{hd}(w)\,\rho^b(x')\,\rho^e(x)-2\,f^{abc}\,f^{cde}\,U^{ha}(w')\,U^{hd}(x)\,\rho^b(x')\,\rho^e(x) \\
-2\,f^{abc}\,f^{cde}\,U^{ha}(z)\,U^{hd}(w)\,\rho^b(x')\,\rho^e(x)+2\,f^{abc}\,f^{cde}\,U^{ha}(z)\,U^{hd}(x)\,\rho^b(x')\,\rho^e(x)\Big]\Big]
\end{aligned}
\tag{4.2}
$$

In color singlet form, we get (projectile in a colour singlet: $\rho^b(x')\,\rho^c(x) \to \delta^{bc}\,\langle\rho^f(x)\rho^f(y)\rangle/(N_c^2-1)$ with $x' \to y$; $K(a,b,z) \equiv \mathcal{K}(a-z)\cdot\mathcal{K}(b-z)$, $K(a,a,z) = \frac{1}{(a-z)^2}$; $U^\dagger = U^T$, any U)

$$
\begin{aligned}
\frac{d^3N_{\rm BFKL}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\frac{1}{2}\log\left[\frac{\vee}{\Lambda}\right]\,\frac{1}{N_c^2-1}\int_{x,x'y,z,w,w'} e^{-ik\cdot(w'-w)}\langle\rho^f(x)\rho^f(y)\rangle\Bigg[\\
\mathcal{K}(x-w)\cdot\mathcal{K}(y-w')\,K(x,y,z)\Big[2N_c{\rm Tr}\{(U^\dagger(x)-U^\dagger(w))(U(y)-U(w'))\}\Big] \\
+\,\mathcal{K}(x-w)\cdot\mathcal{K}(y-w')\,K(x,x,z)\Big[-N_c{\rm Tr}\{(U^\dagger(x)-U^\dagger(w))(U(y)-U(w'))\}\Big] \\
+\,\mathcal{K}(x-w)\cdot\mathcal{K}(y-w')\,K(y,y,z)\Big[-N_c{\rm Tr}\{(U^\dagger(x)-U^\dagger(w))(U(y)-U(w'))\}\Big] \\
+\,K(w,w',z)\,K(x,y,z)\Big[2N_c{\rm Tr}\{(U^\dagger(z)-U^\dagger(w))(U(z)-U(w'))\}\Big] \\
+\,\mathcal{K}(x-w')\cdot\mathcal{K}(w-z)\,K(x,y,z)\Big[2N_c{\rm Tr}\{(U^\dagger(z)-U^\dagger(w))(U(x)-U(w'))\}\Big] \\
+\,\mathcal{K}(x-w')\cdot\mathcal{K}(w-z)\,K(y,y,z)\Big[-N_c{\rm Tr}\{(U^\dagger(z)-U^\dagger(w))(U(x)-U(w'))\}\Big] \\
+\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,K(x,y,z)\Big[2N_c{\rm Tr}\{(U^\dagger(x)-U^\dagger(w))(U(z)-U(w'))\}\Big] \\
+\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,K(y,y,z)\Big[-N_c{\rm Tr}\{(U^\dagger(x)-U^\dagger(w))(U(z)-U(w'))\}\Big]\Bigg]
\end{aligned}
\tag{4.3}
$$

where $K(x,y,z) = \frac{(x-z)\cdot(y-z)}{(x-z)^2\,(y-z)^2}$

5 Total: evolution and finite remainder

Your rows, with rule A, $\log\frac{k^+}{\Lambda} = \log\frac{\vee}{\Lambda} - \log\frac{\vee}{k^+}$, and with $\mathcal{J}$, $\mathcal{B}$ the brackets $\Big[\dots\Big]$ of Secs. 3 and 4 (without the logarithm), give

$$
\begin{aligned}
\frac{d^3N_{\rm LL}}{d^3k} &= \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\int_{x,x',z,w,w'} e^{-ik(w'-w)}\left[\log\left[\frac{\vee}{\Lambda}\right]\mathcal{J} + \log\left[\frac{\vee}{k^+}\right](\mathcal{B}-\mathcal{J})\right] \\
&= \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\int_{x,x',z,w,w'} e^{-ik(w'-w)}\left[\frac{1}{2}\log\left[\frac{\vee}{\Lambda}\right]\mathcal{J} + \frac{1}{2}\log\left[\frac{\vee}{\Lambda}\right]\mathcal{B} + \log\left[\frac{k^+}{\sqrt{\vee\Lambda}}\right](\mathcal{J}-\mathcal{B})\right],
\end{aligned}
\tag{5.1}
$$

using $\log\frac{\vee}{k^+} = \frac{1}{2}\log\frac{\vee}{\Lambda} - \log\frac{k^+}{\sqrt{\vee\Lambda}}$:

- $\frac{1}{2}\log\frac{\vee}{\Lambda}\,\mathcal{J}$: JIMWLK evolution of the target (Sec. 3 with $\frac{1}{2}$);
- $\frac{1}{2}\log\frac{\vee}{\Lambda}\,\mathcal{B}$: BFKL evolution of the projectile (Sec. 4);
- $\log\frac{k^+}{\sqrt{\vee\Lambda}}\,(\mathcal{J}-\mathcal{B})$: finite. It is the distance in rapidity of the measured gluon from the centre of the window and vanishes at mid rapidity, $k^+ = \sqrt{\vee\Lambda}$.
- In colour-singlet form, $\mathcal{J}$ and $\mathcal{B}$ are the brackets of Eqs. (3.4) and (4.3).
- Counting $\log\frac{\vee}{k^+}$ itself as finite would leave BFKL inside the finite part, $\log\frac{\vee}{k^+}(\mathcal{B}-\mathcal{J})$, which at mid rapidity is $\frac{1}{2}\log\frac{\vee}{\Lambda}(\mathcal{B}-\mathcal{J})$, not finite.