The finite terms of `Group_I/II/III.tex`: everything that is not $\propto \log\frac{k^+}{\Lambda}$ or $\log\frac{\vee}{k^+}$, with $\Lambda \to 0$

Companion of `LL_terms.pdf`. Each row is $\log\frac{k^+}{\Lambda}\,\mathfrak{T}_{\rm row} + \log\frac{\vee}{k^+}\,\mathfrak{P}_{\rm row} + R_{\rm row}$ exactly; here is $R_{\rm row}$, row by row, in your form. Blue: new; red: removed or cancelling.

1 Rules and summary

- Each logarithm is replaced by its remainder (`LL_terms.pdf`, Sec. 2): $\left[\log\frac{k^+}{\Lambda} + \log(\frac{\vee}{k^+} - 1)\right] \to \log(1 - \frac{k^+}{\vee})$, $\log\frac{\vee}{\Lambda + k^+} \to 0$, $\log\frac{(\vee - k^+)A + k^+ B}{\Lambda A + k^+ B} \to \log\frac{(1 - \frac{k^+}{\vee})A + \frac{k^+}{\vee} B}{B}$, etc.
- $\Lambda \to 0$ wherever possible (the exact remainders differ by terms that vanish for $\Lambda \to 0$: 3.5×10^{-8} at $\Lambda = 10^{-9}$); $\vee$ is kept exact.
  - In the limits of the plus-prescribed integrals of Group I Row V 2b and Group II Row IV: $\int_\Lambda^{k^+ - \Lambda} \to \int_0^{k^+}$, $\int_{k^+ - \Lambda}^{\Lambda} \to \int_{k^+}^0$, $\frac{k^+}{k^+ + \Lambda} \to 1$.
  - $\mathcal{A} \to \mathcal{A}_0$,

$$\mathcal{A}_0 = \frac{1}{\sqrt{(x-w)^2\,(x-z)^2 - [(x-w)\cdot(x-z)]^2}} \left\{ \arctan\left[\frac{(x-z)^2 - (x-w)\cdot(x-z)}{\sqrt{(x-w)^2\,(x-z)^2 - [(x-w)\cdot(x-z)]^2}}\right] + \arctan\left[\frac{(x-w)\cdot(x-z)}{\sqrt{(x-w)^2\,(x-z)^2 - [(x-w)\cdot(x-z)]^2}}\right]\right\} \tag{1.1}$$

- **Hidden logarithms** (Group II Row IV, Group III Rows III, V, VI): $\left[\log\frac{k^+}{\Lambda} + \log(\frac{\vee}{k^+} - 1)\right] \to \log(\frac{\vee}{k^+} - 1)$, which cancels the $\log\frac{\vee}{k^+}$ of the $\left[\frac{1}{p^+}\right]_+$ (resp. $\frac{\xi}{(1-\xi)_+}$) integral; $\left[\frac{1}{p^+}\right]_+$ is kept unevaluated. The BFKL term contained in that integral is subtracted (blue, C1, C3).
- **Cancelling lines** (red): the $\frac{1}{\Lambda}$ lines of Group I Row III (sum zero, 3.0×10^{-16}), your two red lines of d^3N_2, and the edge-kernel line of d^3N_{3b} (C4, Q3).
- **C5**: the measure of Group III Row III part 2.
- **Running coupling and DGLAP** are in Group I Row II part 1 ($\frac{11}{3}$), Group I Row V 2b UV ($-\frac{11}{6}$) and Group II Row IV. Their analysis is unchanged (`Finite_terms_final.pdf`, Secs. 4, 5): the β_0 terms cancel, and Group II Row IV with the blue line is the DGLAP term.

2 Group I (with c.c.)

2.1 Row I

Only four ρ's (`LL_terms.pdf`, Sec. 6); no finite terms in your files.

2.2 Row II

Row II, first part. The pole bracket times $\frac{11}{3}$ is the β_0 term; it cancels against the $-\frac{11}{6}$ of Row V 2b UV (`Finite_terms_final.pdf`, Sec. 4). $\log(1 - \frac{k^+}{\vee}) \to 0$ for $\vee \to \infty$.

$$\frac{d^3N_{1\,\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4\,N_c}{32\pi^4}\,\frac{1}{k^+}\int_{w,w',x,x',} e^{-ik(w'-w)}\,\frac{(x'-w')\cdot(x-w)}{(x'-w')^2\,(x-w)^2}\left[\left[-\frac{2}{\epsilon} - 2\gamma - \log\left[\frac{(x-w)^2\,\mu^2_{\overline{MS}}}{4}\right]\right]\times \left[\frac{11}{3} + \log\left(1 - \frac{k^+}{\vee}\right)\right] - \frac{67}{9} + \frac{\pi^2}{3} + \log^2\left[1 - \frac{k^+}{\vee}\right] + \log\left[1 - \frac{k^+}{\vee}\right]\log\left[\frac{\vee}{k^+}\right]\right]\times \left[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{ab}(w)\,\rho^b(x) - U^{ab}(x)\,\rho^b(x)\right] \tag{2.1}$$

Row II, second part, d^3N_{2a}. Nothing is left.

Row II, second part, d^3N_{2b}. Unchanged: no large logarithm. R^i as in your file.

$$\frac{d^3N_{2\,b}}{d^3k} = -\frac{1}{(2\pi)^3}\,\frac{g^4}{64\pi^6}\,\frac{1}{k^+}\int_{w,w'} e^{-ik\cdot(w'-w)}\int d^2p\,d^2k\int_{x,y} e^{ik\cdot(w-y)}\,e^{ip\cdot(y-x)}\,\frac{(x'-w')^i}{(x'-w')^2\,\mathbf{p}^2\mathbf{k}^2}\,R^i(\mathbf{k},\mathbf{p})$$
$$\times\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\Big[f^{hbc}\,U^{ah}(w)\,\Big\{\rho^b(x),\rho^c(y)\Big\} - f^{abc}\,U^{bd}(x)\,U^{ce}(y)\,\Big\{\rho^d(x),\rho^e(y)\Big\}\Big] \tag{2.2}$$

2.3 Row III

Row III, d^3N_1. Red: the $\frac{1}{\Lambda}$ lines (your green brackets). Lines 1 and 4 here, line 1 of d^3N_2 and line 1 of d^3N_{3a} add up to zero exactly, pointwise (`check_split.py`: 3.0×10^{-16}).

$$\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\int_{w,w'} e^{-ik(w'-w)}\Bigg\{$$
$$\frac{ig^4\,f^{abd}}{8\pi^5}\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\,\frac{1}{[(x-z)^2-(x-w)^2]}\times\left[\frac{1}{\Lambda}+\frac{1}{k^+-\vee}\right]$$
$$\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]$$
$$-\frac{ig^4\,f^{abd}}{16\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\,\frac{[(x-z)^2+(x-w)^2]}{[(x-z)^2-(x-w)^2]^2}$$
$$\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]$$
$$+\frac{ig^4\,f^{abd}}{16\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\,\frac{[(x-w)^2+(x-z)^2]}{[(x-z)^2-(x-w)^2]^2}\times\log\left[\frac{(x-z)^2-\frac{k^+}{\vee}\,(x-w)^2}{(x-z)^2-(x-w)^2}\right]$$
$$\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]$$
$$+\frac{ig^4\,f^{abd}}{8\pi^5}\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\,\frac{1}{[(x-z)^2-(x-w)^2]}\times\left[\frac{1}{\Lambda}-\frac{1}{k^+-\Lambda}\right]$$
$$\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]$$
$$+\frac{ig^4\,f^{abd}}{16\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\,\frac{[(x-w)^2+(x-z)^2]}{[(x-z)^2-(x-w)^2]^2}\times\log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]$$
$$\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]$$
$$-\frac{ig^4\,f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'}\frac{(x'-w')\cdot(x-w)\,(x-z)\cdot(y-z)}{(x'-w')^2\,(x-w)^2\,(x-z)^2\,(y-z)^2}\,\log\left[\frac{\frac{k^+}{\vee}\,(x-w)^2-(x-z)^2}{(x-w)^2}\right]$$
$$\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]\Bigg\} \tag{2.3}$$

Row III, d^3N_2. Red: line 1 is a $\frac{1}{\Lambda}$ line (see d^3N_1); your two red lines cancel each other.

$$\frac{d^3N_{2\,\mathrm{NLO}}}{d^3k} = -\frac{1}{(2\pi)^3}\int_{w,w'} e^{-ik(w'-w)}\Bigg\{$$
$$\frac{ig^4\,f^{abd}}{8\pi^5}\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2\,[(x-w)^2-(x-z)^2]}\left[\frac{1}{(\vee-k^+)}-\frac{1}{\Lambda}\right]$$
$$\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]$$
$$-\frac{ig^4\,f^{abd}}{8\pi^5}\,\frac{1}{k^+}\left[\log\left[\frac{\vee}{\Lambda}\right]+\log\left[1-\frac{k^+}{\vee}\right]\right]\int_{x,y,z,x'}\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(z-w)}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,[(x-w)^2-(x-z)^2]}$$
$$\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]$$
$$+\frac{ig^4\,f^{abd}}{8\pi^5}\,\frac{1}{k^+}\left[\log\left[\frac{\vee}{\Lambda}\right]+\log\left[1-\frac{k^+}{\vee}\right]\right]\int_{x,y,z,x'}\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(z-w)}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,[(x-w)^2-(x-z)^2]}$$
$$\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]$$
$$+\frac{ig^4\,f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-z)\,(x-w)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,[(x-w)^2-(x-z)^2]^2}$$
$$\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]$$
$$-\frac{ig^4\,f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-w)\,(x-z)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,[(x-w)^2-(x-z)^2]^2}$$
$$\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]$$
$$+\frac{ig^4\,f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'}\log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-w)}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,[(x-w)^2-(x-z)^2]}$$
$$\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]$$

$$
- \frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(x-w)\,(y-z)\cdot(z-w)\,(x-z)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,[(x-w)^2-(x-z)^2]\,(x-w)^2}
$$
$$
\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y)-U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]
$$
$$
+ \frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-w)\,(x-z)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,[(x-w)^2-(x-z)^2]^2}
$$
$$
\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y)-U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]
$$
$$
- \frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-z)\,(x-w)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,[(x-w)^2-(x-z)^2]\,(x-z)^2}
$$
$$
\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y)-U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]
$$
$$
+ \frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(x-z)\,(y-z)\cdot(z-w)}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,[(x-w)^2-(x-z)^2]}
$$
$$
\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y)-U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]
$$
$$
- \frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-z)\,(x-w)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,[(x-w)^2-(x-z)^2]^2}
$$
$$
\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y)-U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]\Bigg\} \tag{2.4}
$$

Row III, d^3N_{3a}. Red: line 1 is a $\frac{1}{\Lambda}$ line (see d^3N_1). The edge-kernel line has no finite part: its log $\frac{k^+-\Lambda}{\Lambda}=\log\frac{k^+}{\Lambda}+\log(1-\frac{\Lambda}{k^+})$ and $\log(1-\frac{\Lambda}{k^+})\to 0$. $\mathcal{A}_0$ is $\mathcal{A}$ at $\Lambda=0$, Eq. (1.1).

$$
\frac{d^3N_{3a\,\mathrm{NLO}}}{d^3k}=\frac{1}{(2\pi)^3}\int_{w,w'}e^{-ik(w'-w)}\Bigg\{
$$
$$
\frac{ig^4 f^{abd}}{8\pi^5}\left[\frac{1}{\Lambda}-\frac{1}{k^+-\Lambda}\right]\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)}{(x'-w')^2(y-z)^2\,[(x-w)^2-(x-z)^2]}
$$
$$
\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y)-U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]
$$
$$
- \frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-w)\,(x-z)^2}{(x'-w')^2(y-z)^2(z-w)^2\,[(x-w)^2-(x-z)^2]^2}
$$
$$
\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y)-U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]
$$
$$
+ \frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-z)\,(x-w)^2}{(x'-w')^2(y-z)^2(z-w)^2\,[(x-w)^2-(x-z)^2]^2}
$$
$$
\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y)-U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]
$$
$$
- \frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-w)}{(x'-w')^2(y-z)^2(z-w)^2\,[(x-w)^2-(x-z)^2]}
$$
$$
\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y)-U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]
$$
$$
+ \frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-z)\,(x-w)^2}{(x'-w')^2(y-z)^2(z-w)^2\,[(x-w)^2-(x-z)^2]\,(x-z)^2}
$$
$$
\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y)-U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]
$$
$$
+ \frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(y-z)\cdot(z-w)\,(x'-w')\cdot(x-w)\,(x-z)^2}{(x'-w')^2(y-z)^2(z-w)^2\,[(x-w)^2-(x-z)^2]\,(x-w)^2}
$$
$$
\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y)-U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]
$$
$$
- \frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(y-z)\cdot(z-w)\,(x'-w')\cdot(x-z)}{(x'-w')^2(y-z)^2(z-w)^2\,[(x-w)^2-(x-z)^2]}
$$
$$
\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y)-U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]
$$
$$
+ \frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\mathcal{A}_0\int_{x,y,z,x'}\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-w)}{(x'-w')^2(y-z)^2(z-w)^2}
$$
$$
\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y)-U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]
$$
$$
+ \frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\mathcal{A}_0\int_{x,y,z,x'}\frac{(y-z)\cdot(z-w)\,(x'-w')\cdot(x-z)}{(x'-w')^2(y-z)^2(z-w)^2}
$$
$$
\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y)-U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]
$$
$$
- \frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\mathcal{A}_0\int_{x,y,z,x'}\frac{(x-w)\cdot(x-z)\,(x'-w')\cdot(z-w)\,(y-z)\cdot(x-z)}{(x'-w')^2(y-z)^2(z-w)^2(x-z)^2}
$$

$$\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big] \times \Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big]\Bigg\} \tag{2.5}$$

Row III, d^3N_{3b}. **C4.** The last line (red) is, for $\Lambda \to 0$, $\log\frac{(z-w)^2}{(x-w)^2}$ times the edge kernel $\frac{(x'-w')\cdot(y-z)}{(x'-w')^2(y-z)^2(z-w)^2}$: not integrable at $z \to w$. The edge kernel is replaced by $\mathcal{D}$ (LL file), and its finite part belongs to the region of $\mathcal{D}$, which is not yet computed (Q3, open).

$$\begin{aligned}
\frac{d^3N_{3b\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\int_{w,w'} e^{-ik(w'-w)}\Bigg\{ & \\
& -\frac{ig^4 f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\mathcal{A}_0\int_{x,y,z,x'}\frac{(x-w)\cdot(x-z)\,(y-z)\cdot(z-w)\,(x'-w')\cdot(x-w)}{(x'-w')^2(y-z)^2(z-w)^2(x-w)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big] \times \Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big] \\
& -\frac{ig^4 f^{abd}}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{(z-w)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-z)}{(x'-w')^2(y-z)^2(z-w)^2(x-z)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big] \times \Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big] \\
& +\frac{ig^4 f^{abd}}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{(z-w)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(y-z)\cdot(z-w)\,(x'-w')\cdot(x-w)}{(x'-w')^2(y-z)^2(z-w)^2(x-w)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big] \times \Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big] \\
& -\frac{ig^4 f^{abd}}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{(z-w)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)}{(x'-w')^2(y-z)^2\,(z-w)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big] \times \Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big]\Bigg\}
\end{aligned} \tag{2.6}$$

2.4 Row IV

Row IV.

$$\begin{aligned}
\frac{d^3N_{\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\int_{x,y,z,w,x',w'} e^{-ik\cdot(w'-w)}\Bigg\{ & \\
& \frac{ig^4}{8\pi^5}\,\frac{1}{k^+}\,\frac{(x'-w')^i\,(y-z)^j}{(x'-w')^2\,(y-z)^2}\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}(x-w)^2}{(x-w)^2}\right]\times\left[\frac{(x-z)^j\,(z-w)^i}{(z-w)^2\,(x-z)^2}\right. \\
& \left. -\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}-\frac{(x-z)^j\,(x-w)^i}{(x-z)^2\,(x-w)^2}+\frac{\delta^{ij}}{2\,(z-w)^2}\right] \\
& +\frac{ig^4}{8\pi^5}\,\frac{1}{k^+}\,\frac{(x'-w')^i\,(y-z)^j}{(x'-w')^2\,(y-z)^2}\times\log\left(1-\frac{k^+}{\vee}\right)\left[\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}+\frac{(x-z)^j\,(x-w)^i}{2\,(x-z)^2\,(x-w)^2}\right]\Bigg\}\times \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\Big[f^{cdc'}\,U^{ac}(w)\,U^{bd}(z)\,U^{be}(y)\,\rho^{e}(y)\rho^{c'}(x) - f^{abc}\,U^{be}(y)\,U^{cd}(x)\,\rho^{e}(y)\rho^{d}(x)\Big]
\end{aligned} \tag{2.7}$$

2.5 Row V

Row V, first part.

$$\begin{aligned}
\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k} = & \frac{1}{(2\pi)^3}\,\frac{ig^4}{16\pi^4}\,\frac{1}{k^{+\,2}}\int_0^{k^+}\frac{dp^+}{2\pi}\int_{x,z,y,x',y'w'} e^{-ik\cdot(w'-z)}\,e^{-ik\cdot(z-x)\frac{p^+}{k^+}}\,\frac{(x'-w')^i\,(z-x)^m\,(y-z)^k\,(y'-x)^j}{(x'-w')^2\,(z-x)^2\,(y-z)^2\,(y'-x)^2} \\
& \left[\delta_{im}\,\delta_{jk} - \left[\frac{k^+}{p^+}\right]_+\delta_{jm}\,\delta_{ik}\right]\times\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times \\
& \Big[f^{adc}\,U^{db}(x)\,U^{ce}(z)\,\{\rho^{e}(y),\rho^{b}(y')\} - f^{abc}\,U^{cd}(y)\,U^{be}(y')\,\{\rho^{d}(y),\rho^{e}(y')\}\Big] \\
& -\frac{1}{(2\pi)^3}\,\frac{ig^4}{16\pi^4}\,\frac{1}{k^+}\int_0^{k^+}\frac{dq^+}{2\pi}\int_{x,z,y,x',y'w'} e^{-ik\cdot(w'-x)}\,e^{-ik\cdot(x-z)\frac{q^+}{k^+}}\,\frac{(x'-w')\cdot(y'-x)\,(z-x)\cdot(y-z)}{(x'-w')^2\,(z-x)^2\,(y-z)^2\,(y'-x)^2}\left[\frac{1}{q^+}\right]_+ \\
& \times\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[f^{adc}\,U^{db}(x)\,U^{ce}(z)\,\{\rho^{e}(y),\rho^{b}(y')\} - f^{abc}\,U^{cd}(y)\,U^{be}(y')\,\{\rho^{d}(y),\rho^{e}(y')\}\Big]
\end{aligned} \tag{2.8}$$

Row V, second part, d^3N_{2a}.

$$\begin{aligned}
\frac{d^3N_{2a\,\mathrm{NLO}}}{d^3k} = & \frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^4}\,\frac{1}{k^+}\int_0^{k^+}\frac{dp^+}{2\pi}\int_{x,y,z,x',w'} e^{-ik\cdot(w'-z)}\,e^{-ik\cdot(z-x)\,\frac{p^+}{k^+}}\,\frac{1}{[p^+\,(y-x)^2+(k^+-p^+)\,(y-z)^2]}\,\frac{(x'-w')^i\,(z-x)^m}{(x'-w')^2\,(z-x)^2} \\
& \left[\frac{\delta^{im}\,d_\perp}{2\,(x-z)^2}\,\left[(y-x)^2-(y-z)^2\right]\,\frac{p^+\,(k^+-p^+)}{k^{+\,2}}\right.
\end{aligned}$$

$$
\begin{aligned}
&+\frac{(k^+-p^+)\,\delta_{im}}{k^+}\left[\frac{(y-z)\cdot(x-z)}{(x-z)^2}+\frac{(y-x)\cdot(y-z)}{2\,(y-x)^2}-\frac{\left[(y-x)^2-(y-z)^2\right]}{2\,(x-z)^2}\right]\\
&-\left[\frac{k^+}{p^+}\right]_+\left[\frac{(y-z)^i\,(x-z)^m}{(x-z)^2}+\frac{(y-x)^m\,(y-z)^i}{2\,(y-x)^2}\right]+\left[\frac{(y-z)^i\,(x-z)^m}{(x-z)^2}+\frac{(y-x)^m\,(y-z)^i}{2\,(y-x)^2}\right]\\
&+\frac{p^+\,\delta_{im}}{k^+}\left[\frac{(y-x)\cdot(x-z)}{(x-z)^2}-\frac{(y-x)\cdot(y-z)}{2\,(y-z)^2}-\frac{\left[(y-x)^2-(y-z)^2\right]}{2\,(x-z)^2}\right]\\
&-\left[\frac{(y-x)^m\,(x-z)^i}{(x-z)^2}-\frac{(y-x)^m\,(y-z)^i}{2\,(y-z)^2}+\frac{(y-z)^m\,(x-z)^i}{(x-z)^2}+\frac{(y-x)^i\,(y-z)^m}{2\,(y-x)^2}\right]\Bigg]\times\\
&\left[U^{ab'}(x')-U^{ab'}(w')\right]\left[-f^{adc}\,f^{fbe}\,U^{db}(x)\,U^{ce}(z)+N_c\,U^{af}(x)\right]\rho^{b'}(x')\,\rho^f(y)\\
&+\frac{1}{(2\pi)^3}\int_{k^+}^0\frac{dq^+}{2\pi}\,\frac{g^4}{8\pi^4}\,\frac{1}{k^+}\int_{x,y,z,x',w'}e^{-ik\cdot(w'-x)}\,e^{-ik\cdot(x-z)\,\frac{q^+}{k^+}}\,\frac{1}{\left[(k^+-q^+)\,(y-x)^2+q^+\,(y-z)^2\right]}\,\frac{(x'-w')^i\,(z-x)^m}{(x'-w')^2\,(z-x)^2}\\
&\left\{\left[\frac{k^+}{q^+}\right]_+\left[\frac{(y-x)^i\,(x-z)^m}{(x-z)^2}-\frac{(y-x)^i\,(y-z)^m}{2\,(y-z)^2}\right]-\left[\frac{(y-x)^i\,(x-z)^m}{(x-z)^2}-\frac{(y-x)^i\,(y-z)^m}{2\,(y-z)^2}\right]\right\}\times\\
&\left[U^{ab'}(x')-U^{ab'}(w')\right]\left[-f^{adc}\,f^{fbe}\,U^{db}(x)\,U^{ce}(z)+N_c\,U^{af}(x)\right]\rho^{b'}(x')\,\rho^f(y)
\end{aligned}
\tag{2.9}
$$

Row V, second part, $d^3N_{2b\,\mathrm{UV}}$**.** Only $-\frac{11}{6}$ is left (E1, $2\log(1-\frac{\Lambda}{k^+})\to 0$). It is the β_0 term that cancels the $\frac{11}{3}$ of Row II part 1.

$$
\begin{aligned}
\frac{d^3N_{2b\,\mathrm{UV\,NLO}}}{d^3k}&=\frac{1}{(2\pi)^3}\,\frac{g^4N_c}{16\pi^4}\,\frac{1}{k^+}\left[-\frac{11}{6}\right]\int_{y,z,x',w'}e^{-ik\cdot(w'-z)}\\
&\left[\frac{2}{\epsilon}+2\gamma_E+\log\frac{(y-z)^2\mu^2_{\overline{MS}}}{4}\right]\frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\left[U^{ab'}(x')-U^{ab'}(w')\right]\left[U^{af}(y)-U^{af}(z)\right]\rho^{b'}(x')\,\rho^f(y).
\end{aligned}
\tag{2.10}
$$

Row V, second part, $d^3N_{2b\,\mathrm{finite}}$**.** $\Lambda\to 0$ in the limits of the plus-prescribed integrals (regular at the end points). In line 6, $2\log\frac{k^+-\Lambda}{\Lambda}$ went to the LL file; $-\frac{11}{6}$ is the counterterm constant.

$$
\begin{aligned}
\frac{d^3N_{2b\,\mathrm{finite\,NLO}}}{d^3k}&=\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^4}\,\frac{1}{k^+}\int_0^{k^+}\frac{dp^+}{2\pi}\int_{x,y,z,x',w'}e^{-ik\cdot(w'-z)}\,e^{-ik\cdot(z-x)\,\frac{p^+}{k^+}}\,\frac{1}{[p^+(y-x)^2+(k^+-p^+)(y-z)^2]}\\
&\frac{(x'-w')^i\,(z-x)^m}{(x'-w')^2\,(z-x)^2}\times\left[\frac{\delta^{im}\,d_\perp}{2\,(x-z)^2}\left[(y-x)^2-(y-z)^2\right]\frac{p^+(k^+-p^+)}{k^{+2}}\right.\\
&+\frac{(k^+-p^+)\,\delta_{im}}{k^+}\left[\frac{(y-z)\cdot(x-z)}{(x-z)^2}+\frac{(y-x)\cdot(y-z)}{2(y-x)^2}-\frac{(y-x)^2-(y-z)^2}{2(x-z)^2}\right]\\
&-\left[\frac{k^+}{p^+}\right]_+\left[\frac{(y-z)^i(x-z)^m}{(x-z)^2}+\frac{(y-x)^m(y-z)^i}{2(y-x)^2}\right]+\left[\frac{(y-z)^i(x-z)^m}{(x-z)^2}+\frac{(y-x)^m(y-z)^i}{2(y-x)^2}\right]\\
&+\frac{p^+\,\delta_{im}}{k^+}\left[\frac{(y-x)\cdot(x-z)}{(x-z)^2}-\frac{(y-x)\cdot(y-z)}{2(y-z)^2}-\frac{(y-x)^2-(y-z)^2}{2(x-z)^2}\right]\\
&\left.-\left[\frac{(y-x)^m(x-z)^i}{(x-z)^2}-\frac{(y-x)^m(y-z)^i}{2(y-z)^2}+\frac{(y-z)^m(x-z)^i}{(x-z)^2}+\frac{(y-x)^i(y-z)^m}{2(y-x)^2}\right]\right]\\
&\times\left[U^{ab'}(x')-U^{ab'}(w')\right]\left[N_c\,U^{af}(y)-N_c\,U^{af}(x)\right]\rho^{b'}(x')\,\rho^f(y)\\
&+\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^4}\,\frac{1}{k^+}\int_{k^+}^0\frac{dq^+}{2\pi}\int_{x,y,z,x',w'}e^{-ik\cdot(w'-z)}\;e^{-ik\cdot(z-x)\,\frac{(k^+-q^+)}{k^+}}\,\frac{1}{[(k^+-q^+)(y-x)^2+q^+\,(y-z)^2]}\\
&\frac{(x'-w')^i\,(z-x)^m}{(x'-w')^2\,(z-x)^2}\left[\frac{(y-x)^i(x-z)^m}{(x-z)^2}-\frac{(y-x)^i(y-z)^m}{2(y-z)^2}\right]\left[\frac{k^+}{q^+}\right]_+\times\\
&\left[U^{ab'}(x')-U^{ab'}(w')\right]\left[N_c\,U^{af}(y)-N_c\,U^{af}(x)\right]\rho^{b'}(x')\,\rho^f(y)\\
&-\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^4}\,\frac{1}{k^+}\int_{k^+}^0\frac{dq^+}{2\pi}\int_{x,y,z,x',w'}e^{-ik\cdot(w'-z)}\;e^{-ik\cdot(z-x)\,\frac{(k^+-q^+)}{k^+}}\,\frac{1}{[(k^+-q^+)(y-x)^2+q^+\,(y-z)^2]}\\
&\frac{(x'-w')^i\,(z-x)^m}{(x'-w')^2\,(z-x)^2}\left[\frac{(y-x)^i(x-z)^m}{(x-z)^2}-\frac{(y-x)^i(y-z)^m}{2(y-z)^2}\right]\\
&\left[U^{ab'}(x')-U^{ab'}(w')\right]\left[N_c\,U^{af}(y)-N_c\,U^{af}(x)\right]\rho^{b'}(x')\,\rho^f(y)\\
&-\frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x',w'}e^{-ik\cdot(w'-z)}\left[-\frac{11}{6}\right]\\
&\frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\,\frac{(y-x)\cdot(y-z)}{(y-x)^2\,(x-z)^2}\times\left[U^{ab'}(x')-U^{ab'}(w')\right]\left[N_c\,U^{af}(y)-N_c\,U^{af}(z)\right]\rho^{b'}(x')\,\rho^f(y)
\end{aligned}
\tag{2.11}
$$

3 Group II

3.1 Row I

Row I, first part, first line.

$$\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\int_{x,y,z,w,x',w'} e^{-ik(w'-w)}\Bigg\{$$
$$-\frac{ig^4}{16\pi^5}\,\frac{1}{k^+}\,\frac{(x'-w')^i\,(y-z)^j}{(x'-w')^2\,(y-z)^2}\,\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times$$
$$\left[\frac{\delta^{ij}}{2\,(z-w)^2}+\frac{(x-z)^j\,(z-w)^i}{(z-w)^2\,(x-z)^2}-\frac{(x-z)^j\,(x-w)^i}{(x-w)^2\,(x-z)^2}-\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}\right]$$
$$-\frac{ig^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\frac{(x'-w')^i\,(y-z)^j}{(x'-w')^2\,(y-z)^2}\,\left[\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}+\frac{(x-z)^j\,(x-w)^i}{2\,(x-z)^2\,(x-w)^2}\right]\Bigg\}$$
$$\left[U^{ac'}(w')\,\{\rho^{c'}(x'),\rho^b(y)\}-U^{bc'}(z)\,U^{ad'}(x')\,U^{c'e'}(y)\,\{\rho^{d'}(x'),\rho^{e'}(y)\}\right]\times\left[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{bc}(z)\,U^{de}(x)\,\rho^e(x)\right] \tag{3.1}$$

Row I, first part, second line.

$$\frac{d^3N}{d^3k} = \frac{1}{(2\pi)^3}\int_{x,y,z,w,x',w'} e^{-ik(w'-w)}\Bigg\{$$
$$\frac{ig^4}{16\pi^5}\,\frac{1}{k^+}\,\frac{(x'-w)^i\,(y-z)^j}{(x'-w)^2\,(y-z)^2}\,\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w')^2}{(x-w')^2}\right]\times$$
$$\left[\frac{\delta^{ij}}{2\,(z-w')^2}+\frac{(x-z)^j\,(z-w')^i}{(z-w')^2\,(x-z)^2}-\frac{(x-z)^j\,(x-w')^i}{(x-w')^2\,(x-z)^2}-\frac{(x-w')^i\,(z-w')^j}{(z-w')^2\,(x-w')^2}\right]$$
$$+\frac{ig^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\frac{(x'-w)^i\,(y-z)^j}{(x'-w)^2\,(y-z)^2}\,\left[\frac{(x-w')^i\,(z-w')^j}{(z-w')^2\,(x-w')^2}+\frac{(x-z)^j\,(x-w')^i}{2\,(x-z)^2\,(x-w')^2}\right]\Bigg\}$$
$$\times\left[f^{c'bd'}\,U^{ac'}(w')\,\rho^{d'}(x)-f^{ac'd'}\,U^{bc'}(z)\,U^{d'e'}(x)\,\rho^{e'}(x)\right]\times\left[U^{ac}(w)\,\{\rho^c(x'),\rho^b(y)\}-U^{bc}(z)\,U^{ad}(x')\,U^{ce}(y)\,\{\rho^d(x'),\rho^e(y)\}\right] \tag{3.2}$$

Row I, second part, d^3N_{2a}.

$$\frac{d^3N_{2a\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\Bigg\{$$
$$\frac{1}{\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}\times$$
$$\Bigg[\frac{(x-w)\cdot(z-w')\,(x'-z)\cdot(z-w)}{(z-w)^2\,(z-w')^2}-\frac{(x-w)\cdot(x'-w')\,(z-w)\cdot(x'-z)}{2\,(z-w)^2\,(x'-w')^2}$$
$$+\frac{(x-z)\cdot(x'-z)\,(x-w)\cdot(z-w')}{2\,(x-z)^2\,(z-w')^2}-\frac{(x'-z)\cdot(x-z)\,(x'-w')\cdot(x-w)}{4\,(x-z)^2\,(x'-w')^2}$$
$$+\frac{(x'-w')\cdot(z-w)\,(x-z)\cdot(z-w')}{(z-w)^2\,(z-w')^2}+\frac{(x'-w')\cdot(z-w)\,(x-z)\cdot(x'-z)}{2\,(z-w)^2\,(x'-z)^2}$$
$$-\frac{(x-z)\cdot(z-w')\,(x'-w')\cdot(x-w)}{2\,(x-w)^2\,(z-w')^2}-\frac{(x'-w')\cdot(x-w)\,(x'-z)\cdot(x-z)}{4\,(x-w)^2\,(x'-z)^2}\Bigg]\times$$
$$\left[\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{\frac{k^+}{\vee}\,(x'-w')^2+\left(1-\frac{k^+}{\vee}\right)(x'-z)^2}\right]-\log\left[\frac{(x-w)^2}{(x'-w')^2}\right]\right]\Bigg\}\times$$
$$\Bigg[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^d(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^e(x)$$
$$-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^d(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^e(x)\Bigg] \tag{3.3}$$

Row I, second part, d^3N_{2b}.

$$\frac{d^3N_{2b\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{1}{\left[(x'-w')^2\,(x-z)^2\,(x-w)^2-(x-w)^4\,(x'-z)^2\right]}\times$$
$$\left[\frac{(x'-w')\cdot(x-w)\,(z-w)\cdot(z-w')}{(z-w)^2\,(z-w')^2}+\frac{(x'-w')\cdot(x-w)\,(x'-z)\cdot(z-w)}{2\,(z-w)^2\,(x'-z)^2}\right.$$

$$+\frac{(x-w)\cdot(x'-w')\,(x-z)\cdot(z-w')}{2\,(x-z)^2\,(z-w')^2}+\frac{(x-z)\cdot(x'-z)\,(x'-w')\cdot(x-w)}{4\,(x-z)^2\,(x'-z)^2}\Bigg]\times\Bigg[(x-z)^2-\frac{(x-w)^2\,(x'-z)^2}{(x'-w')^2}\Bigg]\times$$
$$\Bigg[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)$$
$$-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Bigg]$$
$$-\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'}e^{-ik(w'-w)}\,\frac{(x-z)^2}{[(x'-w')^2\,(x-z)^2\,(x-w)^2-(x-w)^4\,(x'-z)^2]}\times$$
$$\Bigg[\frac{(x'-w')\cdot(x-w)\,(z-w)\cdot(z-w')}{(z-w)^2\,(z-w')^2}+\frac{(x'-w')\cdot(x-w)\,(x'-z)\cdot(z-w)}{2\,(z-w)^2\,(x'-z)^2}$$
$$+\frac{(x-w)\cdot(x'-w')\,(x-z)\cdot(z-w')}{2\,(x-z)^2\,(z-w')^2}+\frac{(x-z)\cdot(x'-z)\,(x'-w')\cdot(x-w)}{4\,(x-z)^2\,(x'-z)^2}\Bigg]\times\log\Bigg[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\Bigg]\times$$
$$\Bigg[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)$$
$$-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Bigg]$$
$$+\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'}e^{-ik(w'-w)}\,\frac{(x'-z)^2}{[(x'-w')^4\,(x-z)^2\,-(x-w)^2\,(x'-z)^2\,(x'-w')^2]}\times$$
$$\Bigg[\frac{(x'-w')\cdot(x-w)\,(z-w)\cdot(z-w')}{(z-w)^2\,(z-w')^2}+\frac{(x'-w')\cdot(x-w)\,(x'-z)\cdot(z-w)}{2\,(z-w)^2\,(x'-z)^2}$$
$$+\frac{(x-w)\cdot(x'-w')\,(x-z)\cdot(z-w')}{2\,(x-z)^2\,(z-w')^2}+\frac{(x-z)\cdot(x'-z)\,(x'-w')\cdot(x-w)}{4\,(x-z)^2\,(x'-z)^2}\Bigg]\times\log\Bigg[\frac{\left(1-\frac{k^+}{\vee}\right)(x'-z)^2+\frac{k^+}{\vee}\,(x'-w')^2}{(x'-w')^2}\Bigg]$$
$$\Bigg[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)$$
$$-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Bigg] \tag{3.4}$$

Row I, second part, d^3N_{2c}.

$$\frac{d^3N_{2c\,\mathrm{NLO}}}{d^3k}=\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'}e^{-ik(w'-w)}\,\frac{(x'-w')^2}{(x'-z)^2}\,\frac{1}{[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2]}$$
$$\Bigg[\frac{(x'-z)\cdot(x-z)\,(z-w)\cdot(z-w')}{(z-w)^2\,(z-w')^2}-\frac{(x'-z)\cdot(x-z)\,(x'-w')\cdot(z-w)}{2\,(z-w)^2\,(x'-w')^2}-\frac{(x-w)\cdot(z-w')\,(x-z)\cdot(x'-z)}{2\,(x-w)^2\,(z-w')^2}$$
$$+\frac{(x-z)\cdot(x'-z)\,(x'-w')\cdot(x-w)}{4\,(x-w)^2\,(x'-w')^2}\Bigg]\times\log\Bigg[\frac{\left(1-\frac{k^+}{\vee}\right)(x'-z)^2+\frac{k^+}{\vee}\,(x'-w')^2}{(x'-w')^2}\Bigg]$$
$$\Bigg[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)$$
$$-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Bigg]$$
$$-\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'}e^{-ik(w'-w)}\,\frac{(x-w)^2}{(x-z)^2}\,\frac{1}{[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2]}$$
$$\Bigg[\frac{(x'-z)\cdot(x-z)\,(z-w)\cdot(z-w')}{(z-w)^2\,(z-w')^2}-\frac{(x'-z)\cdot(x-z)\,(x'-w')\cdot(z-w)}{2\,(z-w)^2\,(x'-w')^2}-\frac{(x-w)\cdot(z-w')\,(x-z)\cdot(x'-z)}{2\,(x-w)^2\,(z-w')^2}$$
$$+\frac{(x-z)\cdot(x'-z)\,(x'-w')\cdot(x-w)}{4\,(x-w)^2\,(x'-w')^2}\Bigg]\times\log\Bigg[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\Bigg]$$
$$\Bigg[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)$$
$$-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Bigg] \tag{3.5}$$

Row I, second part, d^3N_{2d}.

$$\frac{d^3N_{2d\,\mathrm{NLO}}}{d^3k}=+\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'}e^{-ik(w'-w)}\,\frac{(x-z)^2}{[(x-z)^2-(x-w)^2]}\,\frac{1}{[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2]}$$

$$
\left[\frac{(x-w)\cdot(z-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{2\,(z-w)^2\,(z-w')^2}+\frac{(x-z)\cdot(x-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{4\,(x-z)^2\,(z-w')^2}\right.
$$

$$
\left.+\frac{(x'-w')\cdot(z-w')\,\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2\,(z-w')^2}+\frac{(x'-z)\cdot(x'-w')\,\left[(x-z)^2-(x-w)^2\right]}{4\,(z-w)^2\,(x'-z)^2}\right]\times
$$

$$
\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times
$$

$$
\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.
$$

$$
\left.-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right]
$$

$$
+\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'}e^{-ik(w'-w)}\,\frac{(x'-z)^2}{\left[(x'-w')^2-(x'-z)^2\right]}\,\frac{1}{\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}
$$

$$
\left[\frac{(x-w)\cdot(z-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{2\,(z-w)^2\,(z-w')^2}+\frac{(x-z)\cdot(x-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{4\,(x-z)^2\,(z-w')^2}\right.
$$

$$
\left.+\frac{(x'-w')\cdot(z-w')\,\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2\,(z-w')^2}+\frac{(x'-z)\cdot(x'-w')\,\left[(x-z)^2-(x-w)^2\right]}{4\,(z-w)^2\,(x'-z)^2}\right]\times
$$

$$
\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x'-z)^2+\frac{k^+}{\vee}\,(x'-w')^2}{(x'-w')^2}\right]\times
$$

$$
\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.
$$

$$
\left.-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right] \tag{3.6}
$$

Row I, second part, d^3N_{2e}.

$$
\frac{d^3N_{2e\,\mathrm{NLO}}}{d^3k}=-\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'}e^{-ik(w'-w)}\,\frac{(x-w)^2}{\left[(x-z)^2-(x-w)^2\right]}\,\frac{1}{\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}
$$

$$
\left[\frac{(x-z)\cdot(z-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{2\,(z-w)^2\,(z-w')^2}-\frac{(x-z)\cdot(x-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{4\,(x-w)^2\,(z-w')^2}\right.
$$

$$
\left.+\frac{(x'-z)\cdot(z-w')\,\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2\,(z-w')^2}-\frac{(x'-z)\cdot(x'-w')\,\left[(x-z)^2-(x-w)^2\right]}{4\,(z-w)^2\,(x'-w')^2}\right]\times
$$

$$
\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times
$$

$$
\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.
$$

$$
\left.-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right]
$$

$$
-\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'}e^{-ik(w'-w)}\,\frac{(x'-w')^2}{\left[(x'-w')^2-(x'-z)^2\right]}\,\frac{1}{\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}
$$

$$
\left[\frac{(x-z)\cdot(z-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{2\,(z-w)^2\,(z-w')^2}-\frac{(x-z)\cdot(x-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{4\,(x-w)^2\,(z-w')^2}\right.
$$

$$
\left.+\frac{(x'-z)\cdot(z-w')\,\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2\,(z-w')^2}-\frac{(x'-z)\cdot(x'-w')\,\left[(x-z)^2-(x-w)^2\right]}{4\,(z-w)^2\,(x'-w')^2}\right]\times
$$

$$
\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x'-z)^2+\frac{k^+}{\vee}\,(x'-w')^2}{(x'-w')^2}\right]\times
$$

$$
\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.
$$

$$
\left.-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right] \tag{3.7}
$$

Row I, second part, d^3N_{2f}. $\frac{1}{k^+ + \Lambda} \to \frac{1}{k^+}$.

$$
\frac{d^3N_{2f\,\mathrm{NLO}}}{d^3k}=-\frac{1}{(2\pi)^3}\,\frac{g^4\,d_\perp}{32\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'}e^{-ik(w'-w)}\,\frac{(x-z)^2\,(x-w)^2}{(z-w)^2\,(z-w')^2\,\left[(x-z)^2-(x-w)^2\right]}\,\frac{\left[(x'-z)^2-(x'-w')^2\right]}{\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}\times
$$

$$
\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}(x-w)^2}{(x-w)^2}\right]\times
$$

$$
\Big[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)
$$

$$
-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Big]
$$

$$
+\frac{1}{(2\pi)^3}\,\frac{g^4\,d_\perp}{32\pi^5}\,\left[\frac{1}{\vee}-\frac{1}{k^+}\right]\int_{z,w,w',x,x'}e^{-ik(w'-w)}\,\frac{1}{(z-w)^2\,(z-w')^2}
$$

$$
\Big[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)
$$

$$
-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Big]
$$

$$
+\frac{1}{(2\pi)^3}\,\frac{g^4\,d_\perp}{32\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'}e^{-ik(w'-w)}\,\frac{(x'-w')^2\,(x'-z)^2}{(z-w)^2\,(z-w')^2}
$$

$$
\frac{[(x-z)^2-(x-w)^2]}{[(x'-z)^2-(x'-w')^2]\,[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2]}\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x'-z)^2+\frac{k^+}{\vee}(x'-w')^2}{(x'-w')^2}\right]\times
$$

$$
\Big[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)
$$

$$
-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Big] \tag{3.8}
$$

3.2 Row II

Only four ρ's (`LL_terms.pdf`, Sec. 6); no finite terms in your files.

3.3 Row III

Only four ρ's (`LL_terms.pdf`, Sec. 6); no finite terms in your files.

3.4 Row IV

Row IV. **C1.** The blue line, $-\log\frac{\vee}{k^+}H_4$, is the BFKL term contained in the ξ integral of line 1; it is now in the BFKL list. Line 2 keeps $\log(\frac{\vee}{k^+}-1)$, which cancels the $\log\frac{\vee}{k^+}$ of the $\frac{\xi}{(1-\xi)_+}$ integral. Lines 1, 2 and the blue line are the DGLAP term (`Finite_terms_final.pdf`, Sec. 5). In line 3, $\frac{k^+}{k^++\Lambda}\to 1$.

$$
\frac{d^3N_{\rm NLO}}{d^3k}=\frac{g^2}{4\pi^2}\,\frac{N_c}{(2\pi)^3}\,\frac{g^2}{2\pi^2}\,\frac{1}{k^+}\int_{x,y,x',y'}\frac{(x-y)\cdot(x'-y')}{(x-y)^2\,(x'-y')^2}\,\left[-\frac{d_\perp}{\epsilon}-d_\perp\,\gamma_E-\frac{d_\perp}{2}\,\log\left(\frac{(y'-y)^2\,\mu_{\overline{MS}}^2}{4}\right)-1\right]
$$

$$
\left[\int_{\frac{k^+}{\vee}}^1\frac{d\xi}{\xi^2}\,e^{-ik\cdot(y'-y)\,\frac{1}{\xi}}\,\left[\xi\,(1-\xi)+\frac{(1-\xi)}{\xi}+\frac{\xi}{(1-\xi)_+}\right]\right]\times\Big[U^{e'c}(y')-U^{e'c}(x')\Big]\times\,[U^{ec}(y)-U^{ce}(x)]\;\rho^{e'}(x')\rho^{e}(x)
$$

$$
+\frac{g^2}{4\pi^2}\,\frac{1}{(2\pi)^3}\,\frac{g^2}{2\pi^2}\,\frac{N_c}{k^+}\,\log\left(\frac{\vee}{k^+}-1\right)\int_{x,y,x',y'}e^{-ik\cdot(y'-y)}\,\frac{(x-y)\cdot(x'-y')}{(x-y)^2\,(x'-y')^2}\,\left[-\frac{d_\perp}{\epsilon}-d_\perp\,\gamma_E\right.
$$

$$
\left.-\frac{d_\perp}{2}\,\log\left(\frac{(y'-y)^2\,\mu_{\overline{MS}}^2}{4}\right)-1\right]\,\Big[U^{e'c}(y')-U^{e'c}(x')\Big]\times\,[U^{ec}(y)-U^{ce}(x)]\;\rho^{e'}(x')\rho^{e}(x)
$$

$$
+\frac{g^2}{4\pi^2}\,\frac{1}{(2\pi)^3}\,\frac{g^2}{2\pi^2}\,\frac{N_c}{k^+}\int_{\frac{k^+}{\vee}}^1 d\xi\,\frac{(1-\xi)}{\xi}\int_{x,y,x',y'}e^{-ik\cdot(y'-y)\,\frac{1}{\xi}}\,\left[\frac{(x-y)\cdot(x'-y')}{(x-y)^2\,(x'-y')^2}-\frac{(x-y)\cdot(y'-y)\,(x'-y')\cdot(y'-y)}{(x-y)^2\,(x'-y')^2\,(y'-y)^2}\,d_\perp\right]\times
$$

$$
\Big[U^{e'c}(y')-U^{e'c}(x')\Big]\times\,[U^{ec}(y)-U^{ce}(x)]\;\rho^{e'}(x')\rho^{e}(x)
$$

$$
-\frac{1}{(2\pi)^3}\,\frac{g^4\,N_c}{8\pi^5}\,\frac{1}{k^+}\,\log\left(\frac{\vee}{k^+}\right)\int_{x,x',z,w,w'}e^{-ik\cdot(w'-w)}\,\frac{(w-z)\cdot(w'-z)}{(w-z)^2\,(w'-z)^2}\,\frac{(x-z)\cdot(x'-z)}{(x-z)^2\,(x'-z)^2}
$$

$$
\Big[U^{e'c}(z)-U^{e'c}(x')\Big]\times\,[U^{ec}(z)-U^{ce}(x)]\;\rho^{e'}(x')\rho^{e}(x) \tag{3.9}
$$

4 Group III (with c.c.)

4.1 Row I

Row I.

$$
\frac{d^3N_{\rm NLO}}{d^3k}=\frac{1}{(2\pi)^3}\int_{x,y,x',z,w,w'}e^{-ik(w'-w)}\,\Big\{
$$

$$
\begin{aligned}
&- \frac{ig^4}{8\pi^5}\,\frac{1}{k^+}\,\frac{(x'-w')^i(y-z)^j}{(x'-w')^2\,(y-z)^2}\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times\left[\frac{\delta^{ij}}{2\,(z-w)^2}+\frac{(x-z)^j\,(z-w)^i}{(z-w)^2\,(x-z)^2}\right.\\
&\left.-\frac{(x-z)^j\,(x-w)^i}{(x-w)^2\,(x-z)^2}-\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}\right]\\
&-\frac{ig^4}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\frac{(x'-w')^i(y-z)^j}{(x'-w')^2\,(y-z)^2}\left[\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}+\frac{(x-z)^j\,(x-w)^i}{2\,(x-z)^2\,(x-w)^2}\right]\Bigg\}\times\\
&\left[U^{ab'}(x')\,U^{c'd'}(y)\,U^{c'b}(z)\,\rho^{b'}(x')\rho^{d'}(y)-U^{bd'}(z)\,U^{d'e'}(y)U^{ac'}(w')\,\rho^{c'}(x')\rho^{e'}(y)\right]\times\\
&\left[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{bc}(z)\,U^{de}(x)\,\rho^e(x)\right]
\end{aligned}
\tag{4.1}
$$

4.2 Row II

Row II.

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k}=&\frac{1}{(2\pi)^3}\int_{x,y,x',z,w,w'}e^{-ik(w'-w)}\Bigg\{\\
&-\frac{ig^4}{8\pi^5}\,\frac{1}{k^+}\,\frac{(x'-w')^i(y-z)^j}{(x'-w')^2\,(y-z)^2}\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times\left[\frac{\delta^{ij}}{2\,(z-w)^2}+\frac{(x-z)^j\,(z-w)^i}{(z-w)^2\,(x-z)^2}\right.\\
&\left.-\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}-\frac{(x-z)^j\,(x-w)^i}{(x-z)^2\,(x-w)^2}\right]\\
&-\frac{ig^4}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\frac{(x'-w')^i(y-z)^j}{(x'-w')^2\,(y-z)^2}\left[\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}+\frac{(x-z)^j\,(x-w)^i}{2\,(x-z)^2\,(x-w)^2}\right]\Bigg\}\times\\
&\left[U^{c'd'}(y)\,U^{ab'}(x')\,U^{bc'}(z)\,\rho^{d'}(y)\rho^{b'}(x')-U^{ab'}(x')\,\rho^b(y)\rho^{b'}(x')\right]\times\left[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{bc}(z)\,U^{de}(x)\,\rho^e(x)\right]
\end{aligned}
\tag{4.2}
$$

4.3 Row III

Row III, first part. **C3.** The blue line is $-\log\frac{\vee}{k^+}\times$(B): the BFKL term of the $\left[\frac{1}{p^+}\right]_+$ integral (region $y'\to z$), now in the BFKL list. Line 2 keeps $\log(\frac{\vee}{k^+}-1)$, which cancels the $-\log\frac{\vee}{k^+}$ of the subtraction in $\left[\frac{1}{p^+}\right]_+$. Lines 1, 2 and the blue line together are finite for $\vee\to\infty$.

$$
\begin{aligned}
\frac{d^3N_{1\,\rm NLO}}{d^3k}=&\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'd'a}}{8\pi^4}\,\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,x',y',z,y,x}e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}(y'-z)}\,\frac{(y'-z)^m\,(x'-y')^{k'}\,(y-w)^i\,(x-z)^j}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}\\
&\left[\frac{\delta_{k'm}\,\delta_{ij}}{(p^++k^+)}-\left[\frac{1}{p^+}\right]_+\delta_{jm}\,\delta_{ik'}-\frac{1}{k^+}\,\delta_{im}\,\delta_{jk'}\right]\left[U^{e'c'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\times\\
&\left[U^{ac}(w)\,\{\rho^c(y),\rho^b(x)\}-U^{bc}(z)\,U^{ad}(y)\,U^{ce}(x)\,\{\rho^d(y),\rho^e(x)\}\right]\\
&-\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'd'a}}{16\pi^5}\,\frac{1}{k^+}\,\log\left(\frac{\vee}{k^+}-1\right)\int_{w,x',y',z,y,x}e^{-ik\cdot(y'-w)}\,\frac{(y'-z)\cdot(x-z)\,(x'-y')\cdot(y-w)}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}\\
&\left[U^{e'c'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\times\left[U^{ac}(w)\,\{\rho^c(y),\rho^b(x)\}-U^{bc}(z)\,U^{ad}(y)\,U^{ce}(x)\,\{\rho^d(y),\rho^e(x)\}\right]\\
&+\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'd'a}}{16\pi^5}\,\frac{1}{k^+}\,\log\left(\frac{\vee}{k^+}\right)\int_{w,x',y',z,y,x}e^{-ik\cdot(y'-w)}\,\frac{(y'-z)\cdot(y-w)\,(x'-z)\cdot(x-z)}{(y'-z)^2\,(y-w)^2\,(x'-z)^2\,(x-z)^2}\\
&\left[U^{e'c'}(z)\,U^{d'b}(z)\,\rho^{e'}(x')-U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\\
&\times\left[U^{ac}(w)\,\{\rho^c(y),\rho^b(x)\}-U^{bc}(z)\,U^{ad}(y)\,U^{ce}(x)\,\{\rho^d(y),\rho^e(x)\}\right]
\end{aligned}
\tag{4.3}
$$

Row III, second part. C3 as in the first part. **C5**: measure.

$$
\begin{aligned}
\frac{d^3N_{2\,\rm NLO}}{d^3k}=&\frac{1}{(2\pi)^3}\,\frac{g^4}{4\pi^4}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,w',y',z,y,x}\int_{w,x',y',z,x}e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}(y'-z)}\,\frac{(y'-z)^m\,(x'-y')^{k'}}{(y'-z)^2\,(x'-y')^2}\,\frac{1}{[p^+\,(x-z)^2+k^+\,(x-w)^2]}\\
&\left[\frac{\delta_{k'm}\,d_\perp\,p^+}{2\,(z-w)^2\,(p^++k^+)^2}\,[(x-z)^2-(x-w)^2]+\frac{p^+\,\delta_{k'm}}{k^+\,(p^++k^+)}\left[\frac{(x-z)\cdot(z-w)}{(z-w)^2}-\frac{(x-z)\cdot(x-w)}{2\,(x-w)^2}\right.\right.\\
&\left.\left.-\frac{[(x-z)^2-(x-w)^2]}{2\,(z-w)^2}\right]+\frac{\delta_{k'm}}{(p^++k^+)}\left[\frac{(x-w)\cdot(z-w)}{(z-w)^2}+\frac{(x-z)\cdot(x-w)}{2\,(x-z)^2}-\frac{[(x-z)^2-(x-w)^2]}{2\,(z-w)^2}\right]\right.\\
&\left.-\left[\frac{1}{p^+}\right]_+\left[\frac{(x-w)^{k'}\,(z-w)^m}{(z-w)^2}+\frac{(x-z)^m\,(x-w)^{k'}}{2\,(x-z)^2}\right]-\frac{p^+}{k^{+\,2}}\left[\frac{(x-z)^{k'}\,(z-w)^m}{(z-w)^2}-\frac{(x-z)^{k'}\,(x-w)^m}{2\,(x-w)^2}\right]\right.
\end{aligned}
$$

$$
-\frac{1}{k^+}\left[\frac{(x-z)^m\,(z-w)^{k'}}{(z-w)^2}-\frac{(x-z)^m\,(x-w)^{k'}}{2\,(x-w)^2}+\frac{(x-w)^m\,(z-w)^{k'}}{(z-w)^2}+\frac{(x-z)^{k'}\,(x-w)^m}{2\,(x-z)^2}\right]\times
$$

$$
\left[f^{c'd'a}\,U^{e'c'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-f^{c'd'a}\,U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\times\left[f^{cbd}\,U^{ac}(w)\,\rho^{d}(x)-f^{acd}\,U^{bc}(z)\,U^{de}(x)\,\rho^{e}(x)\right]
$$

$$
-\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\,\log\left(\frac{\vee}{k^+}-1\right)\int_{w,y',z,y,x}\int_{w,x',y',z,x}e^{-ik\cdot(y'-w)}\left[\frac{(x-w)\cdot(x'-y')\,(z-w)\cdot(y'-z)}{(z-w)^2\,(x-w)^2\,(y'-z)^2\,(x'-y')^2}\right.
$$

$$
\left.+\frac{(x-z)\cdot(y'-z)\,(x-w)\cdot(x'-y')}{2\,(x-z)^2\,(x-w)^2\,(y'-z)^2\,(x'-y')^2}\right]\left[f^{c'd'a}\,U^{e'c'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-f^{c'd'a}\,U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\times
$$

$$
\left[f^{cbd}\,U^{ac}(w)\,\rho^{d}(x)-f^{acd}\,U^{bc}(z)\,U^{de}(x)\,\rho^{e}(x)\right]
$$

$$
+\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\,\log\left(\frac{\vee}{k^+}\right)\int_{w,x',y',z,x}e^{-ik\cdot(y'-w)}\,\frac{(x'-z)\cdot(x-z)}{(x'-z)^2\,(x-z)^2}
$$

$$
\times\left[\frac{(y'-z)\cdot(z-w)}{(y'-z)^2\,(z-w)^2}-\frac{(y'-z)\cdot(x-w)}{2\,(y'-z)^2\,(x-w)^2}\right]
$$

$$
\left[f^{c'd'a}\,U^{e'c'}(z)\,U^{d'b}(z)\,\rho^{e'}(x')-f^{c'd'a}\,U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]
$$

$$
\times\left[f^{cbd}\,U^{ac}(w)\,\rho^{d}(x)-f^{acd}\,U^{bc}(z)\,U^{de}(x)\,\rho^{e}(x)\right] \tag{4.4}
$$

4.4 Row IV

Only four ρ's (`LL_terms.pdf`, Sec. 6); no finite terms in your files.

4.5 Row V

Row V. C3 as in Row III.

$$
\frac{d^3N_{\rm NLO}}{d^3k}=\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'ca}}{4\pi^4}\,\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,y',z,y,x,x'}e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}(y'-z)}\,\frac{(y'-z)^m\,(x'-y')^{k'}\,(y-w)^i\,(x-z)^j}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}
$$

$$
\left[\frac{\delta_{k'm}\,\delta_{ij}}{(p^++k^+)}-\left[\frac{1}{p^+}\right]_+\delta_{jm}\,\delta_{ik'}-\frac{1}{k^+}\,\delta_{im}\,\delta_{jk'}\right]\left[U^{e'c'}(y')\,\rho^{e'}(x')-U^{c'e'}(x')\,\rho^{e'}(x')\right]\times
$$

$$
\left[U^{ce}(x)\,U^{ad}(y)\,\rho^{e}(x)\rho^{d}(y)-U^{ad}(w)\,U^{ce}(x)\,\rho^{e}(x)\rho^{d}(y)\right]
$$

$$
-\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'ca}}{8\pi^5}\,\frac{1}{k^+}\,\log\left(\frac{\vee}{k^+}-1\right)\int_{w,y',z,y,x,x'}e^{-ik\cdot(y'-w)}\,\frac{(y'-z)\cdot(x-z)\,(x'-y')\cdot(y-w)}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}
$$

$$
\left[U^{e'c'}(y')\,\rho^{e'}(x')-U^{c'e'}(x')\,\rho^{e'}(x')\right]\times\left[U^{ce}(x)\,U^{ad}(y)\,\rho^{e}(x)\rho^{d}(y)-U^{ad}(w)\,U^{ce}(x)\,\rho^{e}(x)\rho^{d}(y)\right]
$$

$$
+\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'ca}}{8\pi^5}\,\frac{1}{k^+}\,\log\left(\frac{\vee}{k^+}\right)\int_{w,y',z,y,x,x'}e^{-ik\cdot(y'-w)}\,\frac{(y'-z)\cdot(y-w)\,(x'-z)\cdot(x-z)}{(y'-z)^2\,(y-w)^2\,(x'-z)^2\,(x-z)^2}
$$

$$
\left[U^{e'c'}(z)\,\rho^{e'}(x')-U^{c'e'}(x')\,\rho^{e'}(x')\right]\left[U^{ce}(x)\,U^{ad}(y)\,\rho^{e}(x)\rho^{d}(y)-U^{ad}(w)\,U^{ce}(x)\,\rho^{e}(x)\rho^{d}(y)\right] \tag{4.5}
$$

4.6 Row VI

Row VI. C3 as in Row III.

$$
\frac{d^3N_{\rm NLO}}{d^3k}=\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'd'a}}{4\pi^4}\,\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,y',z,y,x,x'}e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}(y'-z)}\,\frac{(y'-z)^m\,(x'-y')^{k'}\,(y-w)^i\,(x-z)^j}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}
$$

$$
\left[\frac{\delta_{k'm}\,\delta_{ij}}{(p^++k^+)}-\left[\frac{1}{p^+}\right]_+\delta_{jm}\,\delta_{ik'}-\frac{1}{k^+}\,\delta_{im}\,\delta_{jk'}\right]\left[U^{e'c'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\times
$$

$$
\left[U^{bc}(z)\,U^{ad}(y)\,U^{ce}(x)\,\rho^{d}(y)\,\rho^{e}(x)-U^{ad}(y)\,\rho^{d}(y)\,\rho^{b}(x)\right]
$$

$$
-\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'd'a}}{8\pi^5}\,\frac{1}{k^+}\,\log\left(\frac{\vee}{k^+}-1\right)\int_{w,y',z,y,x,x'}e^{-ik\cdot(y'-w)}\,\frac{(y'-z)\cdot(x-z)\,(x'-y')\cdot(y-w)}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}
$$

$$
\left[U^{e'c'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\times\left[U^{bc}(z)\,U^{ad}(y)\,U^{ce}(x)\,\rho^{d}(y)\,\rho^{e}(x)-U^{ad}(y)\,\rho^{d}(y)\,\rho^{b}(x)\right]
$$

$$
+\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'd'a}}{8\pi^5}\,\frac{1}{k^+}\,\log\left(\frac{\vee}{k^+}\right)\int_{w,y',z,y,x,x'}e^{-ik\cdot(y'-w)}\,\frac{(y'-z)\cdot(y-w)\,(x'-z)\cdot(x-z)}{(y'-z)^2\,(y-w)^2\,(x'-z)^2\,(x-z)^2}
$$

$$
\left[U^{e'c'}(z)\,U^{d'b}(z)\,\rho^{e'}(x')-U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]
$$

$$
\times\left[U^{bc}(z)\,U^{ad}(y)\,U^{ce}(x)\,\rho^{d}(y)\,\rho^{e}(x)-U^{ad}(y)\,\rho^{d}(y)\,\rho^{b}(x)\right] \tag{4.6}
$$

5 Checks

`check_split.py`: for each of the 79 terms without a remaining p^+, ξ or momentum integral, your term = (its log $\frac{k^+}{\Lambda}$ part) + (its log $\frac{\vee}{k^+}$ part) + (the exact remainder) to 1.5×10^{-14}, at 3 configurations and $(k^+,\vee,\Lambda)=(1,37,0.013),(0.6,900,3\times10^{-4})$; the remainder written here is its $\Lambda\to0$ limit (3.5×10^{-8} at $\Lambda=10^{-9}$). The terms with a remaining integral (Group I Row II

2b, Row V; Group II Row IV lines 1, 3; Group III line 1 of Rows III, V, VI) have no Λ or large logarithm outside the limits treated above, and are copied.