Finite terms $(\Lambda \to 0)$

1 Group I (with c.c.)

With the c.c. every term is real: $i\,e^{-ik\cdot\Delta} + \text{c.c.} = 2\sin(k\cdot\Delta)$ and $e^{-ik\cdot\Delta} + \text{c.c.} = 2\cos(k\cdot\Delta)$, with Δ the argument of the phase (for operator ρ, $i(\mathcal{O}-\mathcal{O}^\dagger)$ is hermitian). Group II has no c.c.: $N_{1b} = N_{1a}^\dagger$ in Row I, and N_{2a}–N_{2f} and Row IV are each symmetric under $(x,w) \leftrightarrow (x',w')$ with †, hence real.

1.1 Row I

NA

1.2 Row II

We write it in two parts:

$$\frac{d^3N_{1\,\text{NLO}}}{d^3k} = +\frac{1}{(2\pi)^3}\,\frac{g^4\,N_c}{32\pi^4}\,\frac{1}{k^+}\int_{w,w',x,x',} e^{-ik(w'-w)}\,\frac{(x'-w')\cdot(x-w)}{(x'-w')^2\,(x-w)^2}\left\{-\frac{67}{9}+\frac{\pi^2}{3}+\log^2\left[1-\frac{k^+}{\vee}\right]+\log\left[1-\frac{k^+}{\vee}\right]\log\left[\frac{\vee}{k^+}\right]\right\}\times$$
$$\left[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{ab}(w)\,\rho^b(x) - U^{ab}(x)\,\rho^b(x)\right] \tag{1.1}$$

$$\frac{d^3N_{2b\,\text{NLO}}}{d^3k} = -\frac{1}{(2\pi)^3}\,\frac{g^4}{64\pi^6}\,\frac{1}{k^+}\int_{w,w'} e^{-ik\cdot(w'-w)}\int d^2p\,d^2q\int_{x,y} e^{iq\cdot(w-y)}\,e^{ip\cdot(y-x)}\,\frac{(x'-w')^i}{(x'-w')^2\,\mathbf{p}^2\mathbf{q}^2}\,R^i(\mathbf{q},\mathbf{p})$$
$$\times\left[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\right]\left[f^{hbc}\,U^{ah}(w)\left\{\rho^b(x),\rho^c(y)\right\} - f^{abc}\,U^{bd}(x)\,U^{ce}(y)\left\{\rho^d(x),\rho^e(y)\right\}\right] \tag{1.2}$$

where

$$R^i = -\,2q^i\log\left(\frac{p^2}{q^2+\frac{k^+}{\vee}\,p^2}\right) + \frac{(2p^2-2\,q\cdot p+q^2)\,q^i+q^2p^i}{(q-p)^2}\,\log\left[\frac{q^2}{(q-p)^2}+\frac{k^+}{\vee}\left(1-\frac{q^2}{(q-p)^2}\right)\right] - \frac{p^2q^i+q^2p^i}{(q-p)^2}\,\log\left(1-\frac{k^+}{\vee}\right). \tag{1.3}$$

The integration momentum is renamed $k \to q$; it clashed with the external k. Every term of R^i is odd under $(q,p) \to (-q,-p)$, so the double Fourier integral is $i\times$(real): N_{2b} behaves like the explicit-i terms and becomes real together with its c.c.

1.3 Row III

Logarithms. No absolute values. All logarithms of this row are on the principal branch, $\log(-X) = \log X + i\pi$ for $X > 0$. This is exactly the branch fixed by the energy denominator of $\mathbb{B}_3$: the in-state wave function has $1/(E_k - E_p + i0)$. By an exact Fourier transform this is $1/[p^+(x-u)^2 - k^+(x-z)^2 + i0]$ in coordinate space, and hence $1/[p^+(x-z)^2 - k^+(x-w)^2 - i0]$ in $\bar{\mathbb{B}}_3^\dagger$ of this row. The imaginary parts are collected below (after N_{3b}): they combine into one closed-form term, which the overall i makes *real*.

We write it in three parts:

$$
\begin{aligned}
\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\int_{w,w'} e^{-ik(w'-w)} \Bigg\{ & \\
& - \frac{ig^4\, f^{abd}}{16\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\,\frac{\left[(x-z)^2+(x-w)^2\right]}{\left[(x-z)^2-(x-w)^2\right]^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& + \frac{ig^4\, f^{abd}}{16\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\,\frac{\left[(x-w)^2+(x-z)^2\right]}{\left[(x-z)^2-(x-w)^2\right]^2}\times\log\left[\frac{(x-z)^2-\frac{k^+}{\vee}\,(x-w)^2}{(x-z)^2-(x-w)^2}\right] \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& + \frac{ig^4\, f^{abd}}{16\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\,\frac{\left[(x-w)^2+(x-z)^2\right]}{\left[(x-z)^2-(x-w)^2\right]^2}\times\log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right] \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& - \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'}\frac{(x'-w')\cdot(x-w)\,(x-z)\cdot(y-z)}{(x'-w')^2\,(x-w)^2\,(x-z)^2\,(y-z)^2}\,\log\left[\frac{\frac{k^+}{\vee}\,(x-w)^2-(x-z)^2}{(x-w)^2}\right] \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]\Bigg\}
\end{aligned}
\tag{1.4}
$$

$$
\begin{aligned}
\frac{d^3N_{2\,\mathrm{NLO}}}{d^3k} = -\frac{1}{(2\pi)^3}\int_{w,w'} e^{-ik(w'-w)} \Bigg\{ & \\
& \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-z)\,(x-w)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& - \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-w)\,(x-z)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& + \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'}\log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-w)}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& - \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'}\log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(x-w)\,(y-z)\cdot(z-w)\,(x-z)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]\,(x-w)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& + \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'}\log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-w)\,(x-z)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& - \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'}\log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-z)\,(x-w)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]\,(x-z)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& + \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'}\log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(x-z)\,(y-z)\cdot(z-w)}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& - \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'}\log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-z)\,(x-w)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]\Bigg\}
\end{aligned}
\tag{1.5}
$$

$$
\begin{aligned}
\frac{d^3N_{3a\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\int_{w,w'} e^{-ik(w'-w)}\Bigg\{ & \\
& -\frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-w)\,(x-z)^2}{(x'-w')^2(y-z)^2(z-w)^2\,[(x-w)^2-(x-z)^2]^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big] \\
& +\frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-z)\,(x-w)^2}{(x'-w')^2(y-z)^2(z-w)^2\,[(x-w)^2-(x-z)^2]^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big] \\
& -\frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-w)}{(x'-w')^2(y-z)^2(z-w)^2\,[(x-w)^2-(x-z)^2]} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big] \\
& +\frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-z)\,(x-w)^2}{(x'-w')^2(y-z)^2(z-w)^2\,[(x-w)^2-(x-z)^2]\,(x-z)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big] \\
& +\frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\frac{(y-z)\cdot(z-w)\,(x'-w')\cdot(x-w)\,(x-z)^2}{(x'-w')^2(y-z)^2(z-w)^2\,[(x-w)^2-(x-z)^2]\,(x-w)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big] \\
& -\frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\frac{(y-z)\cdot(z-w)\,(x'-w')\cdot(x-z)}{(x'-w')^2(y-z)^2(z-w)^2\,[(x-w)^2-(x-z)^2]} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big] \\
& +\frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \mathcal{A}_0\,\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-w)}{(x'-w')^2(y-z)^2(z-w)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big] \\
& +\frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \mathcal{A}_0\,\frac{(y-z)\cdot(z-w)\,(x'-w')\cdot(x-z)}{(x'-w')^2(y-z)^2(z-w)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big] \\
& -\frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \mathcal{A}_0\,\frac{(x-w)\cdot(x-z)\,(x'-w')\cdot(z-w)\,(y-z)\cdot(x-z)}{(x'-w')^2(y-z)^2(z-w)^2(x-z)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big]\Bigg\}
\end{aligned}
\tag{1.6}
$$

$$
\begin{aligned}
\frac{d^3N_{3b\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\int_{w,w'} e^{-ik(w'-w)}\Bigg\{ & \\
& -\frac{ig^4 f^{abd}}{8\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \mathcal{A}_0\,\frac{(x-w)\cdot(x-z)\,(y-z)\cdot(z-w)\,(x'-w')\cdot(x-w)}{(x'-w')^2(y-z)^2(z-w)^2(x-w)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big] \\
& -\frac{ig^4 f^{abd}}{16\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(z-w)^2}{(x-w)^2}\right]\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-z)}{(x'-w')^2(y-z)^2(z-w)^2(x-z)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big] \\
& +\frac{ig^4 f^{abd}}{16\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(z-w)^2}{(x-w)^2}\right]\frac{(y-z)\cdot(z-w)\,(x'-w')\cdot(x-w)}{(x'-w')^2(y-z)^2(z-w)^2(x-w)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big] \\
& -\frac{ig^4 f^{abd}}{16\pi^5}\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(z-w)^2}{(x-w)^2}\right]\frac{(x'-w')\cdot(y-z)}{(x'-w')^2(y-z)^2(z-w)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\Big]\Bigg\}
\end{aligned}
\tag{1.7}
$$

where:

$$\mathcal{A}_0 = \frac{1}{\sqrt{(x-w)^2\,(x-z)^2 - [(x-w)\cdot(x-z)]^2}} \left\{ \arctan\left[\frac{(x-z)^2 - (x-w)\cdot(x-z)}{\sqrt{(x-w)^2\,(x-z)^2 - [(x-w)\cdot(x-z)]^2}} \right] + \arctan\left[\frac{(x-w)\cdot(x-z)}{\sqrt{(x-w)^2\,(x-z)^2 - [(x-w)\cdot(x-z)]^2}} \right] \right\} \tag{1.8}$$

Imaginary parts of the logarithms of Row III, and how they become real

Let $u = \frac{(x-z)^2}{(x-w)^2}$ and $\kappa = \frac{k^+}{\vee}$. The logs with sign-changing arguments are $\log \frac{(x-z)^2-\kappa(x-w)^2}{(x-z)^2-(x-w)^2}$ (equal to the N_2 log), $\log \frac{(x-w)^2-(x-z)^2}{(x-w)^2}$ and $\log \frac{\kappa(x-w)^2-(x-z)^2}{(x-w)^2}$. On the principal branch their imaginary parts are $i\pi$ on $\kappa < u < 1$, on $u > 1$ and on $u > \kappa$, respectively.

Collecting all of them in $N_1 + N_2 + N_{3a}$ gives one closed form. It is exactly $i\pi$ times the sum of the residues of the five p^+ integrands at the common pole $p^+_* = k^+(x-w)^2/(x-z)^2$:

$$\sum_{\text{Row III}} (\text{coefficient}) \times \operatorname{Im}\log = \pi\,\Theta(u-\kappa)\,\frac{2\,(x'-w')^i (y-z)^j}{(x'-w')^2 (y-z)^2}\,\mathcal{K}^{ij}_{\text{IV}}(x,z,w),$$
$$\mathcal{K}^{ij}_{\text{IV}} = \frac{\delta^{ij}}{2(z-w)^2} + \frac{(z-w)^i (x-z)^j}{(z-w)^2 (x-z)^2} - \frac{(x-w)^i (z-w)^j}{(z-w)^2 (x-w)^2} - \frac{(x-w)^i (x-z)^j}{(x-w)^2 (x-z)^2}, \tag{1.9}$$

in units of $\frac{ig^4 f^{abd}}{16\pi^5}\frac{1}{k^+}$. $\mathcal{K}_{\text{IV}}$ is the kernel of Row IV. The overall i turns $i\pi$ into $-\pi$, so Row III contains the *real* term

$$\frac{d^3 N_{i\pi}}{d^3 k} = -\frac{1}{(2\pi)^3}\,\frac{g^4 f^{abd}}{8\pi^4}\,\frac{1}{k^+}\int_{w,w'} e^{-ik\cdot(w'-w)} \int_{x,y,z,x'} \Theta\Big((x-z)^2 - \tfrac{k^+}{\vee}(x-w)^2\Big)\,\frac{(x'-w')^i (y-z)^j}{(x'-w')^2 (y-z)^2}\,\mathcal{K}^{ij}_{\text{IV}}(x,z,w)$$
$$\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big] \times \Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]\,. \tag{1.10}$$

The rest of Row III is the same expressions with every log replaced by its real part, $\frac{1}{2}\log X^2$.

- **The real part is finite.** The double poles $[(x-z)^2-(x-w)^2]^{-2}$ of N_1 and N_2+N_{3a} combine into $1/(z-w)^2$. The single poles cancel on the line $(x-z)^2 = (x-w)^2$.
- **The divergent piece of $N_{i\pi}$ cancels against its c.c.** $N_{i\pi}$ is integrable everywhere except at $z \to w$, where $\mathcal{K}_{\text{IV}} \to \delta^{ij}/2(z-w)^2$; with finite Λ this region gives $\pi\log(k^+/\Lambda)$. Its coefficient is $-f^{abd} X^a_i(w')\,D^d\,X^b_i(w)$, with $X^a_i(w) = \int_v \frac{(v-w)_i}{(v-w)^2}[U(v)-U(w)]^{ab}\rho^b(v)$ and $D^d = \int_x U^{de}(x)\rho^e(x)$. This is antisymmetric under $w \leftrightarrow w'$ together with † (also for operator ρ, since D stays in the middle), so it cancels *exactly* against its c.c.: it is a Coulomb phase.
- **What remains is finite and real.** With the c.c. (classical ρ): $N_{i\pi} + N^\dagger_{i\pi} = -\frac{1}{(2\pi)^3}\frac{g^4 f^{abd}}{4\pi^4}\frac{1}{k^+}\int \cos(k\cdot(w'-w))\,(\dots)$, with the $z \to w$ piece removed as above.

Checked numerically on random configurations: the imaginary part of the expressions above, read on the principal branch, equals $\pi\times$ (sum of p^+ residues) to 12 digits, and the residue sum equals the $\mathcal{K}_{\text{IV}}$ form above.

1.4 Row IV

$$\frac{d^3 N_{\text{NLO}}}{d^3 k} = \frac{1}{(2\pi)^3}\int_{x,y,z,w,x',w'} e^{-ik\cdot(w'-w)} \Bigg\{$$
$$\frac{ig^4}{8\pi^5}\,\frac{1}{k^+}\,\frac{(x'-w')^i\,(y-z)^j}{(x'-w')^2\,(y-z)^2} \times \log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2 + \frac{k^+}{\vee}(x-w)^2}{(x-w)^2}\right] \times \left[\frac{(x-z)^j\,(z-w)^i}{(z-w)^2\,(x-z)^2}\right.$$
$$\left. - \frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2} - \frac{(x-z)^j\,(x-w)^i}{(x-z)^2\,(x-w)^2} + \frac{\delta^{ij}}{2\,(z-w)^2}\right]$$
$$+ \frac{ig^4}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\frac{(x'-w')^i\,(y-z)^j}{(x'-w')^2\,(y-z)^2}\left[\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2} + \frac{(x-z)^j\,(x-w)^i}{2\,(x-z)^2\,(x-w)^2}\right]\Bigg\}\times$$
$$\Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\Big[f^{cdc'}\,U^{ac}(w)\,U^{bd}(z)\,U^{be}(y)\,\rho^e(y)\rho^{c'}(x) - f^{abc}\,U^{be}(y)\,U^{cd}(x)\,\rho^e(y)\rho^d(x)\Big] \tag{1.11}$$

1.5 Row V

First part

$$
\begin{aligned}
\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k} &= \frac{1}{(2\pi)^3}\,\frac{ig^4}{16\pi^4}\,\frac{1}{k^{+\,2}}\int_0^{k^+}\frac{dp^+}{2\pi}\int_{x,z,y,x',y'w'} e^{-ik\cdot(w'-z)}\,e^{-ik\cdot(z-x)\,\frac{p^+}{k^+}}\,\frac{(x'-w')^i\,(z-x)^m\,(y-z)^k\,(y'-x)^j}{(x'-w')^2\,(z-x)^2\,(y-z)^2\,(y'-x)^2}\\
&\left[\delta_{im}\,\delta_{jk}-\left[\frac{k^+}{p^+}\right]_+\delta_{jm}\,\delta_{ik}\right]\times\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\\
&\left[f^{adc}\,U^{db}(x)\,U^{ce}(z)\,\{\rho^e(y),\rho^b(y')\}-f^{abc}\,U^{cd}(y)\,U^{be}(y')\,\{\rho^d(y),\rho^e(y')\}\right]\\
&-\frac{1}{(2\pi)^3}\,\frac{ig^4}{16\pi^4}\,\frac{1}{k^+}\int_0^{k^+}\frac{dq^+}{2\pi}\int_{x,z,y,x',y'w'} e^{-ik\cdot(w'-x)}\,e^{-ik\cdot(x-z)\,\frac{q^+}{k^+}}\,\frac{(x'-w')\cdot(y'-x)\,(z-x)\cdot(y-z)}{(x'-w')^2\,(z-x)^2\,(y-z)^2\,(y'-x)^2}\,\left[\frac{1}{q^+}\right]_+\\
&\times\left[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[f^{adc}\,U^{db}(x)\,U^{ce}(z)\,\{\rho^e(y),\rho^b(y')\}-f^{abc}\,U^{cd}(y)\,U^{be}(y')\,\{\rho^d(y),\rho^e(y')\}\right]
\end{aligned}
\tag{1.12}
$$

Second part

$$
\begin{aligned}
\frac{d^3N_{2a\,\mathrm{NLO}}}{d^3k} &= \frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^4}\,\frac{1}{k^+}\int_0^{k^+}\frac{dp^+}{2\pi}\int_{x,y,z,x',w'} e^{-ik\cdot(w'-z)}\,e^{-ik\cdot(z-x)\,\frac{p^+}{k^+}}\,\frac{1}{[p^+\,(y-x)^2+(k^+-p^+)\,(y-z)^2]}\,\frac{(x'-w')^i\,(z-x)^m}{(x'-w')^2\,(z-x)^2}\\
&\left[\frac{\delta^{im}\,d_\perp}{2\,(x-z)^2}\,\left[(y-x)^2-(y-z)^2\right]\,\frac{p^+\,(k^+-p^+)}{k^{+\,2}}\right.\\
&+\frac{(k^+-p^+)\,\delta_{im}}{k^+}\left[\frac{(y-z)\cdot(x-z)}{(x-z)^2}+\frac{(y-x)\cdot(y-z)}{2\,(y-x)^2}-\frac{\left[(y-x)^2-(y-z)^2\right]}{2\,(x-z)^2}\right]\\
&-\left[\frac{k^+}{p^+}\right]_+\left[\frac{(y-z)^i\,(x-z)^m}{(x-z)^2}+\frac{(y-x)^m\,(y-z)^i}{2\,(y-x)^2}\right]+\left[\frac{(y-z)^i\,(x-z)^m}{(x-z)^2}+\frac{(y-x)^m\,(y-z)^i}{2\,(y-x)^2}\right]\\
&+\frac{p^+\,\delta_{im}}{k^+}\left[\frac{(y-x)\cdot(x-z)}{(x-z)^2}-\frac{(y-x)\cdot(y-z)}{2\,(y-z)^2}-\frac{\left[(y-x)^2-(y-z)^2\right]}{2\,(x-z)^2}\right]\\
&\left.-\left[\frac{(y-x)^m\,(x-z)^i}{(x-z)^2}-\frac{(y-x)^m\,(y-z)^i}{2\,(y-z)^2}+\frac{(y-z)^m\,(x-z)^i}{(x-z)^2}+\frac{(y-x)^i\,(y-z)^m}{2\,(y-x)^2}\right]\right]\times\\
&\left[U^{ab'}(x')-U^{ab'}(w')\right]\left[-f^{adc}\,f^{fbe}\,U^{db}(x)\,U^{ce}(z)+N_c\,U^{af}(x)\right]\rho^{b'}(x')\,\rho^f(y)\\
&+\frac{1}{(2\pi)^3}\int_{k^+}^0\frac{dq^+}{2\pi}\,\frac{g^4}{8\pi^4}\,\frac{1}{k^+}\int_{x,y,z,x',w'} e^{-ik\cdot(w'-x)}\,e^{-ik\cdot(x-z)\,\frac{q^+}{k^+}}\,\frac{1}{[(k^+-q^+)\,(y-x)^2+q^+\,(y-z)^2]}\,\frac{(x'-w')^i\,(z-x)^m}{(x'-w')^2\,(z-x)^2}\\
&\left\{\left[\frac{k^+}{q^+}\right]_+\left[\frac{(y-x)^i\,(x-z)^m}{(x-z)^2}-\frac{(y-x)^i\,(y-z)^m}{2\,(y-z)^2}\right]-\left[\frac{(y-x)^i\,(x-z)^m}{(x-z)^2}-\frac{(y-x)^i\,(y-z)^m}{2\,(y-z)^2}\right]\right\}\times\\
&\left[U^{ab'}(x')-U^{ab'}(w')\right]\left[-f^{adc}\,f^{fbe}\,U^{db}(x)\,U^{ce}(z)+N_c\,U^{af}(x)\right]\rho^{b'}(x')\,\rho^f(y)
\end{aligned}
\tag{1.13}
$$

$$
\begin{aligned}
\frac{d^3N_{2b\,\text{finite NLO}}}{d^3k} &= \frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^4}\,\frac{1}{k^+}\int_0^{k^+}\frac{dp^+}{2\pi}\int_{x,y,z,x',w'} e^{-ik\cdot(w'-z)}\,e^{-ik\cdot(z-x)\frac{p^+}{k^+}}\,\frac{1}{[p^+(y-x)^2+(k^+-p^+)(y-z)^2]}\\
&\frac{(x'-w')^i\,(z-x)^m}{(x'-w')^2\,(z-x)^2}\times\left[\frac{\delta^{im}\,d_\perp}{2\,(x-z)^2}\left[(y-x)^2-(y-z)^2\right]\frac{p^+(k^+-p^+)}{k^{+2}}\right.\\
&+\frac{(k^+-p^+)\,\delta_{im}}{k^+}\left[\frac{(y-z)\cdot(x-z)}{(x-z)^2}+\frac{(y-x)\cdot(y-z)}{2(y-x)^2}-\frac{(y-x)^2-(y-z)^2}{2(x-z)^2}\right]\\
&-\left[\frac{k^+}{p^+}\right]_+\left[\frac{(y-z)^i(x-z)^m}{(x-z)^2}+\frac{(y-x)^m(y-z)^i}{2(y-x)^2}\right]+\left[\frac{(y-z)^i(x-z)^m}{(x-z)^2}+\frac{(y-x)^m(y-z)^i}{2(y-x)^2}\right]\\
&+\frac{p^+\,\delta_{im}}{k^+}\left[\frac{(y-x)\cdot(x-z)}{(x-z)^2}-\frac{(y-x)\cdot(y-z)}{2(y-z)^2}-\frac{(y-x)^2-(y-z)^2}{2(x-z)^2}\right]\\
&\left.-\left[\frac{(y-x)^m(x-z)^i}{(x-z)^2}-\frac{(y-x)^m(y-z)^i}{2(y-z)^2}+\frac{(y-z)^m(x-z)^i}{(x-z)^2}+\frac{(y-x)^i(y-z)^m}{2(y-x)^2}\right]\right]\\
&\times\left[U^{ab'}(x')-U^{ab'}(w')\right]\left[N_c\,U^{af}(y)-N_c\,U^{af}(x)\right]\rho^{b'}(x')\,\rho^f(y)\\
&+\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^4}\,\frac{1}{k^+}\int_{k^+}^0\frac{dq^+}{2\pi}\int_{x,y,z,x',w'} e^{-ik\cdot(w'-z)}\,e^{-ik\cdot(z-x)\frac{(k^+-q^+)}{k^+}}\,\frac{1}{[(k^+-q^+)(y-x)^2+q^+\,(y-z)^2]}\\
&\frac{(x'-w')^i\,(z-x)^m}{(x'-w')^2\,(z-x)^2}\left[\frac{(y-x)^i(x-z)^m}{(x-z)^2}-\frac{(y-x)^i(y-z)^m}{2(y-z)^2}\right]\left[\frac{k^+}{q^+}\right]_+\times\\
&\left[U^{ab'}(x')-U^{ab'}(w')\right]\left[N_c\,U^{af}(y)-N_c\,U^{af}(x)\right]\rho^{b'}(x')\,\rho^f(y)\\
&-\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^4}\,\frac{1}{k^+}\int_{k^+}^0\frac{dq^+}{2\pi}\int_{x,y,z,x',w'} e^{-ik\cdot(w'-z)}\,e^{-ik\cdot(z-x)\frac{(k^+-q^+)}{k^+}}\,\frac{1}{[(k^+-q^+)(y-x)^2+q^+\,(y-z)^2]}\\
&\frac{(x'-w')^i\,(z-x)^m}{(x'-w')^2\,(z-x)^2}\left[\frac{(y-x)^i(x-z)^m}{(x-z)^2}-\frac{(y-x)^i(y-z)^m}{2(y-z)^2}\right]\\
&\left[U^{ab'}(x')-U^{ab'}(w')\right]\left[N_c\,U^{af}(y)-N_c\,U^{af}(x)\right]\rho^{b'}(x')\,\rho^f(y)\\
&+\frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\frac{11}{6}\int_{x,y,z,x',w'} e^{-ik\cdot(w'-z)}\,\frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\,\frac{(y-x)\cdot(y-z)}{(y-x)^2\,(x-z)^2}\times\\
&\left[U^{ab'}(x')-U^{ab'}(w')\right]\left[N_c\,U^{af}(y)-N_c\,U^{af}(z)\right]\rho^{b'}(x')\,\rho^f(y)
\end{aligned}
\tag{1.14}
$$

The $\frac{11}{6}$ term is restored here. It is the $x\to z$ subtraction partner of the other terms of N_{2b}: separately, both pieces diverge logarithmically at $x\to z$ (a UV divergence that dimensional regularisation would turn into a $\log\mu$), but their sum is finite. Do not move it to the divergent file. If it were evaluated alone, $\int_x \frac{(y-x)\cdot(y-z)}{(y-x)^2(x-z)^2}=\pi\left[\frac{2}{\epsilon_{\text{UV}}}+2\gamma_E+\log\frac{(y-z)^2\mu^2}{4}\right]$, and the remaining terms of N_{2b} would contain exactly minus that.

2 Group II

2.1 Row I

2.1.1 First part

$$
\begin{aligned}
\frac{d^3N_{1a\,\text{NLO}}}{d^3k} &= \frac{1}{(2\pi)^3}\int_{x,y,z,w,x',w'} e^{-ik(w'-w)}\left\{\right.\\
&-\frac{ig^4}{16\pi^5}\,\frac{1}{k^+}\,\frac{(x'-w')^i\,(y-z)^j}{(x'-w')^2\,(y-z)^2}\,\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times\\
&\left[\frac{\delta^{ij}}{2\,(z-w)^2}+\frac{(x-z)^j\,(z-w)^i}{(z-w)^2\,(x-z)^2}-\frac{(x-z)^j\,(x-w)^i}{(x-w)^2\,(x-z)^2}-\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}\right]\\
&-\frac{ig^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\frac{(x'-w')^i\,(y-z)^j}{(x'-w')^2\,(y-z)^2}\left[\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}+\frac{(x-z)^j\,(x-w)^i}{2\,(x-z)^2\,(x-w)^2}\right]\left.\right\}\\
&\left[U^{ac'}(w')\,\{\rho^{c'}(x'),\rho^b(y)\}-U^{c'b}(z)\,U^{ad'}(x')\,U^{c'e'}(y)\,\{\rho^{d'}(x'),\rho^{e'}(y)\}\right]\times\left[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{cb}(z)\,U^{de}(x)\,\rho^e(x)\right]
\end{aligned}
\tag{2.1}
$$

$$\frac{d^3N_{1b\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\int_{x,y,z,w,x',w'} e^{-ik(w'-w)}\Bigg\{$$
$$\frac{ig^4}{16\pi^5}\,\frac{1}{k^+}\,\frac{(x'-w)^i\,(y-z)^j}{(x'-w)^2\,(y-z)^2}\,\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w')^2}{(x-w')^2}\right]\times$$
$$\left[\frac{\delta^{ij}}{2\,(z-w')^2}+\frac{(x-z)^j\,(z-w')^i}{(z-w')^2\,(x-z)^2}-\frac{(x-z)^j\,(x-w')^i}{(x-w')^2\,(x-z)^2}-\frac{(x-w')^i\,(z-w')^j}{(z-w')^2\,(x-w')^2}\right]$$
$$+\;\frac{ig^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\frac{(x'-w)^i\,(y-z)^j}{(x'-w)^2\,(y-z)^2}\,\left[\frac{(x-w')^i\,(z-w')^j}{(z-w')^2\,(x-w')^2}+\frac{(x-z)^j\,(x-w')^i}{2\,(x-z)^2\,(x-w')^2}\right]\Bigg\}$$
$$\times\left[f^{c'bd'}\,U^{ac'}(w')\,\rho^{d'}(x)-f^{ac'd'}\,U^{c'b}(z)\,U^{d'e'}(x)\,\rho^{e'}(x)\right]\times\left[U^{ac}(w)\,\{\rho^c(x'),\rho^b(y)\}-U^{cb}(z)\,U^{ad}(x')\,U^{ce}(y)\,\{\rho^d(x'),\rho^e(y)\}\right] \tag{2.2}$$

2.1.2 Second part

$$\frac{d^3N_{2a\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\Bigg\{$$
$$\frac{1}{[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2]}\times$$
$$\left[\frac{(x-w)\cdot(z-w')\,(x'-z)\cdot(z-w)}{(z-w)^2\,(z-w')^2}-\frac{(x-w)\cdot(x'-w')\,(z-w)\cdot(x'-z)}{2\,(z-w)^2\,(x'-w')^2}\right.$$
$$+\frac{(x-z)\cdot(x'-z)\,(x-w)\cdot(z-w')}{2\,(x-z)^2\,(z-w')^2}-\frac{(x'-z)\cdot(x-z)\,(x'-w')\cdot(x-w)}{4\,(x-z)^2\,(x'-w')^2}$$
$$+\frac{(x'-w')\cdot(z-w)\,(x-z)\cdot(z-w')}{(z-w)^2\,(z-w')^2}+\frac{(x'-w')\cdot(z-w)\,(x-z)\cdot(x'-z)}{2\,(z-w)^2\,(x'-z)^2}$$
$$\left.-\frac{(x-z)\cdot(z-w')\,(x'-w')\cdot(x-w)}{2\,(x-w)^2\,(z-w')^2}-\frac{(x'-w')\cdot(x-w)\,(x'-z)\cdot(x-z)}{4\,(x-w)^2\,(x'-z)^2}\right]\times$$
$$\left[\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{\frac{k^+}{\vee}\,(x'-w')^2+\left(1-\frac{k^+}{\vee}\right)(x'-z)^2}\right]-\log\left[\frac{(x-w)^2}{(x'-w')^2}\right]\right]\Bigg\}\times$$
$$\Big[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{cb}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)$$
$$-\,f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{c'b}(z)\,U^{d'e'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{de'}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Big] \tag{2.3}$$

$$\frac{d^3N_{2b\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{1}{[(x'-w')^2\,(x-z)^2\,(x-w)^2-(x-w)^4\,(x'-z)^2]}\times$$

$$\left[\frac{(x'-w')\cdot(x-w)\,(z-w)\cdot(z-w')}{(z-w)^2\,(z-w')^2}+\frac{(x'-w')\cdot(x-w)\,(x'-z)\cdot(z-w)}{2\,(z-w)^2\,(x'-z)^2}\right.$$

$$\left.+\,\frac{(x-w)\cdot(x'-w')\,(x-z)\cdot(z-w')}{2\,(x-z)^2\,(z-w')^2}+\frac{(x-z)\cdot(x'-z)\,(x'-w')\cdot(x-w)}{4\,(x-z)^2\,(x'-z)^2}\right]\times\left[(x-z)^2-\frac{(x-w)^2\,(x'-z)^2}{(x'-w')^2}\right]\times$$

$$\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{cb}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.$$

$$\left.-\,f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{c'b}(z)\,U^{d'e'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{de'}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right]$$

$$-\,\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x-z)^2}{[(x'-w')^2\,(x-z)^2\,(x-w)^2-(x-w)^4\,(x'-z)^2]}\times$$

$$\left[\frac{(x'-w')\cdot(x-w)\,(z-w)\cdot(z-w')}{(z-w)^2\,(z-w')^2}+\frac{(x'-w')\cdot(x-w)\,(x'-z)\cdot(z-w)}{2\,(z-w)^2\,(x'-z)^2}\right.$$

$$\left.+\,\frac{(x-w)\cdot(x'-w')\,(x-z)\cdot(z-w')}{2\,(x-z)^2\,(z-w')^2}+\frac{(x-z)\cdot(x'-z)\,(x'-w')\cdot(x-w)}{4\,(x-z)^2\,(x'-z)^2}\right]\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times$$

$$\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{cb}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.$$

$$\left.-\,f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{c'b}(z)\,U^{d'e'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{de'}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right]$$

$$+\,\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x'-z)^2}{[(x'-w')^4\,(x-z)^2\;-(x-w)^2\,(x'-z)^2\,(x'-w')^2]}\times$$

$$\left[\frac{(x'-w')\cdot(x-w)\,(z-w)\cdot(z-w')}{(z-w)^2\,(z-w')^2}+\frac{(x'-w')\cdot(x-w)\,(x'-z)\cdot(z-w)}{2\,(z-w)^2\,(x'-z)^2}\right.$$

$$\left.+\,\frac{(x-w)\cdot(x'-w')\,(x-z)\cdot(z-w')}{2\,(x-z)^2\,(z-w')^2}+\frac{(x-z)\cdot(x'-z)\,(x'-w')\cdot(x-w)}{4\,(x-z)^2\,(x'-z)^2}\right]\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x'-z)^2+\frac{k^+}{\vee}\,(x'-w')^2}{(x'-w')^2}\right]$$

$$\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{cb}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.$$

$$\left.-\,f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{c'b}(z)\,U^{d'e'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{de'}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right] \tag{2.4}$$

$$
\begin{aligned}
\frac{d^3N_{2c\,\mathrm{NLO}}}{d^3k} &= \frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x'-w')^2}{(x'-z)^2}\,\frac{1}{\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}\\
&\left[\frac{(x'-z)\cdot(x-z)\,(z-w)\cdot(z-w')}{(z-w)^2\,(z-w')^2}-\frac{(x'-z)\cdot(x-z)\,(x'-w')\cdot(z-w)}{2\,(z-w)^2\,(x'-w')^2}-\frac{(x-w)\cdot(z-w')\,(x-z)\cdot(x'-z)}{2\,(x-w)^2\,(z-w')^2}\right.\\
&\left.+\frac{(x-z)\cdot(x'-z)\,(x'-w')\cdot(x-w)}{4\,(x-w)^2\,(x'-w')^2}\right]\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x'-z)^2+\frac{k^+}{\vee}\,(x'-w')^2}{(x'-w')^2}\right]\\
&\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{cb}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.\\
&\left.-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{c'b}(z)\,U^{d'e'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{de'}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right]\\
&-\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x-w)^2}{(x-z)^2}\,\frac{1}{\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}\\
&\left[\frac{(x'-z)\cdot(x-z)\,(z-w)\cdot(z-w')}{(z-w)^2\,(z-w')^2}-\frac{(x'-z)\cdot(x-z)\,(x'-w')\cdot(z-w)}{2\,(z-w)^2\,(x'-w')^2}-\frac{(x-w)\cdot(z-w')\,(x-z)\cdot(x'-z)}{2\,(x-w)^2\,(z-w')^2}\right.\\
&\left.+\frac{(x-z)\cdot(x'-z)\,(x'-w')\cdot(x-w)}{4\,(x-w)^2\,(x'-w')^2}\right]\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\\
&\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{cb}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.\\
&\left.-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{c'b}(z)\,U^{d'e'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{de'}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right]
\end{aligned}
\tag{2.5}
$$

$$
\begin{aligned}
\frac{d^3N_{2d\,\mathrm{NLO}}}{d^3k} &= +\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x-z)^2}{\left[(x-z)^2-(x-w)^2\right]}\,\frac{1}{\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}\\
&\left[\frac{(x-w)\cdot(z-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{2\,(z-w)^2\,(z-w')^2}+\frac{(x-z)\cdot(x-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{4\,(x-z)^2\,(z-w')^2}\right.\\
&\left.+\frac{(x'-w')\cdot(z-w')\,\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2\,(z-w')^2}+\frac{(x'-z)\cdot(x'-w')\,\left[(x-z)^2-(x-w)^2\right]}{4\,(z-w)^2\,(x'-z)^2}\right]\times\\
&\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times\\
&\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{cb}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.\\
&\left.-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{c'b}(z)\,U^{d'e'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{de'}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right]\\
&+\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x'-z)^2}{\left[(x'-w')^2-(x'-z)^2\right]}\,\frac{1}{\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}\\
&\left[\frac{(x-w)\cdot(z-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{2\,(z-w)^2\,(z-w')^2}+\frac{(x-z)\cdot(x-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{4\,(x-z)^2\,(z-w')^2}\right.\\
&\left.+\frac{(x'-w')\cdot(z-w')\,\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2\,(z-w')^2}+\frac{(x'-z)\cdot(x'-w')\,\left[(x-z)^2-(x-w)^2\right]}{4\,(z-w)^2\,(x'-z)^2}\right]\times\\
&\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x'-z)^2+\frac{k^+}{\vee}\,(x'-w')^2}{(x'-w')^2}\right]\times\\
&\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{cb}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.\\
&\left.-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{c'b}(z)\,U^{d'e'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{de'}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right]
\end{aligned}
\tag{2.6}
$$

$$
\begin{aligned}
\frac{d^3N_{2e\,\mathrm{NLO}}}{d^3k} = &-\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x-w)^2}{[(x-z)^2-(x-w)^2]}\,\frac{1}{[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2]}\\
&\left[\frac{(x-z)\cdot(z-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{2\,(z-w)^2\,(z-w')^2}-\frac{(x-z)\cdot(x-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{4\,(x-w)^2\,(z-w')^2}\right.\\
&\left.+\frac{(x'-z)\cdot(z-w')\,\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2\,(z-w')^2}-\frac{(x'-z)\cdot(x'-w')\,\left[(x-z)^2-(x-w)^2\right]}{4\,(z-w)^2\,(x'-w')^2}\right]\times\\
&\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times\\
&\Big[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{cb}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\\
&-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{c'b}(z)\,U^{d'e'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{de'}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Big]\\
&-\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x'-w')^2}{[(x'-w')^2-(x'-z)^2]}\,\frac{1}{[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2]}\\
&\left[\frac{(x-z)\cdot(z-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{2\,(z-w)^2\,(z-w')^2}-\frac{(x-z)\cdot(x-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{4\,(x-w)^2\,(z-w')^2}\right.\\
&\left.+\frac{(x'-z)\cdot(z-w')\,\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2\,(z-w')^2}-\frac{(x'-z)\cdot(x'-w')\,\left[(x-z)^2-(x-w)^2\right]}{4\,(z-w)^2\,(x'-w')^2}\right]\times\\
&\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x'-z)^2+\frac{k^+}{\vee}\,(x'-w')^2}{(x'-w')^2}\right]\times\\
&\Big[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{cb}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\\
&-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{c'b}(z)\,U^{d'e'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{de'}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Big]
\end{aligned}
\tag{2.7}
$$

$$\frac{d^3N_{2f\,\mathrm{NLO}}}{d^3k} = -\frac{1}{(2\pi)^3}\,\frac{g^4\,d_\perp}{32\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x-z)^2\,(x-w)^2}{(z-w)^2\,(z-w')^2\,\left[(x-z)^2-(x-w)^2\right]}$$

$$\frac{\left[(x'-z)^2-(x'-w')^2\right]}{\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times$$

$$\Bigg[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x) - f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{cb}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)$$

$$- f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{c'b}(z)\,U^{d'e'}(x')\,\rho^{e'}(x')\,\rho^{d}(x) + N_c\,U^{de'}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Bigg]$$

$$+\frac{1}{(2\pi)^3}\,\frac{g^4\,d_\perp}{32\pi^5}\left[\frac{1}{\vee}-\frac{1}{k^+}\right]\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{1}{(z-w)^2\,(z-w')^2}$$

$$\Bigg[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x) - f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{cb}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)$$

$$- f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{c'b}(z)\,U^{d'e'}(x')\,\rho^{e'}(x')\,\rho^{d}(x) + N_c\,U^{de'}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Bigg]$$

$$+\frac{1}{(2\pi)^3}\,\frac{g^4\,d_\perp}{32\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x'-w')^2\,(x'-z)^2}{(z-w)^2\,(z-w')^2}$$

$$\frac{\left[(x-z)^2-(x-w)^2\right]}{\left[(x'-z)^2-(x'-w')^2\right]\,\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x'-z)^2+\frac{k^+}{\vee}\,(x'-w')^2}{(x'-w')^2}\right]\times$$

$$\Bigg[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x) - f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{cb}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)$$

$$- f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{c'b}(z)\,U^{d'e'}(x')\,\rho^{e'}(x')\,\rho^{d}(x) + N_c\,U^{de'}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Bigg] \tag{2.8}$$

2.2 Row II

NA

2.3 Row III

NA

2.4 Row IV

$$\frac{d^3N_{\mathrm{Finite}}}{d^3k} = +\frac{1}{(2\pi)^3}\,\frac{g^4\,N_c}{8\pi^4}\,\frac{1}{k^+}\int_0^1 d\xi\,\frac{1-\xi}{\xi}\int_{x,y,x',y'} e^{-ik\cdot(y'-y)\frac{1}{\xi}}\left[\frac{(x-y)\cdot(x'-y')}{(x-y)^2(x'-y')^2} - 2\,\frac{(x-y)\cdot(y'-y)\;(x'-y')\cdot(y'-y)}{(x-y)^2(x'-y')^2(y'-y)^2}\right]$$

$$\times\left[U^{ce'}(y')-U^{ce'}(x')\right]\left[U^{ce}(y)-U^{ce}(x)\right]\rho^{e'}(x')\rho^{e}(x) \tag{2.9}$$

3 Group III (with c.c.)

3.1 Row I

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\int_{x,y,x',z,w,w'} e^{-ik(w'-w)}\Bigg\{ \\
&-\frac{ig^4}{8\pi^5}\frac{1}{k^+}\frac{(x'-w')^i(y-z)^j}{(x'-w')^2\,(y-z)^2}\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}(x-w)^2}{(x-w)^2}\right]\times\left[\frac{\delta^{ij}}{2\,(z-w)^2}+\frac{(x-z)^j\,(z-w)^i}{(z-w)^2\,(x-z)^2}\right. \\
&\left.-\frac{(x-z)^j\,(x-w)^i}{(x-w)^2\,(x-z)^2}-\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}\right] \\
&-\frac{ig^4}{8\pi^5}\frac{1}{k^+}\log\left(1-\frac{k^+}{\vee}\right)\frac{(x'-w')^i(y-z)^j}{(x'-w')^2\,(y-z)^2}\left[\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}+\frac{(x-z)^j\,(x-w)^i}{2\,(x-z)^2\,(x-w)^2}\right]\Bigg\}\times \\
&\left[U^{ab'}(x')\,U^{c'd'}(y)\,U^{c'b}(z)\,\rho^{b'}(x')\rho^{d'}(y)-U^{d'b}(z)\,U^{d'e'}(y)U^{ac'}(w')\,\rho^{c'}(x')\rho^{e'}(y)\right]\times \\
&\left[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{cb}(z)\,U^{de}(x)\,\rho^e(x)\right]
\end{aligned}
\tag{3.1}
$$

3.2 Row II

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\int_{x,y,x',z,w,w'} e^{-ik(w'-w)}\Bigg\{ \\
&-\frac{ig^4}{8\pi^5}\frac{1}{k^+}\frac{(x'-w')^i(y-z)^j}{(x'-w')^2\,(y-z)^2}\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}(x-w)^2}{(x-w)^2}\right]\times\left[\frac{\delta^{ij}}{2\,(z-w)^2}+\frac{(x-z)^j\,(z-w)^i}{(z-w)^2\,(x-z)^2}\right. \\
&\left.-\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}-\frac{(x-z)^j\,(x-w)^i}{(x-z)^2\,(x-w)^2}\right] \\
&-\frac{ig^4}{8\pi^5}\frac{1}{k^+}\log\left(1-\frac{k^+}{\vee}\right)\frac{(x'-w')^i(y-z)^j}{(x'-w')^2\,(y-z)^2}\left[\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}+\frac{(x-z)^j\,(x-w)^i}{2\,(x-z)^2\,(x-w)^2}\right]\Bigg\}\times \\
&\left[U^{c'd'}(y)\,U^{ab'}(x')\,U^{c'b}(z)\,\rho^{d'}(y)\rho^{b'}(x')-U^{ab'}(x')\,\rho^b(y)\rho^{b'}(x')\right]\times\left[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{cb}(z)\,U^{de}(x)\,\rho^e(x)\right]
\end{aligned}
\tag{3.2}
$$

3.3 Row III

3.3.1 First part

$$
\begin{aligned}
\frac{d^3N_{1\,\rm NLO}}{d^3k} = &\frac{1}{(2\pi)^3}\frac{ig^4\,f^{c'd'a}}{8\pi^4}\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,x',y',z,y,x}e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}(y'-z)}\,\frac{(y'-z)^m\,(x'-y')^{k'}\,(y-w)^i\,(x-z)^j}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2} \\
&\left[\frac{\delta_{k'm}\,\delta_{ij}}{(p^++k^+)}-\left(\left[\frac{k^+}{p^+\,(p^++k^+)}\right]_++\frac{1}{(p^++k^+)}\right)\delta_{jm}\,\delta_{ik'}\right]\left[U^{c'e'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-U^{d'b}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\times \\
&\left[U^{ac}(w)\,\{\rho^c(y),\rho^b(x)\}-U^{cb}(z)\,U^{ad}(y)\,U^{ce}(x)\,\{\rho^d(y),\rho^e(x)\}\right] \\
&+\frac{1}{(2\pi)^3}\frac{ig^4\,f^{c'd'a}}{8\pi^4}\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,x',y',z,y,x}e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}(y'-z)}\,\frac{(y'-z)^m\,(y-w)^i\,(x-z)^j}{(y'-z)^2\,(y-w)^2\,(x-z)^2} \\
&\left[-\frac{1}{k^+}\,\delta_{im}\,\delta_{jk'}\right]\left[\frac{(x'-y')^{k'}}{(x'-y')^2}\left[U^{c'e'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-U^{d'b}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\right. \\
&\left.-\frac{(x'-z)^{k'}}{(x'-z)^2}\left[U^{c'e'}(z)\,U^{d'b}(z)\,\rho^{e'}(x')-U^{d'b}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\right]\times \\
&\left[U^{ac}(w)\,\{\rho^c(y),\rho^b(x)\}-U^{cb}(z)\,U^{ad}(y)\,U^{ce}(x)\,\{\rho^d(y),\rho^e(x)\}\right] \\
&-\frac{1}{(2\pi)^3}\frac{ig^4\,f^{c'd'a}}{16\pi^5}\frac{1}{k^+}\log\left(1-\frac{k^+}{\vee}\right)\int_{w,x',y',z,y,x}e^{-ik\cdot(y'-w)}\,\frac{(y'-z)\cdot(x-z)\,(x'-y')\cdot(y-w)}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2} \\
&\left[U^{c'e'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-U^{d'b}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\times\left[U^{ac}(w)\,\{\rho^c(y),\rho^b(x)\}-U^{cb}(z)\,U^{ad}(y)\,U^{ce}(x)\,\{\rho^d(y),\rho^e(x)\}\right]
\end{aligned}
\tag{3.3}
$$

3.3.2 Second part

$$
\begin{aligned}
\frac{d^3N_{2\,\mathrm{NLO}}}{d^3k} &= \frac{1}{(2\pi)^3}\,\frac{g^4}{4\pi^4}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,x',y',z,x} e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}(y'-z)}\,\frac{(y'-z)^m\,(x'-y')^{k'}}{(y'-z)^2\,(x'-y')^2}\,\frac{1}{[p^+\,(x-z)^2+k^+\,(x-w)^2]}\\
&\left[\frac{\delta_{k'm}\,d_\perp\,p^+}{2\,(z-w)^2\,(p^++k^+)^2}\,\left[(x-z)^2-(x-w)^2\right]+\frac{p^+\,\delta_{k'm}}{k^+\,(p^++k^+)}\left[\frac{(x-z)\cdot(z-w)}{(z-w)^2}-\frac{(x-z)\cdot(x-w)}{2\,(x-w)^2}\right.\right.\\
&\left.-\frac{\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2}\right]+\frac{\delta_{k'm}}{(p^++k^+)}\left[\frac{(x-w)\cdot(z-w)}{(z-w)^2}+\frac{(x-z)\cdot(x-w)}{2\,(x-z)^2}-\frac{\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2}\right]\\
&-\left(\left[\frac{k^+}{p^+\,(p^++k^+)}\right]_+\!+\frac{1}{(p^++k^+)}\right)\left[\frac{(x-w)^{k'}\,(z-w)^m}{(z-w)^2}+\frac{(x-z)^m\,(x-w)^{k'}}{2\,(x-z)^2}\right]\\
&\left.-\frac{1}{k^+}\left[\frac{(x-z)^m\,(z-w)^{k'}}{(z-w)^2}-\frac{(x-z)^m\,(x-w)^{k'}}{2\,(x-w)^2}+\frac{(x-w)^m\,(z-w)^{k'}}{(z-w)^2}+\frac{(x-z)^{k'}\,(x-w)^m}{2\,(x-z)^2}\right]\right]\times\\
&\left[f^{c'd'a}\,U^{c'e'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-f^{c'd'a}\,U^{d'b}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\times\left[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{cb}(z)\,U^{de}(x)\,\rho^e(x)\right]\\
&+\frac{1}{(2\pi)^3}\,\frac{g^4}{4\pi^4}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,x',y',z,x} e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}(y'-z)}\,\frac{(y'-z)^m}{(y'-z)^2}\,\frac{1}{[p^+\,(x-z)^2+k^+\,(x-w)^2]}\\
&\left[-\frac{p^+}{k^{+\,2}}\left[\frac{(x-z)^{k'}\,(z-w)^m}{(z-w)^2}-\frac{(x-z)^{k'}\,(x-w)^m}{2\,(x-w)^2}\right]\right]\times\\
&\left[\frac{(x'-y')^{k'}}{(x'-y')^2}\,\left[f^{c'd'a}\,U^{c'e'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-f^{c'd'a}\,U^{d'b}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\right.\\
&\left.-\frac{(x'-z)^{k'}}{(x'-z)^2}\,\left[f^{c'd'a}\,U^{c'e'}(z)\,U^{d'b}(z)\,\rho^{e'}(x')-f^{c'd'a}\,U^{d'b}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\right]\times\left[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{cb}(z)\,U^{de}(x)\,\rho^e(\right.\\
&+\frac{1}{(2\pi)^3}\,\frac{g^4}{4\pi^4}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,x',w',z,x} e^{-ik\cdot(w'-w)}\,\frac{(w'-z)^m\,(x'-z)^{k'}}{(w'-z)^2\,(x'-z)^2}\\
&\left[\frac{(x-w)^2}{(x-z)^2\,(p^++k^+)\,[p^+\,(x-z)^2+k^+\,(x-w)^2]}\left[\frac{(x-z)^{k'}\,(z-w)^m}{(z-w)^2}-\frac{(x-z)^{k'}\,(x-w)^m}{2\,(x-w)^2}\right]\right]\times\\
&\left[f^{c'd'a}\,U^{c'e'}(z)\,U^{d'b}(z)\,\rho^{e'}(x')-f^{c'd'a}\,U^{d'b}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\times\left[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{cb}(z)\,U^{de}(x)\,\rho^e(x)\right]\\
&-\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\int_{w,x',y',z,x} e^{-ik\cdot(y'-w)}\left[\frac{(x-w)\cdot(x'-y')\,(z-w)\cdot(y'-z)}{(z-w)^2\,(x-w)^2\,(y'-z)^2\,(x'-y')^2}\right.\\
&\left.+\frac{(x-z)\cdot(y'-z)\,(x-w)\cdot(x'-y')}{2\,(x-z)^2\,(x-w)^2\,(y'-z)^2\,(x'-y')^2}\right]\left[f^{c'd'a}\,U^{c'e'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-f^{c'd'a}\,U^{d'b}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\right]\times\\
&\left[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{cb}(z)\,U^{de}(x)\,\rho^e(x)\right]
\end{aligned}
\tag{3.4}
$$

3.4 Row IV

NA

3.5 Row V

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} &= \frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'ca}}{4\pi^4}\,\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,y',z,y,x,x'} e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}\,(y'-z)}\,\frac{(y'-z)^m\,(x'-y')^{k'}\,(y-w)^i\,(x-z)^j}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}\\
&\left[\frac{\delta_{k'm}\,\delta_{ij}}{(p^++k^+)}-\left(\left[\frac{k^+}{p^+\,(p^++k^+)}\right]_+\!+\frac{1}{(p^++k^+)}\right)\delta_{jm}\,\delta_{ik'}\right]\,\Big[U^{c'e'}(y')\,\rho^{e'}(x')-U^{c'e'}(x')\,\rho^{e'}(x')\Big]\times\\
&\big[U^{ce}(x)\,U^{ad}(y)\,\rho^e(x)\rho^d(y)-U^{ad}(w)\,U^{ce}(x)\,\rho^e(x)\rho^d(y)\big]\\
&+\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'ca}}{4\pi^4}\,\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,y',z,y,x,x'} e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}\,(y'-z)}\,\frac{(y'-z)^m\,(y-w)^i\,(x-z)^j}{(y'-z)^2\,(y-w)^2\,(x-z)^2}\\
&\left[-\frac{1}{k^+}\,\delta_{im}\,\delta_{jk'}\right]\,\left[\frac{(x'-y')^{k'}}{(x'-y')^2}\,\Big[U^{c'e'}(y')\,\rho^{e'}(x')-U^{c'e'}(x')\,\rho^{e'}(x')\Big]\right.\\
&\left.-\frac{(x'-z)^{k'}}{(x'-z)^2}\,\Big[U^{c'e'}(z)\,\rho^{e'}(x')-U^{c'e'}(x')\,\rho^{e'}(x')\Big]\right]\times\\
&\big[U^{ce}(x)\,U^{ad}(y)\,\rho^e(x)\rho^d(y)-U^{ad}(w)\,U^{ce}(x)\,\rho^e(x)\rho^d(y)\big]\\
&-\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'ca}}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\int_{w,y',z,y,x,x'} e^{-ik\cdot(y'-w)}\,\frac{(y'-z)\cdot(x-z)\,(x'-y')\cdot(y-w)}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}\\
&\Big[U^{c'e'}(y')\,\rho^{e'}(x')-U^{c'e'}(x')\,\rho^{e'}(x')\Big]\times\big[U^{ce}(x)\,U^{ad}(y)\,\rho^e(x)\rho^d(y)-U^{ad}(w)\,U^{ce}(x)\,\rho^e(x)\rho^d(y)\big]
\end{aligned}
\tag{3.5}
$$

3.6 Row VI

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} &= \frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'd'a}}{4\pi^4}\,\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,y',z,y,x,x'} e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}\,(y'-z)}\,\frac{(y'-z)^m\,(x'-y')^{k'}\,(y-w)^i\,(x-z)^j}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}\\
&\left[\frac{\delta_{k'm}\,\delta_{ij}}{(p^++k^+)}-\left(\left[\frac{k^+}{p^+\,(p^++k^+)}\right]_+\!+\frac{1}{(p^++k^+)}\right)\delta_{jm}\,\delta_{ik'}\right]\,\Big[U^{c'e'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-U^{d'b}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\Big]\times\\
&\big[U^{cb}(z)\,U^{ad}(y)\,U^{ce}(x)\,\rho^d(y)\,\rho^e(x)-U^{ad}(y)\,\rho^d(y)\,\rho^b(x)\big]\\
&+\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'd'a}}{4\pi^4}\,\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,y',z,y,x,x'} e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}\,(y'-z)}\,\frac{(y'-z)^m\,(y-w)^i\,(x-z)^j}{(y'-z)^2\,(y-w)^2\,(x-z)^2}\\
&\left[-\frac{1}{k^+}\,\delta_{im}\,\delta_{jk'}\right]\,\left[\frac{(x'-y')^{k'}}{(x'-y')^2}\,\Big[U^{c'e'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-U^{d'b}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\Big]\right.\\
&\left.-\frac{(x'-z)^{k'}}{(x'-z)^2}\,\Big[U^{c'e'}(z)\,U^{d'b}(z)\,\rho^{e'}(x')-U^{d'b}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\Big]\right]\times\\
&\big[U^{cb}(z)\,U^{ad}(y)\,U^{ce}(x)\,\rho^d(y)\,\rho^e(x)-U^{ad}(y)\,\rho^d(y)\,\rho^b(x)\big]\\
&-\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'd'a}}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\int_{w,y',z,y,x,x'} e^{-ik\cdot(y'-w)}\,\frac{(y'-z)\cdot(x-z)\,(x'-y')\cdot(y-w)}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}\\
&\Big[U^{c'e'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-U^{d'b}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\Big]\times\big[U^{cb}(z)\,U^{ad}(y)\,U^{ce}(x)\,\rho^d(y)\,\rho^e(x)-U^{ad}(y)\,\rho^d(y)\,\rho^b(x)\big]
\end{aligned}
\tag{3.6}
$$