The rest of the terms: everything apart from JIMWLK and BFKL

Every term of the cross section that is neither JIMWLK ($\propto \log \frac{k^+}{\Lambda}$, your JIMWLK file) nor BFKL ($\propto \log \frac{\vee}{k^+}$, `BFKL_rows.pdf`), row by row in your notation, with $\Lambda \to 0$ and $\vee$ exact. It is `Remaining_rows.pdf` without the colour marks; row by row it equals `Finite_terms_rows.pdf` (3.4×10^{-16}). So

$$\frac{d^3N_{\rm NLO}}{d^3k} = \log\frac{k^+}{\Lambda}\,\big[\text{JIMWLK}\otimes\text{LO}\big] + \log\frac{\vee}{k^+}\,\big[\text{BFKL}\otimes\text{LO}\big] + \big[\text{this file}\big].$$

- No term here grows with $\vee$. Two logarithms of $\vee$ are still written out, and both are cancelled inside their own row:
  - $\log(\frac{\vee}{k^+}-1)$ in line 2 of Group III Rows III, V, VI and Group II Row IV. It cancels the $\log\frac{\vee}{k^+}$ hidden in the subtraction of $\left[\frac{1}{p^+}\right]_+$ (resp. $\frac{\xi}{(1-\xi)_+}$) in line 1 of the same row.
  - $\int_0^{\vee-k^+}\frac{dp^+}{p^++k^+}$ in the last line of Group III Rows III, V, VI, and $\int_{k^+/\vee}^1\frac{d\xi}{\xi}$ in Group II Row IV. Each removes the BFKL term hidden in line 1 of its row (it is in the BFKL list).

  Both are explained step by step in `Why_log_vee.pdf`.
- $\log(1-\frac{k^+}{\vee})\to 0$ for $\vee\to\infty$.
- Running coupling: Group I Row II part 1 ($\frac{11}{3}$) and Row V 2b UV ($-\frac{11}{6}$). DGLAP: Group II Row IV. See `Finite_terms_final.pdf`, Secs. 4 and 5.
- Open: the finite part of the $\mathcal{D}$ region (C4, Group I Row III d^3N_{3b}).

$$\mathcal{A}_0 = \frac{1}{\sqrt{(x-w)^2\,(x-z)^2-[(x-w)\cdot(x-z)]^2}}\left\{\arctan\left[\frac{(x-z)^2-(x-w)\cdot(x-z)}{\sqrt{(x-w)^2\,(x-z)^2-[(x-w)\cdot(x-z)]^2}}\right]\right.$$
$$\left.+\arctan\left[\frac{(x-w)\cdot(x-z)}{\sqrt{(x-w)^2\,(x-z)^2-[(x-w)\cdot(x-z)]^2}}\right]\right\} \tag{0.1}$$

1 Group I (with c.c.)

1.1 Row I

Only four ρ's: nothing is left.

1.2 Row II

Row II, first part. As in your file. $\log(1-\frac{k^+}{\vee})\log\frac{\vee}{k^+}\to 0$ for $\vee\to\infty$. The pole bracket times $\frac{11}{3}$ is the β_0 (running-coupling) term.

$$\frac{d^3N_{1\,\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4\,N_c}{32\pi^4}\,\frac{1}{k^+}\int_{w,w',x,x',} e^{-ik(w'-w)}\,\frac{(x'-w')\cdot(x-w)}{(x'-w')^2\,(x-w)^2}\left[\left[-\frac{2}{\epsilon}-2\gamma-\log\left[\frac{(x-w)^2\,\mu^2_{\overline{MS}}}{4}\right]\right]\times\right.$$
$$\left[\frac{11}{3}+\log\left(1-\frac{k^+}{\vee}\right)\right]-\frac{67}{9}+\frac{\pi^2}{3}+\log^2\left[1-\frac{k^+}{\vee}\right]+\log\left[1-\frac{k^+}{\vee}\right]\log\left[\frac{\vee}{k^+}\right]\Big]\times$$
$$\left.\Big[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{ab}(w)\,\rho^b(x)-U^{ab}(x)\,\rho^b(x)\Big]\right. \tag{1.1}$$

Row II, second part, d^3N_{2a}. Nothing is left: this part has only $\log\frac{k^+}{\Lambda}$ and $\log\frac{\vee}{k^+}$ terms.

Row II, second part, d^3N_{2b}. As in your file, with R^i below.

$$\frac{d^3N_{2\,b}}{d^3k} = -\frac{1}{(2\pi)^3}\,\frac{g^4}{64\pi^6}\,\frac{1}{k^+}\int_{w,w'}e^{-ik\cdot(w'-w)}\int d^2p\,d^2k\int_{x,y}e^{ik\cdot(w-y)}\,e^{ip\cdot(y-x)}\,\frac{(x'-w')^i}{(x'-w')^2\,\mathbf{p}^2\mathbf{k}^2}\,R^i(\mathbf{k},\mathbf{p})$$
$$\times\Big[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\Big]\Big[f^{hbc}\,U^{ah}(w)\left\{\rho^b(x),\rho^c(y)\right\}-f^{abc}\,U^{bd}(x)\,U^{ce}(y)\left\{\rho^d(x),\rho^e(y)\right\}\Big] \tag{1.2}$$

where

$$R^i = -2k^i\log\left(\frac{p^2}{k^2+\frac{k^+}{\vee}\,p^2}\right)+\frac{(2p^2-2\,k\cdot p+k^2)\,k^i+k^2p^i}{(k-p)^2}\,\log\left[\frac{k^2}{(k-p)^2}+\frac{k^+}{\vee}\left(1-\frac{k^2}{(k-p)^2}\right)\right]-\frac{p^2k^i+k^2p^i}{(k-p)^2}\,\log\left(1-\frac{k^+}{\vee}\right). \tag{1.3}$$

1.3 Row III

Row III, d^3N_1. The logarithms are what is left after their $\log \frac{\vee}{k^+}$ parts are taken out (those are in `BFKL_rows.pdf`), with $\Lambda \to 0$.

$$
\begin{aligned}
\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\int_{w,w'} e^{-ik(w'-w)} \Bigg\{ & \\
& - \frac{ig^4\, f^{abd}}{16\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\int_{x,y,z,x'} \frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\,\frac{\left[(x-z)^2+(x-w)^2\right]}{\left[(x-z)^2-(x-w)^2\right]^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& + \frac{ig^4\, f^{abd}}{16\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'} \frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\,\frac{\left[(x-w)^2+(x-z)^2\right]}{\left[(x-z)^2-(x-w)^2\right]^2}\times\log\left[\frac{(x-z)^2-\frac{k^+}{\vee}\,(x-w)^2}{(x-z)^2-(x-w)^2}\right] \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& + \frac{ig^4\, f^{abd}}{16\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'} \frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\,\frac{\left[(x-w)^2+(x-z)^2\right]}{\left[(x-z)^2-(x-w)^2\right]^2}\times\log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right] \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& - \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'} \frac{(x'-w')\cdot(x-w)\,(x-z)\cdot(y-z)}{(x'-w')^2\,(x-w)^2\,(x-z)^2\,(y-z)^2}\,\log\left[\frac{\frac{k^+}{\vee}\,(x-w)^2-(x-z)^2}{(x-w)^2}\right] \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]\Bigg\}
\end{aligned}
\tag{1.4}
$$

Row III, d^3N_2. As d^3N_1.

$$
\begin{aligned}
\frac{d^3N_{2\,\mathrm{NLO}}}{d^3k} = -\frac{1}{(2\pi)^3}\int_{w,w'} e^{-ik(w'-w)} \Bigg\{ & \\
& \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\int_{x,y,z,x'} \frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-z)\,(x-w)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& - \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\int_{x,y,z,x'} \frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-w)\,(x-z)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& + \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-w)}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& - \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(x-w)\,(y-z)\cdot(z-w)\,(x-z)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]\,(x-w)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& + \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-w)\,(x-z)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& - \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-z)\,(x-w)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]\,(x-z)^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& + \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(x-z)\,(y-z)\cdot(z-w)}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big] \\
& - \frac{ig^4\, f^{abd}}{8\pi^5}\,\frac{1}{k^+}\int_{x,y,z,x'} \log\left[\frac{(x-w)^2\,\frac{k^+}{\vee}-(x-z)^2}{(x-w)^2-(x-z)^2}\right]\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-z)\,(x-w)^2}{(x'-w')^2\,(y-z)^2\,(z-w)^2\,\left[(x-w)^2-(x-z)^2\right]^2} \\
& \Big[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[U^{de}(x)\,U^{bc}(z)\,\rho^e(x)\,\rho^c(y) - U^{de}(x)\,U^{bc}(y)\,\rho^e(x)\,\rho^c(y)\Big]\Bigg\}
\end{aligned}
\tag{1.5}
$$

Row III, d^3N_{3a}**.** $\Lambda \to 0$; $\mathcal{A}_0$ is $\mathcal{A}$ at $\Lambda = 0$, Eq. (0.1).

$$
\begin{aligned}
\frac{d^3N_{3a\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\int_{w,w'} e^{-ik(w'-w)}\Bigg\{ & \\
& - \frac{ig^4 f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-w)\,(x-z)^2}{(x'-w')^2(y-z)^2(z-w)^2\;[(x-w)^2-(x-z)^2]^2} \\
& \left[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right] \\
& + \frac{ig^4 f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(x'-w')\cdot(y-z)\,(z-w)\cdot(x-z)\,(x-w)^2}{(x'-w')^2(y-z)^2(z-w)^2\;[(x-w)^2-(x-z)^2]^2} \\
& \left[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right] \\
& - \frac{ig^4 f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-w)}{(x'-w')^2(y-z)^2(z-w)^2\;[(x-w)^2-(x-z)^2]} \\
& \left[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right] \\
& + \frac{ig^4 f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-z)\,(x-w)^2}{(x'-w')^2(y-z)^2(z-w)^2\;[(x-w)^2-(x-z)^2]\,(x-z)^2} \\
& \left[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right] \\
& + \frac{ig^4 f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(y-z)\cdot(z-w)\,(x'-w')\cdot(x-w)\,(x-z)^2}{(x'-w')^2(y-z)^2(z-w)^2\;[(x-w)^2-(x-z)^2]\,(x-w)^2} \\
& \left[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right] \\
& - \frac{ig^4 f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{(x-w)^2-(x-z)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(y-z)\cdot(z-w)\,(x'-w')\cdot(x-z)}{(x'-w')^2(y-z)^2(z-w)^2\;[(x-w)^2-(x-z)^2]} \\
& \left[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right] \\
& + \frac{ig^4 f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\mathcal{A}_0\int_{x,y,z,x'}\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-w)}{(x'-w')^2(y-z)^2(z-w)^2} \\
& \left[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right] \\
& + \frac{ig^4 f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\mathcal{A}_0\int_{x,y,z,x'}\frac{(y-z)\cdot(z-w)\,(x'-w')\cdot(x-z)}{(x'-w')^2(y-z)^2(z-w)^2} \\
& \left[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right] \\
& - \frac{ig^4 f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\mathcal{A}_0\int_{x,y,z,x'}\frac{(x-w)\cdot(x-z)\,(x'-w')\cdot(z-w)\,(y-z)\cdot(x-z)}{(x'-w')^2(y-z)^2(z-w)^2(x-z)^2} \\
& \left[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]\Bigg\}
\end{aligned}
\tag{1.6}
$$

Row III, d^3N_{3b}**.** $\Lambda \to 0$. Without the last line of your d^3N_{3b}: for $\Lambda \to 0$ it is $\log\frac{(z-w)^2}{(x-w)^2}$ times the edge kernel $\frac{(x'-w')\cdot(y-z)}{(x'-w')^2(y-z)^2(z-w)^2}$, which is not integrable at $z \to w$. Its partner $\propto \log\frac{k^+}{\Lambda}$ was replaced by $\mathcal{D}$; its finite part belongs to the $\mathcal{D}$ region, which is still open (C4).

$$
\begin{aligned}
\frac{d^3N_{3b\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\int_{w,w'} e^{-ik(w'-w)}\Bigg\{ & \\
& - \frac{ig^4 f^{abd}}{8\pi^5}\,\frac{1}{k^+}\,\mathcal{A}_0\int_{x,y,z,x'}\frac{(x-w)\cdot(x-z)\,(y-z)\cdot(z-w)\,(x'-w')\cdot(x-w)}{(x'-w')^2(y-z)^2(z-w)^2(x-w)^2} \\
& \left[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right] \\
& - \frac{ig^4 f^{abd}}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{(z-w)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(x'-w')\cdot(z-w)\,(y-z)\cdot(x-z)}{(x'-w')^2(y-z)^2(z-w)^2(x-z)^2} \\
& \left[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right] \\
& + \frac{ig^4 f^{abd}}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{(z-w)^2}{(x-w)^2}\right]\int_{x,y,z,x'}\frac{(y-z)\cdot(z-w)\,(x'-w')\cdot(x-w)}{(x'-w')^2(y-z)^2(z-w)^2(x-w)^2} \\
& \left[U^{ab'}(x')\,\rho^{b'}(x') - U^{ab'}(w')\,\rho^{b'}(x')\right]\times\left[U^{de}(x)\,U^{bc}(z)\,\rho^{e}(x)\,\rho^{c}(y) - U^{de}(x)\,U^{bc}(y)\,\rho^{e}(x)\,\rho^{c}(y)\right]\Bigg\}
\end{aligned}
\tag{1.7}
$$

1.4 Row IV

Row IV. The two logarithms are the remainders.

$$
\frac{d^3N_{\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\int_{x,y,z,w,x',w'} e^{-ik\cdot(w'-w)}\Bigg\{
$$

$$\frac{ig^4}{8\pi^5}\,\frac{1}{k^+}\,\frac{(x'-w')^i\,(y-z)^j}{(x'-w')^2\,(y-z)^2}\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times\left[\frac{(x-z)^j\,(z-w)^i}{(z-w)^2\,(x-z)^2}\right.$$
$$\left.-\,\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}-\frac{(x-z)^j\,(x-w)^i}{(x-z)^2\,(x-w)^2}+\frac{\delta^{ij}}{2\,(z-w)^2}\right]$$
$$+\,\frac{ig^4}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\frac{(x'-w')^i\,(y-z)^j}{(x'-w')^2\,(y-z)^2}\,\left[\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}+\frac{(x-z)^j\,(x-w)^i}{2\,(x-z)^2\,(x-w)^2}\right]\Bigg\}\times$$
$$\Big[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\Big]\Big[f^{cdc'}\,U^{ac}(w)\,U^{bd}(z)\,U^{be}(y)\,\rho^e(y)\rho^{c'}(x)-f^{abc}\,U^{be}(y)\,U^{cd}(x)\,\rho^e(y)\rho^d(x)\Big] \tag{1.8}$$

1.5 Row V

Row V, first part. As in your file.

$$\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k}=\frac{1}{(2\pi)^3}\,\frac{ig^4}{16\pi^4}\,\frac{1}{k^{+\,2}}\int_0^{k^+}\frac{dp^+}{2\pi}\int_{x,z,y,x',y'w'}e^{-ik\cdot(w'-z)}\,e^{-ik\cdot(z-x)\,\frac{p^+}{k^+}}\,\frac{(x'-w')^i\,(z-x)^m\,(y-z)^k\,(y'-x)^j}{(x'-w')^2\,(z-x)^2\,(y-z)^2\,(y'-x)^2}$$
$$\left[\delta_{im}\,\delta_{jk}-\left[\frac{k^+}{p^+}\right]_+\delta_{jm}\,\delta_{ik}\right]\times\Big[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\Big]\times$$
$$\Big[f^{adc}\,U^{db}(x)\,U^{ce}(z)\,\{\rho^e(y),\rho^b(y')\}-f^{abc}\,U^{cd}(y)\,U^{be}(y')\,\{\rho^d(y),\rho^e(y')\}\Big]$$
$$-\,\frac{1}{(2\pi)^3}\,\frac{ig^4}{16\pi^4}\,\frac{1}{k^+}\int_0^{k^+}\frac{dq^+}{2\pi}\int_{x,z,y,x',y'w'}e^{-ik\cdot(w'-x)}\,e^{-ik\cdot(x-z)\,\frac{q^+}{k^+}}\,\frac{(x'-w')\cdot(y'-x)\,(z-x)\cdot(y-z)}{(x'-w')^2\,(z-x)^2\,(y-z)^2\,(y'-x)^2}\,\left[\frac{1}{q^+}\right]_+$$
$$\times\Big[U^{ab'}(x')\,\rho^{b'}(x')-U^{ab'}(w')\,\rho^{b'}(x')\Big]\times\Big[f^{adc}\,U^{db}(x)\,U^{ce}(z)\,\{\rho^e(y),\rho^b(y')\}-f^{abc}\,U^{cd}(y)\,U^{be}(y')\,\{\rho^d(y),\rho^e(y')\}\Big] \tag{1.9}$$

Row V, second part, d^3N_{2a}. As in your file.

$$\frac{d^3N_{2a\,\mathrm{NLO}}}{d^3k}=\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^4}\,\frac{1}{k^+}\int_0^{k^+}\frac{dp^+}{2\pi}\int_{x,y,z,x',w'}e^{-ik\cdot(w'-z)}\,e^{-ik\cdot(z-x)\,\frac{p^+}{k^+}}\,\frac{1}{[p^+\,(y-x)^2+(k^+-p^+)\,(y-z)^2]}\,\frac{(x'-w')^i\,(z-x)^m}{(x'-w')^2\,(z-x)^2}$$
$$\left[\frac{\delta^{im}\,d_\perp}{2\,(x-z)^2}\,\left[(y-x)^2-(y-z)^2\right]\,\frac{p^+\,(k^+-p^+)}{k^{+\,2}}\right.$$
$$+\,\frac{(k^+-p^+)\,\delta_{im}}{k^+}\,\left[\frac{(y-z)\cdot(x-z)}{(x-z)^2}+\frac{(y-x)\cdot(y-z)}{2\,(y-x)^2}-\frac{\left[(y-x)^2-(y-z)^2\right]}{2\,(x-z)^2}\right]$$
$$-\left[\frac{k^+}{p^+}\right]_+\left[\frac{(y-z)^i\,(x-z)^m}{(x-z)^2}+\frac{(y-x)^m\,(y-z)^i}{2\,(y-x)^2}\right]+\left[\frac{(y-z)^i\,(x-z)^m}{(x-z)^2}+\frac{(y-x)^m\,(y-z)^i}{2\,(y-x)^2}\right]$$
$$+\,\frac{p^+\,\delta_{im}}{k^+}\,\left[\frac{(y-x)\cdot(x-z)}{(x-z)^2}-\frac{(y-x)\cdot(y-z)}{2\,(y-z)^2}-\frac{\left[(y-x)^2-(y-z)^2\right]}{2\,(x-z)^2}\right]$$
$$\left.-\left[\frac{(y-x)^m\,(x-z)^i}{(x-z)^2}-\frac{(y-x)^m\,(y-z)^i}{2\,(y-z)^2}+\frac{(y-z)^m\,(x-z)^i}{(x-z)^2}+\frac{(y-x)^i\,(y-z)^m}{2\,(y-x)^2}\right]\right]\times$$
$$\left[U^{ab'}(x')-U^{ab'}(w')\right]\left[-f^{adc}\,f^{fbe}\,U^{db}(x)\,U^{ce}(z)+N_c\,U^{af}(x)\right]\rho^{b'}(x')\,\rho^f(y)$$
$$+\,\frac{1}{(2\pi)^3}\int_{k^+}^0\frac{dq^+}{2\pi}\,\frac{g^4}{8\pi^4}\,\frac{1}{k^+}\int_{x,y,z,x',w'}e^{-ik\cdot(w'-x)}\,e^{-ik\cdot(x-z)\,\frac{q^+}{k^+}}\,\frac{1}{[(k^+-q^+)\,(y-x)^2+q^+\,(y-z)^2]}\,\frac{(x'-w')^i\,(z-x)^m}{(x'-w')^2\,(z-x)^2}$$
$$\left\{\left[\frac{k^+}{q^+}\right]_+\left[\frac{(y-x)^i\,(x-z)^m}{(x-z)^2}-\frac{(y-x)^i\,(y-z)^m}{2\,(y-z)^2}\right]-\left[\frac{(y-x)^i\,(x-z)^m}{(x-z)^2}-\frac{(y-x)^i\,(y-z)^m}{2\,(y-z)^2}\right]\right\}\times$$
$$\left[U^{ab'}(x')-U^{ab'}(w')\right]\left[-f^{adc}\,f^{fbe}\,U^{db}(x)\,U^{ce}(z)+N_c\,U^{af}(x)\right]\rho^{b'}(x')\,\rho^f(y) \tag{1.10}$$

Row V, second part, $d^3N_{2b\,\mathrm{UV}}$. $2\log(1-\frac{\Lambda}{k^+})\to 0$. The $-\frac{11}{6}$ is the β_0 term that cancels the $\frac{11}{3}$ of Row II part 1 (running coupling).

$$\frac{d^3N_{2b\,\mathrm{UV\,NLO}}}{d^3k}=\frac{1}{(2\pi)^3}\,\frac{g^4N_c}{16\pi^4}\,\frac{1}{k^+}\left[-\frac{11}{6}\right]\int_{y,z,x',w'}e^{-ik\cdot(w'-z)}$$
$$\left[\frac{2}{\epsilon}+2\gamma_E+\log\frac{(y-z)^2\mu^2_{\overline{MS}}}{4}\right]\frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\,\Big[U^{ab'}(x')-U^{ab'}(w')\Big]\Big[U^{af}(y)-U^{af}(z)\Big]\rho^{b'}(x')\,\rho^f(y). \tag{1.11}$$

Row V, second part, $d^3N_{2b\,\mathrm{finite}}$. $\Lambda\to 0$ in the limits of the plus-prescribed integrals.

$$\frac{d^3N_{2b\,\mathrm{finite\,NLO}}}{d^3k}=\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^4}\,\frac{1}{k^+}\int_0^{k^+}\frac{dp^+}{2\pi}\int_{x,y,z,x',w'}e^{-ik\cdot(w'-z)}\,e^{-ik\cdot(z-x)\,\frac{p^+}{k^+}}\,\frac{1}{[p^+(y-x)^2+(k^+-p^+)(y-z)^2]}$$

$$
\frac{(x'-w')^i\,(z-x)^m}{(x'-w')^2\,(z-x)^2}\;\times\left[\frac{\delta^{im}\,d_\perp}{2\,(x-z)^2}\left[(y-x)^2-(y-z)^2\right]\frac{p^+(k^+-p^+)}{k^{+2}}\right.
$$

$$
+\frac{(k^+-p^+)\,\delta_{im}}{k^+}\left[\frac{(y-z)\cdot(x-z)}{(x-z)^2}+\frac{(y-x)\cdot(y-z)}{2(y-x)^2}-\frac{(y-x)^2-(y-z)^2}{2(x-z)^2}\right]
$$

$$
-\left[\frac{k^+}{p^+}\right]_+\left[\frac{(y-z)^i(x-z)^m}{(x-z)^2}+\frac{(y-x)^m(y-z)^i}{2(y-x)^2}\right]+\left[\frac{(y-z)^i(x-z)^m}{(x-z)^2}+\frac{(y-x)^m(y-z)^i}{2(y-x)^2}\right]
$$

$$
+\frac{p^+\,\delta_{im}}{k^+}\left[\frac{(y-x)\cdot(x-z)}{(x-z)^2}-\frac{(y-x)\cdot(y-z)}{2(y-z)^2}-\frac{(y-x)^2-(y-z)^2}{2(x-z)^2}\right]
$$

$$
\left.-\left[\frac{(y-x)^m(x-z)^i}{(x-z)^2}-\frac{(y-x)^m(y-z)^i}{2(y-z)^2}+\frac{(y-z)^m(x-z)^i}{(x-z)^2}+\frac{(y-x)^i(y-z)^m}{2(y-x)^2}\right]\right]
$$

$$
\times\Big[U^{ab'}(x')-U^{ab'}(w')\Big]\Big[N_c\,U^{af}(y)-N_c\,U^{af}(x)\Big]\rho^{b'}(x')\,\rho^f(y)
$$

$$
+\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^4}\,\frac{1}{k^+}\int_{k^+}^0\frac{dq^+}{2\pi}\int_{x,y,z,x',w'}e^{-ik\cdot(w'-z)}\;e^{-ik\cdot(z-x)\frac{(k^+-q^+)}{k^+}}\;\frac{1}{[(k^+-q^+)(y-x)^2+q^+\,(y-z)^2]}
$$

$$
\frac{(x'-w')^i\,(z-x)^m}{(x'-w')^2\,(z-x)^2}\;\left[\frac{(y-x)^i(x-z)^m}{(x-z)^2}-\frac{(y-x)^i(y-z)^m}{2(y-z)^2}\right]\;\left[\frac{k^+}{q^+}\right]_+\times
$$

$$
\Big[U^{ab'}(x')-U^{ab'}(w')\Big]\Big[N_c\,U^{af}(y)-N_c\,U^{af}(x)\Big]\rho^{b'}(x')\,\rho^f(y)
$$

$$
-\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^4}\,\frac{1}{k^+}\int_{k^+}^0\frac{dq^+}{2\pi}\int_{x,y,z,x',w'}e^{-ik\cdot(w'-z)}\;e^{-ik\cdot(z-x)\frac{(k^+-q^+)}{k^+}}\;\frac{1}{[(k^+-q^+)(y-x)^2+q^+\,(y-z)^2]}
$$

$$
\frac{(x'-w')^i\,(z-x)^m}{(x'-w')^2\,(z-x)^2}\;\left[\frac{(y-x)^i(x-z)^m}{(x-z)^2}-\frac{(y-x)^i(y-z)^m}{2(y-z)^2}\right]
$$

$$
\Big[U^{ab'}(x')-U^{ab'}(w')\Big]\Big[N_c\,U^{af}(y)-N_c\,U^{af}(x)\Big]\rho^{b'}(x')\,\rho^f(y)
$$

$$
+\;\frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\frac{11}{6}\int_{x,y,z,x',w'}e^{-ik\cdot(w'-z)}\;\frac{(x'-w')\cdot(y-z)}{(x'-w')^2\,(y-z)^2}\;\frac{(y-x)\cdot(y-z)}{(y-x)^2\,(x-z)^2}\times
$$

$$
\Big[U^{ab'}(x')-U^{ab'}(w')\Big]\Big[N_c\,U^{af}(y)-N_c\,U^{af}(z)\Big]\rho^{b'}(x')\,\rho^f(y)\tag{1.12}
$$

2 Group II

2.1 Row I

Row I, first part, first line. Remainders. Your line 2 is not here: $\log\frac{\vee}{\Lambda+k^+}\to\log\frac{\vee}{k^+}$, so it is entirely BFKL.

$$
\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k}=\frac{1}{(2\pi)^3}\int_{x,y,z,w,x',w'}e^{-ik(w'-w)}\Bigg\{
$$

$$
-\;\frac{ig^4}{16\pi^5}\,\frac{1}{k^+}\,\frac{(x'-w')^i\,(y-z)^j}{(x'-w')^2\,(y-z)^2}\,\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times
$$

$$
\left[\frac{\delta^{ij}}{2\,(z-w)^2}+\frac{(x-z)^j\,(z-w)^i}{(z-w)^2\,(x-z)^2}-\frac{(x-z)^j\,(x-w)^i}{(x-w)^2\,(x-z)^2}-\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}\right]
$$

$$
-\;\frac{ig^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\frac{(x'-w')^i\,(y-z)^j}{(x'-w')^2\,(y-z)^2}\,\left[\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}+\frac{(x-z)^j\,(x-w)^i}{2\,(x-z)^2\,(x-w)^2}\right]\Bigg\}
$$

$$
\left[U^{ac'}(w')\,\{\rho^{c'}(x'),\rho^b(y)\}-U^{bc'}(z)\,U^{ad'}(x')\,U^{c'e'}(y)\,\{\rho^{d'}(x'),\rho^{e'}(y)\}\right]\times\left[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{bc}(z)\,U^{de}(x)\,\rho^e(x)\right]
\tag{2.1}
$$

Row I, first part, second line. As the first line.

$$
\frac{d^3N}{d^3k}=\frac{1}{(2\pi)^3}\int_{x,y,z,w,x',w'}e^{-ik(w'-w)}\Bigg\{
$$

$$
\frac{ig^4}{16\pi^5}\,\frac{1}{k^+}\,\frac{(x'-w)^i\,(y-z)^j}{(x'-w)^2\,(y-z)^2}\,\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w')^2}{(x-w')^2}\right]\times
$$

$$
\left[\frac{\delta^{ij}}{2\,(z-w')^2}+\frac{(x-z)^j\,(z-w')^i}{(z-w')^2\,(x-z)^2}-\frac{(x-z)^j\,(x-w')^i}{(x-w')^2\,(x-z)^2}-\frac{(x-w')^i\,(z-w')^j}{(z-w')^2\,(x-w')^2}\right]
$$

$$
+\;\frac{ig^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\frac{(x'-w)^i\,(y-z)^j}{(x'-w)^2\,(y-z)^2}\,\left[\frac{(x-w')^i\,(z-w')^j}{(z-w')^2\,(x-w')^2}+\frac{(x-z)^j\,(x-w')^i}{2\,(x-z)^2\,(x-w')^2}\right]\Bigg\}
$$

$$
\times\left[f^{c'bd'}\,U^{ac'}(w')\,\rho^{d'}(x)-f^{ac'd'}\,U^{bc'}(z)\,U^{d'e'}(x)\,\rho^{e'}(x)\right]\times\left[U^{ac}(w)\,\{\rho^c(x'),\rho^b(y)\}-U^{bc}(z)\,U^{ad}(x')\,U^{ce}(y)\,\{\rho^d(x'),\rho^e(y)\}\right]\tag{2.2}
$$

Row I, second part, d^3N_{2a}. $\Lambda \to 0$ in the second logarithm.

$$
\begin{aligned}
\frac{d^3N_{2a\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\Bigg\{ \\
\frac{1}{[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2]}\times \\
\Bigg[\frac{(x-w)\cdot(z-w')\,(x'-z)\cdot(z-w)}{(z-w)^2\,(z-w')^2}-\frac{(x-w)\cdot(x'-w')\,(z-w)\cdot(x'-z)}{2\,(z-w)^2\,(x'-w')^2} \\
+\frac{(x-z)\cdot(x'-z)\,(x-w)\cdot(z-w')}{2\,(x-z)^2\,(z-w')^2}-\frac{(x'-z)\cdot(x-z)\,(x'-w')\cdot(x-w)}{4\,(x-z)^2\,(x'-w')^2} \\
+\frac{(x'-w')\cdot(z-w)\,(x-z)\cdot(z-w')}{(z-w)^2\,(z-w')^2}+\frac{(x'-w')\cdot(z-w)\,(x-z)\cdot(x'-z)}{2\,(z-w)^2\,(x'-z)^2} \\
-\frac{(x-z)\cdot(z-w')\,(x'-w')\cdot(x-w)}{2\,(x-w)^2\,(z-w')^2}-\frac{(x'-w')\cdot(x-w)\,(x'-z)\cdot(x-z)}{4\,(x-w)^2\,(x'-z)^2}\Bigg]\times \\
\left[\log\left[\frac{(\vee-k^+)\,(x-z)^2+k^+\,(x-w)^2}{k^+\,(x'-w')^2+(\vee-k^+)\,(x'-z)^2}\right]-\log\left[\frac{(x-w)^2}{(x'-w')^2}\right]\right]\Bigg\}\times \\
\Big[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x) \\
-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Big]
\end{aligned}
\tag{2.3}
$$

Row I, second part, d^3N_{2b}. Remainders.

$$
\begin{aligned}
\frac{d^3N_{2b\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{1}{[(x'-w')^2\,(x-z)^2\,(x-w)^2-(x-w)^4\,(x'-z)^2]}\times \\
\Bigg[\frac{(x'-w')\cdot(x-w)\,(z-w)\cdot(z-w')}{(z-w)^2\,(z-w')^2}+\frac{(x'-w')\cdot(x-w)\,(x'-z)\cdot(z-w)}{2\,(z-w)^2\,(x'-z)^2} \\
+\frac{(x-w)\cdot(x'-w')\,(x-z)\cdot(z-w')}{2\,(x-z)^2\,(z-w')^2}+\frac{(x-z)\cdot(x'-z)\,(x'-w')\cdot(x-w)}{4\,(x-z)^2\,(x'-z)^2}\Bigg]\times\left[(x-z)^2-\frac{(x-w)^2\,(x'-z)^2}{(x'-w')^2}\right]\times \\
\Big[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x) \\
-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Big] \\
-\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x-z)^2}{[(x'-w')^2\,(x-z)^2\,(x-w)^2-(x-w)^4\,(x'-z)^2]}\times \\
\Bigg[\frac{(x'-w')\cdot(x-w)\,(z-w)\cdot(z-w')}{(z-w)^2\,(z-w')^2}+\frac{(x'-w')\cdot(x-w)\,(x'-z)\cdot(z-w)}{2\,(z-w)^2\,(x'-z)^2} \\
+\frac{(x-w)\cdot(x'-w')\,(x-z)\cdot(z-w')}{2\,(x-z)^2\,(z-w')^2}+\frac{(x-z)\cdot(x'-z)\,(x'-w')\cdot(x-w)}{4\,(x-z)^2\,(x'-z)^2}\Bigg]\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times \\
\Big[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x) \\
-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Big] \\
+\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x'-z)^2}{[(x'-w')^4\,(x-z)^2\,-(x-w)^2\,(x'-z)^2\,(x'-w')^2]}\times \\
\Bigg[\frac{(x'-w')\cdot(x-w)\,(z-w)\cdot(z-w')}{(z-w)^2\,(z-w')^2}+\frac{(x'-w')\cdot(x-w)\,(x'-z)\cdot(z-w)}{2\,(z-w)^2\,(x'-z)^2} \\
+\frac{(x-w)\cdot(x'-w')\,(x-z)\cdot(z-w')}{2\,(x-z)^2\,(z-w')^2}+\frac{(x-z)\cdot(x'-z)\,(x'-w')\cdot(x-w)}{4\,(x-z)^2\,(x'-z)^2}\Bigg]\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x'-z)^2+\frac{k^+}{\vee}\,(x'-w')^2}{(x'-w')^2}\right] \\
\Big[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x) \\
-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\Big]
\end{aligned}
\tag{2.4}
$$

Row I, second part, d^3N_{2c}. Remainders.

$$\frac{d^3N_{2c\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x'-w')^2}{(x'-z)^2}\,\frac{1}{\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}$$
$$\left[\frac{(x'-z)\cdot(x-z)\,(z-w)\cdot(z-w')}{(z-w)^2\,(z-w')^2} - \frac{(x'-z)\cdot(x-z)\,(x'-w')\cdot(z-w)}{2\,(z-w)^2\,(x'-w')^2} - \frac{(x-w)\cdot(z-w')\,(x-z)\cdot(x'-z)}{2\,(x-w)^2\,(z-w')^2}\right.$$
$$\left.+\,\frac{(x-z)\cdot(x'-z)\,(x'-w')\cdot(x-w)}{4\,(x-w)^2\,(x'-w')^2}\right]\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x'-z)^2+\frac{k^+}{\vee}\,(x'-w')^2}{(x'-w')^2}\right]$$
$$\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x) - f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.$$
$$\left.-\,f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x) + N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right]$$
$$-\,\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x-w)^2}{(x-z)^2}\,\frac{1}{\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}$$
$$\left[\frac{(x'-z)\cdot(x-z)\,(z-w)\cdot(z-w')}{(z-w)^2\,(z-w')^2} - \frac{(x'-z)\cdot(x-z)\,(x'-w')\cdot(z-w)}{2\,(z-w)^2\,(x'-w')^2} - \frac{(x-w)\cdot(z-w')\,(x-z)\cdot(x'-z)}{2\,(x-w)^2\,(z-w')^2}\right.$$
$$\left.+\,\frac{(x-z)\cdot(x'-z)\,(x'-w')\cdot(x-w)}{4\,(x-w)^2\,(x'-w')^2}\right]\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]$$
$$\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x) - f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.$$
$$\left.-\,f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x) + N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right] \tag{2.5}$$

Row I, second part, d^3N_{2d}. Remainders.

$$\frac{d^3N_{2d\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x-z)^2}{\left[(x-z)^2-(x-w)^2\right]}\,\frac{1}{\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}$$
$$\left[\frac{(x-w)\cdot(z-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{2\,(z-w)^2\,(z-w')^2} + \frac{(x-z)\cdot(x-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{4\,(x-z)^2\,(z-w')^2}\right.$$
$$\left.+\,\frac{(x'-w')\cdot(z-w')\,\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2\,(z-w')^2} + \frac{(x'-z)\cdot(x'-w')\,\left[(x-z)^2-(x-w)^2\right]}{4\,(z-w)^2\,(x'-z)^2}\right]\times$$
$$\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times$$
$$\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x) - f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.$$
$$\left.-\,f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x) + N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right]$$
$$+\,\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x'-z)^2}{\left[(x'-w')^2-(x'-z)^2\right]}\,\frac{1}{\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}$$
$$\left[\frac{(x-w)\cdot(z-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{2\,(z-w)^2\,(z-w')^2} + \frac{(x-z)\cdot(x-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{4\,(x-z)^2\,(z-w')^2}\right.$$
$$\left.+\,\frac{(x'-w')\cdot(z-w')\,\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2\,(z-w')^2} + \frac{(x'-z)\cdot(x'-w')\,\left[(x-z)^2-(x-w)^2\right]}{4\,(z-w)^2\,(x'-z)^2}\right]\times$$
$$\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x'-z)^2+\frac{k^+}{\vee}\,(x'-w')^2}{(x'-w')^2}\right]\times$$
$$\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x) - f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.$$
$$\left.-\,f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x) + N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right] \tag{2.6}$$

Row I, second part, d^3N_{2e}. Remainders.

$$\frac{d^3N_{2e\,\mathrm{NLO}}}{d^3k} = -\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'} e^{-ik(w'-w)}\,\frac{(x-w)^2}{\left[(x-z)^2-(x-w)^2\right]}\,\frac{1}{\left[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2\right]}$$

$$
\left[\frac{(x-z)\cdot(z-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{2\,(z-w)^2\,(z-w')^2}-\frac{(x-z)\cdot(x-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{4\,(x-w)^2\,(z-w')^2}\right.
$$

$$
\left.+\frac{(x'-z)\cdot(z-w')\,\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2\,(z-w')^2}-\frac{(x'-z)\cdot(x'-w')\,\left[(x-z)^2-(x-w)^2\right]}{4\,(z-w)^2\,(x'-w')^2}\right]\times
$$

$$
\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times
$$

$$
\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.
$$

$$
\left.-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right]
$$

$$
-\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'}e^{-ik(w'-w)}\,\frac{(x'-w')^2}{[(x'-w')^2-(x'-z)^2]}\,\frac{1}{[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2]}
$$

$$
\left[\frac{(x-z)\cdot(z-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{2\,(z-w)^2\,(z-w')^2}-\frac{(x-z)\cdot(x-w)\,\left[(x'-z)^2-(x'-w')^2\right]}{4\,(x-w)^2\,(z-w')^2}\right.
$$

$$
\left.+\frac{(x'-z)\cdot(z-w')\,\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2\,(z-w')^2}-\frac{(x'-z)\cdot(x'-w')\,\left[(x-z)^2-(x-w)^2\right]}{4\,(z-w)^2\,(x'-w')^2}\right]\times
$$

$$
\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x'-z)^2+\frac{k^+}{\vee}\,(x'-w')^2}{(x'-w')^2}\right]\times
$$

$$
\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.
$$

$$
\left.-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right] \tag{2.7}
$$

Row I, second part, d^3N_{2f}. Remainders; $\frac{1}{k^+ + \Lambda} \to \frac{1}{k^+}$.

$$
\frac{d^3N_{2f\,\mathrm{NLO}}}{d^3k}=-\frac{1}{(2\pi)^3}\,\frac{g^4\,d_\perp}{32\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'}e^{-ik(w'-w)}\,\frac{(x-z)^2\,(x-w)^2}{(z-w)^2\,(z-w')^2\,\left[(x-z)^2-(x-w)^2\right]}\,\frac{\left[(x'-z)^2-(x'-w')^2\right]}{[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2]}\times
$$

$$
\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times
$$

$$
\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.
$$

$$
\left.-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right]
$$

$$
+\frac{1}{(2\pi)^3}\,\frac{g^4\,d_\perp}{32\pi^5}\,\left[\frac{1}{\vee}-\frac{1}{k^+}\right]\int_{z,w,w',x,x'}e^{-ik(w'-w)}\,\frac{1}{(z-w)^2\,(z-w')^2}
$$

$$
\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.
$$

$$
\left.-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right]
$$

$$
+\frac{1}{(2\pi)^3}\,\frac{g^4\,d_\perp}{32\pi^5}\,\frac{1}{k^+}\int_{z,w,w',x,x'}e^{-ik(w'-w)}\,\frac{(x'-w')^2\,(x'-z)^2}{(z-w)^2\,(z-w')^2}
$$

$$
\frac{\left[(x-z)^2-(x-w)^2\right]}{[(x'-z)^2-(x'-w')^2]\,[(x'-w')^2\,(x-z)^2-(x-w)^2\,(x'-z)^2]}\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x'-z)^2+\frac{k^+}{\vee}\,(x'-w')^2}{(x'-w')^2}\right]\times
$$

$$
\left[f^{c'bd'}\,f^{cbd}\,U^{ac'}(w')\,U^{ac}(w)\,\rho^{d'}(x')\rho^{d}(x)-f^{c'bd'}\,f^{acd}\,U^{ac'}(w')\,U^{bc}(z)\,U^{de}(x)\,\rho^{d'}(x')\rho^{e}(x)\right.
$$

$$
\left.-f^{ac'd'}\,f^{cbd}\,U^{ac}(w)\,U^{bc'}(z)\,U^{e'd'}(x')\,\rho^{e'}(x')\,\rho^{d}(x)+N_c\,U^{e'd}(x')\,U^{de}(x)\,\rho^{e'}(x')\,\rho^{e}(x)\right] \tag{2.8}
$$

2.2 Row II

Only four ρ's: nothing is left.

2.3 Row III

Only four ρ's: nothing is left.

2.4 Row IV

Row IV. The DGLAP term. Line 2 keeps $\log(\frac{\vee}{k^+}-1)$: it cancels the $\log\frac{\vee}{k^+}$ of the subtraction in $\frac{\xi}{(1-\xi)_+}$ of line 1. The last line subtracts the BFKL term H_4 that sits in the $\frac{1-\xi}{\xi}$ term of line 1 ($\int_{k^+/\vee}^1\frac{d\xi}{\xi}=\log\frac{\vee}{k^+}$; `Why_log_vee.pdf`, Sec. 10). In line 3, $\frac{k^+}{k^++\Lambda}\to 1$.

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} &= \frac{g^2}{4\pi^2}\,\frac{N_c}{(2\pi)^3}\,\frac{g^2}{2\pi^2}\,\frac{1}{k^+}\int_{x,y,x',y'}\frac{(x-y)\cdot(x'-y')}{(x-y)^2\,(x'-y')^2}\,\left[-\frac{d_\perp}{\epsilon}-d_\perp\,\gamma_E-\frac{d_\perp}{2}\,\log\left(\frac{(y'-y)^2\,\mu_{\overline{MS}}^2}{4}\right)-1\right]\\
&\left[\int_{\frac{k^+}{\vee}}^1\frac{d\xi}{\xi^2}\,e^{-ik\cdot(y'-y)\,\frac{1}{\xi}}\,\left[\xi\,(1-\xi)+\frac{(1-\xi)}{\xi}+\frac{\xi}{(1-\xi)_+}\right]\right]\times\Big[U^{e'c}(y')-U^{e'c}(x')\Big]\times\left[U^{ec}(y)-U^{ce}(x)\right]\,\rho^{e'}(x')\rho^e(x)\\
&+\frac{g^2}{4\pi^2}\,\frac{1}{(2\pi)^3}\,\frac{g^2}{2\pi^2}\,\frac{N_c}{k^+}\,\log\left(\frac{\vee}{k^+}-1\right)\int_{x,y,x',y'}e^{-ik\cdot(y'-y)}\,\frac{(x-y)\cdot(x'-y')}{(x-y)^2\,(x'-y')^2}\,\left[-\frac{d_\perp}{\epsilon}-d_\perp\,\gamma_E\right.\\
&\left.-\frac{d_\perp}{2}\,\log\left(\frac{(y'-y)^2\,\mu_{\overline{MS}}^2}{4}\right)-1\right]\,\Big[U^{e'c}(y')-U^{e'c}(x')\Big]\times\left[U^{ec}(y)-U^{ce}(x)\right]\,\rho^{e'}(x')\rho^e(x)\\
&+\frac{g^2}{4\pi^2}\,\frac{1}{(2\pi)^3}\,\frac{g^2}{2\pi^2}\,\frac{N_c}{k^+}\int_{\frac{k^+}{\vee}}^1 d\xi\,\frac{(1-\xi)}{\xi}\int_{x,y,x',y'}e^{-ik\cdot(y'-y)\,\frac{1}{\xi}}\left[\frac{(x-y)\cdot(x'-y')}{(x-y)^2\,(x'-y')^2}-\frac{(x-y)\cdot(y'-y)\,(x'-y')\cdot(y'-y)}{(x-y)^2\,(x'-y')^2\,(y'-y)^2}\,d_\perp\right]\times\\
&\Big[U^{e'c}(y')-U^{e'c}(x')\Big]\times\left[U^{ec}(y)-U^{ce}(x)\right]\,\rho^{e'}(x')\rho^e(x)\\
&-\frac{1}{(2\pi)^3}\,\frac{g^4\,N_c}{8\pi^5}\,\frac{1}{k^+}\int_{\frac{k^+}{\vee}}^1\frac{d\xi}{\xi}\int_{x,x',z,w,w'}e^{-ik\cdot(w'-w)}\,\frac{(w-z)\cdot(w'-z)}{(w-z)^2\,(w'-z)^2}\,\frac{(x-z)\cdot(x'-z)}{(x-z)^2\,(x'-z)^2}\\
&\Big[U^{e'c}(z)-U^{e'c}(x')\Big]\times\left[U^{ec}(z)-U^{ce}(x)\right]\,\rho^{e'}(x')\rho^e(x)
\end{aligned}
\tag{2.9}
$$

3 Group III (with c.c.)

3.1 Row I

Row I. Remainders.

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} &= \frac{1}{(2\pi)^3}\int_{x,y,x',z,w,w'}e^{-ik(w'-w)}\left\{\right.\\
&-\frac{ig^4}{8\pi^5}\,\frac{1}{k^+}\,\frac{(x'-w')^i(y-z)^j}{(x'-w')^2\,(y-z)^2}\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times\left[\frac{\delta^{ij}}{2\,(z-w)^2}+\frac{(x-z)^j\,(z-w)^i}{(z-w)^2\,(x-z)^2}\right.\\
&\left.-\frac{(x-z)^j\,(x-w)^i}{(x-w)^2\,(x-z)^2}-\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}\right]\\
&-\frac{ig^4}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\frac{(x'-w')^i(y-z)^j}{(x'-w')^2\,(y-z)^2}\,\left[\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}+\frac{(x-z)^j\,(x-w)^i}{2\,(x-z)^2\,(x-w)^2}\right]\left.\right\}\times\\
&\left[U^{ab'}(x')\,U^{c'd'}(y)\,U^{c'b}(z)\,\rho^{b'}(x')\rho^{d'}(y)-U^{bd'}(z)\,U^{d'e'}(y)U^{ac'}(w')\,\rho^{c'}(x')\rho^{e'}(y)\right]\times\\
&\left[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{bc}(z)\,U^{de}(x)\,\rho^e(x)\right]
\end{aligned}
\tag{3.1}
$$

3.2 Row II

Row II. Remainders.

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} &= \frac{1}{(2\pi)^3}\int_{x,y,x',z,w,w'}e^{-ik(w'-w)}\left\{\right.\\
&-\frac{ig^4}{8\pi^5}\,\frac{1}{k^+}\,\frac{(x'-w')^i(y-z)^j}{(x'-w')^2\,(y-z)^2}\times\log\left[\frac{\left(1-\frac{k^+}{\vee}\right)(x-z)^2+\frac{k^+}{\vee}\,(x-w)^2}{(x-w)^2}\right]\times\left[\frac{\delta^{ij}}{2\,(z-w)^2}+\frac{(x-z)^j\,(z-w)^i}{(z-w)^2\,(x-z)^2}\right.\\
&\left.-\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}-\frac{(x-z)^j\,(x-w)^i}{(x-z)^2\,(x-w)^2}\right]\\
&-\frac{ig^4}{8\pi^5}\,\frac{1}{k^+}\,\log\left(1-\frac{k^+}{\vee}\right)\frac{(x'-w')^i(y-z)^j}{(x'-w')^2\,(y-z)^2}\,\left[\frac{(x-w)^i\,(z-w)^j}{(z-w)^2\,(x-w)^2}+\frac{(x-z)^j\,(x-w)^i}{2\,(x-z)^2\,(x-w)^2}\right]\left.\right\}\times\\
&\left[U^{c'd'}(y)\,U^{ab'}(x')\,U^{bc'}(z)\,\rho^{d'}(y)\rho^{b'}(x')-U^{ab'}(x')\,\rho^b(y)\rho^{b'}(x')\right]\times\left[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{bc}(z)\,U^{de}(x)\,\rho^e(x)\right]
\end{aligned}
\tag{3.2}
$$

3.3 Row III

Row III, first part. Line 2 keeps $\log(\frac{\vee}{k^+}-1)$: it cancels the $\log\frac{\vee}{k^+}$ of the subtraction in $\left[\frac{1}{p^+}\right]_+$ of line 1. The last line subtracts the BFKL term (B) that sits in the $-\frac{1}{k^+}$ term of line 1 ($\int_0^{\vee-k^+}\frac{dp^+}{p^++k^+}=\log\frac{\vee}{k^+}$; `Why_log_vee.pdf`). Together the lines are finite for $\vee\to\infty$.

$$
\begin{aligned}
\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k} &= \frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'd'a}}{8\pi^4}\,\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,x',y',z,y,x} e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}(y'-z)}\,\frac{(y'-z)^m\,(x'-y')^{k'}\,(y-w)^i\,(x-z)^j}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}\\
&\left[\frac{\delta_{k'm}\,\delta_{ij}}{(p^++k^+)}-\left[\frac{1}{p^+}\right]_+\delta_{jm}\,\delta_{ik'}-\frac{1}{k^+}\,\delta_{im}\,\delta_{jk'}\right]\Big[U^{e'c'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\Big]\times\\
&\Big[U^{ac}(w)\,\{\rho^c(y),\rho^b(x)\}-U^{bc}(z)\,U^{ad}(y)\,U^{ce}(x)\,\{\rho^d(y),\rho^e(x)\}\Big]\\
&-\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'd'a}}{16\pi^5}\,\frac{1}{k^+}\,\log\Big(\frac{\vee}{k^+}-1\Big)\int_{w,x',y',z,y,x} e^{-ik\cdot(y'-w)}\,\frac{(y'-z)\cdot(x-z)\,(x'-y')\cdot(y-w)}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}\\
&\Big[U^{e'c'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\Big]\times\Big[U^{ac}(w)\,\{\rho^c(y),\rho^b(x)\}-U^{bc}(z)\,U^{ad}(y)\,U^{ce}(x)\,\{\rho^d(y),\rho^e(x)\}\Big]\\
&+\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'd'a}}{8\pi^4}\,\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\,\frac{1}{(p^++k^+)}\int_{w,x',y',z,y,x} e^{-ik\cdot(y'-w)}\,\frac{(y'-z)\cdot(y-w)\,(x'-z)\cdot(x-z)}{(y'-z)^2\,(y-w)^2\,(x'-z)^2\,(x-z)^2}\\
&\Big[U^{e'c'}(z)\,U^{d'b}(z)\,\rho^{e'}(x')-U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\Big]\\
&\times\Big[U^{ac}(w)\,\{\rho^c(y),\rho^b(x)\}-U^{bc}(z)\,U^{ad}(y)\,U^{ce}(x)\,\{\rho^d(y),\rho^e(x)\}\Big]
\end{aligned}
\tag{3.3}
$$

Row III, second part. As the first part; here (B) sits in the $-\frac{p^+}{k^{+2}}$ term of line 1. The measure is $\int_{w,x',y',z,x}$ (C5).

$$
\begin{aligned}
\frac{d^3N_{2\,\mathrm{NLO}}}{d^3k} &= \frac{1}{(2\pi)^3}\,\frac{g^4}{4\pi^4}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,x',y',z,x} e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}(y'-z)}\,\frac{(y'-z)^m\,(x'-y')^{k'}}{(y'-z)^2\,(x'-y')^2}\,\frac{1}{[p^+\,(x-z)^2+k^+\,(x-w)^2]}\\
&\left[\frac{\delta_{k'm}\,d_\perp\,p^+}{2\,(z-w)^2\,(p^++k^+)^2}\,\left[(x-z)^2-(x-w)^2\right]+\frac{p^+\,\delta_{k'm}}{k^+\,(p^++k^+)}\left[\frac{(x-z)\cdot(z-w)}{(z-w)^2}-\frac{(x-z)\cdot(x-w)}{2\,(x-w)^2}\right.\right.\\
&\left.-\frac{\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2}\right]+\frac{\delta_{k'm}}{(p^++k^+)}\left[\frac{(x-w)\cdot(z-w)}{(z-w)^2}+\frac{(x-z)\cdot(x-w)}{2\,(x-z)^2}-\frac{\left[(x-z)^2-(x-w)^2\right]}{2\,(z-w)^2}\right]\\
&-\left[\frac{1}{p^+}\right]_+\left[\frac{(x-w)^{k'}\,(z-w)^m}{(z-w)^2}+\frac{(x-z)^m\,(x-w)^{k'}}{2\,(x-z)^2}\right]-\frac{p^+}{k^{+\,2}}\left[\frac{(x-z)^{k'}\,(z-w)^m}{(z-w)^2}-\frac{(x-z)^{k'}\,(x-w)^m}{2\,(x-w)^2}\right]\\
&-\frac{1}{k^+}\left[\frac{(x-z)^m\,(z-w)^{k'}}{(z-w)^2}-\frac{(x-z)^m\,(x-w)^{k'}}{2\,(x-w)^2}+\frac{(x-w)^m\,(z-w)^{k'}}{(z-w)^2}+\frac{(x-z)^{k'}\,(x-w)^m}{2\,(x-z)^2}\right]\Bigg]\times\\
&\Big[f^{c'd'a}\,U^{e'c'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-f^{c'd'a}\,U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\Big]\times\Big[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{bc}(z)\,U^{de}(x)\,\rho^e(x)\Big]\\
&-\frac{1}{(2\pi)^3}\,\frac{g^4}{8\pi^5}\,\frac{1}{k^+}\,\log\Big(\frac{\vee}{k^+}-1\Big)\int_{w,x',y',z,x} e^{-ik\cdot(y'-w)}\left[\frac{(x-w)\cdot(x'-y')\,(z-w)\cdot(y'-z)}{(z-w)^2\,(x-w)^2\,(y'-z)^2\,(x'-y')^2}\right.\\
&\left.+\frac{(x-z)\cdot(y'-z)\,(x-w)\cdot(x'-y')}{2\,(x-z)^2\,(x-w)^2\,(y'-z)^2\,(x'-y')^2}\right]\Big[f^{c'd'a}\,U^{e'c'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-f^{c'd'a}\,U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\Big]\times\\
&\Big[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{bc}(z)\,U^{de}(x)\,\rho^e(x)\Big]\\
&+\frac{1}{(2\pi)^3}\,\frac{g^4}{4\pi^4}\,\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\,\frac{1}{(p^++k^+)}\int_{w,x',y',z,x} e^{-ik\cdot(y'-w)}\,\frac{(x'-z)\cdot(x-z)}{(x'-z)^2\,(x-z)^2}\\
&\times\left[\frac{(y'-z)\cdot(z-w)}{(y'-z)^2\,(z-w)^2}-\frac{(y'-z)\cdot(x-w)}{2\,(y'-z)^2\,(x-w)^2}\right]\\
&\Big[f^{c'd'a}\,U^{e'c'}(z)\,U^{d'b}(z)\,\rho^{e'}(x')-f^{c'd'a}\,U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\Big]\\
&\times\Big[f^{cbd}\,U^{ac}(w)\,\rho^d(x)-f^{acd}\,U^{bc}(z)\,U^{de}(x)\,\rho^e(x)\Big]
\end{aligned}
\tag{3.4}
$$

3.4 Row IV

Only four ρ's: nothing is left.

3.5 Row V

Row V. As Row III.

$$
\begin{aligned}
\frac{d^3N_{\mathrm{NLO}}}{d^3k} &= \frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'ca}}{4\pi^4}\,\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,y',z,y,x,x'} e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}(y'-z)}\,\frac{(y'-z)^m\,(x'-y')^{k'}\,(y-w)^i\,(x-z)^j}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}\\
&\left[\frac{\delta_{k'm}\,\delta_{ij}}{(p^++k^+)}-\left[\frac{1}{p^+}\right]_+\delta_{jm}\,\delta_{ik'}-\frac{1}{k^+}\,\delta_{im}\,\delta_{jk'}\right]\Big[U^{e'c'}(y')\,\rho^{e'}(x')-U^{c'e'}(x')\,\rho^{e'}(x')\Big]\times\\
&\Big[U^{ce}(x)\,U^{ad}(y)\,\rho^e(x)\rho^d(y)-U^{ad}(w)\,U^{ce}(x)\,\rho^e(x)\rho^d(y)\Big]
\end{aligned}
$$

$$
\begin{aligned}
&- \frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'ca}}{8\pi^5}\,\frac{1}{k^+}\,\log\Big(\frac{\vee}{k^+}-1\Big)\int_{w,y',z,y,x,x'} e^{-ik\cdot(y'-w)}\,\frac{(y'-z)\cdot(x-z)\,(x'-y')\cdot(y-w)}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}\\
&\Big[U^{e'c'}(y')\,\rho^{e'}(x')-U^{c'e'}(x')\,\rho^{e'}(x')\Big]\times\Big[U^{ce}(x)\,U^{ad}(y)\,\rho^{e}(x)\rho^{d}(y)-U^{ad}(w)\,U^{ce}(x)\,\rho^{e}(x)\rho^{d}(y)\Big]\\
&+\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'ca}}{4\pi^4}\,\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\,\frac{1}{(p^++k^+)}\int_{w,y',z,y,x,x'} e^{-ik\cdot(y'-w)}\,\frac{(y'-z)\cdot(y-w)\,(x'-z)\cdot(x-z)}{(y'-z)^2\,(y-w)^2\,(x'-z)^2\,(x-z)^2}\\
&\Big[U^{e'c'}(z)\,\rho^{e'}(x')-U^{c'e'}(x')\,\rho^{e'}(x')\Big]\Big[U^{ce}(x)\,U^{ad}(y)\,\rho^{e}(x)\rho^{d}(y)-U^{ad}(w)\,U^{ce}(x)\,\rho^{e}(x)\rho^{d}(y)\Big]
\end{aligned}
\tag{3.5}
$$

3.6 Row VI

Row VI. As Row III.

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} &= \frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'd'a}}{4\pi^4}\,\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\int_{w,y',z,y,x,x'} e^{-ik\cdot(y'-w)}\,e^{-ik\cdot\frac{p^+}{k^+}\,(y'-z)}\,\frac{(y'-z)^m\,(x'-y')^{k'}\,(y-w)^i\,(x-z)^j}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}\\
&\Big[\frac{\delta_{k'm}\,\delta_{ij}}{(p^++k^+)}-\Big[\frac{1}{p^+}\Big]_+\,\delta_{jm}\,\delta_{ik'}-\frac{1}{k^+}\,\delta_{im}\,\delta_{jk'}\Big]\Big[U^{e'c'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\Big]\times\\
&\Big[U^{bc}(z)\,U^{ad}(y)\,U^{ce}(x)\,\rho^{d}(y)\,\rho^{e}(x)-U^{ad}(y)\,\rho^{d}(y)\,\rho^{b}(x)\Big]\\
&- \frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'd'a}}{8\pi^5}\,\frac{1}{k^+}\,\log\Big(\frac{\vee}{k^+}-1\Big)\int_{w,y',z,y,x,x'} e^{-ik\cdot(y'-w)}\,\frac{(y'-z)\cdot(x-z)\,(x'-y')\cdot(y-w)}{(y'-z)^2\,(x'-y')^2\,(y-w)^2\,(x-z)^2}\\
&\Big[U^{e'c'}(y')\,U^{d'b}(z)\,\rho^{e'}(x')-U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\Big]\times\Big[U^{bc}(z)\,U^{ad}(y)\,U^{ce}(x)\,\rho^{d}(y)\,\rho^{e}(x)-U^{ad}(y)\,\rho^{d}(y)\,\rho^{b}(x)\Big]\\
&+\frac{1}{(2\pi)^3}\,\frac{ig^4\,f^{c'd'a}}{4\pi^4}\,\frac{1}{k^+}\int_0^{\vee-k^+}\frac{dp^+}{2\pi}\,\frac{1}{(p^++k^+)}\int_{w,y',z,y,x,x'} e^{-ik\cdot(y'-w)}\,\frac{(y'-z)\cdot(y-w)\,(x'-z)\cdot(x-z)}{(y'-z)^2\,(y-w)^2\,(x'-z)^2\,(x-z)^2}\\
&\Big[U^{e'c'}(z)\,U^{d'b}(z)\,\rho^{e'}(x')-U^{bd'}(z)\,U^{c'e'}(x')\,\rho^{e'}(x')\Big]\\
&\times\Big[U^{bc}(z)\,U^{ad}(y)\,U^{ce}(x)\,\rho^{d}(y)\,\rho^{e}(x)-U^{ad}(y)\,\rho^{d}(y)\,\rho^{b}(x)\Big]
\end{aligned}
\tag{3.6}
$$