Final notes on the evolution terms: JIMWLK and BFKL with $\log \frac{\vee}{\Lambda}$, the scales Λ and $\vee$, running coupling and DGLAP

Files checked: `Evolution_terms.tex`, `Evolution_three_rho.tex`, `Group_I.tex`, `Group_II.tex`, `Group_III.tex` (this upload), and `4rho.tex` (earlier upload; not sent again). Notation as in your files: $\mathcal{K}(X) = X/X^2$, $K(a,b,z) = \mathcal{K}(a-z)\cdot\mathcal{K}(b-z)$, $U^{bc} = U^{cb}$, and

$$\mathcal{N} = \frac{1}{(2\pi)^3}\frac{g^4}{16\pi^5}\frac{1}{k^+} = \frac{\alpha_s^2}{8\pi^6 k^+}, \qquad \text{so that} \qquad \mathcal{N}\log\frac{\vee}{\Lambda} \;\leftrightarrow\; \frac{\alpha_s^2\,\delta Y}{8\pi^6(N_c^2-1)} \text{ of your JIMWLK and BFKL formulas}$$

(with $\langle\rho^a\rho^b\rangle = \delta^{ab}\langle\rho^f\rho^f\rangle/(N_c^2-1)$ and $\int_{w,w'} e^{-ik\cdot(w'-w)}$). In this note blue is new or corrected text and red is removed text. The two-ρ terms are coloured by their kernel:

- **green, JIMWLK only:** the unobserved gluon z is attached to the measured gluon (w or w'). These kernels occur only in JIMWLK⊗LO.
- **purple, charge–charge:** the unobserved gluon z is exchanged between the two charges (x, x'). These kernels occur in both JIMWLK⊗LO and BFKL⊗LO, with different colour structures.
- **orange, BFKL only:** the measured gluon is emitted by the gluon at z. These kernels occur only in BFKL⊗LO.

1 Summary

Answers to your questions.

1. **Your convention** $\log\frac{\Lambda}{k^+} = -\log\frac{\vee}{\Lambda} + \log\frac{\vee}{k^+}$ is exact, so the rewriting is always allowed (Sec. 2).
   - **JIMWLK matches.** With this rule the coefficient of $\log\frac{\vee}{\Lambda}$ is JIMWLK⊗LO, exactly. This needs the two-ρ lists of `4rho.tex` (M1) and your JIMWLK formula corrected (M2).
   - **BFKL matches, but not as the coefficient of** $\log\frac{\vee}{\Lambda}$ **with this rule.** BFKL⊗LO is exactly the coefficient of $\log\vee$. With your rule it sits in the left-over term $\log\frac{\vee}{k^+}(\mathcal{B}-\mathcal{J})$, which is not finite: at mid rapidity it is as large as the evolution term.
   - **What gives both with** $\log\frac{\vee}{\Lambda}$**:** at mid rapidity, $k^+ = \sqrt{\vee\Lambda}$, so $\log\frac{\vee}{k^+} = \log\frac{k^+}{\Lambda} = \frac{1}{2}\log\frac{\vee}{\Lambda}$. Then, with nothing left over,
   $$\frac{d^3N_{\rm LL}}{d^3k} = \frac{1}{2}\log\frac{\vee}{\Lambda}\,\big[\text{JIMWLK}\otimes\text{LO} + \text{BFKL}\otimes\text{LO}\big].$$
   Away from mid rapidity the left-over is $\frac{1}{2}\log\frac{k^{+2}}{\vee\Lambda}(\mathcal{J}-\mathcal{B})$, with $\log\frac{k^{+2}}{\vee\Lambda} = 2(y-y_{\rm mid})$.
2. **Scales.** Every term that depends on Λ or $\vee$ is accounted for (Sec. 6):
   - the logarithms go into evolution (two ρ's) or cancel (three and four ρ's);
   - the $\frac{1}{\Lambda}$ terms cancel;
   - the poles multiplying $\log\frac{\vee}{\Lambda}$ cancel;
   - everything else is $O(\Lambda/k^+)$ or $O(k^+/\vee)$ and vanishes.
3. **Running coupling** (Sec. 8, with arXiv:2308.15545):
   - Your Group I Row II is exactly the NLO JIMWLK kernel K_{JSJ} of that paper, including the constant $(\frac{67}{9}-\frac{\pi^2}{3})N_c$. It is twice the running-coupling logarithm.
   - Your Group I Row V is their dressed gluon: the same splitting weight and the same double-plus constant $-\frac{11}{6} = -\frac{\beta_0}{2N_c}$. It dresses both Wilson lines of the measured gluon (amplitude and conjugate), so it removes twice the running-coupling logarithm.
   - The two cancel exactly. With their scale choice, LO runs as $g(c_0^2/X^2)\,g(c_0^2/X'^2)$, with $X = x-w$, $X' = x'-w'$ the emitter–gluon distances. The rest is DGLAP-like and goes with the fragmentation function.

Results.

1. **Four ρ's cancel.** After symmetrization the four-ρ terms $\propto \log \frac{\vee}{\Lambda}$ cancel exactly (`4rho.tex`; residual 4.7×10^{-15} of single terms).

2. **Three ρ's cancel.** The list "All three ρ term with c.c." of `Evolution_three_rho.tex` (152 terms) is identical to the list checked before. After symmetrization it cancels exactly: 0 non-cancelling kernel monomials, residual 2×10^{-15} (Sec. 9).

3. **Two ρ's $\propto \log \frac{\vee}{\Lambda}$.**

   - Sec. 2 of `Evolution_terms.tex` (the 335 terms from reordering three and four ρ's) is correct. Row by row it agrees with the checked lists: 0 differing kernel monomials in every row, pointwise 6×10^{-15}.
   - Sec. 1 (genuine terms) is correct (fixes F5, F6 are in). In Row V 2b, the UV term and the finite counterterm cancel each other exactly (Sec. 4.1).
   - **Missing (mistake M1):** the two-ρ terms of `4rho.tex` ("Two ρ contribution", with fixes F1, F2) are not in `Evolution_terms.tex`. Without them, 6 of the 26 kernel monomials differ from JIMWLK⊗LO (rel. 1.7×10^{-1}). The differing structures are $\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\ K(x,x,z)$, $\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\ K(x',x',z)$, $\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\ K(x,x',z)$ (18 of 152 independent colour structures). They are written out in Eq. (4.9).
   - **With them, the sum is JIMWLK⊗LO exactly.** This holds in all 13 kernel structures and all 154 independent colour structures, with exact N_c coefficients (0 differences); pointwise 6×10^{-16}.

4. **Your JIMWLK formula (mistake M2).** As sent it has two errors: the matrix M sits at the wrong points in $dN^{(1)}$–$dN^{(4)}$, and $dN^{(5)}$ has the wrong sign. As sent it differs from JIMWLK⊗LO by 0.22–0.47 (relative); corrected (Eq. (3.1)) it agrees to 2×10^{-15}.

5. **BFKL.** There is no BFKL part in the $\log \frac{\vee}{\Lambda}$ terms. BFKL⊗LO is the coefficient of $\log \vee$, i.e. the sum of the coefficients of $\log \frac{\vee}{\Lambda}$ and of $\log \frac{\vee}{k^+}$ (Sec. 2). That sum is BFKL⊗LO exactly: 9 kernel structures, 109 independent colour structures, 0 differences (Sec. 5). Your BFKL formula (App. E) is correct as sent (8×10^{-15}).

6. **DGLAP.** The terms with poles are the collinear ones (Sec. 7).

   - In the $\log \frac{\vee}{\Lambda}$ sector there are three (Group I Row II, Group I Row V 2b UV, Group II Row IV). Their poles, γ_E and μ cancel exactly; a finite logarithm is left, which belongs to JIMWLK⊗LO.
   - The DGLAP evolution of the fragmentation function comes from Group II Row IV at general ξ. With Group I and the charge renormalization it gives the full P_{gg}.

Mistakes in the cross-section files (not in the evolution terms).

M3 `Group_I.tex`, Eq. (1.5) (Row II part 2a). The $\mathfrak{F}_\beta$ change is now in, but:

- in the second term of the first bracket, $(w-z)\cdot(z-x)$ must be $(w-z)\cdot(x-z)$. As written the bracket is symmetric under $x \leftrightarrow y$, so it vanishes against $f^{hbc}\{\rho^b(x), \rho^c(y)\}$;
- the third term (the one with $f^{abc}U^{bd}(x)U^{ce}(y)$) must have the overall sign $-$, not $+$: with $\mathfrak{F} = -\pi[\cdots]$, $-\frac{ig^4}{32\pi^5}\big[\log\frac{\vee}{\Lambda} - \log\frac{\vee}{k^+}\big]\mathfrak{F} \times (-f^{abc}UU) = -\frac{ig^4}{32\pi^4}\big[\log\frac{\vee}{\Lambda} - \log\frac{\vee}{k^+}\big][\cdots]f^{abc}UU$.

M4 `Evolution_three_rho.tex`, the row-by-row display at the top (not the list that is used):

- Row II still has the full $\mathfrak{F}$ in the $U^{ah}(w)f^{hbc}$ term (should be $\mathfrak{F}_\beta$, F4);
- Row III, second part, is still in its original form; the list uses $\mathcal{D}$ (F3).

The list "All three ρ term with c.c." has both corrections and cancels.

Final answer.

$$\boxed{\frac{d^3N_{\rm LL}}{d^3k} = \mathcal{N}\log\frac{\vee}{\Lambda}\,\mathcal{J} + \mathcal{N}\log\frac{\vee}{k^+}\,(\mathcal{B}-\mathcal{J}) = \mathcal{N}\Big[\log\frac{k^+}{\Lambda}\,\mathcal{J} + \log\frac{\vee}{k^+}\,\mathcal{B}\Big]} \tag{1.1}$$

- $\mathcal{J}$ is JIMWLK⊗LO: Eq. (3.1) (= Eq. (4.25)). It is the sum of all two-ρ terms $\propto \log \frac{\vee}{\Lambda}$ (Sec. 4).
- $\mathcal{B}$ is BFKL⊗LO: Eq. (3.2) (= Eq. (5.15)). It is the sum of the coefficients of $\log \vee$ (Sec. 5).
- The target (JIMWLK) evolves over $\log \frac{k^+}{\Lambda}$ and the projectile (BFKL) over $\log \frac{\vee}{k^+}$.
- DGLAP for the fragmentation function: Eq. (7.4).

At mid rapidity, $k^+ = \sqrt{\vee\Lambda}$:

$$\boxed{\left.\frac{d^3N_{\rm LL}}{d^3k}\right|_{\rm mid} = \frac{1}{2}\,\mathcal{N}\log\frac{\vee}{\Lambda}\,(\mathcal{J}+\mathcal{B})} \tag{1.2}$$

2 Your convention: BFKL and JIMWLK with $\log \frac{\vee}{\Lambda}$

2.1 Where the logarithms come from

Every row is an exact p^+ integral of the form $\int dp^+ F(p^+)$.

- Λ enters only through the limit where the unobserved gluon is softer than the measured one ($p^+ \to \Lambda$). There $F \to \mathfrak{T}/p^+$.
- $\vee$ enters only through the upper limit, where the unobserved gluon is harder than the measured one ($p^+ \to \vee$). There $F \to \mathfrak{P}/p^+$.

So, exactly and with unique coefficients,

$$\int dp^+ F(p^+) = \mathfrak{T} \log \frac{k^+}{\Lambda} + \mathfrak{P} \log \frac{\vee}{k^+} + R, \tag{2.1}$$

where R contains neither logarithm and stays finite for $\Lambda \to 0$, $\vee \to \infty$. Summed over all rows, $\sum \mathfrak{T} = \mathcal{J} = \text{JIMWLK} \otimes \text{LO}$ (Sec. 4) and $\sum \mathfrak{P} = \mathcal{B} = \text{BFKL} \otimes \text{LO}$ (Sec. 5), both exactly. Therefore

$$\frac{d^3 N_{\text{LL}}}{d^3 k} = \mathcal{N}\Big[\log \frac{k^+}{\Lambda}\, \mathcal{J} + \log \frac{\vee}{k^+}\, \mathcal{B}\Big]. \tag{2.2}$$

In rapidity, $\delta Y = \log \frac{\vee}{\Lambda} = y_P - y_T$, $\log \frac{\vee}{k^+} = y_P - y$ and $\log \frac{k^+}{\Lambda} = y - y_T$. The target evolves (JIMWLK) between y_T and the gluon; the projectile evolves (BFKL) between the gluon and y_P. This is the standard structure of single inclusive gluon production.

2.2 Writing everything with $\log \frac{\vee}{\Lambda}$

Each of the following is an exact rewriting of Eq. (2.2) (`sympy`):

$$\text{(A) your rule, } \log \tfrac{k^+}{\Lambda} = \log \tfrac{\vee}{\Lambda} - \log \tfrac{\vee}{k^+}: \quad \frac{d^3 N_{\text{LL}}}{d^3 k} = \mathcal{N}\Big[\log \frac{\vee}{\Lambda}\, \mathcal{J} + \log \frac{\vee}{k^+}\, (\mathcal{B} - \mathcal{J})\Big], \tag{2.3}$$

$$\text{(B) the other rule, } \log \tfrac{\vee}{k^+} = \log \tfrac{\vee}{\Lambda} - \log \tfrac{k^+}{\Lambda}: \quad \frac{d^3 N_{\text{LL}}}{d^3 k} = \mathcal{N}\Big[\log \frac{\vee}{\Lambda}\, \mathcal{B} + \log \frac{k^+}{\Lambda}\, (\mathcal{J} - \mathcal{B})\Big], \tag{2.4}$$

$$\text{(C) both:} \quad \frac{d^3 N_{\text{LL}}}{d^3 k} = \mathcal{N}\Big[\frac{1}{2} \log \frac{\vee}{\Lambda}\, (\mathcal{J} + \mathcal{B}) + \frac{1}{2} \log \frac{k^{+2}}{\vee\Lambda}\, (\mathcal{J} - \mathcal{B})\Big]. \tag{2.5}$$

rule	coefficient of $\log \frac{\vee}{\Lambda}$	left-over	its log in rapidity	left-over small when
(A) yours	$\mathcal{J}$: JIMWLK matches	$\log \frac{\vee}{k^+}(\mathcal{B} - \mathcal{J})$	$y_P - y$	gluon near the projectile
(B)	$\mathcal{B}$: BFKL matches	$\log \frac{k^+}{\Lambda}(\mathcal{J} - \mathcal{B})$	$y - y_T$	gluon near the target
(C)	$\frac{1}{2}(\mathcal{J} + \mathcal{B})$: both	$\frac{1}{2} \log \frac{k^{+2}}{\vee\Lambda}(\mathcal{J} - \mathcal{B})$	$2(y - y_{\text{mid}})$	gluon at mid rapidity (then $= 0$)

Does it make sense?

- The rule is exact, so the rewriting is always allowed. The only question is whether the left-over may be called a finite contribution. It may only if its logarithm is not large.
- With your rule (A) the left-over is $\log \frac{\vee}{k^+}(\mathcal{B} - \mathcal{J})$. At mid rapidity $\log \frac{\vee}{k^+} = \frac{1}{2} \log \frac{\vee}{\Lambda}$, so it is $\frac{1}{2} \log \frac{\vee}{\Lambda}(\mathcal{B} - \mathcal{J})$: as large as the evolution term. Putting it into the finite part would drop the BFKL evolution of the projectile.
- For a gluon at mid rapidity, (C) is the consistent choice. There $k^+ = \sqrt{\vee\Lambda}$, the left-over vanishes identically, and Eq. (1.2) holds:

$$\frac{d^3 N_{\text{LL}}}{d^3 k}\bigg|_{\text{mid}} = \frac{1}{2} \mathcal{N} \log \frac{\vee}{\Lambda} \big(\text{JIMWLK} \otimes \text{LO} + \text{BFKL} \otimes \text{LO}\big). \tag{2.6}$$

  In your normalization this is $\frac{1}{2}\big[\sum_{i=1}^{5} \frac{dN^{(i)}}{d^2w d^2w' dy} + \frac{dN}{d^2w d^2w' dy}\big|_{\text{BFKL}}\big]$ with $\delta Y = \log \frac{\vee}{\Lambda}$ in Eqs. (3.1) and (3.2). Both evolutions multiply $\log \frac{\vee}{\Lambda}$; each acts over half of the rapidity interval.
- Away from mid rapidity, Eq. (2.2), or (C) with its left-over, must be kept.

So:

- **JIMWLK matches**, exactly, as the coefficient of $\log \frac{\vee}{\Lambda}$ with your rule (Sec. 4).
- **BFKL matches**, exactly, as the coefficient of $\log \vee$ (Sec. 5). Equivalently it is the coefficient of $\log \frac{\vee}{\Lambda}$ with rule (B), or of $\frac{1}{2} \log \frac{\vee}{\Lambda}$ at mid rapidity, rule (C).

The colours show this term by term. Every orange kernel (the measured gluon emitted by the gluon at z) is absent from the $\log \frac{\vee}{\Lambda}$ terms, and every green kernel is absent from the $\log \vee$ terms.

3 The targets

3.1 JIMWLK⊗LO: your formula, corrected (M2)

With $P \equiv \frac{\alpha_s^2 \delta Y}{8\pi^6(N_c^2-1)}$ and $\int \equiv \int_{x,y,t} \mathcal{K}(x-w)\cdot\mathcal{K}(y-w')\langle\rho^f(x)\rho^f(y)\rangle$, the rule is: in a term $\mathcal{K}(u,v,t)\,\mathrm{Tr}\{T^e U^\dagger(v) U(u) T^e\, M\}$,

$$M = (U^\dagger(u) - U^\dagger(t))(U(v) - U(t)),$$

i.e. M sits at the two points the colour charges act on. As sent, M was always $(U^\dagger(x) - U^\dagger(t))(U(y) - U(t))$ in $dN^{(1)}$, $dN^{(3)}$ and $(U^\dagger(y) - U^\dagger(t))(U(x) - U(t))$ in $dN^{(2)}$, $dN^{(4)}$. The corrected formula:

$$\begin{aligned}
\frac{dN^{(1)}}{d^2w d^2w' dy} &= P\int\Big[\\
&\quad \mathcal{K}(y,x,t)\mathrm{Tr}\{T^e U^\dagger(x) U(y) T^e (U^\dagger(y) - U^\dagger(t))(U(x) - U(t))\} \\
&\quad - \mathcal{K}(w',x,t)\mathrm{Tr}\{T^e U^\dagger(x) U(w') T^e (U^\dagger(w') - U^\dagger(t))(U(x) - U(t))\} \\
&\quad - \mathcal{K}(y,w,t)\mathrm{Tr}\{T^e U^\dagger(w) U(y) T^e (U^\dagger(y) - U^\dagger(t))(U(w) - U(t))\} \\
&\quad + \mathcal{K}(w',w,t)\mathrm{Tr}\{T^e U^\dagger(w) U(w') T^e (U^\dagger(w') - U^\dagger(t))(U(w) - U(t))\}\Big], \\
\frac{dN^{(2)}}{d^2w d^2w' dy} &= P\int\Big[\\
&\quad \mathcal{K}(x,y,t)\mathrm{Tr}\{T^e U^\dagger(x) U(y) T^e (U^\dagger(y) - U^\dagger(t))(U(x) - U(t))\} \\
&\quad - \mathcal{K}(x,w',t)\mathrm{Tr}\{T^e U^\dagger(x) U(w') T^e (U^\dagger(w') - U^\dagger(t))(U(x) - U(t))\} \\
&\quad - \mathcal{K}(w,y,t)\mathrm{Tr}\{T^e U^\dagger(w) U(y) T^e (U^\dagger(y) - U^\dagger(t))(U(w) - U(t))\} \\
&\quad + \mathcal{K}(w,w',t)\mathrm{Tr}\{T^e U^\dagger(w) U(w') T^e (U^\dagger(w') - U^\dagger(t))(U(w) - U(t))\}\Big], \\
\frac{dN^{(3)}}{d^2w d^2w' dy} &= -P\int\Big[\mathcal{K}(y,y,t)\mathrm{Tr}\{T^e (U^\dagger(x) - U^\dagger(w)) U(y) T^e (U^\dagger(y) - U^\dagger(t))(U(y) - U(t))\} \\
&\quad - \mathcal{K}(w',w',t)\mathrm{Tr}\{T^e (U^\dagger(x) - U^\dagger(w)) U(w') T^e (U^\dagger(w') - U^\dagger(t))(U(w') - U(t))\}\Big], \\
\frac{dN^{(4)}}{d^2w d^2w' dy} &= -P\int\Big[\mathcal{K}(x,x,t)\mathrm{Tr}\{T^e U^\dagger(x)(U(y) - U(w')) T^e (U^\dagger(x) - U^\dagger(t))(U(x) - U(t))\} \\
&\quad - \mathcal{K}(w,w,t)\mathrm{Tr}\{T^e U^\dagger(w)(U(y) - U(w')) T^e (U^\dagger(w) - U^\dagger(t))(U(w) - U(t))\}\Big], \\
\frac{dN^{(5)}}{d^2w d^2w' dy} &= -+P\int\Big[\\
&\quad \mathcal{K}(y,y,t)\mathrm{Tr}\{(U^\dagger(y) - U^\dagger(t)) U(y) T^d\}\mathrm{Tr}\{(U^\dagger(x) - U^\dagger(w)) U(y) T^d\} \\
&\quad - \mathcal{K}(w',w',t)\mathrm{Tr}\{(U^\dagger(w') - U^\dagger(t)) U(w') T^d\}\mathrm{Tr}\{(U^\dagger(x) - U^\dagger(w)) U(w') T^d\} \\
&\quad - \mathcal{K}(x,x,t)\mathrm{Tr}\{(U^\dagger(x) - U^\dagger(t)) U(x) T^d\}\mathrm{Tr}\{U^\dagger(x)(U(y) - U(w')) T^d\} \\
&\quad + \mathcal{K}(w,w,t)\mathrm{Tr}\{(U^\dagger(w) - U^\dagger(t)) U(w) T^d\}\mathrm{Tr}\{U^\dagger(w)(U(y) - U(w')) T^d\}\Big],
\end{aligned} \tag{3.1}$$

and $\mathcal{J} = \sum_{i=1}^5 dN^{(i)}$ (per unit δY). After the correction, $dN^{(2)}$ is identical to $dN^{(1)}$ term by term. Numerically, at random points with random adjoint Wilson lines, $\sum_i dN^{(i)}$ equals JIMWLK⊗LO to 2×10^{-15}; as sent it differs by 0.22–0.47 (relative).

3.2 BFKL⊗LO: your formula (correct as sent)

$$\begin{aligned}
\left.\frac{dN}{d^2w\, d^2w'\, dy}\right|_{\mathrm{BFKL}} &= -\frac{\alpha_s^2 N_c\, \delta Y}{8\pi^6(N_c^2-1)}\int_{x,y,z}\langle\rho^f(x)\rho^f(y)\rangle\Big[\\
&\quad \mathcal{K}(x-w)\cdot\mathcal{K}(y-w')K_D(x,y,z)\mathrm{Tr}\{(U^\dagger(x) - U^\dagger(w))(U(y) - U(w'))\} \\
&\quad - 2\,\mathcal{K}(z-w)\cdot\mathcal{K}(z-w')K(x,y,z)\mathrm{Tr}\{(U^\dagger(z) - U^\dagger(w))(U(z) - U(w'))\} \\
&\quad + \mathcal{K}(z-w)\cdot\mathcal{K}(y-w')\big(2K(x,y,z) - K(x,x,z)\big)\mathrm{Tr}\{(U^\dagger(z) - U^\dagger(w))(U(y) - U(w'))\} \\
&\quad + \mathcal{K}(x-w)\cdot\mathcal{K}(z-w')\big(2K(x,y,z) - K(y,y,z)\big)\mathrm{Tr}\{(U^\dagger(x) - U^\dagger(w))(U(z) - U(w'))\}\Big],
\end{aligned} \tag{3.2}$$

with $K_D(x,y,z) = K(x,x,z) - 2K(x,y,z) + K(y,y,z)$. It agrees with BFKL⊗LO to 8×10^{-15}.

4 All two-ρ terms proportional to $\log\frac{\mathrm{V}}{\Lambda}$

Number of terms (green / purple): genuine, expanded: 135 / 4; `4rho.tex` lists: 0 / 30; your Sec. 2: 208 / 127. No orange term appears.

4.1 Genuine terms (Sec. 1 of `Evolution_terms.tex`)

To compare term by term, every dimensionally regulated bracket is written back as the z integral it comes from (exact in $d_\perp = 2-\epsilon$, $\overline{\text{MS}}$):

- Group I Row II: $\frac{2}{\epsilon} + 2\gamma + \log\frac{(x-w)^2\mu^2}{4} = -\frac{1}{\pi}\int_z \big[K(x,w,z) - K(w,w,z)\big]$;
- Group I Row V 2b UV: $\frac{2}{\epsilon} + 2\gamma_E + \log\frac{(y-z)^2\mu^2}{4} = \frac{1}{\pi}\int_x \big[K(z,z,x) - K(y,z,x)\big]$;
- Group II Row IV: $-\frac{d_\perp}{\epsilon} - d_\perp\gamma_E - \frac{d_\perp}{2}\log\frac{(y'-y)^2\mu^2}{4} - 1 = \frac{1}{\pi}\int_z \big[K(y,y',z) - \frac{1}{2}K(y,y,z) - \frac{1}{2}K(y',y',z)\big] + O(\epsilon)$.

The terms are expanded, the charges are named x (emission ending at w) and x' (ending at w'), and the colour algebra is done. Group I and Group III include their c.c.

- **Row V 2b: the UV term and the finite counterterm cancel each other.** Both have the kernel $\mathcal{K}(x'-w')\cdot\mathcal{K}(y-z)\,[K(z,z,x)-K(y,z,x)]$ and the colour $N_c[U(y)-U(z)]$.
  - UV: $+\frac{g^4 N_c}{8\pi^4}\cdot\frac{1}{\pi}\int_x$.
  - Counterterm: $-\frac{g^4}{8\pi^5}N_c$, pointwise in x.

  So the $\log\frac{\vee}{\Lambda}$ part of Row V 2b is just its two endpoint terms. This is the same as before the UV subtraction.
- Your genuine terms are equal to the corrected ones of the earlier check: Group III Row III with the sign F5, Group I Row II with the bracket of F6 (numerically, rel. $\le 10^{-15}$).

Group I, Row II.

$$
\begin{aligned}
\left.\frac{d^3N}{d^3k}\right|_{G1\text{-}II} = \mathcal{N}\log\frac{\vee}{\Lambda}\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Bigg[& \\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\Bigg]
\end{aligned}
\tag{4.1}
$$

Group I, Row V, part 2a.

$$
\begin{aligned}
\left.\frac{d^3N}{d^3k}\right|_{G1\text{-}V\,2a} = \mathcal{N}\log\frac{\vee}{\Lambda}\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Bigg[& \\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{be}(z)\,U^{ch}(w)\,\rho^l(x')\,\rho^d(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{be}(z)\,U^{ch}(w)\,\rho^l(x')\,\rho^d(x)
\end{aligned}
$$

$$
\begin{aligned}
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{be}(z)\,U^{ch}(w')\,\rho^d(x')\,\rho^l(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(w)\,U^{be}(z)\,U^{ch}(w')\,\rho^d(x')\,\rho^l(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x)\\
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{be}(z)\,U^{ch}(w)\,\rho^l(x')\,\rho^d(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{be}(z)\,U^{ch}(w)\,\rho^l(x')\,\rho^d(x)\\
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x)\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x)\\
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{be}(z)\,U^{ch}(w')\,\rho^d(x')\,\rho^l(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(w)\,U^{be}(z)\,U^{ch}(w')\,\rho^d(x')\,\rho^l(x)\\
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x)\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x)\Big]
\end{aligned}
\tag{4.2}
$$

Group I, Row V, part 2b finite: the two endpoint terms (B_2, B_4).

$$
\begin{aligned}
\left.\frac{d^3N}{d^3k}\right|_{G1\text{-}V\ 2b\,\mathrm{end}} = \mathcal{N}\log\frac{\vee}{\Lambda}\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x)\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x)\\
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(z)\,\rho^b(x')\,\rho^c(x)\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)
\end{aligned}
$$

$$
\begin{aligned}
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x)\\
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(z)\,\rho^c(x')\,\rho^b(x)\Big]
\end{aligned}
\tag{4.3}
$$

Group I, Row V, part 2b UV (bracket written as $\frac{1}{\pi}\int_x[K(z,z,x)-K(y,z,x)]$).

$$
\begin{aligned}
\left.\frac{d^3N}{d^3k}\right|_{G1\text{-}V\ 2b\,\mathrm{UV}} &= \mathcal{N}\log\frac{\vee}{\Lambda}\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\Big]
\end{aligned}
\tag{4.4}
$$

Group I, Row V, part 2b finite: the counterterm.

$$
\begin{aligned}
\left.\frac{d^3N}{d^3k}\right|_{G1\text{-}V\ 2b\,\mathrm{CT}} &= \mathcal{N}\log\frac{\vee}{\Lambda}\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)
\end{aligned}
$$

$$-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\Big] \tag{4.5}$$

Group II, Row I.

$$\begin{aligned}
\left.\frac{d^3N}{d^3k}\right|_{G2\text{-}I} = \mathcal{N}\log\frac{\vee}{\Lambda}\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[& \\
+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x) & \\
-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) & \\
-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^l(x')\,\rho^h(x) & \\
+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) & \\
+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x) & \\
-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) & \\
-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^l(x')\,\rho^h(x) & \\
+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) & \\
-\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x) & \\
+\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) & \\
+\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^l(x')\,\rho^h(x) & \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\;U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) & \\
-\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\;f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x) & \\
+\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\;f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) & \\
+\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^l(x')\,\rho^h(x) & \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\;U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x)\Big] &
\end{aligned} \tag{4.6}$$

Group II, Row IV.

$$\begin{aligned}
\left.\frac{d^3N}{d^3k}\right|_{G2\text{-}IV} = \mathcal{N}\log\frac{\vee}{\Lambda}\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[& \\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\;U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) & \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\;U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) & \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\;U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x) & \\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\;U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) & \\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\;U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) & \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\;U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) & \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\;U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x) & \\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\;U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) & \\
+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x) & \\
+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;U^{ab}(w')\,U^{cb}(w)\,\rho^a(x')\,\rho^c(x) & \\
-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;U^{ab}(w')\,U^{cb}(x)\,\rho^a(x')\,\rho^c(x) & \\
-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;U^{ab}(x')\,U^{cb}(w)\,\rho^a(x')\,\rho^c(x)\Big] &
\end{aligned} \tag{4.7}$$

Group III, Row III, second part.

$$\begin{aligned}
\left.\frac{d^3N}{d^3k}\right|_{G3\text{-}III(2)} = \mathcal{N}\log\frac{\vee}{\Lambda}\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[& \\
+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) & \\
+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^l(x')\,\rho^h(x) &
\end{aligned}$$

$$
\begin{aligned}
&-4\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;U^{ab}(w')\,U^{cb}(x)\,\rho^a(x')\,\rho^c(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;U^{ab}(x')\,U^{cb}(w)\,\rho^a(x')\,\rho^c(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{deh}\,U^{la}(w')\,U^{be}(z)\,U^{cd}(w)\,\rho^l(x')\,\rho^h(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{deh}\,U^{la}(w)\,U^{be}(z)\,U^{cd}(w')\,\rho^h(x')\,\rho^l(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^l(x')\,\rho^h(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\;U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{deh}\,U^{la}(w')\,U^{be}(z)\,U^{cd}(w)\,\rho^l(x')\,\rho^h(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\;U^{ab}(w')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\;f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\;U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\;f^{abc}\,f^{deh}\,U^{la}(w)\,U^{be}(z)\,U^{cd}(w')\,\rho^h(x')\,\rho^l(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\;U^{ab}(w)\,U^{bc}(x')\,\rho^c(x')\,\rho^a(x)\Big]
\end{aligned}
\tag{4.8}
$$

4.2 From four ρ's: the two-ρ lists of `4rho.tex` (missing in `Evolution_terms.tex`, M1)

These are the two-ρ terms of `4rho.tex` ("Two ρ contribution", $dN^{(1)}$, $dN^{(2)}$ with c.c.), with the two fixes found earlier:

- **F1:** in the first part, drop $-8N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(x'-w)\,K(y,x',z)$;
- **F2:** in the second part, $dN^{(1)}$, term 2 has one index four times. The correct term is

$$3f^{abc}f^{deg}\rho^{b'}(x')\rho^c(y)U^{ag}(y)U^{db'}(w')U^{eb}(z).$$

Collected (added):

$$
\begin{aligned}
\left.\frac{d^3N}{d^3k}\right|_{4\rho\text{-lists}} = \mathcal{N}\log\frac{\vee}{\Lambda}\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-3\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{ah}(z)\,U^{bl}(w)\,U^{dh}(x)\,U^{ml}(w')\,\rho^m(x')\,\rho^e(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{ah}(z)\,U^{bl}(x)\,U^{dh}(x)\,U^{ml}(w')\,\rho^m(x')\,\rho^e(x)\\
&-3\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{ah}(w)\,U^{bl}(x)\,U^{dl}(z)\,U^{mh}(w')\,\rho^m(x')\,\rho^e(x)\\
&+3\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{ah}(z)\,U^{dl}(w)\,U^{lm}(w')\,U^{hb}(x)\,\rho^m(x')\,\rho^e(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{hd}(w)\,U^{hl}(x')\,U^{ma}(z)\,U^{mb}(x)\,\rho^l(x')\,\rho^e(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{ah}(z)\,U^{bl}(x)\,U^{dh}(x)\,U^{ml}(x')\,\rho^m(x')\,\rho^e(x)\\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{hd}(x)\,U^{hl}(w')\,U^{ma}(z)\,U^{mb}(x)\,\rho^l(x')\,\rho^e(x)\\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{hd}(x)\,U^{hl}(x')\,U^{ma}(z)\,U^{mb}(x)\,\rho^l(x')\,\rho^e(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{ha}(w)\,U^{hl}(x')\,U^{mb}(z)\,U^{md}(x)\,\rho^l(x')\,\rho^e(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{hb}(w)\,U^{hl}(x')\,U^{ma}(x)\,U^{md}(z)\,\rho^l(x')\,\rho^e(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{deh}\,U^{ad}(z)\,U^{bh}(x)\,U^{el}(x')\,\rho^l(x')\,\rho^c(x)\\
&+3\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{deh}\,U^{ah}(x)\,U^{dl}(w')\,U^{eb}(z)\,\rho^l(x')\,\rho^c(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{cde}\,U^{hb}(x')\,U^{hl}(w)\,U^{ma}(z)\,U^{md}(x')\,\rho^l(x)\,\rho^e(x')\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{cde}\,U^{hb}(x')\,U^{hl}(x)\,U^{ma}(z)\,U^{md}(x')\,\rho^l(x)\,\rho^e(x')\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{hl}(w)\,U^{ma}(z)\,U^{mb}(x')\,\rho^l(x)\,\rho^e(x')\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{hl}(x)\,U^{ma}(z)\,U^{mb}(x')\,\rho^l(x)\,\rho^e(x')\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x)
\end{aligned}
$$

$$
\begin{aligned}
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^{c}(x')\,\rho^{l}(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^{l}(x')\,\rho^{h}(x)\\
&+\tfrac{3}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x')\,U^{bc}(x)\,\rho^{a}(x')\,\rho^{c}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{eb}(w)\,U^{lh}(x')\,U^{da}(x)\,\rho^{l}(x')\,\rho^{c}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{ade}\,U^{hb}(w)\,U^{hd}(x')\,\rho^{e}(x')\,\rho^{c}(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{ade}\,U^{hb}(x)\,U^{hd}(x')\,\rho^{e}(x')\,\rho^{c}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dae}\,U^{hb}(w')\,U^{hd}(x)\,\rho^{e}(x)\,\rho^{c}(x')\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{eb}(x')\,U^{lh}(x)\,U^{da}(z)\,\rho^{l}(x)\,\rho^{c}(x')\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{da}(z)\,U^{lc}(x')\,U^{be}(x)\,\rho^{h}(x)\,\rho^{l}(x')\Big]
\end{aligned}
\tag{4.9}
$$

4.3 Your Sec. 2 (from four and three ρ's), coloured

Verbatim from `Evolution_terms.tex`; only the colours are added. Every row is correct (Sec. 10).

From $4\,\rho's$

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} &= \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Big[\\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{bc}(w)\,\rho^{a}(x')\,\rho^{c}(x)\\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w)\,U^{ca}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{bc}(x)\,\rho^{a}(x')\,\rho^{c}(x)\\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x)\\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w')\,U^{ca}(x)\,\rho^{b}(x')\,\rho^{c}(x)\\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w')\,U^{cb}(w)\,\rho^{a}(x')\,\rho^{c}(x)\\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{bc}(x')\,\rho^{a}(x)\,\rho^{c}(x')\\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^{b}(x)\,\rho^{c}(x')\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{ade}\,U^{dh}(w')\,U^{hb}(w)\,\rho^{e}(x')\,\rho^{c}(x)\\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{ade}\,U^{hb}(w)\,U^{dh}(x')\,\rho^{e}(x')\,\rho^{c}(x)\\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dae}\,U^{hb}(w')\,U^{dh}(x)\,\rho^{c}(x')\,\rho^{e}(x)\\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{eb}(w')\,U^{lc}(x)\,U^{ad}(x')\,\rho^{h}(x')\,\rho^{l}(x)\\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{lc}(x')\,U^{eb}(w)\,U^{ad}(x)\,\rho^{l}(x')\,\rho^{h}(x)\\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{dh}(w')\,U^{hb}(w)\,\rho^{a}(x)\,\rho^{e}(x')\\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hb}(w)\,U^{dh}(x')\,\rho^{a}(x)\,\rho^{e}(x')\\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hb}(w')\,U^{dh}(x')\,\rho^{a}(x)\,\rho^{e}(x')\\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{bh}(w')\,U^{dh}(w)\,\rho^{a}(x)\,\rho^{e}(x')\\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{eb}(w')\,U^{dc}(x')\,U^{al}(x)\,\rho^{l}(x)\,\rho^{h}(x')\\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ec}(x')\,U^{db}(w)\,U^{al}(x)\,\rho^{h}(x')\,\rho^{l}(x)
\end{aligned}
$$

$$-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\Big] \tag{4.10}$$

From three ρ's

Group I (with c.c.)

Row I Only 4 ρ's

Row II

$$\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Big[\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(x)\,U^{cd}(x')\,\rho^l(x)\,\rho^h(x') \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{bl}(x')\,U^{ce}(x)\,\rho^l(x')\,\rho^h(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x)\,U^{ah}(w')\,\rho^b(x')\,\rho^e(x) \\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(w)\,U^{ah}(w')\,\rho^b(x')\,\rho^e(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{bl}(x')\,U^{ce}(x)\,\rho^l(x')\,\rho^h(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ah}(w)\,\rho^b(x)\,\rho^e(x') \\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ah}(w)\,\rho^b(x)\,\rho^e(x') \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(x)\,U^{cd}(x')\,\rho^l(x)\,\rho^h(x') \\
&+2\,N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(x')\,U^{cl}(x)\,\rho^h(x')\,\rho^l(x) \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{be}(x')\,U^{cl}(x)\,\rho^l(x)\,\rho^h(x') \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{bde}\,U^{hd}(x')\,U^{ah}(w)\,\rho^e(x')\,\rho^c(x) \\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{bde}\,U^{hd}(w')\,U^{ah}(w)\,\rho^e(x')\,\rho^c(x) \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(x')\,U^{cl}(x)\,\rho^h(x')\,\rho^l(x) \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dbe}\,U^{hd}(x')\,U^{ah}(w')\,\rho^c(x)\,\rho^e(x') \\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dbe}\,U^{hd}(w)\,U^{ah}(w')\,\rho^c(x)\,\rho^e(x') \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{be}(x')\,U^{cl}(x)\,\rho^l(x)\,\rho^h(x')\Big]
\end{aligned} \tag{4.11}$$

Row III We write it in two parts:

$$\begin{aligned}
\frac{d^3N_{1\,\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Big[\\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{ce}(x)\,U^{bd}(z)\,\rho^l(x')\,\rho^h(x) \\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{ce}(x)\,U^{bd}(z)\,\rho^l(x')\,\rho^h(x) \\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{cd}(x')\,U^{be}(z)\,\rho^h(x')\,\rho^l(x) \\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)
\end{aligned}$$

$$
\begin{aligned}
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(w)\,U^{cd}(x')\,U^{be}(z)\,\rho^h(x')\,\rho^l(x)\\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{cl}(x)\,U^{bd}(z)\,\rho^l(x)\,\rho^h(x')\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(z)\,\rho^l(x)\,\rho^h(x')\\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(x')\,\rho^l(x)\,\rho^h(x')\\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(x)\,U^{cl}(x')\,U^{be}(z)\,\rho^l(x')\,\rho^h(x)\\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(z)\,\rho^l(x')\,\rho^h(x)\\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(x)\,\rho^l(x')\,\rho^h(x)\\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(z)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(z)\,\rho^h(x')\,\rho^l(x)\\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(x)\,\rho^h(x')\,\rho^l(x)\\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x')\,U^{bl}(z)\,\rho^l(x)\,\rho^h(x')\\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x')\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x')\Bigg]
\end{aligned}
\tag{4.12}
$$

$$
\begin{aligned}
\frac{d^3N_{2\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Bigg[\\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{ce}(x)\,U^{bd}(w)\,\rho^l(x')\,\rho^h(x)\\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{ce}(x)\,U^{bd}(w)\,\rho^l(x')\,\rho^h(x)\\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x)\,U^{bl}(w')\,\rho^l(x')\,\rho^h(x)\\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x)\,U^{bl}(x')\,\rho^l(x')\,\rho^h(x)\\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(w)\,\rho^h(x')\,\rho^l(x)\\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(x)\,\rho^h(x')\,\rho^l(x)\\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{cd}(x')\,U^{be}(w')\,\rho^h(x')\,\rho^l(x)\\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(w)\,U^{cd}(x')\,U^{be}(w')\,\rho^h(x')\,\rho^l(x)\\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{cl}(x)\,U^{bd}(w)\,\rho^l(x)\,\rho^h(x')\\
-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(w)\,\rho^l(x)\,\rho^h(x')\\
-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(x')\,\rho^l(x)\,\rho^h(x')\\
+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(x')\,U^{cl}(x)\,U^{be}(w')\,\rho^l(x)\,\rho^h(x')\\
-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x)\,U^{be}(w')\,\rho^l(x)\,\rho^h(x')
\end{aligned}
$$

$$+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x)\,U^{be}(x')\,\rho^{l}(x)\,\rho^{h}(x')\Big] \tag{4.13}$$

Row IV We write it in two parts:

$$\begin{aligned}
\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\Big[\frac{\vee}{\Lambda}\Big]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Bigg[\\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{ah}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^{l}(x')\,\rho^{e}(x) \\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{bc}(x)\,\rho^{a}(x')\,\rho^{c}(x) \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hl}(w')\,U^{ah}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^{l}(x')\,\rho^{e}(x) \\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{bc}(x)\,\rho^{a}(x')\,\rho^{c}(x) \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{ah}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^{e}(x')\,\rho^{l}(x) \\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{bc}(x')\,\rho^{c}(x')\,\rho^{a}(x) \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{hl}(w)\,U^{ah}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^{e}(x')\,\rho^{l}(x) \\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{bc}(x')\,\rho^{c}(x')\,\rho^{a}(x) \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w)\,U^{db}(z)\,U^{hl}(x')\,\rho^{l}(x')\,\rho^{c}(x) \\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ca}(x')\,\rho^{c}(x')\,\rho^{b}(x) \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{le}(w')\,U^{al}(w)\,U^{mb}(z)\,U^{md}(x')\,\rho^{h}(x')\,\rho^{c}(x) \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ea}(w')\,U^{bd}(x')\,U^{cl}(x)\,\rho^{h}(x')\,\rho^{l}(x) \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w')\,U^{eb}(z)\,U^{hl}(x)\,\rho^{c}(x')\,\rho^{l}(x) \\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ld}(w)\,U^{al}(w')\,U^{mb}(z)\,U^{me}(x)\,\rho^{c}(x')\,\rho^{h}(x) \\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{da}(w)\,U^{cl}(x')\,U^{be}(x)\,\rho^{l}(x')\,\rho^{h}(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{ah}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^{l}(x')\,\rho^{e}(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hl}(w')\,U^{ah}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^{l}(x')\,\rho^{e}(x) \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{bc}(x)\,\rho^{a}(x')\,\rho^{c}(x) \\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{bc}(x)\,\rho^{a}(x')\,\rho^{c}(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w')\,U^{eb}(z)\,U^{hl}(x)\,\rho^{c}(x')\,\rho^{l}(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ld}(w)\,U^{al}(w')\,U^{mb}(z)\,U^{me}(x)\,\rho^{c}(x')\,\rho^{h}(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{be}(x)\,U^{ad}(w)\,U^{cl}(x')\,\rho^{l}(x')\,\rho^{h}(x) \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w)\,U^{db}(z)\,U^{hl}(x')\,\rho^{l}(x')\,\rho^{c}(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{le}(w')\,U^{al}(w)\,U^{mb}(z)\,U^{md}(x')\,\rho^{h}(x')\,\rho^{c}(x) \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{cb}(x')\,\rho^{c}(x')\,\rho^{a}(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ea}(w')\,U^{bd}(x')\,U^{lc}(x)\,\rho^{h}(x')\,\rho^{l}(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{ah}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^{e}(x')\,\rho^{l}(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hl}(w)\,U^{ah}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^{e}(x')\,\rho^{l}(x) \\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x) \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x) \\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ah}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^{m}(x)\,\rho^{e}(x')
\end{aligned}$$

$$-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ca}(x')\,\rho^b(x)\,\rho^c(x')\Big] \tag{4.14}$$

$$\begin{aligned}
\frac{d^3N_{2\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Bigg[\\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ah}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x') \\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ea}(w')\,U^{bl}(x)\,U^{cd}(x')\,\rho^l(x)\,\rho^h(x') \\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{ah}(w')\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x') \\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hd}(w)\,U^{ah}(w')\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x') \\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{da}(w)\,U^{ce}(x')\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x') \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ah}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x') \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ah}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x') \\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ca}(x')\,\rho^b(x)\,\rho^c(x') \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ea}(w')\,U^{bl}(x)\,U^{dc}(x')\,\rho^l(x)\,\rho^h(x') \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{ah}(w')\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x') \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(w)\,U^{ah}(w')\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x') \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{bl}(x)\,U^{ad}(w)\,U^{ce}(x')\,\rho^l(x)\,\rho^h(x') \\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\Bigg]
\end{aligned} \tag{4.15}$$

Row V

$$\begin{aligned}
\frac{d^3N_{\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Bigg[\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(x)\,U^{be}(z)\,U^{cl}(w')\,\rho^l(x')\,\rho^h(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{be}(z)\,U^{cl}(w')\,\rho^l(x')\,\rho^h(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{be}(x)\,U^{cl}(x')\,\rho^l(x')\,\rho^h(x) \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{bd}(z)\,U^{cl}(w)\,\rho^l(x)\,\rho^h(x') \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(z)\,U^{cl}(w)\,\rho^l(x)\,\rho^h(x') \\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x') \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(x')\,\rho^l(x)\,\rho^h(x') \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{bl}(z)\,U^{cd}(w)\,\rho^h(x')\,\rho^l(x) \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(z)\,U^{cd}(w)\,\rho^h(x')\,\rho^l(x) \\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(x)\,\rho^h(x')\,\rho^l(x) \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(x')\,U^{bl}(z)\,U^{ce}(w')\,\rho^l(x)\,\rho^h(x') \\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{bl}(z)\,U^{ce}(w')\,\rho^l(x)\,\rho^h(x') \\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{bl}(x)\,U^{ce}(x')\,\rho^l(x)\,\rho^h(x') \\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\Bigg]
\end{aligned} \tag{4.16}$$

Group II

Row I

$$\frac{d^3N_{\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Bigg[$$

$$
\begin{aligned}
&\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ca}(w)\,\rho^b(x')\,\rho^c(x)\\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{deh}\,U^{be}(z)\,U^{al}(w')\,U^{cd}(x)\,\rho^l(x')\,\rho^h(x)\\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{bm}(z)\,U^{md}(x)\,U^{ah}(w)\,\rho^l(x')\,\rho^e(x)\\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w')\,U^{bc}(w)\,\rho^c(x)\,\rho^a(x')\\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{ah}(w')\,U^{bl}(z)\,U^{hm}(x)\,U^{ld}(x')\,\rho^m(x)\,\rho^e(x')\\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{deh}\,U^{bd}(z)\,U^{ce}(x')\,U^{al}(w)\,\rho^l(x)\,\rho^h(x')\\
&+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ca}(w)\,\rho^b(x')\,\rho^c(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{eb}(z)\,U^{cd}(x)\,\rho^l(x')\,\rho^h(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{bm}(z)\,U^{md}(x)\,U^{ha}(w)\,\rho^l(x')\,\rho^e(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{bc}(x)\,\rho^a(x')\,\rho^c(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w')\,U^{bc}(w)\,\rho^c(x)\,\rho^a(x')\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{ah}(w')\,U^{bl}(z)\,U^{hm}(x)\,U^{ld}(x')\,\rho^m(x)\,\rho^e(x')\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ce}(x')\,U^{db}(z)\,U^{al}(w)\,\rho^l(x)\,\rho^h(x')\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ah}(w)\,\rho^b(x)\,\rho^e(x')\\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{bl}(z)\,U^{ae}(w')\,U^{cd}(x')\,\rho^l(x)\,\rho^h(x')\\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{bl}(z)\,U^{lm}(x)\,U^{ah}(w)\,\rho^m(x)\,\rho^e(x')\\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{ah}(w')\,U^{hd}(w)\,\rho^e(x')\,\rho^b(x)\\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{ah}(w')\,U^{bl}(z)\,U^{hd}(x')\,U^{lm}(x)\,\rho^e(x')\,\rho^m(x)\\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{bl}(z)\,U^{ce}(x')\,U^{ad}(w)\,\rho^h(x')\,\rho^l(x)\\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ah}(w)\,\rho^b(x)\,\rho^e(x')\\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{lb}(z)\,U^{cd}(x')\,\rho^l(x)\,\rho^h(x')\\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{bl}(z)\,U^{lm}(x)\,U^{ha}(w)\,\rho^m(x)\,\rho^e(x')\\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ca}(x')\,\rho^b(x)\,\rho^c(x')\\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{ah}(w')\,U^{hd}(w)\,\rho^e(x')\,\rho^b(x)\\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{ah}(w')\,U^{bl}(z)\,U^{hd}(x')\,U^{lm}(x)\,\rho^e(x')\,\rho^m(x)\\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ce}(x')\,U^{lb}(z)\,U^{ad}(w)\,\rho^h(x')\,\rho^l(x)\\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\Big]
\end{aligned}
\tag{4.17}
$$

Row II Only 4 ρ's

Row III Only 4 ρ's

Row IV Only 2 ρ's

Group III (with c.c.)

Row I We write it in two parts:

$$
\begin{aligned}
\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{md}(x)\,U^{mb}(z)\,U^{ah}(w)\,\rho^l(x')\,\rho^e(x) \\
-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{bh}(z)\,U^{hd}(x)\,U^{lm}(w')\,U^{al}(w)\,\rho^m(x')\,\rho^e(x) \\
+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{md}(x')\,U^{mb}(z)\,U^{ah}(w')\,\rho^e(x')\,\rho^l(x) \\
-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{bh}(z)\,U^{hd}(x')\,U^{lm}(w)\,U^{la}(w')\,\rho^e(x')\,\rho^m(x) \\
+\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{db}(z)\,U^{ae}(w)\,U^{hl}(x')\,\rho^l(x')\,\rho^c(x) \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{bl}(z)\,U^{ld}(x')\,U^{me}(w')\,U^{am}(w)\,\rho^h(x')\,\rho^c(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(x')\,U^{cl}(x)\,\rho^h(x')\,\rho^l(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{eb}(z)\,U^{ad}(w')\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{bl}(z)\,U^{le}(x)\,U^{md}(w)\,U^{ma}(w')\,\rho^c(x')\,\rho^h(x) \\
+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{be}(x)\,U^{ad}(w)\,U^{cl}(x')\,\rho^l(x')\,\rho^h(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{md}(x)\,U^{mb}(z)\,U^{ah}(w)\,\rho^l(x')\,\rho^e(x) \\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{bh}(z)\,U^{hd}(x)\,U^{lm}(w')\,U^{al}(w)\,\rho^m(x')\,\rho^e(x) \\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{eb}(z)\,U^{ad}(w')\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x) \\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{le}(x)\,U^{md}(w)\,U^{lb}(z)\,U^{ma}(w')\,\rho^c(x')\,\rho^h(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{be}(x)\,U^{ad}(w)\,U^{cl}(x')\,\rho^l(x')\,\rho^h(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{db}(z)\,U^{ae}(w)\,U^{hl}(x')\,\rho^l(x')\,\rho^c(x) \\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{bl}(z)\,U^{ld}(x')\,U^{me}(w')\,U^{am}(w)\,\rho^h(x')\,\rho^c(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(x')\,U^{cl}(x)\,\rho^h(x')\,\rho^l(x) \\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{md}(x')\,U^{mb}(z)\,U^{ah}(w')\,\rho^e(x')\,\rho^l(x) \\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x) \\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{lm}(w)\,U^{hb}(z)\,U^{la}(w')\,\rho^e(x')\,\rho^m(x)\Bigg]
\end{aligned}
\tag{4.18}
$$

$$
\begin{aligned}
\frac{d^3N_{2\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)
\end{aligned}
$$

$$
\begin{aligned}
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{lm}(x)\,U^{lb}(z)\,U^{ah}(w)\,\rho^{m}(x)\,\rho^{e}(x')\\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^{b}(x)\,\rho^{c}(x')\\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{bh}(z)\,U^{hl}(x)\,U^{md}(w')\,U^{am}(w)\,\rho^{l}(x)\,\rho^{e}(x')\\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(x)\,U^{cd}(x')\,\rho^{l}(x)\,\rho^{h}(x')\\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{lm}(x)\,U^{lb}(z)\,U^{ah}(w')\,\rho^{m}(x)\,\rho^{e}(x')\\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{bh}(z)\,U^{hl}(x)\,U^{md}(w)\,U^{ma}(w')\,\rho^{l}(x)\,\rho^{e}(x')\\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{bl}(x)\,U^{ad}(w)\,U^{ce}(x')\,\rho^{l}(x)\,\rho^{h}(x')\\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{lm}(x)\,U^{lb}(z)\,U^{ah}(w)\,\rho^{m}(x)\,\rho^{e}(x')\\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^{b}(x)\,\rho^{c}(x')\\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{bh}(z)\,U^{hl}(x)\,U^{md}(w')\,U^{am}(w)\,\rho^{l}(x)\,\rho^{e}(x')\\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(x)\,U^{cd}(x')\,\rho^{l}(x)\,\rho^{h}(x')\\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{lm}(x)\,U^{lb}(z)\,U^{ah}(w')\,\rho^{m}(x)\,\rho^{e}(x')\\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^{b}(x)\,\rho^{c}(x')\\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{md}(w)\,U^{hb}(z)\,U^{ma}(w')\,\rho^{l}(x)\,\rho^{e}(x')\\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{bl}(x)\,U^{ad}(w)\,U^{ce}(x')\,\rho^{l}(x)\,\rho^{h}(x')\Bigg]
\end{aligned}
\tag{4.19}
$$

Row II We write it in two parts:

$$
\begin{aligned}
\frac{d^3N_{1\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\,\Bigg[\\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hd}(x)\,U^{lm}(x')\,U^{bh}(z)\,U^{al}(w)\,\rho^{m}(x')\,\rho^{e}(x)\\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x)\\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ca}(w)\,\rho^{b}(x')\,\rho^{c}(x)\\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{eb}(z)\,U^{cd}(x)\,\rho^{l}(x')\,\rho^{h}(x)\\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{lm}(x)\,U^{bh}(z)\,U^{al}(w')\,\rho^{m}(x)\,\rho^{e}(x')\\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^{b}(x)\,\rho^{c}(x')\\
&-\frac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ca}(w')\,\rho^{b}(x)\,\rho^{c}(x')\\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\frac{1}{(x'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{db}(z)\,U^{ce}(x')\,\rho^{l}(x)\,\rho^{h}(x')\\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{be}(z)\,U^{ad}(w)\,U^{hl}(x')\,\rho^{l}(x')\,\rho^{c}(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dbe}\,U^{hd}(x')\,U^{ah}(w)\,\rho^{e}(x')\,\rho^{c}(x)\\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(x')\,U^{eb}(z)\,U^{cl}(x)\,\rho^{h}(x')\,\rho^{l}(x)\\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{bd}(z)\,U^{ae}(w')\,U^{hl}(x)\,\rho^{c}(x')\,\rho^{l}(x)\\
&-\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{bde}\,U^{hd}(x)\,U^{ah}(w')\,\rho^{c}(x')\,\rho^{e}(x)\\
&+\frac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(x)\,U^{db}(z)\,U^{cl}(x')\,\rho^{l}(x')\,\rho^{h}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(x)\,U^{lm}(x')\,U^{bh}(z)\,U^{la}(w)\,\rho^{m}(x')\,\rho^{e}(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ca}(x)\,\rho^{b}(x')\,\rho^{c}(x)
\end{aligned}
$$

$$
\begin{aligned}
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{eb}(z)\,U^{cd}(x)\,\rho^l(x')\,\rho^h(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{bd}(z)\,U^{ea}(w')\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{bde}\,U^{hd}(x)\,U^{ah}(w')\,\rho^c(x')\,\rho^e(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(x)\,U^{db}(z)\,U^{cl}(x')\,\rho^l(x')\,\rho^h(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{be}(z)\,U^{da}(w)\,U^{hl}(x')\,\rho^l(x')\,\rho^c(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{dbe}\,U^{hd}(x')\,U^{ha}(w)\,\rho^e(x')\,\rho^c(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(x')\,U^{eb}(z)\,U^{cl}(x)\,\rho^h(x')\,\rho^l(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{lm}(x)\,U^{bh}(z)\,U^{la}(w')\,\rho^m(x)\,\rho^e(x')\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ca}(w')\,\rho^b(x)\,\rho^c(x')\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{db}(z)\,U^{ce}(x')\,\rho^l(x)\,\rho^h(x')\\
&-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hl}(x)\,U^{md}(x')\,U^{bh}(z)\,U^{am}(w)\,\rho^l(x)\,\rho^e(x')\\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
&+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ah}(w)\,\rho^b(x)\,\rho^e(x')\Bigg]
\end{aligned}
\tag{4.20}
$$

$$
\begin{aligned}
\frac{d^3N_{2\,\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Bigg[\\
-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(z)\,U^{bc}(x')\,\rho^a(x)\,\rho^c(x')\\
+\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{md}(x')\,U^{bh}(z)\,U^{am}(w')\,\rho^e(x')\,\rho^l(x)\\
-\frac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{ah}(w')\,\rho^e(x')\,\rho^b(x)\\
+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hl}(x)\,U^{md}(x')\,U^{bh}(z)\,U^{ma}(w)\,\rho^l(x)\,\rho^e(x')\\
-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{bc}(x')\,\rho^a(x)\,\rho^c(x')\\
-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,\rho^b(x)\,\rho^e(x')\\
+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(z)\,U^{bc}(x')\,\rho^a(x)\,\rho^c(x')\\
-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{md}(x')\,U^{bh}(z)\,U^{ma}(w')\,\rho^e(x')\,\rho^l(x)\\
-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{ah}(w')\,\rho^e(x')\,\rho^b(x)\\
+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(z)\,U^{bc}(x')\,\rho^c(x')\,\rho^a(x)\Bigg]
\end{aligned}
\tag{4.21}
$$

Row III

$$
\begin{aligned}
\frac{d^3N_{\mathrm{NLO}}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Bigg[\\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{be}(z)\,U^{cl}(w')\,\rho^l(x')\,\rho^h(x)\\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(x)\,\rho^l(x')\,\rho^h(x)\\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{eb}(z)\,U^{ad}(x)\,U^{cl}(w')\,\rho^l(x')\,\rho^h(x)\\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(z)\,U^{cl}(w)\,\rho^l(x)\,\rho^h(x')\\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(x')\,\rho^l(x)\,\rho^h(x')\\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{bd}(z)\,U^{ae}(x')\,U^{cl}(w)\,\rho^l(x)\,\rho^h(x')\\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{bl}(z)\,U^{ce}(w')\,\rho^l(x)\,\rho^h(x')
\end{aligned}
$$

$$
\begin{aligned}
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x')\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x')\\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{lb}(z)\,U^{ad}(x')\,U^{ce}(w')\,\rho^l(x)\,\rho^h(x')\\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(z)\,U^{cd}(w)\,\rho^h(x')\,\rho^l(x)\\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(x)\,\rho^h(x')\,\rho^l(x)\\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{bl}(z)\,U^{ae}(x')\,U^{cd}(w)\,\rho^h(x')\,\rho^l(x)\\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\Bigg]
\end{aligned}
\tag{4.22}
$$

Row IV Only 4 ρ's

Row V

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Bigg[\\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{be}(x)\,U^{cl}(x')\,\rho^l(x')\,\rho^h(x)\\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(w')\,U^{be}(x)\,\rho^l(x')\,\rho^h(x)\\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{cd}(w)\,U^{be}(x)\,\rho^l(x')\,\rho^h(x)\\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{cd}(w)\,U^{be}(x)\,\rho^l(x')\,\rho^h(x)\\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(w)\,U^{ce}(w')\,U^{bd}(x')\,\rho^h(x')\,\rho^l(x)\\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{ce}(w')\,U^{bd}(x')\,\rho^h(x')\,\rho^l(x)\\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(x')\,U^{cl}(x)\,\rho^h(x')\,\rho^l(x)\\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(w)\,U^{bd}(x')\,\rho^h(x')\,\rho^l(x)\\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{bl}(x)\,U^{ce}(x')\,\rho^l(x)\,\rho^h(x')\\
-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(w')\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x')\\
+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(x')\,U^{ce}(w')\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x')\\
-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(x)\,U^{cd}(x')\,\rho^l(x)\,\rho^h(x')\\
+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(w)\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x')\\
+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{cd}(w)\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x')\Bigg]
\end{aligned}
\tag{4.23}
$$

Row VI

$$
\begin{aligned}
\frac{d^3N_{\rm NLO}}{d^3k} = \frac{1}{(2\pi)^3}\,\frac{g^4}{16\pi^5}\,\frac{1}{k^+}\,\log\left[\frac{\vee}{\Lambda}\right]\int_{x,x',z,w,w'} e^{-ik(w'-w)}\Bigg[\\
\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(x)\,\rho^l(x')\,\rho^h(x)\\
-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{be}(z)\,U^{cl}(x')\,\rho^l(x')\,\rho^h(x)\\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(x)\,U^{cl}(x')\,U^{eb}(z)\,\rho^l(x')\,\rho^h(x)\\
-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)
\end{aligned}
$$

$$
\begin{aligned}
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{bd}(z)\,U^{ce}(x)\,\rho^{l}(x')\,\rho^{h}(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{ce}(x)\,U^{bd}(z)\,\rho^{l}(x')\,\rho^{h}(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(w)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(w)\,U^{be}(z)\,U^{cd}(x')\,\rho^{h}(x')\,\rho^{l}(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{cd}(x')\,U^{eb}(z)\,\rho^{h}(x')\,\rho^{l}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(x')\,U^{cl}(x)\,\rho^{l}(x)\,\rho^{h}(x')\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bd}(z)\,U^{cl}(x)\,\rho^{l}(x)\,\rho^{h}(x')\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^{b}(x)\,\rho^{c}(x')\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{cl}(x)\,U^{bd}(z)\,\rho^{l}(x)\,\rho^{h}(x')\\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x')\,U^{bl}(x)\,\rho^{l}(x)\,\rho^{h}(x')\\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{bl}(z)\,U^{ce}(x')\,\rho^{l}(x)\,\rho^{h}(x')\\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^{b}(x)\,\rho^{c}(x')\\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w-z)\,U^{ab}(z)\,U^{bc}(x')\,\rho^{a}(x)\,\rho^{c}(x')\\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(x)\,U^{cd}(x')\,\rho^{h}(x')\,\rho^{l}(x)\\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{bl}(z)\,U^{cd}(x')\,\rho^{h}(x')\,\rho^{l}(x)\\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\,U^{ab}(z)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\Big]
\end{aligned}
\tag{4.24}
$$

4.4 The sum

Kernel structure by kernel structure, the colour structures of all terms above are reduced to an independent basis. The sum minus JIMWLK⊗LO is then:

kernel structure	class	independent colour structures	differences
$\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(x,x,z)$	charge–charge	12	0
$\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(x',x',z)$	charge–charge	10	0
$\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(x,x',z)$	charge–charge	13	0
$\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(w,w,z)$	JIMWLK only	10	0
$\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(w',w',z)$	JIMWLK only	10	0
$\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(w,w',z)$	JIMWLK only	9	0
$\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(x,w,z)$	JIMWLK only	14	0
$\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(x,w',z)$	JIMWLK only	12	0
$\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(x',w,z)$	JIMWLK only	12	0
$\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(x',w',z)$	JIMWLK only	14	0
$\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\;K(x,x',z)$	charge–charge	14	0
$\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\;K(x,w,z)$	JIMWLK only	12	0
$\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\;K(x,w',z)$	JIMWLK only	12	0

Without the `4rho.tex` lists, 18 of 152 colour structures would differ (in $\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(x,x,z)$, $\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(x',x',z)$, $\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(x,x',z)$). The sum, collected, is JIMWLK⊗LO; in this form it reads

$$
\begin{aligned}
\frac{d^3N}{d^3k}\Big|_{\text{JIMWLK}\otimes\text{LO}} = \mathcal{N}\log\frac{\vee}{\Lambda}\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[\\
&+2\,N_c\;\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;\tfrac{1}{(x-z)^2}\;U^{ab}(x)\,U^{ac}(w')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-2\,N_c\;\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;\tfrac{1}{(x-z)^2}\;U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{ah}(z)\,U^{bl}(x)\,U^{dh}(x)\,U^{ml}(w')\,\rho^{m}(x')\,\rho^{e}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{ah}(z)\,U^{bl}(x)\,U^{dh}(x)\,U^{ml}(x')\,\rho^{m}(x')\,\rho^{e}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{hd}(x)\,U^{hl}(w')\,U^{ma}(z)\,U^{mb}(x)\,\rho^{l}(x')\,\rho^{e}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{hd}(x)\,U^{hl}(x')\,U^{ma}(z)\,U^{mb}(x)\,\rho^{l}(x')\,\rho^{e}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{deh}\,U^{ad}(z)\,U^{bh}(x)\,U^{el}(x')\,\rho^{l}(x')\,\rho^{c}(x)
\end{aligned}
$$

$$
\begin{aligned}
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{deh}\,U^{ah}(x)\,U^{dl}(w')\,U^{eb}(z)\,\rho^{l}(x')\,\rho^{c}(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;U^{ab}(x')\,U^{ac}(w)\,\rho^{b}(x')\,\rho^{c}(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;U^{ab}(x')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{cde}\,U^{hb}(x')\,U^{hl}(w)\,U^{ma}(z)\,U^{md}(x')\,\rho^{l}(x)\,\rho^{e}(x')\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{cde}\,U^{hb}(x')\,U^{hl}(x)\,U^{ma}(z)\,U^{md}(x')\,\rho^{l}(x)\,\rho^{e}(x')\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{hl}(w)\,U^{ma}(z)\,U^{mb}(x')\,\rho^{l}(x)\,\rho^{e}(x')\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{hl}(x)\,U^{ma}(z)\,U^{mb}(x')\,\rho^{l}(x)\,\rho^{e}(x')\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(x)\,U^{cd}(x')\,U^{be}(z)\,\rho^{h}(x')\,\rho^{l}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(w)\,U^{cd}(x')\,U^{be}(z)\,\rho^{h}(x')\,\rho^{l}(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x')\,U^{bc}(x)\,\rho^{a}(x')\,\rho^{c}(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{ade}\,U^{hb}(x)\,U^{hd}(x')\,\rho^{e}(x')\,\rho^{c}(x)\\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{eb}(x')\,U^{lh}(x)\,U^{da}(z)\,\rho^{l}(x)\,\rho^{c}(x')\\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{da}(z)\,U^{lc}(x')\,U^{be}(x)\,\rho^{h}(x)\,\rho^{l}(x')\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\;U^{ab}(x')\,U^{ac}(w)\,\rho^{b}(x')\,\rho^{c}(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\;U^{ab}(w')\,U^{ac}(w)\,\rho^{b}(x')\,\rho^{c}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(x')\,U^{be}(z)\,U^{ch}(w)\,\rho^{l}(x')\,\rho^{d}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(w')\,U^{be}(z)\,U^{ch}(w)\,\rho^{l}(x')\,\rho^{d}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\;f^{abc}\,f^{dea}\,U^{hd}(z)\,U^{he}(w)\,U^{lm}(w')\,U^{lb}(w)\,\rho^{m}(x')\,\rho^{c}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\;f^{abc}\,f^{deb}\,U^{hd}(z)\,U^{ha}(w)\,U^{lm}(w')\,U^{le}(w)\,\rho^{m}(x')\,\rho^{c}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\;f^{abc}\,f^{dea}\,U^{hd}(z)\,U^{he}(w)\,U^{lm}(x')\,U^{lb}(w)\,\rho^{m}(x')\,\rho^{c}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w-z)^2}\;f^{abc}\,f^{deb}\,U^{hd}(z)\,U^{ha}(w)\,U^{lm}(x')\,U^{le}(w)\,\rho^{m}(x')\,\rho^{c}(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\;U^{ab}(x)\,U^{ac}(w')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\;U^{ab}(w)\,U^{ac}(w')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(x)\,U^{be}(z)\,U^{ch}(w')\,\rho^{d}(x')\,\rho^{l}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(w)\,U^{be}(z)\,U^{ch}(w')\,\rho^{d}(x')\,\rho^{l}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\;f^{abc}\,f^{dea}\,U^{hd}(z)\,U^{he}(w')\,U^{lb}(w')\,U^{lm}(w)\,\rho^{c}(x')\,\rho^{m}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\;f^{abc}\,f^{deb}\,U^{hd}(z)\,U^{ha}(w')\,U^{le}(w')\,U^{lm}(w)\,\rho^{c}(x')\,\rho^{m}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\;f^{abc}\,f^{dea}\,U^{hd}(z)\,U^{he}(w')\,U^{lb}(w')\,U^{lm}(x)\,\rho^{c}(x')\,\rho^{m}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(w'-z)^2}\;f^{abc}\,f^{deb}\,U^{hd}(z)\,U^{ha}(w')\,U^{le}(w')\,U^{lm}(x)\,\rho^{c}(x')\,\rho^{m}(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^{c}(x')\,\rho^{e}(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;U^{ab}(w')\,U^{cb}(w)\,\rho^{a}(x')\,\rho^{c}(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{deh}\,U^{la}(w')\,U^{be}(z)\,U^{cd}(w)\,\rho^{l}(x')\,\rho^{h}(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{deh}\,U^{la}(w)\,U^{be}(z)\,U^{cd}(w')\,\rho^{h}(x')\,\rho^{l}(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^{c}(x')\,\rho^{l}(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\;U^{ab}(w')\,U^{bc}(x)\,\rho^{a}(x')\,\rho^{c}(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{dce}\,U^{hd}(x)\,U^{ah}(w')\,\rho^{b}(x')\,\rho^{e}(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(w'-z)\;f^{abc}\,f^{deh}\,U^{ad}(x)\,U^{be}(z)\,U^{cl}(w')\,\rho^{l}(x')\,\rho^{h}(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^{l}(x')\,\rho^{h}(x)\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\;U^{ab}(w)\,U^{bc}(x')\,\rho^{c}(x')\,\rho^{a}(x)\\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\;f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ah}(w)\,\rho^{b}(x)\,\rho^{e}(x')\\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x'-z)\cdot\mathcal{K}(w-z)\;f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{bd}(z)\,U^{cl}(w)\,\rho^{l}(x)\,\rho^{h}(x')
\end{aligned}
\tag{4.25}
$$

This is $\mathcal{N}\log\frac{\forall}{\Lambda}\times\mathcal{J}$, Eq. (3.1), before the charge average. Its terms (green / purple): 28 / 20.

5 BFKL: the coefficient of $\log\vee$

For every row, the coefficient of $\log\vee$ is the hard end $\mathfrak{P}$ of Sec. 2. It equals the coefficient of $\log\frac{\vee}{\Lambda}$ plus that of $\log\frac{\vee}{k^+}$.

- It is zero for Group I Row V, for $\mathcal{D}$ and for the genuine Group I terms.
- For the four-ρ remainders and the `4rho.tex` lists it equals their $\log\frac{\vee}{\Lambda}$ terms.
- For Group I Row III it needs the sign of the $p^+ > k^+ + \Lambda$ line (fix P1). This is the sign now in your `Group_I.tex`, Eq. (1.10).

The two-ρ terms of the coefficient of $\log\vee$, row by row (orange / purple: 168 / 162):

Group I, Row II (three ρ; the α part, fix F4).

$$\begin{aligned}\frac{d^3N}{d^3k}\Big|_{I.II}^{\log\vee} = \mathcal{N}\log\vee\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,\rho^b(x)\,\rho^e(x')\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{dce}\,U^{hd}(x)\,U^{ha}(w')\,\rho^b(x')\,\rho^e(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{cde}\,U^{hd}(w')\,U^{ha}(w)\,\rho^b(x)\,\rho^e(x')\\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{bde}\,U^{hd}(x')\,U^{ha}(w)\,\rho^e(x')\,\rho^c(x)\\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{dbe}\,U^{hd}(x')\,U^{ha}(w')\,\rho^c(x)\,\rho^e(x')\\
&+\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{bde}\,U^{hd}(w')\,U^{ha}(w)\,\rho^e(x')\,\rho^c(x)\\
&-\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{dbe}\,U^{hd}(w)\,U^{ha}(w')\,\rho^c(x)\,\rho^e(x')\Big]\end{aligned}\tag{5.1}$$

Group I, Row III (three ρ; with the sign of $p^+ > k^+$, fix P1).

$$\begin{aligned}\frac{d^3N}{d^3k}\Big|_{I.III}^{\log\vee} = \mathcal{N}\log\vee\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[\\
&-\tfrac12\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}f^{deh}\,U^{al}(x')\,U^{ce}(x)\,U^{bd}(z)\,\rho^l(x')\,\rho^h(x)\\
&+\tfrac12\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+\tfrac12\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}f^{deh}\,U^{al}(w')\,U^{ce}(x)\,U^{bd}(z)\,\rho^l(x')\,\rho^h(x)\\
&-\tfrac12\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+\tfrac12\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;f^{abc}f^{deh}\,U^{al}(x)\,U^{cd}(x')\,U^{be}(z)\,\rho^h(x')\,\rho^l(x)\\
&+\tfrac12\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-\tfrac12\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;f^{abc}f^{deh}\,U^{al}(w)\,U^{cd}(x')\,U^{be}(z)\,\rho^h(x')\,\rho^l(x)\\
&-\tfrac12\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-\tfrac12\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{deh}\,U^{ae}(x')\,U^{cl}(x)\,U^{bd}(z)\,\rho^l(x)\,\rho^h(x')\\
&+\tfrac12\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{deh}\,U^{ad}(x)\,U^{cl}(x')\,U^{be}(z)\,\rho^l(x')\,\rho^h(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
&+\tfrac12\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(z)\,\rho^l(x)\,\rho^h(x')\\
&-\tfrac12\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(z)\,\rho^l(x')\,\rho^h(x)\\
&-\tfrac12\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(x')\,\rho^l(x)\,\rho^h(x')\\
&+\tfrac12\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(x)\,\rho^l(x')\,\rho^h(x)\\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(z)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+\tfrac12\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(z)\,\rho^h(x')\,\rho^l(x)\\
&-\tfrac12\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{deh}\,U^{ad}(w)\,U^{ce}(x')\,U^{bl}(z)\,\rho^l(x)\,\rho^h(x')\\
&-\tfrac12\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(x)\,\rho^h(x')\,\rho^l(x)\\
&+\tfrac12\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}f^{deh}\,U^{ad}(w)\,U^{ce}(x')\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x')\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;f^{abc}f^{deh}\,U^{al}(x')\,U^{ce}(x)\,U^{bd}(z)\,\rho^l(x')\,\rho^h(x)\end{aligned}$$

$$
\begin{aligned}
&+N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(w')\,U^{ce}(x)\,U^{bd}(z)\,\rho^l(x')\,\rho^h(x)\\
&-N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(z)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{cl}(x)\,U^{bd}(z)\,\rho^l(x)\,\rho^h(x')\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(z)\,\rho^h(x')\,\rho^l(x)\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(z)\,\rho^l(x)\,\rho^h(x')\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{cd}(x')\,U^{be}(z)\,\rho^h(x')\,\rho^l(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(w)\,U^{cd}(x')\,U^{be}(z)\,\rho^h(x')\,\rho^l(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(z)\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(x)\,U^{cl}(x')\,U^{be}(z)\,\rho^l(x')\,\rho^h(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x)\,U^{bl}(z)\,\rho^l(x')\,\rho^h(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(z)\,\rho^l(x')\,\rho^h(x)\Big]
\end{aligned}
\tag{5.2}
$$

Group I, Row IV (three ρ).

$$
\begin{aligned}
\frac{d^3N}{d^3k}\Big|^{\log\vee}_{I.IV} = \mathcal{N}\log\vee\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[\\
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{ha}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^l(x')\,\rho^e(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hl}(w')\,U^{ha}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^l(x')\,\rho^e(x)\\
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{ha}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^e(x')\,\rho^l(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{hl}(w)\,U^{ha}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^e(x')\,\rho^l(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(z)\,\rho^l(x)\,\rho^h(x')\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(z)\,\rho^l(x')\,\rho^h(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(x')\,\rho^l(x)\,\rho^h(x')\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(x)\,\rho^l(x')\,\rho^h(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{le}(w')\,U^{la}(w)\,U^{mb}(z)\,U^{md}(x')\,\rho^h(x')\,\rho^c(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ld}(w)\,U^{la}(w')\,U^{mb}(z)\,U^{me}(x)\,\rho^c(x')\,\rho^h(x)\\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(x)\,\rho^h(x')\,\rho^l(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x')\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x')\\
&-\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x')\\
&+\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{ha}(w')\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x')\\
&+\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ha}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x')\\
&-\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hd}(w)\,U^{ha}(w')\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x')\\
&-N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{ha}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^l(x')\,\rho^e(x)
\end{aligned}
$$

$$
\begin{aligned}
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\,f^{abc}f^{cde}\,U^{hl}(w')\,U^{ha}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^{l}(x')\,\rho^{e}(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{deh}\,U^{ea}(w)\,U^{db}(z)\,U^{hl}(x')\,\rho^{l}(x')\,\rho^{c}(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^{m}(x)\,\rho^{e}(x')\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{deh}\,U^{le}(w')\,U^{la}(w)\,U^{mb}(z)\,U^{md}(x')\,\rho^{h}(x')\,\rho^{c}(x)\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{cde}\,U^{hd}(w')\,U^{ha}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^{m}(x)\,\rho^{e}(x')\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,f^{abc}f^{dce}\,U^{hl}(x)\,U^{ha}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^{e}(x')\,\rho^{l}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,f^{abc}f^{dce}\,U^{hl}(w)\,U^{ha}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^{e}(x')\,\rho^{l}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{deh}\,U^{da}(w')\,U^{eb}(z)\,U^{hl}(x)\,\rho^{c}(x')\,\rho^{l}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{dce}\,U^{hd}(x)\,U^{ha}(w')\,U^{lb}(z)\,U^{lm}(x')\,\rho^{m}(x')\,\rho^{e}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{deh}\,U^{ld}(w)\,U^{la}(w')\,U^{mb}(z)\,U^{me}(x)\,\rho^{c}(x')\,\rho^{h}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{dce}\,U^{hd}(w)\,U^{ha}(w')\,U^{lb}(z)\,U^{lm}(x')\,\rho^{m}(x')\,\rho^{e}(x)\Bigg]
\end{aligned}
\tag{5.3}
$$

Group II, Row I (three ρ).

$$
\begin{aligned}
\frac{d^3N}{d^3k}\Big|^{\log\vee}_{II.I} = \mathcal{N}\log\vee\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Bigg[\\
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^{b}(x')\,\rho^{c}(x)\\
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,f^{abc}f^{deh}\,U^{al}(w')\,U^{ce}(x)\,U^{bd}(z)\,\rho^{l}(x')\,\rho^{h}(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,f^{abc}f^{cde}\,U^{hl}(x')\,U^{ha}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^{l}(x')\,\rho^{e}(x)\\
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{ac}(w')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,f^{abc}f^{deh}\,U^{al}(w)\,U^{cd}(x')\,U^{be}(z)\,\rho^{h}(x')\,\rho^{l}(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,f^{abc}f^{dce}\,U^{hl}(x)\,U^{ha}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^{e}(x')\,\rho^{l}(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{bde}\,U^{hd}(w')\,U^{ha}(w)\,\rho^{e}(x')\,\rho^{c}(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{dbe}\,U^{hd}(w)\,U^{ha}(w')\,\rho^{c}(x)\,\rho^{e}(x')\\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(z)\,\rho^{h}(x')\,\rho^{l}(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{deh}\,U^{ad}(w)\,U^{ce}(x')\,U^{bl}(z)\,\rho^{l}(x)\,\rho^{h}(x')\\
&-\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^{m}(x)\,\rho^{e}(x')\\
&+\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{dce}\,U^{hd}(x')\,U^{ha}(w')\,U^{lb}(z)\,U^{lm}(x)\,\rho^{m}(x)\,\rho^{e}(x')\\
&-N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x)\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\,f^{abc}f^{deh}\,U^{al}(w')\,U^{ce}(x)\,U^{bd}(z)\,\rho^{l}(x')\,\rho^{h}(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\,f^{abc}f^{cde}\,U^{hl}(x')\,U^{ha}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^{l}(x')\,\rho^{e}(x)\\
&-N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^{b}(x')\,\rho^{c}(x)\\
&+N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(z)\,\rho^{h}(x')\,\rho^{l}(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^{m}(x)\,\rho^{e}(x')\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}f^{bde}\,U^{hd}(w')\,U^{ha}(w)\,\rho^{e}(x')\,\rho^{c}(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,f^{abc}f^{deh}\,U^{al}(w)\,U^{cd}(x')\,U^{be}(z)\,\rho^{h}(x')\,\rho^{l}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,f^{abc}f^{dce}\,U^{hl}(x)\,U^{ha}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^{e}(x')\,\rho^{l}(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^{c}(x)\,\rho^{b}(x')
\end{aligned}
$$

$$
\begin{aligned}
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x)\,U^{bl}(z)\,\rho^l(x')\,\rho^h(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dce}\,U^{hd}(x)\,U^{ha}(w')\,U^{lb}(z)\,U^{lm}(x')\,\rho^m(x')\,\rho^e(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{bde}\,U^{ha}(w')\,U^{hd}(w)\,\rho^c(x')\,\rho^e(x)\Big]
\end{aligned}
\tag{5.4}
$$

Group III, Row I (three ρ).

$$
\begin{aligned}
\frac{d^3N}{d^3k}\Big|^{\log\vee}_{III.I} = \mathcal{N}\log\vee\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{ha}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^l(x')\,\rho^e(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{hl}(w')\,U^{ha}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^l(x')\,\rho^e(x)\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{ha}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^e(x')\,\rho^l(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{dce}\,U^{hl}(w)\,U^{ha}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^e(x')\,\rho^l(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x)\,U^{ac}(x')\,\rho^b(x)\,\rho^c(x')\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(z)\,\rho^l(x)\,\rho^h(x')\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(z)\,\rho^l(x')\,\rho^h(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(x')\,\rho^l(x)\,\rho^h(x')\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(x)\,\rho^l(x')\,\rho^h(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{le}(w')\,U^{la}(w)\,U^{mb}(z)\,U^{md}(x')\,\rho^h(x')\,\rho^c(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ld}(w)\,U^{la}(w')\,U^{mb}(z)\,U^{me}(x)\,\rho^c(x')\,\rho^h(x)\\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(x)\,\rho^h(x')\,\rho^l(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x')\,U^{bl}(x)\,\rho^l(x)\,\rho^h(x')\\
&+\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x')\\
&-\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{ha}(w')\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x')\\
&-\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ha}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x')\\
&+\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dce}\,U^{hd}(w)\,U^{ha}(w')\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x')\\
&+N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{ha}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^l(x')\,\rho^e(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{cde}\,U^{hl}(w')\,U^{ha}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^l(x')\,\rho^e(x)\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ea}(w)\,U^{db}(z)\,U^{hl}(x')\,\rho^l(x')\,\rho^c(x)\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x')\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{le}(w')\,U^{la}(w)\,U^{mb}(z)\,U^{md}(x')\,\rho^h(x')\,\rho^c(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ha}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^m(x)\,\rho^e(x')\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{ha}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^e(x')\,\rho^l(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{dce}\,U^{hl}(w)\,U^{ha}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^e(x')\,\rho^l(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{da}(w')\,U^{eb}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dce}\,U^{hd}(x)\,U^{ha}(w')\,U^{lb}(z)\,U^{lm}(x')\,\rho^m(x')\,\rho^e(x)
\end{aligned}
$$

$$
\begin{aligned}
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ld}(w)\,U^{la}(w')\,U^{mb}(z)\,U^{me}(x)\,\rho^{c}(x')\,\rho^{h}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dce}\,U^{hd}(w)\,U^{ha}(w')\,U^{lb}(z)\,U^{lm}(x')\,\rho^{m}(x')\,\rho^{e}(x)\Bigg]
\end{aligned}
\tag{5.5}
$$

Group III, Row II (three ρ).

$$
\begin{aligned}
\frac{d^3N}{d^3k}\Big|^{\log\vee}_{III.II} = \mathcal{N}\log\vee\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Bigg[\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^{b}(x')\,\rho^{c}(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{ce}(x)\,U^{bd}(z)\,\rho^{l}(x')\,\rho^{h}(x)\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{ha}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^{l}(x')\,\rho^{e}(x)\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^{c}(x')\,\rho^{b}(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{cd}(x')\,U^{be}(z)\,\rho^{h}(x')\,\rho^{l}(x)\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{ha}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^{e}(x')\,\rho^{l}(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,\rho^{b}(x)\,\rho^{e}(x')\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dce}\,U^{hd}(x)\,U^{ha}(w')\,\rho^{b}(x')\,\rho^{e}(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{cl}(x)\,U^{bd}(z)\,\rho^{l}(x)\,\rho^{h}(x')\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(x)\,U^{cl}(x')\,U^{be}(z)\,\rho^{l}(x')\,\rho^{h}(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x)\,U^{ac}(x')\,\rho^{b}(x)\,\rho^{c}(x')\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(z)\,\rho^{l}(x)\,\rho^{h}(x')\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(z)\,\rho^{l}(x')\,\rho^{h}(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{bde}\,U^{hd}(x')\,U^{ha}(w)\,\rho^{e}(x')\,\rho^{c}(x)\\
&-\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dbe}\,U^{hd}(x')\,U^{ha}(w')\,\rho^{c}(x)\,\rho^{e}(x')\\
&+N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(z)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&+\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^{m}(x)\,\rho^{e}(x')\\
&-\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dce}\,U^{hd}(x')\,U^{ha}(w')\,U^{lb}(z)\,U^{lm}(x)\,\rho^{m}(x)\,\rho^{e}(x')\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x')\,U^{ce}(x)\,U^{bd}(z)\,\rho^{l}(x')\,\rho^{h}(x)\\
&+N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x)\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\,f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{ha}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^{l}(x')\,\rho^{e}(x)\\
&+N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^{b}(x')\,\rho^{c}(x)\\
&+N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(z)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{cl}(x)\,U^{bd}(z)\,\rho^{l}(x)\,\rho^{h}(x')\\
&-2\,N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ea}(w)\,U^{db}(z)\,U^{hl}(x')\,\rho^{l}(x')\,\rho^{c}(x)\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,U^{lb}(z)\,U^{lm}(x)\,\rho^{m}(x)\,\rho^{e}(x')\\
&-2\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,\rho^{b}(x)\,\rho^{e}(x')\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,f^{abc}\,f^{deh}\,U^{al}(x)\,U^{cd}(x')\,U^{be}(z)\,\rho^{h}(x')\,\rho^{l}(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,f^{abc}\,f^{dce}\,U^{hl}(x)\,U^{ha}(w')\,U^{mb}(z)\,U^{md}(x')\,\rho^{e}(x')\,\rho^{l}(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^{b}(x)\,\rho^{c}(x')\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(z)\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(x)\,U^{cl}(x')\,U^{be}(z)\,\rho^{l}(x')\,\rho^{h}(x)
\end{aligned}
$$

$$
\begin{aligned}
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{da}(w')\,U^{eb}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dce}\,U^{hd}(x)\,U^{ha}(w')\,U^{lb}(z)\,U^{lm}(x')\,\rho^m(x')\,\rho^e(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{bde}\,U^{hd}(x)\,U^{ha}(w')\,\rho^c(x')\,\rho^e(x)\Big]
\end{aligned}
\tag{5.6}
$$

Group III, Row III (three ρ).

$$
\begin{aligned}
\frac{d^3N}{d^3k}\Big|^{\log\vee}_{III.III} = \mathcal{N}\log\vee\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(x')\,U^{ce}(x)\,U^{bd}(z)\,\rho^l(x')\,\rho^h(x)\\
&+N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(w')\,U^{ce}(x)\,U^{bd}(z)\,\rho^l(x')\,\rho^h(x)\\
&+N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;U^{ab}(w')\,U^{ca}(z)\,\rho^b(x')\,\rho^c(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{cl}(x)\,U^{bd}(z)\,\rho^l(x)\,\rho^h(x')\\
&-N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(z)\,\rho^h(x')\,\rho^l(x)\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{ade}\,U^{hb}(w')\,U^{eh}(z)\,\rho^d(x)\,\rho^c(x')\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(x)\,U^{cd}(x')\,U^{be}(z)\,\rho^h(x')\,\rho^l(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(w)\,U^{cd}(x')\,U^{be}(z)\,\rho^h(x')\,\rho^l(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;U^{ab}(w)\,U^{ca}(z)\,\rho^b(x)\,\rho^c(x')\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(x)\,U^{cl}(x')\,U^{be}(z)\,\rho^l(x')\,\rho^h(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x)\,U^{bl}(z)\,\rho^l(x')\,\rho^h(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dae}\,U^{hb}(w)\,U^{eh}(z)\,\rho^d(x')\,\rho^c(x)\Big]
\end{aligned}
\tag{5.7}
$$

Group III, Row V (three ρ).

$$
\begin{aligned}
\frac{d^3N}{d^3k}\Big|^{\log\vee}_{III.V} = \mathcal{N}\log\vee\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(x')\,U^{ce}(x)\,U^{bd}(z)\,\rho^l(x')\,\rho^h(x)\\
&-N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(w')\,U^{ce}(x)\,U^{bd}(z)\,\rho^l(x')\,\rho^h(x)\\
&+N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&+N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(z)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{cl}(x)\,U^{bd}(z)\,\rho^l(x)\,\rho^h(x')\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(z)\,\rho^h(x')\,\rho^l(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(z)\,\rho^l(x)\,\rho^h(x')\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(x)\,U^{cd}(x')\,U^{be}(z)\,\rho^h(x')\,\rho^l(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(w)\,U^{cd}(x')\,U^{be}(z)\,\rho^h(x')\,\rho^l(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(z)\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(x)\,U^{cl}(x')\,U^{be}(z)\,\rho^l(x')\,\rho^h(x)\\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x)\,U^{bl}(z)\,\rho^l(x')\,\rho^h(x)
\end{aligned}
$$

$$+\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(z)\,\rho^{l}(x')\,\rho^{h}(x)\Big] \tag{5.8}$$

Group III, Row VI (three ρ).

$$\begin{aligned}
\frac{d^3N}{d^3k}\Big|^{\log\vee}_{III.VI} = \mathcal{N}\log\vee\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[& \\
&+2\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(x')\,U^{ce}(x)\,U^{bd}(z)\,\rho^{l}(x')\,\rho^{h}(x)\\
&-N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;U^{ab}(x')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x)\\
&-N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;U^{ab}(x')\,U^{ca}(z)\,\rho^{b}(x')\,\rho^{c}(x)\\
&-2\,N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(z)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&+2\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{cl}(x)\,U^{bd}(z)\,\rho^{l}(x)\,\rho^{h}(x')\\
&+2\,N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-2\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{ade}\,U^{hb}(x')\,U^{eh}(z)\,\rho^{d}(x)\,\rho^{c}(x')\\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;f^{abc}\,f^{deh}\,U^{al}(x)\,U^{cd}(x')\,U^{be}(z)\,\rho^{h}(x')\,\rho^{l}(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;U^{ab}(x)\,U^{ca}(z)\,\rho^{b}(x)\,\rho^{c}(x')\\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(z)\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x)\\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(x)\,U^{cl}(x')\,U^{be}(z)\,\rho^{l}(x')\,\rho^{h}(x)\\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dae}\,U^{hb}(x)\,U^{eh}(z)\,\rho^{d}(x')\,\rho^{c}(x)\Big]
\end{aligned} \tag{5.9}$$

Group II, Row I (genuine two ρ).

$$\begin{aligned}
\frac{d^3N}{d^3k}\Big|^{\log\vee}_{II.I^{\rm gen}} = \mathcal{N}\log\vee\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[& \\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ha}(w)\,\rho^{b}(x)\,\rho^{e}(x')\\
&+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x)\,U^{ac}(x')\,\rho^{b}(x)\,\rho^{c}(x')\\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(z)\,\rho^{l}(x)\,\rho^{h}(x')\\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(z)\,\rho^{l}(x')\,\rho^{h}(x)\\
&+\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^{c}(x)\,\rho^{e}(x')\\
&+\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^{c}(x')\,\rho^{e}(x)\\
&-\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x')\,\rho^{c}(x)\,\rho^{l}(x')\\
&-\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^{c}(x')\,\rho^{l}(x)\\
&-\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x)\,\rho^{l}(x)\,\rho^{h}(x')\\
&-\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^{l}(x')\,\rho^{h}(x)\\
&+2\,N_c\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x)\,U^{bc}(x')\,\rho^{a}(x)\,\rho^{c}(x')\\
&+N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(z)\,\rho^{l}(x)\,\rho^{h}(x')\\
&+\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ea}(w)\,U^{db}(z)\,U^{hl}(x')\,\rho^{l}(x')\,\rho^{c}(x)\\
&-\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{bde}\,U^{hd}(w')\,U^{ha}(w)\,\rho^{e}(x')\,\rho^{c}(x)\\
&+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;U^{ab}(x')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(z)\,\rho^{l}(x')\,\rho^{h}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{deh}\,U^{da}(w')\,U^{eb}(z)\,U^{hl}(x)\,\rho^{c}(x')\,\rho^{l}(x)\\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{bde}\,U^{ha}(w')\,U^{hd}(w)\,\rho^{c}(x')\,\rho^{e}(x)\Big]
\end{aligned} \tag{5.10}$$

Group II, Row IV (genuine two ρ).

$$\frac{d^3N}{d^3k}\Big|^{\log\vee}_{II.IV^{\rm gen}} = \mathcal{N}\log\vee\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[$$
$$+2\,N_c\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{bc}(x')\,\rho^a(x)\,\rho^c(x')$$
$$+2\,N_c\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,\rho^a(x)\,\rho^a(x')$$
$$-2\,N_c\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(z)\,U^{cb}(x')\,\rho^a(x)\,\rho^c(x')$$
$$-2\,N_c\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(z)\,U^{cb}(x)\,\rho^a(x')\,\rho^c(x)\Big] \tag{5.11}$$

Group III, Row III, second part (genuine two ρ).

$$\frac{d^3N}{d^3k}\Big|^{\log\vee}_{III.III^{\rm gen}} = \mathcal{N}\log\vee\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[$$
$$+\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x')\,\rho^c(x)\,\rho^l(x')$$
$$+\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{da}(w')\,U^{be}(z)\,U^{hl}(x)\,\rho^c(x')\,\rho^l(x)$$
$$+\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x)\,\rho^l(x)\,\rho^h(x')$$
$$+\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{eb}(z)\,U^{lc}(x')\,\rho^l(x')\,\rho^h(x)$$
$$-4\,N_c\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{bc}(x')\,\rho^a(x)\,\rho^c(x')$$
$$+2\,N_c\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(z)\,U^{cb}(x')\,\rho^a(x)\,\rho^c(x')$$
$$+2\,N_c\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(z)\,U^{cb}(x)\,\rho^a(x')\,\rho^c(x)$$
$$+\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w)\,U^{eh}(z)\,\rho^d(x)\,\rho^c(x')$$
$$+\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w)\,U^{eh}(z)\,\rho^d(x')\,\rho^c(x)$$
$$+\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{eh}(z)\,\rho^c(x)\,\rho^d(x')$$
$$+\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{eh}(z)\,\rho^c(x')\,\rho^d(x)$$
$$+N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(z)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)$$
$$-N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)$$
$$-\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(z)\,\rho^l(x)\,\rho^h(x')$$
$$+\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{ade}\,U^{hb}(w')\,U^{eh}(z)\,\rho^d(x)\,\rho^c(x')$$
$$+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(z)\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)$$
$$-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)$$
$$+\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(z)\,\rho^l(x')\,\rho^h(x)$$
$$-\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dae}\,U^{hb}(w)\,U^{eh}(z)\,\rho^d(x')\,\rho^c(x)\Big] \tag{5.12}$$

From four ρ's: remainders d^3N_a, d^3N_b.

$$\frac{d^3N}{d^3k}\Big|^{\log\vee}_{4\rho,\,a\text{-}b} = \mathcal{N}\log\vee\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[$$
$$+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)$$
$$-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ac}(w)\,\rho^b(x')\,\rho^c(x)$$
$$+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,U^{ab}(x')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)$$
$$-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\,U^{ab}(w')\,U^{ac}(x)\,\rho^b(x')\,\rho^c(x)$$
$$+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)$$
$$-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{ac}(w')\,\rho^c(x')\,\rho^b(x)$$
$$+\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,U^{ab}(x)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)$$
$$-\tfrac{1}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\,U^{ab}(w)\,U^{ac}(x')\,\rho^c(x')\,\rho^b(x)$$
$$+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,\rho^b(x)\,\rho^e(x')$$
$$-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\,f^{abc}\,f^{dce}\,U^{hd}(x)\,U^{ha}(w')\,\rho^b(x')\,\rho^e(x)$$

$$
\begin{aligned}
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ha}(w)\,\rho^{b}(x)\,\rho^{e}(x') \\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(x')\,\rho^{l}(x)\,\rho^{h}(x') \\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(x)\,\rho^{l}(x')\,\rho^{h}(x) \\
&+\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{bde}\,U^{hd}(x')\,U^{ha}(w)\,\rho^{e}(x')\,\rho^{c}(x) \\
&-\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{dbe}\,U^{hd}(x')\,U^{ha}(w')\,\rho^{c}(x)\,\rho^{e}(x') \\
&-\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{bde}\,U^{hd}(w')\,U^{ha}(w)\,\rho^{e}(x')\,\rho^{c}(x) \\
&+\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{dbe}\,U^{hd}(w)\,U^{ha}(w')\,\rho^{c}(x)\,\rho^{e}(x') \\
&-N_c\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x) \\
&+\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cd}(x')\,U^{bl}(x)\,\rho^{h}(x')\,\rho^{l}(x) \\
&-\tfrac{1}{2}\,\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{ce}(x')\,U^{bl}(x)\,\rho^{l}(x)\,\rho^{h}(x')\Big]
\end{aligned}
\tag{5.13}
$$

From four ρ's: the two-ρ lists of `4rho.tex`.

$$
\begin{aligned}
\frac{d^3N}{d^3k}\bigg|^{\log\vee}_{4\rho\text{-lists}} = \mathcal{N}\log\vee\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[\\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\; f^{abc}\,f^{deh}\,U^{al}(x')\,U^{ce}(x)\,U^{bd}(z)\,\rho^{l}(x')\,\rho^{h}(x) \\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\; U^{ab}(x')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x) \\
&-3\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\; f^{abc}\,f^{deh}\,U^{al}(w')\,U^{ce}(x)\,U^{bd}(z)\,\rho^{l}(x')\,\rho^{h}(x) \\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\; U^{ab}(w')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\; f^{abc}\,f^{cde}\,U^{hl}(x')\,U^{ha}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^{l}(x')\,\rho^{e}(x) \\
&+3\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\; f^{abc}\,f^{cde}\,U^{hl}(w')\,U^{ha}(w)\,U^{mb}(z)\,U^{md}(x)\,\rho^{l}(x')\,\rho^{e}(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\; f^{abc}\,f^{cde}\,U^{ah}(z)\,U^{bl}(x)\,U^{dh}(x)\,U^{ml}(w')\,\rho^{m}(x')\,\rho^{e}(x) \\
&-3\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\; f^{abc}\,f^{cde}\,U^{ah}(w)\,U^{bl}(x)\,U^{dl}(z)\,U^{mh}(w')\,\rho^{m}(x')\,\rho^{e}(x) \\
&+3\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\; f^{abc}\,f^{cde}\,U^{ah}(z)\,U^{dl}(w)\,U^{lm}(w')\,U^{hb}(x)\,\rho^{m}(x')\,\rho^{e}(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\; f^{abc}\,f^{cde}\,U^{hd}(w)\,U^{hl}(x')\,U^{ma}(z)\,U^{mb}(x)\,\rho^{l}(x')\,\rho^{e}(x) \\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\; f^{abc}\,f^{cde}\,U^{ah}(z)\,U^{bl}(x)\,U^{dh}(x)\,U^{ml}(x')\,\rho^{m}(x')\,\rho^{e}(x) \\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\; f^{abc}\,f^{cde}\,U^{hd}(x)\,U^{hl}(w')\,U^{ma}(z)\,U^{mb}(x)\,\rho^{l}(x')\,\rho^{e}(x) \\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\; f^{abc}\,f^{cde}\,U^{hd}(x)\,U^{hl}(x')\,U^{ma}(z)\,U^{mb}(x)\,\rho^{l}(x')\,\rho^{e}(x) \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\; f^{abc}\,f^{cde}\,U^{hb}(w)\,U^{hl}(x')\,U^{ma}(x)\,U^{md}(z)\,\rho^{l}(x')\,\rho^{e}(x) \\
&-2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\; U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x) \\
&+2\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\; U^{ab}(w)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x) \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\; f^{abc}\,f^{cde}\,U^{hb}(x')\,U^{hl}(w)\,U^{ma}(z)\,U^{md}(x')\,\rho^{l}(x)\,\rho^{e}(x') \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\; f^{abc}\,f^{cde}\,U^{hb}(x')\,U^{hl}(x)\,U^{ma}(z)\,U^{md}(x')\,\rho^{l}(x)\,\rho^{e}(x') \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\; f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{hl}(w)\,U^{ma}(z)\,U^{mb}(x')\,\rho^{l}(x)\,\rho^{e}(x') \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\; f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{hl}(x)\,U^{ma}(z)\,U^{mb}(x')\,\rho^{l}(x)\,\rho^{e}(x') \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,\rho^{b}(x)\,\rho^{e}(x') \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{dce}\,U^{hd}(x)\,U^{ha}(w')\,\rho^{b}(x')\,\rho^{e}(x) \\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ha}(w)\,\rho^{b}(x)\,\rho^{e}(x') \\
&+\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{deh}\,U^{ae}(x')\,U^{cl}(x)\,U^{bd}(z)\,\rho^{l}(x)\,\rho^{h}(x') \\
&-\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{deh}\,U^{ad}(x)\,U^{cl}(x')\,U^{be}(z)\,\rho^{l}(x')\,\rho^{h}(x) \\
&+\tfrac{3}{2}\,N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; U^{ab}(x)\,U^{ac}(x')\,\rho^{b}(x)\,\rho^{c}(x') \\
&-\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{deh}\,U^{ae}(w')\,U^{cl}(x)\,U^{bd}(z)\,\rho^{l}(x)\,\rho^{h}(x') \\
&+\tfrac{1}{2}\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(z)\,\rho^{l}(x')\,\rho^{h}(x) \\
&- \mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\; f^{abc}\,f^{deh}\,U^{ad}(w)\,U^{cl}(x')\,U^{be}(x)\,\rho^{l}(x')\,\rho^{h}(x)
\end{aligned}
$$

$$+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{ade}\,U^{hb}(x)\,U^{hd}(x')\,\rho^{e}(x')\,\rho^{c}(x)\Big] \tag{5.14}$$

kernel structure	class	independent colour structures	differences
$\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(x,x,z)$	charge–charge	12	0
$\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(x',x',z)$	charge–charge	10	0
$\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\;K(x,x',z)$	charge–charge	13	0
$\mathcal{K}(x'-w)\cdot\mathcal{K}(x'-w')\;K(x,x',z)$	charge–charge	14	0
$\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\;K(x,x',z)$	BFKL only	14	0
$\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\;K(x,x,z)$	BFKL only	10	0
$\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\;K(x,x',z)$	BFKL only	13	0
$\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\;K(x',x',z)$	BFKL only	10	0
$\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\;K(x,x',z)$	BFKL only	13	0

The sum. Collected, the sum is BFKL⊗LO, Eq. (3.2) before the charge average (orange / purple: 23 / 12):

$$\left.\frac{d^3N}{d^3k}\right|_{\text{BFKL}\otimes\text{LO}} = \mathcal{N}\log\vee\int_{x,x',z,w,w'} e^{-ik\cdot(w'-w)}\Big[$$

$$+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;U^{ab}(x')\,U^{ac}(w)\,\rho^{b}(x')\,\rho^{c}(x)$$
$$-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;U^{ab}(w')\,U^{ac}(w)\,\rho^{b}(x')\,\rho^{c}(x)$$
$$-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;U^{ab}(x')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x)$$
$$+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x-z)^2}\;U^{ab}(w')\,U^{ac}(x)\,\rho^{b}(x')\,\rho^{c}(x)$$
$$+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;U^{ab}(x)\,U^{ac}(w')\,\rho^{c}(x')\,\rho^{b}(x)$$
$$-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;U^{ab}(w)\,U^{ac}(w')\,\rho^{c}(x')\,\rho^{b}(x)$$
$$-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;U^{ab}(x)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)$$
$$+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\tfrac{1}{(x'-z)^2}\;U^{ab}(w)\,U^{ac}(x')\,\rho^{c}(x')\,\rho^{b}(x)$$
$$-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,\rho^{b}(x)\,\rho^{e}(x')$$
$$+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dce}\,U^{hd}(x)\,U^{ha}(w')\,\rho^{b}(x')\,\rho^{e}(x)$$
$$+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{cde}\,U^{hd}(w')\,U^{ha}(w)\,\rho^{b}(x)\,\rho^{e}(x')$$
$$+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{ade}\,U^{hb}(x)\,U^{hd}(x')\,\rho^{e}(x')\,\rho^{c}(x)$$
$$+\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^{c}(x)\,\rho^{e}(x')$$
$$+\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{hd}(w)\,\rho^{c}(x')\,\rho^{e}(x)$$
$$+2\,N_c\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;\rho^{a}(x)\,\rho^{a}(x')$$
$$+\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dbe}\,U^{ha}(w)\,U^{eh}(z)\,\rho^{d}(x)\,\rho^{c}(x')$$
$$+\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dbe}\,U^{ha}(w)\,U^{eh}(z)\,\rho^{d}(x')\,\rho^{c}(x)$$
$$+\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{eh}(z)\,\rho^{c}(x)\,\rho^{d}(x')$$
$$+\,\mathcal{K}(w-z)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dbe}\,U^{ha}(w')\,U^{eh}(z)\,\rho^{c}(x')\,\rho^{d}(x)$$
$$-N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;U^{ab}(w')\,U^{ac}(w)\,\rho^{b}(x')\,\rho^{c}(x)$$
$$+N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;U^{ab}(x')\,U^{ac}(w)\,\rho^{b}(x')\,\rho^{c}(x)$$
$$+N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;U^{ab}(w')\,U^{ca}(z)\,\rho^{b}(x')\,\rho^{c}(x)$$
$$-N_c\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\tfrac{1}{(x-z)^2}\;U^{ab}(x')\,U^{ca}(z)\,\rho^{b}(x')\,\rho^{c}(x)$$
$$-2\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{bde}\,U^{hd}(w')\,U^{ha}(w)\,\rho^{e}(x')\,\rho^{c}(x)$$
$$-2\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{cde}\,U^{hd}(x')\,U^{ha}(w)\,\rho^{b}(x)\,\rho^{e}(x')$$
$$+2\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{ade}\,U^{hb}(w')\,U^{eh}(z)\,\rho^{d}(x)\,\rho^{c}(x')$$
$$-2\,\mathcal{K}(x'-w')\cdot\mathcal{K}(w-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{ade}\,U^{hb}(x')\,U^{eh}(z)\,\rho^{d}(x)\,\rho^{c}(x')$$
$$-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;U^{ab}(w')\,U^{ac}(w)\,\rho^{c}(x)\,\rho^{b}(x')$$
$$+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;U^{ab}(x)\,U^{ac}(w')\,\rho^{b}(x)\,\rho^{c}(x')$$
$$+N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;U^{ab}(w)\,U^{ca}(z)\,\rho^{b}(x)\,\rho^{c}(x')$$
$$-N_c\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\tfrac{1}{(x'-z)^2}\;U^{ab}(x)\,U^{ca}(z)\,\rho^{b}(x)\,\rho^{c}(x')$$

$$
\begin{aligned}
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{bde}\,U^{ha}(w')\,U^{hd}(w)\,\rho^{c}(x')\,\rho^{e}(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{bde}\,U^{hd}(x)\,U^{ha}(w')\,\rho^{c}(x')\,\rho^{e}(x)\\
&-2\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dae}\,U^{hb}(w)\,U^{eh}(z)\,\rho^{d}(x')\,\rho^{c}(x)\\
&+2\,\mathcal{K}(x-w)\cdot\mathcal{K}(w'-z)\,\mathcal{K}(x-z)\cdot\mathcal{K}(x'-z)\;f^{abc}\,f^{dae}\,U^{hb}(x)\,U^{eh}(z)\,\rho^{d}(x')\,\rho^{c}(x)\Big]
\end{aligned}
\tag{5.15}
$$

6 Every term that depends on Λ or $\vee$

In your files Λ and $\vee$ enter only through the limits of the p^+ integrals (and of the ξ integral of Group II Row IV). After integration every row has the form of Eq. (2.1). Below are all the types of Λ- or $\vee$-dependence that occur in `Group_I.tex`, `Group_II.tex` and `Group_III.tex`, and where each one goes.

type	where	fate
$\log\frac{\vee}{\Lambda}$, two ρ's	all groups	evolution: $\mathcal{J}$ (rule A) or $\frac{1}{2}(\mathcal{J}+\mathcal{B})$ (rule C), Sec. 4
$\log\frac{\vee}{\Lambda}$, three ρ's	G1 II–V, G2 I, G3 I–III, V, VI	cancel after symmetrization, Sec. 9
$\log\frac{\vee}{\Lambda}$, four ρ's	G1 I, G2 II, III, G3 IV	cancel after symmetrization, Sec. 9
$\log\frac{\vee}{k^+}$, two ρ's: explicit ($\log\frac{\vee}{k^+}$, $\log\frac{\vee}{k^+\pm\Lambda}$, $\log\frac{k^+-\Lambda}{\vee}$, $\log(\frac{\vee}{k^+}-1)$) and hidden (Eqs. (6.1), (6.2))	all groups	$\mathcal{B}-\mathcal{J}$, Eq. (2.3); at mid rapidity part of $\frac{1}{2}\log\frac{\vee}{\Lambda}(\mathcal{J}+\mathcal{B})$
$\log\frac{\vee}{k^+}$, three ρ's / four ρ's		cancel / none (`LogVeeKplus_BFKL.pdf`)
$\frac{1}{\Lambda}$, $\frac{1}{\vee-k^+}$, $\frac{1}{k^+-\Lambda}$	G1 III (N_1, N_2, N_{3a})	cancel exactly, Eq. (6.3)
poles $\times\log\frac{\vee}{\Lambda}$	G1 II, G1 V 2b UV, G2 IV	cancel, Sec. 7; the finite rest is part of $\mathcal{J}$
power corrections (list below)	all groups	vanish for $\Lambda/k^+\to 0$, $k^+/\vee\to 0$

The logarithms with $\vee$ and Λ inside. With $A=(x-z)^2$, $B=(x-w)^2$ (or the primed ones), exactly:

$$
\log\frac{(\vee-k^+)A+k^+B}{\Lambda A+k^+B}=\log\frac{\vee}{k^+}+\log\frac{A}{B}+\log\Big(1-\frac{k^+}{\vee}+\frac{k^+B}{\vee A}\Big)-\log\Big(1+\frac{\Lambda A}{k^+B}\Big),
\tag{6.1}
$$

$$
\log\Big|\frac{k^+B-\vee A}{k^+B-(k^++\Lambda)A}\Big|=\log\frac{\vee}{k^+}+\log\Big|\frac{A}{A-B}\Big|+O\Big(\frac{k^+}{\vee},\frac{\Lambda}{k^+}\Big).
\tag{6.2}
$$

The first occurs in Groups II and III and Group I Row IV; the second in Group I Row III (N_1, N_2). Both limits were checked with `sympy`. The other logarithms have no large part:

- $\log\big|\frac{k^+B-(k^+-\Lambda)A}{k^+B-\Lambda A}\big|=\log\big|\frac{B-A}{B}\big|+O(\frac{\Lambda}{k^+})$ (N_1, N_{3a});
- $\log\frac{[k^+(x-w)-(k^+-\Lambda)(x-z)]^2}{[k^+(x-w)-\Lambda(x-z)]^2}=\log\frac{(z-w)^2}{(x-w)^2}+O(\frac{\Lambda}{k^+})$ (N_{3b});
- $\mathcal{A}$ (N_{3a}, N_{3b}): Λ only at $O(\frac{\Lambda}{k^+})$;
- $\log\frac{\Lambda(x-z)^2+k^+(x-w)^2}{k^+(x'-w')^2+\Lambda(x'-z)^2}=\log\frac{(x-w)^2}{(x'-w')^2}+O(\frac{\Lambda}{k^+})$ (Group II Row I);
- R^i (Group I Row II part 2): $\vee$ only through $\frac{k^+}{\vee}$, which can be set to zero.

The $\frac{1}{\Lambda}$ terms. With $D=(x-z)^2-(x-w)^2$ and the common factor $C=\frac{ig^4f^{abd}}{8\pi^5}\frac{(x'-w')\cdot(y-z)}{(x'-w')^2(y-z)^2}\times$ colour, the four terms of N_1, N_2 (overall minus), N_{3a} give

$$
\frac{C}{D}\Big\{\Big[\frac{1}{\Lambda}-\frac{1}{\vee-k^+}\Big]+\Big[\frac{1}{\Lambda}-\frac{1}{k^+-\Lambda}\Big]+\Big[\frac{1}{\vee-k^+}-\frac{1}{\Lambda}\Big]-\Big[\frac{1}{\Lambda}-\frac{1}{k^+-\Lambda}\Big]\Big\}=0.
\tag{6.3}
$$

Power corrections (all vanish for $\Lambda\to 0$, $\vee\to\infty$):

- $\frac{4\Lambda}{k^+}-\frac{\Lambda^2}{k^{+2}}+\frac{2\Lambda^3}{3k^{+3}}$ (Row V 2b), and the powers of $\delta=\Lambda/k^+$ in the exact Row II bracket;
- $\log(1\pm\frac{\Lambda}{k^+})$;
- $\log(1-\frac{k^+}{\vee})$, $\log^2(1-\frac{k^+}{\vee})$, and $\log(1-\frac{k^+}{\vee})\log\frac{\vee}{k^+}=O(\frac{k^+}{\vee}\log\frac{\vee}{k^+})$;
- the lower limits 0 instead of Λ of the plus prescriptions: $O(\Lambda/k^+)$;
- the remainder $-N_c\log(1-\frac{k^+}{\vee})$ in the $\delta(1-\xi)$ tally of Sec. 7: $O(k^+/\vee)$.

Result.

$$\frac{d^3N}{d^3k} = \mathrm{LO}\otimes D + \mathcal{N}\Big[\log\frac{k^+}{\Lambda}\,\mathcal{J} + \log\frac{\vee}{k^+}\,\mathcal{B}\Big] + \text{finite} + O\Big(\frac{\Lambda}{k^+},\frac{k^+}{\vee}\Big), \tag{6.4}$$

with no other dependence on Λ or $\vee$. At mid rapidity the bracket is $\frac{1}{2}\log\frac{\vee}{\Lambda}(\mathcal{J}+\mathcal{B})$. The scale μ cancels in the $\log\frac{\vee}{\Lambda}$ sector (Sec. 7) and between the β_0 terms (Sec. 8); what is left of it is the scale of D.

The $\log\frac{\vee}{k^+}$ rows of the table rest on the earlier check of the same rows (`LogVeeKplus_BFKL.pdf`). The fixes found there (P1, F3, F5, F6) are now in your files, but that check was not repeated row by row on these files.

7 DGLAP

7.1 The poles in the $\log\frac{\vee}{\Lambda}$ terms cancel

Three genuine $\log\frac{\vee}{\Lambda}$ terms carry a pole: Group I Row II, Group I Row V 2b UV and Group II Row IV. This is the soft end ($\xi\to 1$) of the collinear divergence. Write

- $E(r) = \frac{2}{\epsilon} + 2\gamma_E + \log\frac{r^2\mu^2_{\overline{MS}}}{4}$;
- $\mathcal{S} = e^{-ik\cdot(w'-w)}\mathcal{K}(x'-w')\cdot\mathcal{K}(x-w)\,[U(x')-U(w')]^{ab'}\rho^{b'}(x')\,[U(w)-U(x)]^{ab}\rho^{b}(x)$.

In Row V 2b rename $y\to x$, $z\to w$; in Group II Row IV rename $y\to w$, $y'\to w'$. Then, with the c.c. of Group I:

- Group I Row II: $+\pi N_c\big[E(x-w)+E(x'-w')\big]\mathcal{S}$;
- Group I Row V 2b UV: $-2\pi N_c\big[E(x-w)+E(x'-w')\big]\mathcal{S}$;
- Group II Row IV: $+2\pi N_c\,E(w-w')\,\mathcal{S}$.

All are in units of $\mathcal{N}\log\frac{\vee}{\Lambda}\int$. The sum is

$$\frac{1}{(2\pi)^3}\frac{g^4N_c}{16\pi^4}\frac{1}{k^+}\log\frac{\vee}{\Lambda}\int_{x,x',w,w'}\log\frac{(w-w')^4}{(x-w)^2(x'-w')^2}\,\mathcal{S}. \tag{7.1}$$

- The pole cancels: $+2-4+2=0$ in units of $\pi N_c\frac{2}{\epsilon}\mathcal{S}$. So do γ_E and μ.
- The remainder is part of JIMWLK⊗LO: it is the z integral of the terms whose colour does not depend on $U(z)$, done in the same scheme.
- So no DGLAP (collinear) logarithm multiplies $\log\frac{\vee}{\Lambda}$.

7.2 DGLAP from Group II, Row IV

At general $\xi = \frac{k^+}{p^++k^+}$ the pole of Group II Row IV is the real part of P_{gg} (`RowIV_FF_userform.pdf`). Write

- $\mathrm{LO}(\xi) = \frac{1}{(2\pi)^3}\frac{g^2}{2\pi^2k^+}\int_{x,y,x',y'} e^{-ik\cdot(y'-y)/\xi}\,X\cdot X'\,\mathcal{O}$;
- $X = \mathcal{K}(x-y)$, $X' = \mathcal{K}(x'-y')$;
- $\mathcal{O} = [U(y')-U(x')]^{e'c}\rho^{e'}(x')[U(y)-U(x)]^{ec}\rho^{e}(x)$.

Then:

$$\frac{d^3N_{\mathrm{IV}}}{d^3k}\bigg|_{\text{pole}} = \frac{\alpha_s}{2\pi}\Big(-\frac{2}{\epsilon}\Big)\bigg\{\int_{\frac{k^+}{\vee}}^1\frac{d\xi}{\xi^2}\,P^{(r)}_{gg,+}(\xi)\,\mathrm{LO}(\xi) + 2N_c\Big[\log\frac{\vee}{\Lambda}-\log\frac{\vee}{k^+}\Big]\mathrm{LO}(1)\bigg\}, \tag{7.2}$$

$$P^{(r)}_{gg,+}(\xi) = 2N_c\Big[\frac{\xi}{(1-\xi)_+}+\frac{1-\xi}{\xi}+\xi(1-\xi)\Big].$$

The $\delta(1-\xi)$ terms at the pole, in units of $\frac{\alpha_s}{2\pi}(-\frac{2}{\epsilon})N_c\,\mathrm{LO}(1)$:

source	coefficient
Group II Row IV	$2\log\frac{\vee}{\Lambda} - 2\log\frac{\vee}{k^+}$
Group I Row II (with c.c.)	$-\frac{11}{3} + 2\log\frac{\vee}{\Lambda} - 2\log\frac{\vee}{k^+} - \log(1-\frac{k^+}{\vee})$
Group I Row V 2b UV (with c.c.)	$\frac{11}{3} - 4\log\frac{\vee}{\Lambda} + 4\log\frac{\vee}{k^+}$
charge renormalization of LO	$+\frac{11}{6}$
sum	$\frac{11}{6} - \log(1-\frac{k^+}{\vee})$

The $\log\frac{\vee}{\Lambda}$ $(2+2-4)$ and $\log\frac{\vee}{k^+}$ cancel; this is Eq. (7.1) again. The $\frac{11}{3}$ cancel between Group I Rows II and V (running coupling). What is left, $\frac{11N_c}{6}=\frac{\beta_0}{2}$, is the $\delta(1-\xi)$ part of P_{gg}. The remainder $-N_c\log(1-\frac{k^+}{\vee})$ is of order $k^+/\vee$ and is still open. Hence

$$\left.\frac{d^3N_g}{d^3k}\right|_{\rm pole}=\frac{\alpha_s}{2\pi}\Big(-\frac{2}{\epsilon}\Big)\int_{\frac{k^+}{\vee}}^1\frac{d\xi}{\xi^2}P_{gg}(\xi)\,{\rm LO}(\xi),\qquad P_{gg}(\xi)=2N_c\Big[\frac{\xi}{(1-\xi)_+}+\frac{1-\xi}{\xi}+\xi(1-\xi)\Big]+\frac{11N_c}{6}\delta(1-\xi).\quad(7.3)$$

The pole is absorbed into the fragmentation function, $D^{(0)}_{h/g}(\xi)=\int_\xi^1\frac{dz}{z}\big[\delta(1-z)+\frac{\alpha_s}{2\pi}\frac{2}{\epsilon}P_{gg}(z)\big]D_{h/g}(\frac{\xi}{z},\mu)$. The μ independence of $\frac{d^3N_h}{d^3k}$ then gives

$$\boxed{\mu^2\frac{\partial}{\partial\mu^2}D_{h/g}(\xi,\mu)=\frac{\alpha_s(\mu)}{2\pi}\int_\xi^1\frac{dz}{z}P_{gg}(z)\,D_{h/g}\Big(\frac{\xi}{z},\mu\Big)}\qquad(7.4)$$

with the natural scale $\mu=c_0/|y'-y|\sim|\mathbf{k}|$, $c_0=2e^{-\gamma_E}$.

8 Running coupling

Reference: A. Kovner, M. Lublinsky, V. Skokov, Z. Zhao, *Not all that is β_0 is β-function: the DGLAP resummation and the running coupling in NLO JIMWLK*, arXiv:2308.15545 (KLSZ below).

8.1 The β_0 terms of your cross section

Write

- $X=x-w$, $X'=x'-w'$: the distances between the emitting charge and the measured gluon, in the amplitude and in the conjugate amplitude;
- $E_X=\frac{2}{\epsilon}+\ell_X$, with $\ell_X=2\gamma_E+\log\frac{X^2\mu^2_{\overline{MS}}}{4}=\log\frac{X^2\mu^2_{\overline{MS}}}{c_0^2}$ and $c_0=2e^{-\gamma_E}$;
- LO $=\frac{1}{(2\pi)^3}\frac{g^2}{2\pi^2k^+}\int e^{-ik\cdot(w'-w)}\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{O}$, with $\mathcal{O}=[U(w')-U(x')]^{ab'}\rho^{b'}(x')[U(w)-U(x)]^{ab}\rho^b(x)$.

Relative to LO (inside the integrals), with the c.c. of Group I and $\beta_0=\frac{11}{3}N_c$ (no quarks):

- Group I Row II, Eq. (1.2), the part without $\log\frac{\vee}{\Lambda}$, $\log\frac{\vee}{k^+}$: $\frac{\alpha_s}{2\pi}\big[\beta_0\frac{1}{2}(E_X+E_{X'})+N_c(\frac{67}{9}-\frac{\pi^2}{3})\big]$;
- Group I Row V 2b UV, Eq. (1.28), after $y\to x$, $z\to w$: $-\frac{\alpha_s\beta_0}{4\pi}(E_X+E_{X'})$;
- charge renormalization of the LO coupling, $\alpha_0=\alpha_s(\mu)\big[1-\frac{\alpha_s\beta_0}{4\pi}\frac{2}{\epsilon}\big]$: $-\frac{\alpha_s\beta_0}{4\pi}\frac{2}{\epsilon}$;
- Group II Row IV: no β_0.

8.2 Comparison with KLSZ

Group I Row II is K_{JSJ}. KLSZ Eq. (7) gives, relative to the LO kernel $\frac{\alpha_s}{2\pi^2}\frac{X\cdot Y}{X^2Y^2}$,

$$\frac{K_{JSJ}}{K_{\rm LO}}=\frac{\alpha_s}{2\pi}\Big[\beta_0\frac{1}{2}\big(\ln X^2\mu^2+\ln Y^2\mu^2\big)+N_c\Big(\frac{67}{9}-\frac{\pi^2}{3}\Big)\Big],\qquad\mu^2=\frac{\mu^2_{\overline{MS}}}{4}e^{2\gamma_E}.$$

So $\ln X^2\mu^2=\ell_X$, and your Row II is identical, with $Y\to X'$: in the cross section the second emission is in the conjugate amplitude. The prefactor ratio was checked with `sympy`. This is twice the running-coupling logarithm (KLSZ, Sec. II.C).

Group I Row V is the dressed gluon (KLSZ Eqs. (25)–(31)):

- **Colour.** After your identity, part 2a $[-f^{adc}f^{fbe}U^{db}(x)U^{ce}(z)+N_cU^{af}(x)]$ is KLSZ's $D(z_1,z_2)-N_cS$ (real minus virtual): UV finite. Part 2b, $N_c[U^{af}(y)-U^{af}(x)]$, carries the virtual N_cS part with the LO colour.
- **Longitudinal weight.** With $\xi=p^+/k^+$, $\Phi(\xi)=\xi(1-\xi)+\frac{\xi}{1-\xi}+\frac{1-\xi}{\xi}=\frac{\xi^2+(1-\xi)^2+\xi^2(1-\xi)^2}{\xi(1-\xi)}$. This is KLSZ's integrand (difference 0, `sympy`).
- **Double plus prescription.** Exactly, $\int_\lambda^{1-\lambda}d\xi\,\Phi(\xi)=2\log\frac{1-\lambda}{\lambda}-\frac{11}{6}+4\lambda-\lambda^2+\frac{2}{3}\lambda^3$, with $\lambda=\Lambda/k^+$. The constant is KLSZ Eq. (28): $\int_0^1\frac{d\xi}{\xi+(1-\xi)_+}[\cdots]=-\frac{11}{6}=-\frac{\beta_0}{2N_c}$ (`sympy`). KLSZ subtract both poles $\xi=0,1$ because they belong to the energy evolution. In your file the two endpoint logarithms are the $\log\frac{\vee}{\Lambda}$ terms of Row V, which go into JIMWLK⊗LO (Sec. 4): the same separation.
- **Transverse.** The counterterm kernel $K(z,z,x)-K(y,z,x)=\frac{(y-x)\cdot(y-z)}{(y-x)^2(x-z)^2}$ is $\frac{1}{(x-z)^2}$ for $|x-z|\ll|y-z|$ and is cut off at $|x-z|\sim|y-z|$. The size of the gluon pair runs from $1/\mu$ to the emitter distance: KLSZ's resolution $\tilde{Q}=1/|X|$ (their Eqs. (35), (36)). Hence $E(y-z)$, i.e. KLSZ Eq. (31) with $Q=1/|X|$.
- **Result.** Row V 2b UV $=-\frac{\alpha_s\beta_0}{4\pi}(E_X+E_{X'})\,{\rm LO}$: the dressing of the measured gluon, once on $U(w)$ (amplitude) and once on $U(w')$ (conjugate amplitude).

Counting. In units $u = \frac{\alpha_s\beta_0}{8\pi}(\ell_X + \ell_{X'})$ LO, which is what $\alpha_s(\mu) \to \sqrt{\alpha_s(c_0^2/X^2)\,\alpha_s(c_0^2/X'^2)}$ requires (`sympy`, one-loop running):

	NLO JIMWLK (KLSZ)	your cross section
one-gluon NLO kernel	K_{JSJ}: $+2u$	Group I Row II: $+2u$
dressing of the gluon	$-1u$ (one adjoint $S(z)$ in the real term)	Group I Row V 2b: $-2u$ (two Wilson lines $U(w)$, $U(w')$)
net	$+1u$: running coupling at X, Y	0 (exact; numerically 2×10^{-16}, exact in Λ)

So in the cross section the β_0 logarithms of the emitter–gluon distance cancel at fixed order, and so do their poles and μ. The coupling of LO must still be renormalized. Its counterterm leaves $-\frac{\alpha_s\beta_0}{4\pi}\frac{2}{\epsilon}$ LO, which is collinear: it is the $\frac{\beta_0}{2}\delta(1-\xi)$ of the fragmentation counterterm (Sec. 7).

8.3 The running coupling in your cross section

At $O(\alpha_s^2)$, exactly (`sympy`),

$$\alpha_s(\mu)\,\mathrm{LO} + \big[\text{Row II} + \text{Row V}\big]_{\beta_0} = \mathrm{LO}\big[\alpha_s \to g(c_0^2/X^2)\,g(c_0^2/X'^2)/4\pi\big] \;-\; \frac{\alpha_s\beta_0}{8\pi}\big(\ell_X+\ell_{X'}\big)\,\mathrm{LO} + O(\alpha_s^3), \tag{8.1}$$

with $g^2(Q^2) = 4\pi\alpha_s(Q^2)$ and one-loop running, $\alpha_s(c_0^2/X^2) = \alpha_s(\mu)\big[1+\frac{\alpha_s\beta_0}{4\pi}\ell_X\big] + O(\alpha_s^3)$. In words:

- **The first term is LO with the running coupling at the emitter–gluon distances.** This is KLSZ's choice, $\lambda = \frac{1}{2}$ in their Eq. (41): one g at the emission vertex in the amplitude (distance X) and one in the conjugate amplitude (distance X'),

$$\left.\frac{d^3N}{d^3k}\right|_{\mathrm{LO,\,rc}} = \frac{1}{(2\pi)^3}\frac{1}{2\pi^2k^+}\int_{x,x',w,w'} e^{-ik\cdot(w'-w)}\,g\Big(\frac{c_0^2}{(x-w)^2}\Big)\,g\Big(\frac{c_0^2}{(x'-w')^2}\Big)\,\mathcal{K}(x-w)\cdot\mathcal{K}(x'-w')\,\mathcal{O}.$$

- **The second term is DGLAP-like** (KLSZ Sec. III): the dressing of the measured gluon with resolution $1/|X|$ ($1/|X'|$). It carries all the μ dependence, $-\frac{\alpha_s\beta_0}{4\pi}\log\mu^2\,\mathrm{LO}$, which cancels against the $\frac{\beta_0}{2}\delta(1-\xi)$ term of the evolution of the fragmentation function, Eq. (7.4). With the fragmentation scale μ_F it becomes $-\frac{\alpha_s\beta_0}{8\pi}\big[\log\frac{X^2\mu_F^2}{c_0^2} + \log\frac{X'^2\mu_F^2}{c_0^2}\big]\,\mathrm{LO}$. This is a DGLAP-like logarithm between the resolution $1/|X|$ and $\mu_F \sim |\mathbf{k}|$; KLSZ resum such logarithms with their Eq. (43).

- **If $\alpha_s(\mu)$ is kept in LO,** the natural scale is the fragmentation scale, $\mu = \mu_F \simeq c_0/|y'-y| \sim |\mathbf{k}|$ (Sec. 7): then the β_0 part of the μ dependence cancels within LO$\otimes D$.

- **Constant.** Row II also contains $\frac{\alpha_s}{2\pi}N_c(\frac{67}{9}-\frac{\pi^2}{3})\,\mathrm{LO} = \frac{\alpha_s}{\pi}K\,\mathrm{LO}$, with $K = N_c(\frac{67}{18}-\frac{\pi^2}{6})$: the same constant as in K_{JSJ}. It is not a logarithm and does not set the scale.

- **Quarks** are not in your calculation, so $\beta_0 = \frac{11}{3}N_c$. With quarks, $\beta_0 = \frac{11N_c-2N_f}{3}$ and the $q\bar{q}$ dressing of KLSZ Eq. (13) is added.

9 Three and four ρ's

- **Three ρ's.** The list "All three ρ term with c.c." (152 terms, classes α, α', β, β') is identical to the list of `ThreeRho_cancellation_v3.pdf`.
  - It is checked again here with random SU(3) Wilson lines ($U^{bc} = U^{cb}$) and charges, after full symmetrization.
  - There are 0 non-cancelling kernel monomials; the largest residual is 2×10^{-15}, against single terms of $O(1)$.
  - Its two-ρ remainders are your Sec. 2, which is checked in Sec. 10.

- **Four ρ's.** The four-ρ terms of `4rho.tex` cancel after symmetrization: 4.7×10^{-15} (scale 66). Their three-ρ remainders are d^3N_a, d^3N_b (10^{-14}). Their two-ρ remainders are the `4rho.tex` lists of Eq. (4.9) and your "From 4ρ's".

- **Display issues (M3, M4)**, which do not enter the lists:
  - `Group_I.tex` Eq. (1.5);
  - the top of `Evolution_three_rho.tex`, Rows II and III.

  See the summary.

10 Checks

Scripts in `final_check/`:

check	result
Sec. 2 of `Evolution_terms.tex`, row by row, vs the checked lists (`compare_sec2.py`): differing kernel monomials	A,B: 0, 3:I.II: 0, 3:I.III: 0, D: 0, 3:I.IV: 0, 3:I.V: 0, 3:II.I: 0, 3:III.I: 0, 3:III.II: 0, 3:III.III: 0, 3:III.V: 0, 3:III.VI: 0
the same, pointwise (largest relative difference)	6×10^{-15}
genuine terms of Sec. 1 vs the corrected genuine terms (`genuine_new.py`)	$\leq 10^{-15}$
Row V 2b: UV term + counterterm, pointwise	0 (10^{-18})
all two-ρ $\log \frac{\vee}{\Lambda}$ terms of `Evolution_terms.tex` vs JIMWLK⊗LO (`total_check.py`)	rel. 1.7×10^{-1} (6 of 26 monomials differ)
the same with the `4rho.tex` lists	rel. 6×10^{-16}
exact, by independent colour structure (`render.py`)	0 of 154 differ
$\log \vee$ terms vs BFKL⊗LO, exact (`render.py`)	0 of 109 differ
JIMWLK formula as sent / corrected vs JIMWLK⊗LO (`targets_check.py`)	0.22–0.47 / 2×10^{-15}
BFKL formula (App. E) vs BFKL⊗LO	8×10^{-15}
three-ρ list: identical to v3; cancellation (`three_cancel.py`)	yes; residual 2×10^{-15}
rules (A), (B), (C) equal Eq. (2.2); (C) at mid rapidity (`checks_rc.py`)	exact
Row V weight = KLSZ integrand; double-plus constant; exact endpoint form	0; $-\frac{11}{6}$; $< 10^{-100}$
Row II = K_{JSJ} (prefactor ratio); $\sqrt{\alpha_s(X)\alpha_s(X')}$ at $O(\alpha_s^2)$; Row II + Row V	1; u; 0
limits of Eqs. (6.1), (6.2)	0, 0