

BREATHE DESIGN SYSTEM

Colors Foundation — PRD

AUMRAA Technologies · Ramkumar Ganesh · April 2026

Version 1.0 · Status: Draft for Figma review · Covers: All 6 planned products

Overview

This PRD defines the complete color foundation for the Breathe Design System. Every product built under AUMRAA Technologies draws its color palette from this standard. The structure is designed so any new brand can plug in by replacing only its Core (Group 1) scales — the Feedback and Neutral scales are shared system-wide and never remapped.

Products covered in this document

Product	Description	Platform	Palette Composition
Leminiscate	Real estate intelligence	Web · Mobile	Core: 3 scales · Feedback: 3 (shared) · Neutral: 3 (shared)
Aumraa	Design studio & product brand	Web · Marketing	Core: 3 scales · Feedback: 3 (shared) · Neutral: 3 (shared)
Maligai Manager	Grocery & inventory management	Mobile	Core: 3 scales · Feedback: 3 (shared) · Neutral: 3 (shared)
Ullagellam	Explore & discover around you	Mobile	Core: 3 scales · Feedback: 3 (shared) · Neutral: 3 (shared)
Ilakh	Goal tracking & personal finance	Web · Mobile	Core: 3 scales · Feedback: 3 (shared) · Neutral: 3 (shared)
Yakaizen	Habit & continuous improvement	Mobile · Smartwatch	Core: 3 scales · Feedback: 3 (shared) · Neutral: 3 (shared)

Color System Structure

Each brand palette is built from 10 scales organised into 3 groups. Every scale has 15 stops. Stop 500 is always the root/primary value for that scale.

Group	Scales	Scale Names	Rule	Brand-specific
Group 1 — Core	3 scales	Primary, Secondary, Tertiary	Brand-specific. Defined per product.	Yes
Group 2 — Feedback	3 scales	Positive, Warning, Negative	Shared. Fixed across all brands.	No
Group 3 — Neutral	3 scales	White, Grey, Ink	Shared. Fixed across all brands.	No
Gradients	3 – 6 per brand	Named combinations of Core stops only	Brand-specific. Max 3 stops. Angle: 135deg.	Yes

15-Stop Scale Standard

Every scale follows the same 15-stop structure. The 500 stop is the root — the primary, default-use value for that scale. Lighter stops (25–475) are used for surfaces, tints, and subtle states. Darker stops (525–975) are used for text, strong borders, dark mode surfaces, and emphasis.

Stops	Tier	Primary Usage
25, 50, 75	Lightest	Page backgrounds, skeleton fills, extreme tints
100, 200, 300	Light	Subtle fills, hover tints, disabled backgrounds, info banners
400	Light-mid	Hover fill on interactive elements, light selected state
500 ★	Root	Default interactive value. Primary brand use. Must pass 4.5:1 contrast on white.
600, 700	Dark-mid	Active states, pressed states, icon fills, strong borders
800, 900	Dark	Text on light backgrounds, emphasis elements, dark borders
925, 950, 975	Darkest	Dark mode surfaces, near-black text, maximum contrast states

Token Naming Convention

Three layers. Components always reference Layer 2 (Semantic) — never Layer 1 (Primitive) directly.

Layer	Example Token	Rule
Layer 1 — Primitive	color.core.primary.500	Raw hex per brand. One file per product. Only this file changes when swapping brands.
Layer 2 — Semantic	color.brand.default	Intent-named alias into Layer 1. Identical names across all brands. Semantic layer never changes.
Layer 3 — Component	button.bg.primary	Scoped to a component. Always references Layer 2. Never raw hex or Layer 1 stops directly.

Semantic Token Reference (shared across all brands)

These token names are identical in every brand. Only their Layer 1 primitive values differ.

Semantic Token	References Primitive	Usage
color.brand.default	color.core.primary.500	Primary CTAs, links, active nav, focus rings
color.brand.subtle	color.core.primary.100	Tinted backgrounds behind brand elements
color.brand.strong	color.core.primary.700	Hover states on brand elements
color.brand.on-brand	neutral.white.500	Text/icons placed on top of brand.default
color.accent.default	color.core.secondary.500	Secondary actions, highlights, data accents
color.accent.subtle	color.core.secondary.100	Light tint behind accent content
color.feedback.positive	color.feedback.positive.500	Success messages, completed states, go actions
color.feedback.warning	color.feedback.warning.500	Caution alerts, pending states, review needed
color.feedback.negative	color.feedback.negative.500	Errors, destructive actions, critical alerts
color.feedback.positive-subtle	color.feedback.positive.50	Success message backgrounds
color.feedback.warning-subtle	color.feedback.warning.50	Warning message backgrounds

Semantic Token	References Primitive	Usage
color.feedback.negative-subtle	color.feedback.negative.50	Error message backgrounds
color.surface.page	color.neutral.white.500	Main page / screen background
color.surface.card	color.neutral.white.475	Card, panel, modal background
color.surface.overlay	color.neutral.white.400	Popover, dropdown, tooltip background
color.surface.disabled	color.neutral.white.200	Disabled input / button background
color.border.default	color.neutral.grey.200	Default borders, dividers
color.border.strong	color.neutral.grey.400	Emphasis borders, focus rings
color.border.subtle	color.neutral.grey.100	Hairline separators
color.text.primary	color.neutral.ink.500	Body text, headings, primary labels
color.text.secondary	color.neutral.ink.200	Supporting text, descriptions
color.text.muted	color.neutral.grey.500	Placeholder, disabled labels, captions
color.text.on-dark	color.neutral.white.500	Text on dark / brand backgrounds

Gradient Rules

Rule	Detail
Source	Gradients may only reference Core (Group 1) scales. Feedback and Neutral colours are excluded.
Stop count	Minimum 2 stops. Maximum 3 stops per gradient token.
Per-brand count	Minimum 3 gradients. Maximum 6 gradients per brand.
Angle	Default angle: 135deg. Angle is itself a token (gradient.angle.default).
Usage scope	brand-blend and depth variants: UI use (buttons, cards, headers). full-spectrum / tri-stop variants: brand assets only (splash screens, launch graphics, marketing).
Restrictions	No gradient on body text. No gradient on error/warning/success states. No gradients that could imply direction or danger unintentionally.
Token references	Gradient tokens reference stop aliases, not raw hex. E.g.: gradient.brand-blend references primary.500 and secondary.500.

Usage Rules & Constraints

Rule	Requirement
Accessibility	All text on colored backgrounds must pass WCAG AA minimum (4.5:1 for body text, 3:1 for large text ≥18pt). Use stop 500 on white only when the scale passes; otherwise use 600 or 700.
Feedback immutability	Positive, Warning, and Negative scales are locked system-wide. No product may remap them to its brand colours. A user must always be able to trust that green = positive, red = negative.
Component referencing	Components must reference Layer 2 semantic tokens only. No raw hex values in component code. No Layer 1 primitive tokens in component definitions.
Brand swap	Swapping a brand requires replacing only the Layer 1 primitives file. The semantic layer and all component tokens remain unchanged.
Dark mode	Every semantic token must have a light and dark value. Dark mode values should reference the darker stops of the same scale (e.g., surface.page → white.500 in light; white.975/ink.925 in dark mode).
Gradient restrictions	Feedback colours (Positive/Warning/Negative) must never appear in gradients. Their meaning depends on appearing as solid, unambiguous fills.
New products	Any new AUMRAA product defines 3 Core scales (with 15 stops each), selects 3–6 gradient combinations from those Core scales, and inherits all Feedback, Neutral, and Semantic layers without modification.

Brand Palettes

Each section below covers one product. Core scales are brand-specific. Feedback and Neutral scales are shown for reference but are identical for every product — they appear once here and are shared.

Leminiscate — Color Palette

Real estate intelligence · Platform: Web · Mobile

Group 1 — Core

Three brand-specific scales that define the product's visual identity. These are the only scales that differ per brand. Secondary and Tertiary support the Primary without competing with it.

Primary Dark Blue

Brand identity. Drives CTAs, navigation active states, links, and primary interactive elements.

Root: #1C60C1 · 500 is the primary usage stop · 15 stops: 25 → 975

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#E8EFFE	#D2DFF3	#BFCFED	#ADC6E9	#89ACDF	#6593D5	#4079CB	#1C60C1	#1C55A7	#1B4A8D	#1B3F73	#1A3459	#162A48	#111C2A	#081018

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.primary.25	var(--color-core.primary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.primary.50	var(--color-core.primary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.primary.75	var(--color-core.primary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.primary.100	var(--color-core.primary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.primary.200	var(--color-core.primary200)	200	Subtle fills, hover tints, skeleton states
color.core.primary.300	var(--color-core.primary300)	300	Subtle fills, hover tints, skeleton states
color.core.primary.400	var(--color-core.primary400)	400	Hover state, light interactive fill
color.core.primary.500	var(--color-core.primary500)	500	★ Root — default interactive, primary brand usage
color.core.primary.600	var(--color-core.primary600)	600	Active states, borders, icon fills
color.core.primary.700	var(--color-core.primary700)	700	Active states, borders, icon fills
color.core.primary.800	var(--color-core.primary800)	800	Text on light bg, dark borders, emphasis
color.core.primary.900	var(--color-core.primary900)	900	Text on light bg, dark borders, emphasis
color.core.primary.925	var(--color-core.primary925)	925	Dark mode surfaces, high-contrast text

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.primary.950	var(--color-core.primary950)	950	Dark mode surfaces, high-contrast text
color.core.primary.975	var(--color-core.primary975)	975	Dark mode surfaces, high-contrast text

Secondary Sky Blue

Supports Primary. Used for highlights, hover states, secondary CTAs, and data visualisation accents.

Root: #40AAD4 · 500 is the primary usage stop · 15 stops: 25 → 975

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#EBF7FB	#D9EEF6	#C6E6F2	#BAE0F0	#9CD3E9	#7DC5E2	#5FB8DB	#40AAD4	#3A93B7	#347C9A	#2D657D	#274E60	#1E3D4C	#152530	#08131A

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.secondary.25	var(--color-core.secondary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.50	var(--color-core.secondary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.75	var(--color-core.secondary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.100	var(--color-core.secondary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.200	var(--color-core.secondary200)	200	Subtle fills, hover tints, skeleton states
color.core.secondary.300	var(--color-core.secondary300)	300	Subtle fills, hover tints, skeleton states
color.core.secondary.400	var(--color-core.secondary400)	400	Hover state, light interactive fill
color.core.secondary.500	var(--color-core.secondary500)	500	★ Root — default interactive, primary brand usage
color.core.secondary.600	var(--color-core.secondary600)	600	Active states, borders, icon fills
color.core.secondary.700	var(--color-core.secondary700)	700	Active states, borders, icon fills
color.core.secondary.800	var(--color-core.secondary800)	800	Text on light bg, dark borders, emphasis
color.core.secondary.900	var(--color-core.secondary900)	900	Text on light bg, dark borders, emphasis
color.core.secondary.925	var(--color-core.secondary925)	925	Dark mode surfaces, high-contrast text
color.core.secondary.950	var(--color-core.secondary950)	950	Dark mode surfaces, high-contrast text
color.core.secondary.975	var(--color-core.secondary975)	975	Dark mode surfaces, high-contrast text

Tertiary Orange

Accent and energy. Used sparingly — badges, callout highlights, price tags, and emphasis moments.

Root: #ED651C · 500 is the primary usage stop · 15 stops: 25 → 975

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FEF3EB	#FBE6D2	#F9D5BB	#F9C8AD	#F6AF89	#F39665	#F07E40	#ED651C	#CB591C	#A94D1D	#87411D	#65361E	#4F2C18	#432A1E	#2C1A10

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.tertiary.25	var(--color-core.tertiary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.50	var(--color-core.tertiary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.75	var(--color-core.tertiary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.100	var(--color-core.tertiary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.200	var(--color-core.tertiary200)	200	Subtle fills, hover tints, skeleton states
color.core.tertiary.300	var(--color-core.tertiary300)	300	Subtle fills, hover tints, skeleton states
color.core.tertiary.400	var(--color-core.tertiary400)	400	Hover state, light interactive fill
color.core.tertiary.500	var(--color-core.tertiary500)	500	★ Root — default interactive, primary brand usage
color.core.tertiary.600	var(--color-core.tertiary600)	600	Active states, borders, icon fills
color.core.tertiary.700	var(--color-core.tertiary700)	700	Active states, borders, icon fills
color.core.tertiary.800	var(--color-core.tertiary800)	800	Text on light bg, dark borders, emphasis
color.core.tertiary.900	var(--color-core.tertiary900)	900	Text on light bg, dark borders, emphasis
color.core.tertiary.925	var(--color-core.tertiary925)	925	Dark mode surfaces, high-contrast text
color.core.tertiary.950	var(--color-core.tertiary950)	950	Dark mode surfaces, high-contrast text
color.core.tertiary.975	var(--color-core.tertiary975)	975	Dark mode surfaces, high-contrast text

Group 2 — Feedback

Fixed across all brands. Positive = Green, Warning = Amber, Negative = Red. These cannot be remapped to brand colours — their meaning depends on universal consistency.

Positive Green

Success states, confirmations, completed actions. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#E8F8EE	#D0EDDB	#BBDFC8	#ABDEBE	#86CFA1	#61C084	#3BB267	#16A34A	#168D43	#17773C	#176235	#184C2E	#183628	#0F2218	#060E09

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.positive.25	var(--color-feedback.positive25)	25	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.50	var(--color-feedback.positive50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.75	var(--color-feedback.positive75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.100	var(--color-feedback.positive100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.200	var(--color-feedback.positive200)	200	Subtle fills, hover tints, skeleton states
color.feedback.positive.300	var(--color-feedback.positive300)	300	Subtle fills, hover tints, skeleton states
color.feedback.positive.400	var(--color-feedback.positive400)	400	Hover state, light interactive fill
color.feedback.positive.500	var(--color-feedback.positive500)	500	★ Root — default interactive, primary brand usage
color.feedback.positive.600	var(--color-feedback.positive600)	600	Active states, borders, icon fills
color.feedback.positive.700	var(--color-feedback.positive700)	700	Active states, borders, icon fills
color.feedback.positive.800	var(--color-feedback.positive800)	800	Text on light bg, dark borders, emphasis
color.feedback.positive.900	var(--color-feedback.positive900)	900	Text on light bg, dark borders, emphasis
color.feedback.positive.925	var(--color-feedback.positive925)	925	Dark mode surfaces, high-contrast text
color.feedback.positive.950	var(--color-feedback.positive950)	950	Dark mode surfaces, high-contrast text
color.feedback.positive.975	var(--color-feedback.positive975)	975	Dark mode surfaces, high-contrast text

Warning Amber

Caution states, pending actions, reversible decisions. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FFFBF0	#FDECCE	#FCE2B5	#FBDCA7	#FACD80	#F8BD59	#F7AE32	#F59E0B	#D2890E	#AF7411	#8B5F15	#684A18	#45351B	#2C2110	#130D04

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.warning.25	var(--color-feedback.warning25)	25	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.50	var(--color-feedback.warning50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.75	var(--color-feedback.warning75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.100	var(--color-feedback.warning100)	100	Backgrounds, tinted surfaces, disabled fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.warning.200	var(--color-feedback.warning200)	200	Subtle fills, hover tints, skeleton states
color.feedback.warning.300	var(--color-feedback.warning300)	300	Subtle fills, hover tints, skeleton states
color.feedback.warning.400	var(--color-feedback.warning400)	400	Hover state, light interactive fill
color.feedback.warning.500	var(--color-feedback.warning500)	500	★ Root — default interactive, primary brand usage
color.feedback.warning.600	var(--color-feedback.warning600)	600	Active states, borders, icon fills
color.feedback.warning.700	var(--color-feedback.warning700)	700	Active states, borders, icon fills
color.feedback.warning.800	var(--color-feedback.warning800)	800	Text on light bg, dark borders, emphasis
color.feedback.warning.900	var(--color-feedback.warning900)	900	Text on light bg, dark borders, emphasis
color.feedback.warning.925	var(--color-feedback.warning925)	925	Dark mode surfaces, high-contrast text
color.feedback.warning.950	var(--color-feedback.warning950)	950	Dark mode surfaces, high-contrast text
color.feedback.warning.975	var(--color-feedback.warning975)	975	Dark mode surfaces, high-contrast text

Negative Red

Error states, destructive actions, critical alerts. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FEECEC	#F8D4D4	#F5C0C0	#F2B1B1	#ED8E8E	#E76B6B	#E24949	#DC2626	#BD2425	#9E2224	#7E2123	#5F1F22	#401D20	#280F11	#100406

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.negative.25	var(--color-feedback.negative25)	25	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.50	var(--color-feedback.negative50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.75	var(--color-feedback.negative75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.100	var(--color-feedback.negative100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.200	var(--color-feedback.negative200)	200	Subtle fills, hover tints, skeleton states
color.feedback.negative.300	var(--color-feedback.negative300)	300	Subtle fills, hover tints, skeleton states
color.feedback.negative.400	var(--color-feedback.negative400)	400	Hover state, light interactive fill
color.feedback.negative.500	var(--color-feedback.negative500)	500	★ Root — default interactive, primary brand usage

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.negative.600	var(--color-feedback.negative600)	600	Active states, borders, icon fills
color.feedback.negative.700	var(--color-feedback.negative700)	700	Active states, borders, icon fills
color.feedback.negative.800	var(--color-feedback.negative800)	800	Text on light bg, dark borders, emphasis
color.feedback.negative.900	var(--color-feedback.negative900)	900	Text on light bg, dark borders, emphasis
color.feedback.negative.925	var(--color-feedback.negative925)	925	Dark mode surfaces, high-contrast text
color.feedback.negative.950	var(--color-feedback.negative950)	950	Dark mode surfaces, high-contrast text
color.feedback.negative.975	var(--color-feedback.negative975)	975	Dark mode surfaces, high-contrast text

Group 3 — Neutral

Shared across all brands. White anchors surfaces. Grey handles UI chrome. Ink anchors text and dark backgrounds. 500 is never pure #000 or #FFF extremes — always a considered value.

White Surfaces

Page backgrounds, card surfaces, input fills, skeleton loaders, disabled states. 500 = pure white anchor.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FFFFFF	#FAFAFA	#F5F5F6	#F1F1F2	#EBEBEC	#E3E4E4	#DADADA	#D6D6D7	#CFCFD0	#C8C8C9	#C1C1C2	#BABABC	#B5B6B7	#AEAEB0	#A8A8AA

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.white.25	var(--color-neutral.white25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.50	var(--color-neutral.white50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.75	var(--color-neutral.white75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.100	var(--color-neutral.white100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.200	var(--color-neutral.white200)	200	Subtle fills, hover tints, skeleton states
color.neutral.white.300	var(--color-neutral.white300)	300	Subtle fills, hover tints, skeleton states
color.neutral.white.400	var(--color-neutral.white400)	400	Hover state, light interactive fill
color.neutral.white.500	var(--color-neutral.white500)	500	★ Root — default interactive, primary brand usage
color.neutral.white.600	var(--color-neutral.white600)	600	Active states, borders, icon fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.white.700	var(--color-neutral.white700)	700	Active states, borders, icon fills
color.neutral.white.800	var(--color-neutral.white800)	800	Text on light bg, dark borders, emphasis
color.neutral.white.900	var(--color-neutral.white900)	900	Text on light bg, dark borders, emphasis
color.neutral.white.925	var(--color-neutral.white925)	925	Dark mode surfaces, high-contrast text
color.neutral.white.950	var(--color-neutral.white950)	950	Dark mode surfaces, high-contrast text
color.neutral.white.975	var(--color-neutral.white975)	975	Dark mode surfaces, high-contrast text

Grey UI Chrome

Borders, dividers, icon fills, placeholder text, muted labels. The workhorse between White and Ink.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#E8E8E9	#DCDCDD	#D0D0D1	#C4C4C5	#ADADAE	#969698	#808082	#6B6B6D	#595A5C	#474849	#373839	#282829	#1C1C1D	#111112	#070708

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.grey.25	var(--color-neutral.grey25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.50	var(--color-neutral.grey50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.75	var(--color-neutral.grey75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.100	var(--color-neutral.grey100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.200	var(--color-neutral.grey200)	200	Subtle fills, hover tints, skeleton states
color.neutral.grey.300	var(--color-neutral.grey300)	300	Subtle fills, hover tints, skeleton states
color.neutral.grey.400	var(--color-neutral.grey400)	400	Hover state, light interactive fill
color.neutral.grey.500	var(--color-neutral.grey500)	500	★ Root — default interactive, primary brand usage
color.neutral.grey.600	var(--color-neutral.grey600)	600	Active states, borders, icon fills
color.neutral.grey.700	var(--color-neutral.grey700)	700	Active states, borders, icon fills
color.neutral.grey.800	var(--color-neutral.grey800)	800	Text on light bg, dark borders, emphasis
color.neutral.grey.900	var(--color-neutral.grey900)	900	Text on light bg, dark borders, emphasis
color.neutral.grey.925	var(--color-neutral.grey925)	925	Dark mode surfaces, high-contrast text

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.grey.950	var(--color-neutral.grey950)	950	Dark mode surfaces, high-contrast text
color.neutral.grey.975	var(--color-neutral.grey975)	975	Dark mode surfaces, high-contrast text

Ink Text & Dark

Body text, headings, dark mode surfaces. 500 = darkest text value. Never #000000 — Ink.500 is a very dark near-black.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#808284	#737577	#676869	#6C6D70	#57595B	#494B4D	#3B3D3F	#2E3033	#262829	#1F2122	#191B1F	#131519	#0E1013	#09090B	#050507

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.ink.25	var(--color-neutral.ink25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.50	var(--color-neutral.ink50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.75	var(--color-neutral.ink75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.100	var(--color-neutral.ink100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.200	var(--color-neutral.ink200)	200	Subtle fills, hover tints, skeleton states
color.neutral.ink.300	var(--color-neutral.ink300)	300	Subtle fills, hover tints, skeleton states
color.neutral.ink.400	var(--color-neutral.ink400)	400	Hover state, light interactive fill
color.neutral.ink.500	var(--color-neutral.ink500)	500	★ Root — default interactive, primary brand usage
color.neutral.ink.600	var(--color-neutral.ink600)	600	Active states, borders, icon fills
color.neutral.ink.700	var(--color-neutral.ink700)	700	Active states, borders, icon fills
color.neutral.ink.800	var(--color-neutral.ink800)	800	Text on light bg, dark borders, emphasis
color.neutral.ink.900	var(--color-neutral.ink900)	900	Text on light bg, dark borders, emphasis
color.neutral.ink.925	var(--color-neutral.ink925)	925	Dark mode surfaces, high-contrast text
color.neutral.ink.950	var(--color-neutral.ink950)	950	Dark mode surfaces, high-contrast text
color.neutral.ink.975	var(--color-neutral.ink975)	975	Dark mode surfaces, high-contrast text

Gradients

Leminiscate defines 6 gradient tokens. Gradients reference Core scale stops only — Feedback and Neutral colours are excluded. Maximum 3 stops per gradient. Angle default: 135deg.

Name	Token	Stop References	Usage
Brand Blend	gradient.brand-blend	primary.500 → secondary.500	Primary CTAs, hero backgrounds
Energy	gradient.energy	secondary.500 → tertiary.500	Promotional banners, feature callouts
Arc	gradient.arc	tertiary.500 → primary.500	Illustrations, decorative brand moments
Depth	gradient.depth	primary.500 → neutral-ink.500	Dark hero sections, card overlays
Horizon	gradient.horizon	primary.700 → secondary.500	Map UI overlays, premium feature panels
Full Spectrum	gradient.full-spectrum	tertiary.500 → primary.500 → secondary.500	Brand-only — splash screens, launch assets

Aumraa — Color Palette

Design studio & product brand · Platform: Web · Marketing

Group 1 — Core

Three brand-specific scales that define the product's visual identity. These are the only scales that differ per brand. Secondary and Tertiary support the Primary without competing with it.

Primary Forest Green

Brand identity. Rooted in growth, clarity, and long-term thinking. Drives all primary interactions.

Root: #2F9E44 · 500 is the primary usage stop · 15 stops: 25 → 975

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#EDFAF1	#D3F5DC	#B8EFC6	#9FE8B3	#78D98D	#55CA6C	#3BB554	#2F9E44	#288B3B	#227832	#1C6429	#175121	#123F1A	#0C2D13	#061A0B

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.primary.25	var(--color-core.primary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.primary.50	var(--color-core.primary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.primary.75	var(--color-core.primary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.primary.100	var(--color-core.primary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.primary.200	var(--color-core.primary200)	200	Subtle fills, hover tints, skeleton states
color.core.primary.300	var(--color-core.primary300)	300	Subtle fills, hover tints, skeleton states
color.core.primary.400	var(--color-core.primary400)	400	Hover state, light interactive fill
color.core.primary.500	var(--color-core.primary500)	500	★ Root — default interactive, primary brand usage
color.core.primary.600	var(--color-core.primary600)	600	Active states, borders, icon fills
color.core.primary.700	var(--color-core.primary700)	700	Active states, borders, icon fills
color.core.primary.800	var(--color-core.primary800)	800	Text on light bg, dark borders, emphasis
color.core.primary.900	var(--color-core.primary900)	900	Text on light bg, dark borders, emphasis
color.core.primary.925	var(--color-core.primary925)	925	Dark mode surfaces, high-contrast text
color.core.primary.950	var(--color-core.primary950)	950	Dark mode surfaces, high-contrast text
color.core.primary.975	var(--color-core.primary975)	975	Dark mode surfaces, high-contrast text

Secondary Lime Yellow

Energetic accent. Adds momentum and optimism. Used for highlights, tags, and accent moments.

Root: #CFCF2A · 500 is the primary usage stop · 15 stops: 25 → 975



Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.secondary.25	var(--color-core.secondary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.50	var(--color-core.secondary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.75	var(--color-core.secondary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.100	var(--color-core.secondary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.200	var(--color-core.secondary200)	200	Subtle fills, hover tints, skeleton states
color.core.secondary.300	var(--color-core.secondary300)	300	Subtle fills, hover tints, skeleton states
color.core.secondary.400	var(--color-core.secondary400)	400	Hover state, light interactive fill
color.core.secondary.500	var(--color-core.secondary500)	500	★ Root — default interactive, primary brand usage
color.core.secondary.600	var(--color-core.secondary600)	600	Active states, borders, icon fills
color.core.secondary.700	var(--color-core.secondary700)	700	Active states, borders, icon fills
color.core.secondary.800	var(--color-core.secondary800)	800	Text on light bg, dark borders, emphasis
color.core.secondary.900	var(--color-core.secondary900)	900	Text on light bg, dark borders, emphasis
color.core.secondary.925	var(--color-core.secondary925)	925	Dark mode surfaces, high-contrast text
color.core.secondary.950	var(--color-core.secondary950)	950	Dark mode surfaces, high-contrast text
color.core.secondary.975	var(--color-core.secondary975)	975	Dark mode surfaces, high-contrast text

Tertiary Royal Blue

Digital accent. Drives interactive and UI-forward elements — links, charts, interactive states.

Root: #2F6FED · 500 is the primary usage stop · 15 stops: 25 → 975



Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.tertiary.25	var(--color-core.tertiary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.50	var(--color-core.tertiary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.75	var(--color-core.tertiary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.100	var(--color-core.tertiary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.200	var(--color-core.tertiary200)	200	Subtle fills, hover tints, skeleton states
color.core.tertiary.300	var(--color-core.tertiary300)	300	Subtle fills, hover tints, skeleton states
color.core.tertiary.400	var(--color-core.tertiary400)	400	Hover state, light interactive fill
color.core.tertiary.500	var(--color-core.tertiary500)	500	★ Root — default interactive, primary brand usage
color.core.tertiary.600	var(--color-core.tertiary600)	600	Active states, borders, icon fills
color.core.tertiary.700	var(--color-core.tertiary700)	700	Active states, borders, icon fills
color.core.tertiary.800	var(--color-core.tertiary800)	800	Text on light bg, dark borders, emphasis
color.core.tertiary.900	var(--color-core.tertiary900)	900	Text on light bg, dark borders, emphasis
color.core.tertiary.925	var(--color-core.tertiary925)	925	Dark mode surfaces, high-contrast text
color.core.tertiary.950	var(--color-core.tertiary950)	950	Dark mode surfaces, high-contrast text
color.core.tertiary.975	var(--color-core.tertiary975)	975	Dark mode surfaces, high-contrast text

Group 2 — Feedback

Fixed across all brands. Positive = Green, Warning = Amber, Negative = Red. These cannot be remapped to brand colours — their meaning depends on universal consistency.

Positive Green

Success states, confirmations, completed actions. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#E8F8EE	#D0EDDB	#BBDFC8	#ABDEBE	#86CFA1	#61C084	#3BB267	#16A34A	#168D43	#17773C	#176235	#184C2E	#183628	#0F2218	#060E09

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.positive.25	var(--color-feedback.positive25)	25	Backgrounds, tinted surfaces, disabled fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.positive.50	var(--color-feedback.positive50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.75	var(--color-feedback.positive75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.100	var(--color-feedback.positive100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.200	var(--color-feedback.positive200)	200	Subtle fills, hover tints, skeleton states
color.feedback.positive.300	var(--color-feedback.positive300)	300	Subtle fills, hover tints, skeleton states
color.feedback.positive.400	var(--color-feedback.positive400)	400	Hover state, light interactive fill
color.feedback.positive.500	var(--color-feedback.positive500)	500	★ Root — default interactive, primary brand usage
color.feedback.positive.600	var(--color-feedback.positive600)	600	Active states, borders, icon fills
color.feedback.positive.700	var(--color-feedback.positive700)	700	Active states, borders, icon fills
color.feedback.positive.800	var(--color-feedback.positive800)	800	Text on light bg, dark borders, emphasis
color.feedback.positive.900	var(--color-feedback.positive900)	900	Text on light bg, dark borders, emphasis
color.feedback.positive.925	var(--color-feedback.positive925)	925	Dark mode surfaces, high-contrast text
color.feedback.positive.950	var(--color-feedback.positive950)	950	Dark mode surfaces, high-contrast text
color.feedback.positive.975	var(--color-feedback.positive975)	975	Dark mode surfaces, high-contrast text

Warning Amber

Caution states, pending actions, reversible decisions. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FFFBF0	#FDECCF	#FCE2B5	#FBDCA7	#FACD80	#F8BD59	#F7AE32	#F59E0B	#D2890E	#AF7411	#8B5F15	#684A18	#45351B	#2C2110	#130D04

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.warning.25	var(--color-feedback.warning25)	25	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.50	var(--color-feedback.warning50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.75	var(--color-feedback.warning75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.100	var(--color-feedback.warning100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.200	var(--color-feedback.warning200)	200	Subtle fills, hover tints, skeleton states

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.warning.300	var(--color-feedback.warning300)	300	Subtle fills, hover tints, skeleton states
color.feedback.warning.400	var(--color-feedback.warning400)	400	Hover state, light interactive fill
color.feedback.warning.500	var(--color-feedback.warning500)	500	★ Root — default interactive, primary brand usage
color.feedback.warning.600	var(--color-feedback.warning600)	600	Active states, borders, icon fills
color.feedback.warning.700	var(--color-feedback.warning700)	700	Active states, borders, icon fills
color.feedback.warning.800	var(--color-feedback.warning800)	800	Text on light bg, dark borders, emphasis
color.feedback.warning.900	var(--color-feedback.warning900)	900	Text on light bg, dark borders, emphasis
color.feedback.warning.925	var(--color-feedback.warning925)	925	Dark mode surfaces, high-contrast text
color.feedback.warning.950	var(--color-feedback.warning950)	950	Dark mode surfaces, high-contrast text
color.feedback.warning.975	var(--color-feedback.warning975)	975	Dark mode surfaces, high-contrast text

Negative Red

Error states, destructive actions, critical alerts. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FEECEC	#F8D4D4	#F5C0C0	#F2B1B1	#ED8E8E	#E76B6B	#E24949	#DC2626	#BD2425	#9E2224	#7E2123	#5F1F22	#401D20	#280F11	#100406

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.negative.25	var(--color-feedback.negative25)	25	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.50	var(--color-feedback.negative50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.75	var(--color-feedback.negative75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.100	var(--color-feedback.negative100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.200	var(--color-feedback.negative200)	200	Subtle fills, hover tints, skeleton states
color.feedback.negative.300	var(--color-feedback.negative300)	300	Subtle fills, hover tints, skeleton states
color.feedback.negative.400	var(--color-feedback.negative400)	400	Hover state, light interactive fill
color.feedback.negative.500	var(--color-feedback.negative500)	500	★ Root — default interactive, primary brand usage
color.feedback.negative.600	var(--color-feedback.negative600)	600	Active states, borders, icon fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.negative.700	var(--color-feedback.negative700)	700	Active states, borders, icon fills
color.feedback.negative.800	var(--color-feedback.negative800)	800	Text on light bg, dark borders, emphasis
color.feedback.negative.900	var(--color-feedback.negative900)	900	Text on light bg, dark borders, emphasis
color.feedback.negative.925	var(--color-feedback.negative925)	925	Dark mode surfaces, high-contrast text
color.feedback.negative.950	var(--color-feedback.negative950)	950	Dark mode surfaces, high-contrast text
color.feedback.negative.975	var(--color-feedback.negative975)	975	Dark mode surfaces, high-contrast text

Group 3 — Neutral

Shared across all brands. White anchors surfaces. Grey handles UI chrome. Ink anchors text and dark backgrounds. 500 is never pure #000 or #FFF extremes — always a considered value.

White Surfaces

Page backgrounds, card surfaces, input fills, skeleton loaders, disabled states. 500 = pure white anchor.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FFFFFF	#FAFAFA	#F5F5F6	#F1F1F2	#EBEBEC	#E3E4E4	#DADADA	#D6D6D7	#CFCFD0	#C8C8C9	#C1C1C2	#BABABC	#B5B6B7	#AEAEB0	#A8A8AA

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.white.25	var(--color-neutral.white25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.50	var(--color-neutral.white50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.75	var(--color-neutral.white75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.100	var(--color-neutral.white100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.200	var(--color-neutral.white200)	200	Subtle fills, hover tints, skeleton states
color.neutral.white.300	var(--color-neutral.white300)	300	Subtle fills, hover tints, skeleton states
color.neutral.white.400	var(--color-neutral.white400)	400	Hover state, light interactive fill
color.neutral.white.500	var(--color-neutral.white500)	500	★ Root — default interactive, primary brand usage
color.neutral.white.600	var(--color-neutral.white600)	600	Active states, borders, icon fills
color.neutral.white.700	var(--color-neutral.white700)	700	Active states, borders, icon fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.white.800	var(--color-neutral.white800)	800	Text on light bg, dark borders, emphasis
color.neutral.white.900	var(--color-neutral.white900)	900	Text on light bg, dark borders, emphasis
color.neutral.white.925	var(--color-neutral.white925)	925	Dark mode surfaces, high-contrast text
color.neutral.white.950	var(--color-neutral.white950)	950	Dark mode surfaces, high-contrast text
color.neutral.white.975	var(--color-neutral.white975)	975	Dark mode surfaces, high-contrast text

Grey UI Chrome

Borders, dividers, icon fills, placeholder text, muted labels. The workhorse between White and Ink.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#E8E8E9	#DCDCDD	#D0D0D1	#C4C4C5	#ADADAE	#969698	#808082	#6B6B6D	#595A5C	#474849	#373839	#282829	#1C1C1D	#111112	#070708

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.grey.25	var(--color-neutral.grey25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.50	var(--color-neutral.grey50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.75	var(--color-neutral.grey75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.100	var(--color-neutral.grey100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.200	var(--color-neutral.grey200)	200	Subtle fills, hover tints, skeleton states
color.neutral.grey.300	var(--color-neutral.grey300)	300	Subtle fills, hover tints, skeleton states
color.neutral.grey.400	var(--color-neutral.grey400)	400	Hover state, light interactive fill
color.neutral.grey.500	var(--color-neutral.grey500)	500	★ Root — default interactive, primary brand usage
color.neutral.grey.600	var(--color-neutral.grey600)	600	Active states, borders, icon fills
color.neutral.grey.700	var(--color-neutral.grey700)	700	Active states, borders, icon fills
color.neutral.grey.800	var(--color-neutral.grey800)	800	Text on light bg, dark borders, emphasis
color.neutral.grey.900	var(--color-neutral.grey900)	900	Text on light bg, dark borders, emphasis
color.neutral.grey.925	var(--color-neutral.grey925)	925	Dark mode surfaces, high-contrast text
color.neutral.grey.950	var(--color-neutral.grey950)	950	Dark mode surfaces, high-contrast text

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.grey.975	var(--color-neutral.grey975)	975	Dark mode surfaces, high-contrast text

Ink Text & Dark

Body text, headings, dark mode surfaces. 500 = darkest text value. Never #000000 — Ink.500 is a very dark near-black.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#808284	#737577	#676869	#6C6D70	#57595B	#494B4D	#3B3D3F	#2E3033	#262829	#1F2122	#191B1F	#131519	#0E1013	#09090B	#050507

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.ink.25	var(--color-neutral.ink25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.50	var(--color-neutral.ink50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.75	var(--color-neutral.ink75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.100	var(--color-neutral.ink100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.200	var(--color-neutral.ink200)	200	Subtle fills, hover tints, skeleton states
color.neutral.ink.300	var(--color-neutral.ink300)	300	Subtle fills, hover tints, skeleton states
color.neutral.ink.400	var(--color-neutral.ink400)	400	Hover state, light interactive fill
color.neutral.ink.500	var(--color-neutral.ink500)	500	★ Root — default interactive, primary brand usage
color.neutral.ink.600	var(--color-neutral.ink600)	600	Active states, borders, icon fills
color.neutral.ink.700	var(--color-neutral.ink700)	700	Active states, borders, icon fills
color.neutral.ink.800	var(--color-neutral.ink800)	800	Text on light bg, dark borders, emphasis
color.neutral.ink.900	var(--color-neutral.ink900)	900	Text on light bg, dark borders, emphasis
color.neutral.ink.925	var(--color-neutral.ink925)	925	Dark mode surfaces, high-contrast text
color.neutral.ink.950	var(--color-neutral.ink950)	950	Dark mode surfaces, high-contrast text
color.neutral.ink.975	var(--color-neutral.ink975)	975	Dark mode surfaces, high-contrast text

Gradients

Aumraa defines 5 gradient tokens. Gradients reference Core scale stops only — Feedback and Neutral colours are excluded. Maximum 3 stops per gradient. Angle default: 135deg.

Name	Token	Stop References	Usage
Growth	gradient.growth	primary.500 → secondary.500	Hero sections, brand moments
Momentum	gradient.momentum	primary.500 → tertiary.500	Feature callouts, CTAs
Clarity	gradient.clarity	secondary.500 → tertiary.500	Service cards, portfolio highlights
Deep Root	gradient.deep-root	primary.500 → neutral-ink.500	Dark panels, footer areas
Canopy	gradient.canopy	primary.700 → primary.500 → secondary.500	Premium product tiers, studio branding

Maligai Manager — Color Palette

Grocery & inventory management · Platform: Mobile

Group 1 — Core

Three brand-specific scales that define the product's visual identity. These are the only scales that differ per brand. Secondary and Tertiary support the Primary without competing with it.

Primary Market Amber

Warm, approachable, action-oriented. Reflects the energy of a grocery market environment.

Root: #D97706 · 500 is the primary usage stop · 15 stops: 25 → 975

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FFFBF0	#FEF3C7	#FDE8A0	#FBDCA7	#F9C96A	#F5B53A	#EDA020	#D97706	#BE6A05	#A05C04	#824B04	#643A03	#4C2C02	#341E01	#1C0F00

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.primary.25	var(--color-core.primary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.primary.50	var(--color-core.primary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.primary.75	var(--color-core.primary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.primary.100	var(--color-core.primary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.primary.200	var(--color-core.primary200)	200	Subtle fills, hover tints, skeleton states
color.core.primary.300	var(--color-core.primary300)	300	Subtle fills, hover tints, skeleton states
color.core.primary.400	var(--color-core.primary400)	400	Hover state, light interactive fill
color.core.primary.500	var(--color-core.primary500)	500	★ Root — default interactive, primary brand usage
color.core.primary.600	var(--color-core.primary600)	600	Active states, borders, icon fills
color.core.primary.700	var(--color-core.primary700)	700	Active states, borders, icon fills
color.core.primary.800	var(--color-core.primary800)	800	Text on light bg, dark borders, emphasis
color.core.primary.900	var(--color-core.primary900)	900	Text on light bg, dark borders, emphasis
color.core.primary.925	var(--color-core.primary925)	925	Dark mode surfaces, high-contrast text
color.core.primary.950	var(--color-core.primary950)	950	Dark mode surfaces, high-contrast text
color.core.primary.975	var(--color-core.primary975)	975	Dark mode surfaces, high-contrast text

Secondary Fresh Green

Freshness, stock availability, positive inventory states. Complements the amber primary.

Root: #16A34A · 500 is the primary usage stop · 15 stops: 25 → 975



Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.secondary.25	var(--color-core.secondary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.50	var(--color-core.secondary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.75	var(--color-core.secondary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.100	var(--color-core.secondary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.200	var(--color-core.secondary200)	200	Subtle fills, hover tints, skeleton states
color.core.secondary.300	var(--color-core.secondary300)	300	Subtle fills, hover tints, skeleton states
color.core.secondary.400	var(--color-core.secondary400)	400	Hover state, light interactive fill
color.core.secondary.500	var(--color-core.secondary500)	500	★ Root — default interactive, primary brand usage
color.core.secondary.600	var(--color-core.secondary600)	600	Active states, borders, icon fills
color.core.secondary.700	var(--color-core.secondary700)	700	Active states, borders, icon fills
color.core.secondary.800	var(--color-core.secondary800)	800	Text on light bg, dark borders, emphasis
color.core.secondary.900	var(--color-core.secondary900)	900	Text on light bg, dark borders, emphasis
color.core.secondary.925	var(--color-core.secondary925)	925	Dark mode surfaces, high-contrast text
color.core.secondary.950	var(--color-core.secondary950)	950	Dark mode surfaces, high-contrast text
color.core.secondary.975	var(--color-core.secondary975)	975	Dark mode surfaces, high-contrast text

Tertiary Terracotta

Earthy accent. Used for categories, tags, and section differentiation in list views.

Root: #C2410C · 500 is the primary usage stop · 15 stops: 25 → 975



Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.tertiary.25	var(--color-core.tertiary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.50	var(--color-core.tertiary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.75	var(--color-core.tertiary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.100	var(--color-core.tertiary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.200	var(--color-core.tertiary200)	200	Subtle fills, hover tints, skeleton states
color.core.tertiary.300	var(--color-core.tertiary300)	300	Subtle fills, hover tints, skeleton states
color.core.tertiary.400	var(--color-core.tertiary400)	400	Hover state, light interactive fill
color.core.tertiary.500	var(--color-core.tertiary500)	500	★ Root — default interactive, primary brand usage
color.core.tertiary.600	var(--color-core.tertiary600)	600	Active states, borders, icon fills
color.core.tertiary.700	var(--color-core.tertiary700)	700	Active states, borders, icon fills
color.core.tertiary.800	var(--color-core.tertiary800)	800	Text on light bg, dark borders, emphasis
color.core.tertiary.900	var(--color-core.tertiary900)	900	Text on light bg, dark borders, emphasis
color.core.tertiary.925	var(--color-core.tertiary925)	925	Dark mode surfaces, high-contrast text
color.core.tertiary.950	var(--color-core.tertiary950)	950	Dark mode surfaces, high-contrast text
color.core.tertiary.975	var(--color-core.tertiary975)	975	Dark mode surfaces, high-contrast text

Group 2 — Feedback

Fixed across all brands. Positive = Green, Warning = Amber, Negative = Red. These cannot be remapped to brand colours — their meaning depends on universal consistency.

Positive Green

Success states, confirmations, completed actions. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#E8F8EE	#D0EDDB	#BBDFC8	#ABDEBE	#86CFA1	#61C084	#3BB267	#16A34A	#168D43	#17773C	#176235	#184C2E	#183628	#0F2218	#060E09

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.positive.25	var(--color-feedback.positive25)	25	Backgrounds, tinted surfaces, disabled fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.positive.50	var(--color-feedback.positive50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.75	var(--color-feedback.positive75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.100	var(--color-feedback.positive100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.200	var(--color-feedback.positive200)	200	Subtle fills, hover tints, skeleton states
color.feedback.positive.300	var(--color-feedback.positive300)	300	Subtle fills, hover tints, skeleton states
color.feedback.positive.400	var(--color-feedback.positive400)	400	Hover state, light interactive fill
color.feedback.positive.500	var(--color-feedback.positive500)	500	★ Root — default interactive, primary brand usage
color.feedback.positive.600	var(--color-feedback.positive600)	600	Active states, borders, icon fills
color.feedback.positive.700	var(--color-feedback.positive700)	700	Active states, borders, icon fills
color.feedback.positive.800	var(--color-feedback.positive800)	800	Text on light bg, dark borders, emphasis
color.feedback.positive.900	var(--color-feedback.positive900)	900	Text on light bg, dark borders, emphasis
color.feedback.positive.925	var(--color-feedback.positive925)	925	Dark mode surfaces, high-contrast text
color.feedback.positive.950	var(--color-feedback.positive950)	950	Dark mode surfaces, high-contrast text
color.feedback.positive.975	var(--color-feedback.positive975)	975	Dark mode surfaces, high-contrast text

Warning Amber

Caution states, pending actions, reversible decisions. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FFFBF0	#FDECCE	#FCE2B5	#FBDCA7	#FACD80	#F8BD59	#F7AE32	#F59E0B	#D2890E	#AF7411	#8B5F15	#684A18	#45351B	#2C2110	#130D04

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.warning.25	var(--color-feedback.warning25)	25	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.50	var(--color-feedback.warning50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.75	var(--color-feedback.warning75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.100	var(--color-feedback.warning100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.200	var(--color-feedback.warning200)	200	Subtle fills, hover tints, skeleton states

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.warning.300	var(--color-feedback.warning300)	300	Subtle fills, hover tints, skeleton states
color.feedback.warning.400	var(--color-feedback.warning400)	400	Hover state, light interactive fill
color.feedback.warning.500	var(--color-feedback.warning500)	500	★ Root — default interactive, primary brand usage
color.feedback.warning.600	var(--color-feedback.warning600)	600	Active states, borders, icon fills
color.feedback.warning.700	var(--color-feedback.warning700)	700	Active states, borders, icon fills
color.feedback.warning.800	var(--color-feedback.warning800)	800	Text on light bg, dark borders, emphasis
color.feedback.warning.900	var(--color-feedback.warning900)	900	Text on light bg, dark borders, emphasis
color.feedback.warning.925	var(--color-feedback.warning925)	925	Dark mode surfaces, high-contrast text
color.feedback.warning.950	var(--color-feedback.warning950)	950	Dark mode surfaces, high-contrast text
color.feedback.warning.975	var(--color-feedback.warning975)	975	Dark mode surfaces, high-contrast text

Negative Red

Error states, destructive actions, critical alerts. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FEECEC	#F8D4D4	#F5C0C0	#F2B1B1	#ED8E8E	#E76B6B	#E24949	#DC2626	#BD2425	#9E2224	#7E2123	#5F1F22	#401D20	#280F11	#100406

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.negative.25	var(--color-feedback.negative25)	25	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.50	var(--color-feedback.negative50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.75	var(--color-feedback.negative75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.100	var(--color-feedback.negative100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.200	var(--color-feedback.negative200)	200	Subtle fills, hover tints, skeleton states
color.feedback.negative.300	var(--color-feedback.negative300)	300	Subtle fills, hover tints, skeleton states
color.feedback.negative.400	var(--color-feedback.negative400)	400	Hover state, light interactive fill
color.feedback.negative.500	var(--color-feedback.negative500)	500	★ Root — default interactive, primary brand usage
color.feedback.negative.600	var(--color-feedback.negative600)	600	Active states, borders, icon fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.negative.700	var(--color-feedback.negative700)	700	Active states, borders, icon fills
color.feedback.negative.800	var(--color-feedback.negative800)	800	Text on light bg, dark borders, emphasis
color.feedback.negative.900	var(--color-feedback.negative900)	900	Text on light bg, dark borders, emphasis
color.feedback.negative.925	var(--color-feedback.negative925)	925	Dark mode surfaces, high-contrast text
color.feedback.negative.950	var(--color-feedback.negative950)	950	Dark mode surfaces, high-contrast text
color.feedback.negative.975	var(--color-feedback.negative975)	975	Dark mode surfaces, high-contrast text

Group 3 — Neutral

Shared across all brands. White anchors surfaces. Grey handles UI chrome. Ink anchors text and dark backgrounds. 500 is never pure #000 or #FFF extremes — always a considered value.

White Surfaces

Page backgrounds, card surfaces, input fills, skeleton loaders, disabled states. 500 = pure white anchor.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FFFFFF	#FAFAFA	#F5F5F6	#F1F1F2	#EBEBEC	#E3E4E4	#DADADA	#D6D6D7	#CFCFD0	#C8C8C9	#C1C1C2	#BABABC	#B5B6B7	#AEAEB0	#A8A8AA

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.white.25	var(--color-neutral.white25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.50	var(--color-neutral.white50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.75	var(--color-neutral.white75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.100	var(--color-neutral.white100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.200	var(--color-neutral.white200)	200	Subtle fills, hover tints, skeleton states
color.neutral.white.300	var(--color-neutral.white300)	300	Subtle fills, hover tints, skeleton states
color.neutral.white.400	var(--color-neutral.white400)	400	Hover state, light interactive fill
color.neutral.white.500	var(--color-neutral.white500)	500	★ Root — default interactive, primary brand usage
color.neutral.white.600	var(--color-neutral.white600)	600	Active states, borders, icon fills
color.neutral.white.700	var(--color-neutral.white700)	700	Active states, borders, icon fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.white.800	var(--color-neutral.white800)	800	Text on light bg, dark borders, emphasis
color.neutral.white.900	var(--color-neutral.white900)	900	Text on light bg, dark borders, emphasis
color.neutral.white.925	var(--color-neutral.white925)	925	Dark mode surfaces, high-contrast text
color.neutral.white.950	var(--color-neutral.white950)	950	Dark mode surfaces, high-contrast text
color.neutral.white.975	var(--color-neutral.white975)	975	Dark mode surfaces, high-contrast text

Grey UI Chrome

Borders, dividers, icon fills, placeholder text, muted labels. The workhorse between White and Ink.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#E8E8E9	#DCDCDD	#D0D0D1	#C4C4C5	#ADADAE	#969698	#808082	#6B6B6D	#595A5C	#474849	#373839	#282829	#1C1C1D	#111112	#070708

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.grey.25	var(--color-neutral.grey25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.50	var(--color-neutral.grey50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.75	var(--color-neutral.grey75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.100	var(--color-neutral.grey100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.200	var(--color-neutral.grey200)	200	Subtle fills, hover tints, skeleton states
color.neutral.grey.300	var(--color-neutral.grey300)	300	Subtle fills, hover tints, skeleton states
color.neutral.grey.400	var(--color-neutral.grey400)	400	Hover state, light interactive fill
color.neutral.grey.500	var(--color-neutral.grey500)	500	★ Root — default interactive, primary brand usage
color.neutral.grey.600	var(--color-neutral.grey600)	600	Active states, borders, icon fills
color.neutral.grey.700	var(--color-neutral.grey700)	700	Active states, borders, icon fills
color.neutral.grey.800	var(--color-neutral.grey800)	800	Text on light bg, dark borders, emphasis
color.neutral.grey.900	var(--color-neutral.grey900)	900	Text on light bg, dark borders, emphasis
color.neutral.grey.925	var(--color-neutral.grey925)	925	Dark mode surfaces, high-contrast text
color.neutral.grey.950	var(--color-neutral.grey950)	950	Dark mode surfaces, high-contrast text

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.grey.975	var(--color-neutral.grey975)	975	Dark mode surfaces, high-contrast text

Ink Text & Dark

Body text, headings, dark mode surfaces. 500 = darkest text value. Never #000000 — Ink.500 is a very dark near-black.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#808284	#737577	#676869	#6C6D70	#57595B	#494B4D	#3B3D3F	#2E3033	#262829	#1F2122	#191B1F	#131519	#0E1013	#09090B	#050507

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.ink.25	var(--color-neutral.ink25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.50	var(--color-neutral.ink50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.75	var(--color-neutral.ink75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.100	var(--color-neutral.ink100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.200	var(--color-neutral.ink200)	200	Subtle fills, hover tints, skeleton states
color.neutral.ink.300	var(--color-neutral.ink300)	300	Subtle fills, hover tints, skeleton states
color.neutral.ink.400	var(--color-neutral.ink400)	400	Hover state, light interactive fill
color.neutral.ink.500	var(--color-neutral.ink500)	500	★ Root — default interactive, primary brand usage
color.neutral.ink.600	var(--color-neutral.ink600)	600	Active states, borders, icon fills
color.neutral.ink.700	var(--color-neutral.ink700)	700	Active states, borders, icon fills
color.neutral.ink.800	var(--color-neutral.ink800)	800	Text on light bg, dark borders, emphasis
color.neutral.ink.900	var(--color-neutral.ink900)	900	Text on light bg, dark borders, emphasis
color.neutral.ink.925	var(--color-neutral.ink925)	925	Dark mode surfaces, high-contrast text
color.neutral.ink.950	var(--color-neutral.ink950)	950	Dark mode surfaces, high-contrast text
color.neutral.ink.975	var(--color-neutral.ink975)	975	Dark mode surfaces, high-contrast text

Gradients

Maligai Manager defines 3 gradient tokens. Gradients reference Core scale stops only — Feedback and Neutral colours are excluded. Maximum 3 stops per gradient. Angle default: 135deg.

Name	Token	Stop References	Usage
Market	gradient.market	primary.500 → secondary.500	App header, category banners
Harvest	gradient.harvest	primary.500 → tertiary.500	Promotional tiles, offer cards
Shelf	gradient.shelf	primary.600 → secondary.500	Empty state illustrations

Ullagellam — Color Palette

Explore & discover around you · Platform: Mobile

Group 1 — Core

Three brand-specific scales that define the product's visual identity. These are the only scales that differ per brand. Secondary and Tertiary support the Primary without competing with it.

Primary Discovery Violet

Curiosity, exploration, discovery. Drives navigation, place pins, and featured content.

Root: #7C3AED · 500 is the primary usage stop · 15 stops: 25 → 975

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#F5F0FF	#EBE0FF	#D9C8FE	#C8B0FD	#A882FA	#8D5CF6	#7C3AED	#6D28D9	#5B21B6	#4C1D95	#3B1678	#2C105C	#1E0B3E	#110620	#060210

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.primary.25	var(--color-core.primary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.primary.50	var(--color-core.primary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.primary.75	var(--color-core.primary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.primary.100	var(--color-core.primary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.primary.200	var(--color-core.primary200)	200	Subtle fills, hover tints, skeleton states
color.core.primary.300	var(--color-core.primary300)	300	Subtle fills, hover tints, skeleton states
color.core.primary.400	var(--color-core.primary400)	400	Hover state, light interactive fill
color.core.primary.500	var(--color-core.primary500)	500	★ Root — default interactive, primary brand usage
color.core.primary.600	var(--color-core.primary600)	600	Active states, borders, icon fills
color.core.primary.700	var(--color-core.primary700)	700	Active states, borders, icon fills
color.core.primary.800	var(--color-core.primary800)	800	Text on light bg, dark borders, emphasis
color.core.primary.900	var(--color-core.primary900)	900	Text on light bg, dark borders, emphasis
color.core.primary.925	var(--color-core.primary925)	925	Dark mode surfaces, high-contrast text
color.core.primary.950	var(--color-core.primary950)	950	Dark mode surfaces, high-contrast text
color.core.primary.975	var(--color-core.primary975)	975	Dark mode surfaces, high-contrast text

Secondary Sky Teal

Calm, spatial, wayfinding. Used for map accents, distance indicators, and route highlights.

Root: #0891B2 · 500 is the primary usage stop · 15 stops: 25 → 975

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#ECFEFF	#CFFAFE	#A5F3FC	#67E8F9	#22D3EE	#06B6D4	#0891B2	#0E7490	#155E75	#164E63	#0F3D50	#0A2D3C	#071E28	#040F14	#010507

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.secondary.25	var(--color-core.secondary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.50	var(--color-core.secondary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.75	var(--color-core.secondary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.100	var(--color-core.secondary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.200	var(--color-core.secondary200)	200	Subtle fills, hover tints, skeleton states
color.core.secondary.300	var(--color-core.secondary300)	300	Subtle fills, hover tints, skeleton states
color.core.secondary.400	var(--color-core.secondary400)	400	Hover state, light interactive fill
color.core.secondary.500	var(--color-core.secondary500)	500	★ Root — default interactive, primary brand usage
color.core.secondary.600	var(--color-core.secondary600)	600	Active states, borders, icon fills
color.core.secondary.700	var(--color-core.secondary700)	700	Active states, borders, icon fills
color.core.secondary.800	var(--color-core.secondary800)	800	Text on light bg, dark borders, emphasis
color.core.secondary.900	var(--color-core.secondary900)	900	Text on light bg, dark borders, emphasis
color.core.secondary.925	var(--color-core.secondary925)	925	Dark mode surfaces, high-contrast text
color.core.secondary.950	var(--color-core.secondary950)	950	Dark mode surfaces, high-contrast text
color.core.secondary.975	var(--color-core.secondary975)	975	Dark mode surfaces, high-contrast text

Tertiary Coral

Warmth and energy for featured spots, trending places, and social engagement elements.

Root: #E11D48 · 500 is the primary usage stop · 15 stops: 25 → 975

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FFF1F2	#FFE4E6	#FECDD3	#FDA4AF	#FB7185	#F43F5E	#E11D48	#BE123C	#9F1239	#881337	#700F2D	#590C24	#42091A	#2B0511	#140208

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.tertiary.25	var(--color-core.tertiary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.50	var(--color-core.tertiary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.75	var(--color-core.tertiary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.100	var(--color-core.tertiary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.200	var(--color-core.tertiary200)	200	Subtle fills, hover tints, skeleton states
color.core.tertiary.300	var(--color-core.tertiary300)	300	Subtle fills, hover tints, skeleton states
color.core.tertiary.400	var(--color-core.tertiary400)	400	Hover state, light interactive fill
color.core.tertiary.500	var(--color-core.tertiary500)	500	★ Root — default interactive, primary brand usage
color.core.tertiary.600	var(--color-core.tertiary600)	600	Active states, borders, icon fills
color.core.tertiary.700	var(--color-core.tertiary700)	700	Active states, borders, icon fills
color.core.tertiary.800	var(--color-core.tertiary800)	800	Text on light bg, dark borders, emphasis
color.core.tertiary.900	var(--color-core.tertiary900)	900	Text on light bg, dark borders, emphasis
color.core.tertiary.925	var(--color-core.tertiary925)	925	Dark mode surfaces, high-contrast text
color.core.tertiary.950	var(--color-core.tertiary950)	950	Dark mode surfaces, high-contrast text
color.core.tertiary.975	var(--color-core.tertiary975)	975	Dark mode surfaces, high-contrast text

Group 2 — Feedback

Fixed across all brands. Positive = Green, Warning = Amber, Negative = Red. These cannot be remapped to brand colours — their meaning depends on universal consistency.

Positive Green

Success states, confirmations, completed actions. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#E8F8EE	#D0EDDB	#BBDFC8	#ABDEBE	#86CFA1	#61C084	#3BB267	#16A34A	#168D43	#17773C	#176235	#184C2E	#183628	#0F2218	#060E09

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.positive.25	var(--color-feedback.positive25)	25	Backgrounds, tinted surfaces, disabled fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.positive.50	var(--color-feedback.positive50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.75	var(--color-feedback.positive75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.100	var(--color-feedback.positive100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.200	var(--color-feedback.positive200)	200	Subtle fills, hover tints, skeleton states
color.feedback.positive.300	var(--color-feedback.positive300)	300	Subtle fills, hover tints, skeleton states
color.feedback.positive.400	var(--color-feedback.positive400)	400	Hover state, light interactive fill
color.feedback.positive.500	var(--color-feedback.positive500)	500	★ Root — default interactive, primary brand usage
color.feedback.positive.600	var(--color-feedback.positive600)	600	Active states, borders, icon fills
color.feedback.positive.700	var(--color-feedback.positive700)	700	Active states, borders, icon fills
color.feedback.positive.800	var(--color-feedback.positive800)	800	Text on light bg, dark borders, emphasis
color.feedback.positive.900	var(--color-feedback.positive900)	900	Text on light bg, dark borders, emphasis
color.feedback.positive.925	var(--color-feedback.positive925)	925	Dark mode surfaces, high-contrast text
color.feedback.positive.950	var(--color-feedback.positive950)	950	Dark mode surfaces, high-contrast text
color.feedback.positive.975	var(--color-feedback.positive975)	975	Dark mode surfaces, high-contrast text

Warning Amber

Caution states, pending actions, reversible decisions. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FFFBF0	#FDECE	#FCE2B5	#FBDCA7	#FACD80	#F8BD59	#F7AE32	#F59E0B	#D2890E	#AF7411	#8B5F15	#684A18	#45351B	#2C2110	#130D04

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.warning.25	var(--color-feedback.warning25)	25	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.50	var(--color-feedback.warning50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.75	var(--color-feedback.warning75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.100	var(--color-feedback.warning100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.200	var(--color-feedback.warning200)	200	Subtle fills, hover tints, skeleton states

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.warning.300	var(--color-feedback.warning300)	300	Subtle fills, hover tints, skeleton states
color.feedback.warning.400	var(--color-feedback.warning400)	400	Hover state, light interactive fill
color.feedback.warning.500	var(--color-feedback.warning500)	500	★ Root — default interactive, primary brand usage
color.feedback.warning.600	var(--color-feedback.warning600)	600	Active states, borders, icon fills
color.feedback.warning.700	var(--color-feedback.warning700)	700	Active states, borders, icon fills
color.feedback.warning.800	var(--color-feedback.warning800)	800	Text on light bg, dark borders, emphasis
color.feedback.warning.900	var(--color-feedback.warning900)	900	Text on light bg, dark borders, emphasis
color.feedback.warning.925	var(--color-feedback.warning925)	925	Dark mode surfaces, high-contrast text
color.feedback.warning.950	var(--color-feedback.warning950)	950	Dark mode surfaces, high-contrast text
color.feedback.warning.975	var(--color-feedback.warning975)	975	Dark mode surfaces, high-contrast text

Negative Red

Error states, destructive actions, critical alerts. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FEECEC	#F8D4D4	#F5C0C0	#F2B1B1	#ED8E8E	#E76B6B	#E24949	#DC2626	#BD2425	#9E2224	#7E2123	#5F1F22	#401D20	#280F11	#100406

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.negative.25	var(--color-feedback.negative25)	25	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.50	var(--color-feedback.negative50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.75	var(--color-feedback.negative75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.100	var(--color-feedback.negative100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.200	var(--color-feedback.negative200)	200	Subtle fills, hover tints, skeleton states
color.feedback.negative.300	var(--color-feedback.negative300)	300	Subtle fills, hover tints, skeleton states
color.feedback.negative.400	var(--color-feedback.negative400)	400	Hover state, light interactive fill
color.feedback.negative.500	var(--color-feedback.negative500)	500	★ Root — default interactive, primary brand usage
color.feedback.negative.600	var(--color-feedback.negative600)	600	Active states, borders, icon fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.negative.700	var(--color-feedback.negative700)	700	Active states, borders, icon fills
color.feedback.negative.800	var(--color-feedback.negative800)	800	Text on light bg, dark borders, emphasis
color.feedback.negative.900	var(--color-feedback.negative900)	900	Text on light bg, dark borders, emphasis
color.feedback.negative.925	var(--color-feedback.negative925)	925	Dark mode surfaces, high-contrast text
color.feedback.negative.950	var(--color-feedback.negative950)	950	Dark mode surfaces, high-contrast text
color.feedback.negative.975	var(--color-feedback.negative975)	975	Dark mode surfaces, high-contrast text

Group 3 — Neutral

Shared across all brands. White anchors surfaces. Grey handles UI chrome. Ink anchors text and dark backgrounds. 500 is never pure #000 or #FFF extremes — always a considered value.

White Surfaces

Page backgrounds, card surfaces, input fills, skeleton loaders, disabled states. 500 = pure white anchor.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FFFFFF	#FAFAFA	#F5F5F6	#F1F1F2	#EBEBEC	#E3E4E4	#DADADA	#D6D6D7	#CFCFD0	#C8C8C9	#C1C1C2	#BABABC	#B5B6B7	#AEAEB0	#A8A8AA

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.white.25	var(--color-neutral.white25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.50	var(--color-neutral.white50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.75	var(--color-neutral.white75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.100	var(--color-neutral.white100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.200	var(--color-neutral.white200)	200	Subtle fills, hover tints, skeleton states
color.neutral.white.300	var(--color-neutral.white300)	300	Subtle fills, hover tints, skeleton states
color.neutral.white.400	var(--color-neutral.white400)	400	Hover state, light interactive fill
color.neutral.white.500	var(--color-neutral.white500)	500	★ Root — default interactive, primary brand usage
color.neutral.white.600	var(--color-neutral.white600)	600	Active states, borders, icon fills
color.neutral.white.700	var(--color-neutral.white700)	700	Active states, borders, icon fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.white.800	var(--color-neutral.white800)	800	Text on light bg, dark borders, emphasis
color.neutral.white.900	var(--color-neutral.white900)	900	Text on light bg, dark borders, emphasis
color.neutral.white.925	var(--color-neutral.white925)	925	Dark mode surfaces, high-contrast text
color.neutral.white.950	var(--color-neutral.white950)	950	Dark mode surfaces, high-contrast text
color.neutral.white.975	var(--color-neutral.white975)	975	Dark mode surfaces, high-contrast text

Grey UI Chrome

Borders, dividers, icon fills, placeholder text, muted labels. The workhorse between White and Ink.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#E8E8E9	#DCDCDD	#D0D0D1	#C4C4C5	#ADADAE	#969698	#808082	#6B6B6D	#595A5C	#474849	#373839	#282829	#1C1C1D	#111112	#070708

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.grey.25	var(--color-neutral.grey25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.50	var(--color-neutral.grey50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.75	var(--color-neutral.grey75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.100	var(--color-neutral.grey100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.200	var(--color-neutral.grey200)	200	Subtle fills, hover tints, skeleton states
color.neutral.grey.300	var(--color-neutral.grey300)	300	Subtle fills, hover tints, skeleton states
color.neutral.grey.400	var(--color-neutral.grey400)	400	Hover state, light interactive fill
color.neutral.grey.500	var(--color-neutral.grey500)	500	★ Root — default interactive, primary brand usage
color.neutral.grey.600	var(--color-neutral.grey600)	600	Active states, borders, icon fills
color.neutral.grey.700	var(--color-neutral.grey700)	700	Active states, borders, icon fills
color.neutral.grey.800	var(--color-neutral.grey800)	800	Text on light bg, dark borders, emphasis
color.neutral.grey.900	var(--color-neutral.grey900)	900	Text on light bg, dark borders, emphasis
color.neutral.grey.925	var(--color-neutral.grey925)	925	Dark mode surfaces, high-contrast text
color.neutral.grey.950	var(--color-neutral.grey950)	950	Dark mode surfaces, high-contrast text

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.grey.975	var(--color-neutral.grey975)	975	Dark mode surfaces, high-contrast text

Ink Text & Dark

Body text, headings, dark mode surfaces. 500 = darkest text value. Never #000000 — Ink.500 is a very dark near-black.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#808284	#737577	#676869	#6C6D70	#57595B	#494B4D	#3B3D3F	#2E3033	#262829	#1F2122	#191B1F	#131519	#0E1013	#09090B	#050507

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.ink.25	var(--color-neutral.ink25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.50	var(--color-neutral.ink50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.75	var(--color-neutral.ink75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.100	var(--color-neutral.ink100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.200	var(--color-neutral.ink200)	200	Subtle fills, hover tints, skeleton states
color.neutral.ink.300	var(--color-neutral.ink300)	300	Subtle fills, hover tints, skeleton states
color.neutral.ink.400	var(--color-neutral.ink400)	400	Hover state, light interactive fill
color.neutral.ink.500	var(--color-neutral.ink500)	500	★ Root — default interactive, primary brand usage
color.neutral.ink.600	var(--color-neutral.ink600)	600	Active states, borders, icon fills
color.neutral.ink.700	var(--color-neutral.ink700)	700	Active states, borders, icon fills
color.neutral.ink.800	var(--color-neutral.ink800)	800	Text on light bg, dark borders, emphasis
color.neutral.ink.900	var(--color-neutral.ink900)	900	Text on light bg, dark borders, emphasis
color.neutral.ink.925	var(--color-neutral.ink925)	925	Dark mode surfaces, high-contrast text
color.neutral.ink.950	var(--color-neutral.ink950)	950	Dark mode surfaces, high-contrast text
color.neutral.ink.975	var(--color-neutral.ink975)	975	Dark mode surfaces, high-contrast text

Gradients

Ullagellam defines 3 gradient tokens. Gradients reference Core scale stops only — Feedback and Neutral colours are excluded. Maximum 3 stops per gradient. Angle default: 135deg.

Name	Token	Stop References	Usage
Explore	gradient.explore	primary.500 → secondary.500	Splash screen, hero banners
Discover	gradient.discover	primary.500 → tertiary.500	Featured place cards
Nightlife	gradient.nightlife	primary.800 → secondary.600	Evening mode, dark category tiles

Ilakh — Color Palette

Goal tracking & personal finance · Platform: Web · Mobile

Group 1 — Core

Three brand-specific scales that define the product's visual identity. These are the only scales that differ per brand. Secondary and Tertiary support the Primary without competing with it.

Primary Ocean Blue

Trust, clarity, and focus. Drives dashboards, goal progress indicators, and primary actions.

Root: #0369A1 · 500 is the primary usage stop · 15 stops: 25 → 975

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#EFF8FF	#DBEEFE	#BFE0FD	#93CBFC	#60AEFA	#3B91F7	#1D76E4	#0369A1	#025985	#014668	#01344C	#012230	#011521	#000912	#000406

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.primary.25	var(--color-core.primary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.primary.50	var(--color-core.primary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.primary.75	var(--color-core.primary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.primary.100	var(--color-core.primary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.primary.200	var(--color-core.primary200)	200	Subtle fills, hover tints, skeleton states
color.core.primary.300	var(--color-core.primary300)	300	Subtle fills, hover tints, skeleton states
color.core.primary.400	var(--color-core.primary400)	400	Hover state, light interactive fill
color.core.primary.500	var(--color-core.primary500)	500	★ Root — default interactive, primary brand usage
color.core.primary.600	var(--color-core.primary600)	600	Active states, borders, icon fills
color.core.primary.700	var(--color-core.primary700)	700	Active states, borders, icon fills
color.core.primary.800	var(--color-core.primary800)	800	Text on light bg, dark borders, emphasis
color.core.primary.900	var(--color-core.primary900)	900	Text on light bg, dark borders, emphasis
color.core.primary.925	var(--color-core.primary925)	925	Dark mode surfaces, high-contrast text
color.core.primary.950	var(--color-core.primary950)	950	Dark mode surfaces, high-contrast text
color.core.primary.975	var(--color-core.primary975)	975	Dark mode surfaces, high-contrast text

Secondary Emerald

Goal achieved, savings milestones, positive financial momentum. Pairs cleanly with Ocean Blue.

Root: #059669 · 500 is the primary usage stop · 15 stops: 25 → 975

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#ECFDF5	#D1FAE5	#A7F3D0	#6EE7B7	#34D399	#10B981	#059669	#047857	#065F46	#064E3B	#053D2F	#042C22	#031A14	#010D0A	#000402

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.secondary.25	var(--color-core.secondary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.50	var(--color-core.secondary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.75	var(--color-core.secondary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.100	var(--color-core.secondary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.200	var(--color-core.secondary200)	200	Subtle fills, hover tints, skeleton states
color.core.secondary.300	var(--color-core.secondary300)	300	Subtle fills, hover tints, skeleton states
color.core.secondary.400	var(--color-core.secondary400)	400	Hover state, light interactive fill
color.core.secondary.500	var(--color-core.secondary500)	500	★ Root — default interactive, primary brand usage
color.core.secondary.600	var(--color-core.secondary600)	600	Active states, borders, icon fills
color.core.secondary.700	var(--color-core.secondary700)	700	Active states, borders, icon fills
color.core.secondary.800	var(--color-core.secondary800)	800	Text on light bg, dark borders, emphasis
color.core.secondary.900	var(--color-core.secondary900)	900	Text on light bg, dark borders, emphasis
color.core.secondary.925	var(--color-core.secondary925)	925	Dark mode surfaces, high-contrast text
color.core.secondary.950	var(--color-core.secondary950)	950	Dark mode surfaces, high-contrast text
color.core.secondary.975	var(--color-core.secondary975)	975	Dark mode surfaces, high-contrast text

Tertiary Slate Indigo

Analytics, chart lines, secondary data series. Adds depth without competing with primary.

Root: #4338CA · 500 is the primary usage stop · 15 stops: 25 → 975

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#EEF2FF	#E0E7FF	#C7D2FE	#A5B4FC	#818CF8	#6366F1	#4F46E5	#4338CA	#3730A3	#312E81	#271F6A	#1D1652	#130D3A	#090622	#03020A

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.tertiary.25	var(--color-core.tertiary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.50	var(--color-core.tertiary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.75	var(--color-core.tertiary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.100	var(--color-core.tertiary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.200	var(--color-core.tertiary200)	200	Subtle fills, hover tints, skeleton states
color.core.tertiary.300	var(--color-core.tertiary300)	300	Subtle fills, hover tints, skeleton states
color.core.tertiary.400	var(--color-core.tertiary400)	400	Hover state, light interactive fill
color.core.tertiary.500	var(--color-core.tertiary500)	500	★ Root — default interactive, primary brand usage
color.core.tertiary.600	var(--color-core.tertiary600)	600	Active states, borders, icon fills
color.core.tertiary.700	var(--color-core.tertiary700)	700	Active states, borders, icon fills
color.core.tertiary.800	var(--color-core.tertiary800)	800	Text on light bg, dark borders, emphasis
color.core.tertiary.900	var(--color-core.tertiary900)	900	Text on light bg, dark borders, emphasis
color.core.tertiary.925	var(--color-core.tertiary925)	925	Dark mode surfaces, high-contrast text
color.core.tertiary.950	var(--color-core.tertiary950)	950	Dark mode surfaces, high-contrast text
color.core.tertiary.975	var(--color-core.tertiary975)	975	Dark mode surfaces, high-contrast text

Group 2 — Feedback

Fixed across all brands. Positive = Green, Warning = Amber, Negative = Red. These cannot be remapped to brand colours — their meaning depends on universal consistency.

Positive Green

Success states, confirmations, completed actions. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#E8F8EE	#D0EDDB	#BBDFC8	#ABDEBE	#86CFA1	#61C084	#3BB267	#16A34A	#168D43	#17773C	#176235	#184C2E	#183628	#0F2218	#060E09

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.positive.25	var(--color-feedback.positive25)	25	Backgrounds, tinted surfaces, disabled fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.positive.50	var(--color-feedback.positive50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.75	var(--color-feedback.positive75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.100	var(--color-feedback.positive100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.200	var(--color-feedback.positive200)	200	Subtle fills, hover tints, skeleton states
color.feedback.positive.300	var(--color-feedback.positive300)	300	Subtle fills, hover tints, skeleton states
color.feedback.positive.400	var(--color-feedback.positive400)	400	Hover state, light interactive fill
color.feedback.positive.500	var(--color-feedback.positive500)	500	★ Root — default interactive, primary brand usage
color.feedback.positive.600	var(--color-feedback.positive600)	600	Active states, borders, icon fills
color.feedback.positive.700	var(--color-feedback.positive700)	700	Active states, borders, icon fills
color.feedback.positive.800	var(--color-feedback.positive800)	800	Text on light bg, dark borders, emphasis
color.feedback.positive.900	var(--color-feedback.positive900)	900	Text on light bg, dark borders, emphasis
color.feedback.positive.925	var(--color-feedback.positive925)	925	Dark mode surfaces, high-contrast text
color.feedback.positive.950	var(--color-feedback.positive950)	950	Dark mode surfaces, high-contrast text
color.feedback.positive.975	var(--color-feedback.positive975)	975	Dark mode surfaces, high-contrast text

Warning Amber

Caution states, pending actions, reversible decisions. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FFFBF0	#FDECCF	#FCE2B5	#FBDCA7	#FACD80	#F8BD59	#F7AE32	#F59E0B	#D2890E	#AF7411	#8B5F15	#684A18	#45351B	#2C2110	#130D04

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.warning.25	var(--color-feedback.warning25)	25	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.50	var(--color-feedback.warning50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.75	var(--color-feedback.warning75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.100	var(--color-feedback.warning100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.200	var(--color-feedback.warning200)	200	Subtle fills, hover tints, skeleton states

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.warning.300	var(--color-feedback.warning300)	300	Subtle fills, hover tints, skeleton states
color.feedback.warning.400	var(--color-feedback.warning400)	400	Hover state, light interactive fill
color.feedback.warning.500	var(--color-feedback.warning500)	500	★ Root — default interactive, primary brand usage
color.feedback.warning.600	var(--color-feedback.warning600)	600	Active states, borders, icon fills
color.feedback.warning.700	var(--color-feedback.warning700)	700	Active states, borders, icon fills
color.feedback.warning.800	var(--color-feedback.warning800)	800	Text on light bg, dark borders, emphasis
color.feedback.warning.900	var(--color-feedback.warning900)	900	Text on light bg, dark borders, emphasis
color.feedback.warning.925	var(--color-feedback.warning925)	925	Dark mode surfaces, high-contrast text
color.feedback.warning.950	var(--color-feedback.warning950)	950	Dark mode surfaces, high-contrast text
color.feedback.warning.975	var(--color-feedback.warning975)	975	Dark mode surfaces, high-contrast text

Negative Red

Error states, destructive actions, critical alerts. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FEECEC	#F8D4D4	#F5C0C0	#F2B1B1	#ED8E8E	#E76B6B	#E24949	#DC2626	#BD2425	#9E2224	#7E2123	#5F1F22	#401D20	#280F11	#100406

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.negative.25	var(--color-feedback.negative25)	25	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.50	var(--color-feedback.negative50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.75	var(--color-feedback.negative75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.100	var(--color-feedback.negative100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.200	var(--color-feedback.negative200)	200	Subtle fills, hover tints, skeleton states
color.feedback.negative.300	var(--color-feedback.negative300)	300	Subtle fills, hover tints, skeleton states
color.feedback.negative.400	var(--color-feedback.negative400)	400	Hover state, light interactive fill
color.feedback.negative.500	var(--color-feedback.negative500)	500	★ Root — default interactive, primary brand usage
color.feedback.negative.600	var(--color-feedback.negative600)	600	Active states, borders, icon fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.negative.700	var(--color-feedback.negative700)	700	Active states, borders, icon fills
color.feedback.negative.800	var(--color-feedback.negative800)	800	Text on light bg, dark borders, emphasis
color.feedback.negative.900	var(--color-feedback.negative900)	900	Text on light bg, dark borders, emphasis
color.feedback.negative.925	var(--color-feedback.negative925)	925	Dark mode surfaces, high-contrast text
color.feedback.negative.950	var(--color-feedback.negative950)	950	Dark mode surfaces, high-contrast text
color.feedback.negative.975	var(--color-feedback.negative975)	975	Dark mode surfaces, high-contrast text

Group 3 — Neutral

Shared across all brands. White anchors surfaces. Grey handles UI chrome. Ink anchors text and dark backgrounds. 500 is never pure #000 or #FFF extremes — always a considered value.

White Surfaces

Page backgrounds, card surfaces, input fills, skeleton loaders, disabled states. 500 = pure white anchor.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FFFFFF	#FAFAFA	#F5F5F6	#F1F1F2	#EBEBEC	#E3E4E4	#DADADA	#D6D6D7	#CFCFD0	#C8C8C9	#C1C1C2	#BABABC	#B5B6B7	#AEAEB0	#A8A8AA

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.white.25	var(--color-neutral.white25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.50	var(--color-neutral.white50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.75	var(--color-neutral.white75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.100	var(--color-neutral.white100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.200	var(--color-neutral.white200)	200	Subtle fills, hover tints, skeleton states
color.neutral.white.300	var(--color-neutral.white300)	300	Subtle fills, hover tints, skeleton states
color.neutral.white.400	var(--color-neutral.white400)	400	Hover state, light interactive fill
color.neutral.white.500	var(--color-neutral.white500)	500	★ Root — default interactive, primary brand usage
color.neutral.white.600	var(--color-neutral.white600)	600	Active states, borders, icon fills
color.neutral.white.700	var(--color-neutral.white700)	700	Active states, borders, icon fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.white.800	var(--color-neutral.white800)	800	Text on light bg, dark borders, emphasis
color.neutral.white.900	var(--color-neutral.white900)	900	Text on light bg, dark borders, emphasis
color.neutral.white.925	var(--color-neutral.white925)	925	Dark mode surfaces, high-contrast text
color.neutral.white.950	var(--color-neutral.white950)	950	Dark mode surfaces, high-contrast text
color.neutral.white.975	var(--color-neutral.white975)	975	Dark mode surfaces, high-contrast text

Grey UI Chrome

Borders, dividers, icon fills, placeholder text, muted labels. The workhorse between White and Ink.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#E8E8E9	#DCDCDD	#D0D0D1	#C4C4C5	#ADADAE	#969698	#808082	#6B6B6D	#595A5C	#474849	#373839	#282829	#1C1C1D	#111112	#070708

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.grey.25	var(--color-neutral.grey25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.50	var(--color-neutral.grey50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.75	var(--color-neutral.grey75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.100	var(--color-neutral.grey100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.200	var(--color-neutral.grey200)	200	Subtle fills, hover tints, skeleton states
color.neutral.grey.300	var(--color-neutral.grey300)	300	Subtle fills, hover tints, skeleton states
color.neutral.grey.400	var(--color-neutral.grey400)	400	Hover state, light interactive fill
color.neutral.grey.500	var(--color-neutral.grey500)	500	★ Root — default interactive, primary brand usage
color.neutral.grey.600	var(--color-neutral.grey600)	600	Active states, borders, icon fills
color.neutral.grey.700	var(--color-neutral.grey700)	700	Active states, borders, icon fills
color.neutral.grey.800	var(--color-neutral.grey800)	800	Text on light bg, dark borders, emphasis
color.neutral.grey.900	var(--color-neutral.grey900)	900	Text on light bg, dark borders, emphasis
color.neutral.grey.925	var(--color-neutral.grey925)	925	Dark mode surfaces, high-contrast text
color.neutral.grey.950	var(--color-neutral.grey950)	950	Dark mode surfaces, high-contrast text

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.grey.975	var(--color-neutral.grey975)	975	Dark mode surfaces, high-contrast text

Ink Text & Dark

Body text, headings, dark mode surfaces. 500 = darkest text value. Never #000000 — Ink.500 is a very dark near-black.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#808284	#737577	#676869	#6C6D70	#57595B	#494B4D	#3B3D3F	#2E3033	#262829	#1F2122	#191B1F	#131519	#0E1013	#09090B	#050507

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.ink.25	var(--color-neutral.ink25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.50	var(--color-neutral.ink50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.75	var(--color-neutral.ink75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.100	var(--color-neutral.ink100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.200	var(--color-neutral.ink200)	200	Subtle fills, hover tints, skeleton states
color.neutral.ink.300	var(--color-neutral.ink300)	300	Subtle fills, hover tints, skeleton states
color.neutral.ink.400	var(--color-neutral.ink400)	400	Hover state, light interactive fill
color.neutral.ink.500	var(--color-neutral.ink500)	500	★ Root — default interactive, primary brand usage
color.neutral.ink.600	var(--color-neutral.ink600)	600	Active states, borders, icon fills
color.neutral.ink.700	var(--color-neutral.ink700)	700	Active states, borders, icon fills
color.neutral.ink.800	var(--color-neutral.ink800)	800	Text on light bg, dark borders, emphasis
color.neutral.ink.900	var(--color-neutral.ink900)	900	Text on light bg, dark borders, emphasis
color.neutral.ink.925	var(--color-neutral.ink925)	925	Dark mode surfaces, high-contrast text
color.neutral.ink.950	var(--color-neutral.ink950)	950	Dark mode surfaces, high-contrast text
color.neutral.ink.975	var(--color-neutral.ink975)	975	Dark mode surfaces, high-contrast text

Gradients

Ilakh defines 3 gradient tokens. Gradients reference Core scale stops only — Feedback and Neutral colours are excluded. Maximum 3 stops per gradient. Angle default: 135deg.

Name	Token	Stop References	Usage
Goal	gradient.goal	primary.500 → secondary.500	Progress bars, achievement states
Focus	gradient.focus	primary.500 → tertiary.500	Dashboard headers, summary cards
Milestone	gradient.milestone	secondary.500 → tertiary.500	Celebration moments, streak UI

Yakaizen — Color Palette

Habit & continuous improvement · Platform: Mobile · Smartwatch

Group 1 — Core

Three brand-specific scales that define the product's visual identity. These are the only scales that differ per brand. Secondary and Tertiary support the Primary without competing with it.

Primary Charcoal

Discipline, focus, and commitment. Dark-first product — Charcoal drives all primary surfaces and actions.

Root: #334155 · 500 is the primary usage stop · 15 stops: 25 → 975

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#F8FAFC	#F1F5F9	#E2E8F0	#CBD5E1	#94A3B8	#64748B	#475569	#334155	#1E293B	#0F172A	#0B1120	#070B16	#04060D	#020408	#010203

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.primary.25	var(--color-core.primary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.primary.50	var(--color-core.primary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.primary.75	var(--color-core.primary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.primary.100	var(--color-core.primary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.primary.200	var(--color-core.primary200)	200	Subtle fills, hover tints, skeleton states
color.core.primary.300	var(--color-core.primary300)	300	Subtle fills, hover tints, skeleton states
color.core.primary.400	var(--color-core.primary400)	400	Hover state, light interactive fill
color.core.primary.500	var(--color-core.primary500)	500	★ Root — default interactive, primary brand usage
color.core.primary.600	var(--color-core.primary600)	600	Active states, borders, icon fills
color.core.primary.700	var(--color-core.primary700)	700	Active states, borders, icon fills
color.core.primary.800	var(--color-core.primary800)	800	Text on light bg, dark borders, emphasis
color.core.primary.900	var(--color-core.primary900)	900	Text on light bg, dark borders, emphasis
color.core.primary.925	var(--color-core.primary925)	925	Dark mode surfaces, high-contrast text
color.core.primary.950	var(--color-core.primary950)	950	Dark mode surfaces, high-contrast text
color.core.primary.975	var(--color-core.primary975)	975	Dark mode surfaces, high-contrast text

Secondary Electric Cyan

Energy, momentum, and progress metrics. High-contrast accent designed for dark backgrounds and watch faces.

Root: #06B6D4 · 500 is the primary usage stop · 15 stops: 25 → 975

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#ECFEFF	#CFFAFE	#A5F3FC	#67E8F9	#22D3EE	#06B6D4	#0891B2	#0E7490	#155E75	#164E63	#0F3D50	#0A2D3C	#071E28	#040F14	#010507

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.secondary.25	var(--color-core.secondary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.50	var(--color-core.secondary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.75	var(--color-core.secondary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.100	var(--color-core.secondary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.secondary.200	var(--color-core.secondary200)	200	Subtle fills, hover tints, skeleton states
color.core.secondary.300	var(--color-core.secondary300)	300	Subtle fills, hover tints, skeleton states
color.core.secondary.400	var(--color-core.secondary400)	400	Hover state, light interactive fill
color.core.secondary.500	var(--color-core.secondary500)	500	★ Root — default interactive, primary brand usage
color.core.secondary.600	var(--color-core.secondary600)	600	Active states, borders, icon fills
color.core.secondary.700	var(--color-core.secondary700)	700	Active states, borders, icon fills
color.core.secondary.800	var(--color-core.secondary800)	800	Text on light bg, dark borders, emphasis
color.core.secondary.900	var(--color-core.secondary900)	900	Text on light bg, dark borders, emphasis
color.core.secondary.925	var(--color-core.secondary925)	925	Dark mode surfaces, high-contrast text
color.core.secondary.950	var(--color-core.secondary950)	950	Dark mode surfaces, high-contrast text
color.core.secondary.975	var(--color-core.secondary975)	975	Dark mode surfaces, high-contrast text

Tertiary Volt Green

Habit streaks, completion rings, personal records. High-energy accent for motivational moments.

Root: #65A30D · 500 is the primary usage stop · 15 stops: 25 → 975

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#F7FEE7	#ECFCCB	#D9F99D	#BEF264	#A3E635	#84CC16	#65A30D	#4D7C0F	#3F6212	#365314	#2A4010	#1E2D0B	#131C07	#090E03	#030501

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.core.tertiary.25	var(--color-core.tertiary25)	25	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.50	var(--color-core.tertiary50)	50	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.75	var(--color-core.tertiary75)	75	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.100	var(--color-core.tertiary100)	100	Backgrounds, tinted surfaces, disabled fills
color.core.tertiary.200	var(--color-core.tertiary200)	200	Subtle fills, hover tints, skeleton states
color.core.tertiary.300	var(--color-core.tertiary300)	300	Subtle fills, hover tints, skeleton states
color.core.tertiary.400	var(--color-core.tertiary400)	400	Hover state, light interactive fill
color.core.tertiary.500	var(--color-core.tertiary500)	500	★ Root — default interactive, primary brand usage
color.core.tertiary.600	var(--color-core.tertiary600)	600	Active states, borders, icon fills
color.core.tertiary.700	var(--color-core.tertiary700)	700	Active states, borders, icon fills
color.core.tertiary.800	var(--color-core.tertiary800)	800	Text on light bg, dark borders, emphasis
color.core.tertiary.900	var(--color-core.tertiary900)	900	Text on light bg, dark borders, emphasis
color.core.tertiary.925	var(--color-core.tertiary925)	925	Dark mode surfaces, high-contrast text
color.core.tertiary.950	var(--color-core.tertiary950)	950	Dark mode surfaces, high-contrast text
color.core.tertiary.975	var(--color-core.tertiary975)	975	Dark mode surfaces, high-contrast text

Group 2 — Feedback

Fixed across all brands. Positive = Green, Warning = Amber, Negative = Red. These cannot be remapped to brand colours — their meaning depends on universal consistency.

Positive Green

Success states, confirmations, completed actions. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#E8F8EE	#D0EDDB	#BBDFC8	#ABDEBE	#86CFA1	#61C084	#3BB267	#16A34A	#168D43	#17773C	#176235	#184C2E	#183628	#0F2218	#060E09

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.positive.25	var(--color-feedback.positive25)	25	Backgrounds, tinted surfaces, disabled fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.positive.50	var(--color-feedback.positive50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.75	var(--color-feedback.positive75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.100	var(--color-feedback.positive100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.positive.200	var(--color-feedback.positive200)	200	Subtle fills, hover tints, skeleton states
color.feedback.positive.300	var(--color-feedback.positive300)	300	Subtle fills, hover tints, skeleton states
color.feedback.positive.400	var(--color-feedback.positive400)	400	Hover state, light interactive fill
color.feedback.positive.500	var(--color-feedback.positive500)	500	★ Root — default interactive, primary brand usage
color.feedback.positive.600	var(--color-feedback.positive600)	600	Active states, borders, icon fills
color.feedback.positive.700	var(--color-feedback.positive700)	700	Active states, borders, icon fills
color.feedback.positive.800	var(--color-feedback.positive800)	800	Text on light bg, dark borders, emphasis
color.feedback.positive.900	var(--color-feedback.positive900)	900	Text on light bg, dark borders, emphasis
color.feedback.positive.925	var(--color-feedback.positive925)	925	Dark mode surfaces, high-contrast text
color.feedback.positive.950	var(--color-feedback.positive950)	950	Dark mode surfaces, high-contrast text
color.feedback.positive.975	var(--color-feedback.positive975)	975	Dark mode surfaces, high-contrast text

Warning Amber

Caution states, pending actions, reversible decisions. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FFFBF0	#FDECCF	#FCE2B5	#FBDCA7	#FACD80	#F8BD59	#F7AE32	#F59E0B	#D2890E	#AF7411	#8B5F15	#684A18	#45351B	#2C2110	#130D04

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.warning.25	var(--color-feedback.warning25)	25	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.50	var(--color-feedback.warning50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.75	var(--color-feedback.warning75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.100	var(--color-feedback.warning100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.warning.200	var(--color-feedback.warning200)	200	Subtle fills, hover tints, skeleton states

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.warning.300	var(--color-feedback.warning300)	300	Subtle fills, hover tints, skeleton states
color.feedback.warning.400	var(--color-feedback.warning400)	400	Hover state, light interactive fill
color.feedback.warning.500	var(--color-feedback.warning500)	500	★ Root — default interactive, primary brand usage
color.feedback.warning.600	var(--color-feedback.warning600)	600	Active states, borders, icon fills
color.feedback.warning.700	var(--color-feedback.warning700)	700	Active states, borders, icon fills
color.feedback.warning.800	var(--color-feedback.warning800)	800	Text on light bg, dark borders, emphasis
color.feedback.warning.900	var(--color-feedback.warning900)	900	Text on light bg, dark borders, emphasis
color.feedback.warning.925	var(--color-feedback.warning925)	925	Dark mode surfaces, high-contrast text
color.feedback.warning.950	var(--color-feedback.warning950)	950	Dark mode surfaces, high-contrast text
color.feedback.warning.975	var(--color-feedback.warning975)	975	Dark mode surfaces, high-contrast text

Negative Red

Error states, destructive actions, critical alerts. Fixed across all brands — cannot be remapped.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FEECEC	#F8D4D4	#F5C0C0	#F2B1B1	#ED8E8E	#E76B6B	#E24949	#DC2626	#BD2425	#9E2224	#7E2123	#5F1F22	#401D20	#280F11	#100406

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.negative.25	var(--color-feedback.negative25)	25	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.50	var(--color-feedback.negative50)	50	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.75	var(--color-feedback.negative75)	75	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.100	var(--color-feedback.negative100)	100	Backgrounds, tinted surfaces, disabled fills
color.feedback.negative.200	var(--color-feedback.negative200)	200	Subtle fills, hover tints, skeleton states
color.feedback.negative.300	var(--color-feedback.negative300)	300	Subtle fills, hover tints, skeleton states
color.feedback.negative.400	var(--color-feedback.negative400)	400	Hover state, light interactive fill
color.feedback.negative.500	var(--color-feedback.negative500)	500	★ Root — default interactive, primary brand usage
color.feedback.negative.600	var(--color-feedback.negative600)	600	Active states, borders, icon fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.feedback.negative.700	var(--color-feedback.negative700)	700	Active states, borders, icon fills
color.feedback.negative.800	var(--color-feedback.negative800)	800	Text on light bg, dark borders, emphasis
color.feedback.negative.900	var(--color-feedback.negative900)	900	Text on light bg, dark borders, emphasis
color.feedback.negative.925	var(--color-feedback.negative925)	925	Dark mode surfaces, high-contrast text
color.feedback.negative.950	var(--color-feedback.negative950)	950	Dark mode surfaces, high-contrast text
color.feedback.negative.975	var(--color-feedback.negative975)	975	Dark mode surfaces, high-contrast text

Group 3 — Neutral

Shared across all brands. White anchors surfaces. Grey handles UI chrome. Ink anchors text and dark backgrounds. 500 is never pure #000 or #FFF extremes — always a considered value.

White Surfaces

Page backgrounds, card surfaces, input fills, skeleton loaders, disabled states. 500 = pure white anchor.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#FFFFFF	#FAFAFA	#F5F5F6	#F1F1F2	#EBEBEC	#E3E4E4	#DADADA	#D6D6D7	#CFCFD0	#C8C8C9	#C1C1C2	#BABABC	#B5B6B7	#AEAEB0	#A8A8AA

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.white.25	var(--color-neutral.white25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.50	var(--color-neutral.white50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.75	var(--color-neutral.white75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.100	var(--color-neutral.white100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.white.200	var(--color-neutral.white200)	200	Subtle fills, hover tints, skeleton states
color.neutral.white.300	var(--color-neutral.white300)	300	Subtle fills, hover tints, skeleton states
color.neutral.white.400	var(--color-neutral.white400)	400	Hover state, light interactive fill
color.neutral.white.500	var(--color-neutral.white500)	500	★ Root — default interactive, primary brand usage
color.neutral.white.600	var(--color-neutral.white600)	600	Active states, borders, icon fills
color.neutral.white.700	var(--color-neutral.white700)	700	Active states, borders, icon fills

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.white.800	var(--color-neutral.white800)	800	Text on light bg, dark borders, emphasis
color.neutral.white.900	var(--color-neutral.white900)	900	Text on light bg, dark borders, emphasis
color.neutral.white.925	var(--color-neutral.white925)	925	Dark mode surfaces, high-contrast text
color.neutral.white.950	var(--color-neutral.white950)	950	Dark mode surfaces, high-contrast text
color.neutral.white.975	var(--color-neutral.white975)	975	Dark mode surfaces, high-contrast text

Grey UI Chrome

Borders, dividers, icon fills, placeholder text, muted labels. The workhorse between White and Ink.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#E8E8E9	#DCDCDD	#D0D0D1	#C4C4C5	#ADADAE	#969698	#808082	#6B6B6D	#595A5C	#474849	#373839	#282829	#1C1C1D	#111112	#070708

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.grey.25	var(--color-neutral.grey25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.50	var(--color-neutral.grey50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.75	var(--color-neutral.grey75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.100	var(--color-neutral.grey100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.grey.200	var(--color-neutral.grey200)	200	Subtle fills, hover tints, skeleton states
color.neutral.grey.300	var(--color-neutral.grey300)	300	Subtle fills, hover tints, skeleton states
color.neutral.grey.400	var(--color-neutral.grey400)	400	Hover state, light interactive fill
color.neutral.grey.500	var(--color-neutral.grey500)	500	★ Root — default interactive, primary brand usage
color.neutral.grey.600	var(--color-neutral.grey600)	600	Active states, borders, icon fills
color.neutral.grey.700	var(--color-neutral.grey700)	700	Active states, borders, icon fills
color.neutral.grey.800	var(--color-neutral.grey800)	800	Text on light bg, dark borders, emphasis
color.neutral.grey.900	var(--color-neutral.grey900)	900	Text on light bg, dark borders, emphasis
color.neutral.grey.925	var(--color-neutral.grey925)	925	Dark mode surfaces, high-contrast text
color.neutral.grey.950	var(--color-neutral.grey950)	950	Dark mode surfaces, high-contrast text

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.grey.975	var(--color-neutral.grey975)	975	Dark mode surfaces, high-contrast text

Ink Text & Dark

Body text, headings, dark mode surfaces. 500 = darkest text value. Never #000000 — Ink.500 is a very dark near-black.

25	50	75	100	200	300	400	500	600	700	800	900	925	950	975
#808284	#737577	#676869	#6C6D70	#57595B	#494B4D	#3B3D3F	#2E3033	#262829	#1F2122	#191B1F	#131519	#0E1013	#09090B	#050507

Token Definitions

Token (JSON)	CSS Variable	Stop	Primary Usage
color.neutral.ink.25	var(--color-neutral.ink25)	25	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.50	var(--color-neutral.ink50)	50	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.75	var(--color-neutral.ink75)	75	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.100	var(--color-neutral.ink100)	100	Backgrounds, tinted surfaces, disabled fills
color.neutral.ink.200	var(--color-neutral.ink200)	200	Subtle fills, hover tints, skeleton states
color.neutral.ink.300	var(--color-neutral.ink300)	300	Subtle fills, hover tints, skeleton states
color.neutral.ink.400	var(--color-neutral.ink400)	400	Hover state, light interactive fill
color.neutral.ink.500	var(--color-neutral.ink500)	500	★ Root — default interactive, primary brand usage
color.neutral.ink.600	var(--color-neutral.ink600)	600	Active states, borders, icon fills
color.neutral.ink.700	var(--color-neutral.ink700)	700	Active states, borders, icon fills
color.neutral.ink.800	var(--color-neutral.ink800)	800	Text on light bg, dark borders, emphasis
color.neutral.ink.900	var(--color-neutral.ink900)	900	Text on light bg, dark borders, emphasis
color.neutral.ink.925	var(--color-neutral.ink925)	925	Dark mode surfaces, high-contrast text
color.neutral.ink.950	var(--color-neutral.ink950)	950	Dark mode surfaces, high-contrast text
color.neutral.ink.975	var(--color-neutral.ink975)	975	Dark mode surfaces, high-contrast text

Gradients

Yakaizen defines 3 gradient tokens. Gradients reference Core scale stops only — Feedback and Neutral colours are excluded. Maximum 3 stops per gradient. Angle default: 135deg.

Name	Token	Stop References	Usage
Streak	gradient.streak	primary.500 → secondary.500	Active habit rings, watch complications
Record	gradient.record	secondary.500 → tertiary.500	Personal best moments, achievement unlocks
Night Mode	gradient.night-mode	primary.900 → secondary.500	Smartwatch face, dark dashboard

Figma Implementation Notes

This section is specifically for the ColorsPage redesign in the existing Breathe Figma/code file.

Section / Element	What to build
Page structure	Replace the current single flat list of Teal/Indigo/Slate/Emerald/Amber/Rose scales with a tabbed layout — one tab per product (Leminiscate, Maligai Manager, Ullagellam, Ilakh, Yakaizen, Aumraa).
Tab content	Each tab shows the same layout: Group 1 Core (3 scales), Group 2 Feedback (3 scales, locked badge), Group 3 Neutral (3 scales, locked badge), then Gradients.
Swatch strip	Each scale renders as a horizontal 15-stop strip. Stop number above each swatch. Hex value below. The 500 stop has a highlighted border/ring to identify the root. Click-to-copy hex on each swatch.
Group headers	Three section headers per tab: "Core", "Feedback", and "Neutral". Feedback and Neutral carry a "Shared · Locked" badge in grey to communicate that these are system constants.
Token panel	Below each swatch strip, show a collapsible token table: JSON token name, CSS variable name, stop number, and primary usage note.
Semantic tokens section	One global section (not per-tab) at the bottom of the Colors page showing the shared semantic token reference table. This section is not brand-specific.
Gradient section	Inside each brand tab, after the 3 neutral scale rows, show the gradient tokens as horizontal gradient chips with the token name, stop references, and usage description beneath each chip.
Usage guidelines	Update the existing Do/Don't section to reflect the new rules: reference semantic tokens (not primitive stops), never put raw hex in components, respect feedback colour immutability.
Current file cleanup	Remove: Teal, Indigo, Slate, Emerald, Amber, Rose scales (all 6 are replaced). The existing --breathe-color-* semantic token table can be migrated to the new semantic token reference format defined in this PRD.