

Print

Maharashtra Public Service Commission Assessment

Question Paper Name :	Assistant Forest Statistician 14th August 2025 Shift 4
Subject Name :	Assistant Forest Statistician
Creation Date :	2025-08-14 18:29:05
Duration :	60
Total Marks :	200
Display Marks:	Yes
Share Answer Key With Delivery Engine :	No
Actual Answer Key :	Yes

Assistant Forest Statistician

Group Number :	1
Group Id :	56230328
Group Maximum Duration :	0
Group Minimum Duration :	60
Show Attended Group? :	No
Edit Attended Group? :	No
Break time :	0
Group Marks :	200

Assistant Forest Statistician

Section Id :	56230328
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory

Number of Questions :	100
Number of Questions to be attempted :	100
Section Marks :	200
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	56230339
Question Shuffling Allowed :	Yes

Question Number : 1 Question Id : 5623032661 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Which person is described in the following statements ?

- a. Established the Adishakti Adivasi Seva Sangh in 1951.
- b. Started night schools by establishing Adivasi Seva Mandal.
- c. Brought together the cement workers of Mumbai and the tribals in Mulund.

Options :

- 1. Pandurang Dhavala Sabale
- 2. Shamrao Parulekar
- 3. Thakkar Bappa
- 4. Anutai Wagh

Question Number : 1 Question Id : 5623032661 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

पुढील विधाने कोणाबाबत आहेत ?

- अ. यांनी 1951 मध्ये आदिशक्ती आदिवासी सेवा संघ स्थापन केला.
- ब. आदिवासी सेवा मंडळ स्थापून रात्रशाळा सुरू केल्या.
- क. मुंबईतील सिमेंट कामगार व मुलुंडमधील आदिवासी यांना एकत्र आणले.

Options :

1. पांडुरंग ढवळा साबळे
2. शामराव परुळेकर
3. ठक्कर बाप्पा
4. अनुताई वाघ

Question Number : 2 Question Id : 5623032662 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which statements about Babarao Savarkar are correct ?

- a. He established Tarun Hindusabha.
- b. He established Mukteshwar Dal.
- c. The book 'We-our Nationhood Defined' is influenced by his thoughts.

Options :

1. a, b and c
2. Only a and c

3. Only b and c

4. Only a and b

Question Number : 2 Question Id : 5623032662 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

बाबाराव सावरकर यांच्याबाबत कोणती विधाने यथातथ्य आहेत ?

अ. त्यांनी तरुण हिंदुसभेची स्थापना केली.

ब. त्यांनी मुक्तेश्वर दलाची स्थापना केली.

क. त्यांच्या विचारांचा प्रभाव 'वुई-अवर नेशनहुड डिफाईन्ड' या पुस्तकावर आहे.

Options :

1. अ, ब आणि क

2. फक्त अ आणि क

3. फक्त ब आणि क

4. फक्त अ आणि ब

Question Number : 3 Question Id : 5623032663 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Who was the Executive President of Bombay Association ?

Options :

1. Vinayakrao Jagannathji
2. Jagannath alias Nana Shankarsheth
3. Bomanjee Hormarjee
4. Bhau Daji Lad

Question Number : 3 Question Id : 5623032663 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

बॉम्बे असोसिएशनचे कार्यकारी अध्यक्ष कोण होते ?

Options :

1. विनायकराव जगन्नाथजी
2. जगन्नाथ उर्फ नाना शंकरशेठ
3. बोमनजी होरामजी
4. भाऊ दाजी लाड

Question Number : 4 Question Id : 5623032664 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

As per All India Tiger count 2018, the _____ Tigers were observed at Tadoba Andhari Tiger Project.

Options :

1. 80
2. 83
3. 88
4. 90

Question Number : 4 Question Id : 5623032664 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

ताडोबा अंधारी व्याघ्र प्रकल्पातील अखिल भारतीय व्याघ्र प्रगणना 2018 नुसार वाघांची संख्या _____ होती.

Options :

1. 80
2. 83
3. 88
4. 90

Question Number : 5 Question Id : 5623032665 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is the correct pair of tributaries of river Krishna ?

Options :

1. Arkavati – Bhavani
2. Koyna – Pranhita
3. Musi – Hemavati
4. Yerla – Tungabhadra

Question Number : 5 Question Id : 5623032665 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

खालीलपैकी कृष्णा नदीच्या उपनद्यांची योग्य जोडी कोणती आहे ?

Options :

1. अर्कावती – भवानी
2. कोयना – प्राणहिता
3. मुसी – हेमावती
4. येरळा – तुंगभद्रा

Question Number : 6 Question Id : 5623032666 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

As per observations of Directorate of Geology and Mining, Govt. of Maharashtra, Nagpur coal reserve is _____ million tonnes as on 31st March 2014.

Options :

1. 5100.9
2. 5576.7
3. 5890.9
4. 5952.2

Question Number : 6 Question Id : 5623032666 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

महाराष्ट्र राज्य भूगर्भ व खणीकर्म संचालनालय नागपूर विभाग यांच्या 31 मार्च 2014 च्या पहाणीनुसार कोळशाचा साठा _____ दशलक्ष टन इतका आहे.

Options :

1. 5100.9
2. 5576.7
3. 5890.9
4. 5952.2

Question Number : 7 Question Id : 5623032667 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Due to Ahmadnagar-Balaghat plateau, basins of which rivers are separated in north and south ?

Options :

1. In North Bhima and in South Godavari
2. In North Purna and in South Sina
3. In North Godavari and in South Bhima
4. In North Godavari and in South Purna

Question Number : 7 Question Id : 5623032667 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

महाराष्ट्रातील अहमदनगर-बालाघाट पठारामुळे, उत्तरेस व दक्षिणेस कोणत्या नदींचे खोरे वेगळे झाले आहे ?

Options :

1. उत्तरेस भीमा व दक्षिणेस गोदावरी
2. उत्तरेस पूर्णा व दक्षिणेस सीना
3. उत्तरेस गोदावरी व दक्षिणेस भीमा
4. उत्तरेस गोदावरी व दक्षिणेस पूर्णा

Question Number : 8 Question Id : 5623032668 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The Government enacted the Panchayat (Extension to Scheduled Area) Act (PESA) in 1996.

Which one of the following is not identified as its objective ?

Options :

1. To provide self governance
2. To recognize traditional rights
3. To create autonomous regions in tribal areas
4. To free tribal people from exploitation

Question Number : 8 Question Id : 5623032668 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

सरकारने 1996 मध्ये पंचायत (अनुसूचित क्षेत्र विस्तार) अधिनियम (PESA) लागू केला. खालीलपैकी कोणते त्याचे उद्दिष्ट म्हणून ओळखले जात नाही ?

Options :

1. स्वराज्य प्रदान करणे
2. पारंपारिक अधिकारांना मान्यता देणे
3. आदिवासी भागात स्वायत्त प्रदेश निर्माण करणे

4. आदिवासी लोकांना शोषणापासून मुक्त करणे

Question Number : 9 Question Id : 5623032669 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Consider the following statements. (Article 22)

- A. No person who is arrested shall be detained in custody without being informed, as soon as may be, of the grounds for such arrest nor shall be denied the right to consult, and to be defended by, a legal practitioner of his choice.
- B. Every person who is arrested and detained in custody shall be produced before the nearest magistrate within a period of 48 hours of such arrest excluding the time necessary for the journey from the place of arrest to the court of the magistrate and no such person shall be detained in custody beyond the said period without the authority of a magistrate.

Select the incorrect statement/s from the above.

Options :

- 1. Only A
- 2. Only B
- 3. Both A and B
- 4. None of the above

Question Number : 9 Question Id : 5623032669 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

खालील विधाने लक्षात घ्या. (अनुच्छेद 22)

- अ. अटक झालेल्या कोणत्याही व्यक्तीस, अशा अटकेची कारणे, शक्य तितक्या लवकर तिला कळवल्याशिवाय, हवालातीत स्थानबद्ध करण्यात येणार नाही किंवा आपल्या पसंतीच्या विधि व्यवसायीचा विचार घेण्याचा व त्याच्या करवी बचाव करण्याचा हक्क तिला नाकारता येणार नाही.
- ब. जिला अटक केली आहे व हवालातीत स्थानबद्ध केले आहे अशा प्रत्येक व्यक्तीला, अटकेच्या ठिकाणापासून सर्वात जवळच्या दंडाधिकार्याच्या न्यायालया पर्यंतच्या प्रवासास आवश्यक असलेला अवधी वगळून अशा अटकेपासून 48 तासांच्या कालावधीत त्या दंडाधिकार्यापुढे हजर केले जाईल आणि अशा कोणत्याही व्यक्तीला दंडाधिकार्याने प्राधिकृत केल्या शिवाय, उक्त कालावधीनंतर अधिक काळ हवालातीत स्थानबद्ध करण्यात येणार नाही.

वरीलपैकी अयोग्य कथन/ने ओळखा.

Options :

1. फक्त अ
2. फक्त ब
3. अ आणि ब दोन्ही
4. वरीलपैकी नाही

Question Number : 10 Question Id : 5623032670 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Select the correct statements from the following.

- A. All executive action of the Government of India shall be expressed to be taken in the name of the President.
- B. Orders and other instruments made and executed in the name of the President shall be authenticated in such manner as may be specified in rule to be made by the President.
- C. The Parliament shall make rules for the more convenient transaction of the business of the Government of India, and for the allocation among ministers.

Options :

- 1. Only A and B
- 2. Only B and C
- 3. Only A and C
- 4. All of the above

Question Number : 10 Question Id : 5623032670 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

खालीलपैकी योग्य कथने ओळखा.

- अ. भारत सरकारची संपूर्ण शासकीय कार्यकारी कार्यवाही राष्ट्रपतीच्या नावाने करण्यात येत आहे असे म्हटले जाईल.
- ब. राष्ट्रपतीच्या नावाने केलेले आदेश व निष्पादित केलेले इतर संलेख, राष्ट्रपतीद्वारे करावयाच्या नियमांमध्ये विनिर्दिष्ट करण्यात येईल अशा रीतीने अधिप्रमाणित केले जातील.
- क. भारत सरकारचे कामकाज अधिक सोयीस्कररीत्या चालावे यासाठी आणि उक्त कामकाज मंत्र्यांमध्ये वाटून देण्यासाठी संसद नियम करील.

Options :

1. फक्त अ आणि ब
2. फक्त ब आणि क
3. फक्त अ आणि क
4. वरीलपैकी सर्व

Question Number : 11 Question Id : 5623032671 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Match the pairs – (Sahitya Akademi Awards 2024).

A (Book/Novel)

- a. Spirit Nights
- b. Psychiatric ward
- c. Rang tarang
- d. Swarni Thakhai

B (Author)

- i. Aron Raja
- ii. Mukesh Thali
- iii. Sohan Koul
- iv. Easterine Kire

Options :

1. a – i b – ii c – iv d – iii
2. a – iv b – iii c – ii d – i
3. a – iv b – ii c – iii d – i
4. a – iii b – iv c – i d – ii

Question Number : 11 Question Id : 5623032671 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

जोड्या लावा - (साहित्य अकादमी पुरस्कार 2024).

अ (ग्रंथ/उपन्यास)

ब (लेखक)

अ. स्पीरिट नाईट्स

i. आरोन राजा

ब. साईकियाट्रिक वॉर्ड

ii. मुकेश थाली

क. रंग तरंग

iii. सोहन कौल

ड. स्वर्णी थकाई

iv. इस्टरीन किर्रे

Options :

1. अ – i ब – ii क – iv ड – iii
2. अ – iv ब – iii क – ii ड – i
3. अ – iv ब – ii क – iii ड – i
4. अ – iii ब – iv क – i ड – ii

Question Number : 12 Question Id : 5623032672 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

In the year 2024, India has trade surplus with which of the following country ?

Options :

1. US
2. Japan
3. China
4. Germany

Question Number : 12 Question Id : 5623032672 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

वर्ष 2024 मध्ये भारताचे खालीलपैकी कोणत्या देशासोबत व्यापार आधिक्य आहे ?

Options :

1. यु. एस.
2. जपान
3. चीन

4. जर्मनी

Question Number : 13 Question Id : 5623032673 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

As per Human Development Report 2023-24 of the United Nations Development Programme (UNDP), what is India's number in the Global Human Development Index (HDI) ?

Options :

1. 159
2. 148
3. 134
4. 121

Question Number : 13 Question Id : 5623032673 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

संयुक्त राष्ट्र विकास कार्यक्रम (UNDP) च्या 2023-2024 च्या मानव विकास अहवालानुसार भारताचा जागतिक मानव विकास निर्देशाकांत (HDI) कोणता क्रमांक आहे ?

Options :

1. 159
2. 148

3. 134

4. 121

Question Number : 14 Question Id : 5623032674 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Match the following pairs regarding NITI Aayog (since 31st December, 2024).

- | | |
|--|------------------------------|
| a. NITI Aayog Chairman | i. Shri Narendra Modi |
| b. NITI Aayog Vice Chairman | ii. Shri B.V.R. Subrahmanyam |
| c. Full Time Member of NITI Aayog | iii. Dr. V.K. Saraswat |
| d. Chief Executive Officer of NITI Aayog | iv. Shri Suman Bery |

Options :

1. a – i, b – iii, c – iv, d – ii
2. a – i, b – iv, c – iii, d – ii
3. a – i, b – ii, c – iii, d – iv
4. a – i, b – iv, c – ii, d – iii

Question Number : 14 Question Id : 5623032674 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

नीती आयोगाच्या संदर्भात खालील जोड्या जुळवा (दि. 31 डिसेंबर 2024 पासून).

- | | |
|---|---------------------------------|
| a. नीती आयोगाचे अध्यक्ष | i. श्री नरेंद्र मोदी |
| b. नीती आयोगाचे उपाध्यक्ष | ii. श्री बी.वी.आर. सुब्रह्मण्यम |
| c. नीती आयोगाचे पूर्णकालीन सदस्य | iii. डॉ. वी.के. सारस्वत |
| d. नीती आयोगाचे मुख्य कार्यकारी अधिकारी | iv. श्री सुमन बेरी |

Options :

1. a – i, b – iii, c – iv, d – ii
2. a – i, b – iv, c – iii, d – ii
3. a – i, b – ii, c – iii, d – iv
4. a – i, b – iv, c – ii, d – iii

Question Number : 15 Question Id : 5623032675 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

What is the per capita income of Maharashtra as per the Maharashtra Economic Survey Report 2023-2024 ?

Options :

1. 2,19,573
2. 2,52,389

3. 2,77,603

4. 2,85,604

Question Number : 15 Question Id : 5623032675 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

2023-2024 च्या महाराष्ट्र आर्थिक पाहणी अहवालात महाराष्ट्राचे दरडोई उत्पन्न किती दर्शविले आहे ?

Options :

1. 2,19,573

2. 2,52,389

3. 2,77,603

4. 2,85,604

Question Number : 16 Question Id : 5623032676 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

A train travelling at 48 kmph completely crosses another train having half its length and travelling in opposite direction at 42 kmph in 12 seconds, with the same speed it also passes a railway platform in 45 seconds, then the length of the platform is _____.

Options :

1. 400 m

2. 450 m
3. 560 m
4. 600 m

Question Number : 16 Question Id : 5623032676 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

एक 48 किमी/ता. वेगाने धावणारी आगगाडी तिच्या लांबीच्या निम्मी लांबी असलेल्या 42 किमी/ता. वेगाने विरुद्ध दिशेने धावणाऱ्या दुसऱ्या आगगाडीला 12 सेकंदात पूर्णपणे पार करते. तसेच ती रेल्वे त्याच वेगाने प्लॅटफॉर्म 45 सेकंदात पार करते, तर प्लॅटफॉर्मची लांबी _____ आहे.

Options :

1. 400 मी
2. 450 मी
3. 560 मी
4. 600 मी

Question Number : 17 Question Id : 5623032677 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Which of the following fraction is less than $\frac{7}{8}$ and greater than $\frac{1}{3}$?

Options :

1. $\frac{1}{4}$

2. $\frac{23}{24}$

3. $\frac{11}{12}$

4. $\frac{17}{24}$

Question Number : 17 Question Id : 5623032677 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

खालीलपैकी कोणता अपूर्णांक $\frac{7}{8}$ पेक्षा लहान आणि $\frac{1}{3}$ पेक्षा मोठा आहे ?

Options :

1. $\frac{1}{4}$

2. $\frac{23}{24}$

3. $\frac{11}{12}$

4. $\frac{17}{24}$

Question Number : 18 Question Id : 5623032678 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Find the number in place of question mark in the following series.

23, 33, 46, 62, 81, 103, ?

Options :

1. 126
2. 128
3. 130
4. 133

Question Number : 18 Question Id : 5623032678 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

खालील श्रेणीतील प्रश्नचिन्हाच्या जागी येणारी संख्या शोधा.

23, 33, 46, 62, 81, 103, ?

Options :

1. 126
2. 128

3. 130

4. 133

Question Number : 19 Question Id : 5623032679 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

If the position of first and sixth, second and seventh, third and eighth letters of the word, 'BENEFICIAL' are interchanged, which letter will be third from the right end after the interchange ?

Options :

1. E

2. N

3. C

4. F

Question Number : 19 Question Id : 5623032679 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

'BENEFICIAL' या शब्दातील पहिले आणि सहावे, दुसरे आणि सातवे, तिसरे आणि आठवे अशाप्रकारे अक्षरांची अदलाबदल केली, तर अदलाबदल केल्यानंतर मांडणीत उजवीकडून तिसरे मूळाक्षर कोणते ?

Options :

1. E

2. N

3. C

4. F

Question Number : 20 Question Id : 5623032680 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

What is the angle between the clock hands at 8.20 ?

Options :

1. 90°

2. 110°

3. 120°

4. 130°

Question Number : 20 Question Id : 5623032680 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

घड्याळामध्ये 8.20 वाजता तास काटा व मिनिट काटा यांच्यातील कोनाचे (angle) माप किती असेल ?

Options :

1. 90°

2. 110°

3. 120°

4. 130°

**Question Number : 21 Question Id : 5623032681 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

Which number will come in place of the question mark ?

1	2	3
4	5	6
7	8	9
27	38	?

Options :

1. 51

2. 52

3. 49

4. 50

**Question Number : 21 Question Id : 5623032681 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

प्रश्नचिन्हाच्या जागी कोणती संख्या येईल ?

1	2	3
4	5	6
7	8	9
27	38	?

Options :

1. 51
2. 52
3. 49
4. 50

Question Number : 22 Question Id : 5623032682 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

If 3rd January, 2005 was Monday, then which day would occur 53 times in that year ?

Options :

1. Saturday
2. Sunday

3. Monday

4. Friday

Question Number : 22 Question Id : 5623032682 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

जर 3 जानेवारी 2005 रोजी सोमवार होता तर त्या वर्षात कोणता वार 53 वेळा आला असेल ?

Options :

1. शनिवार

2. रविवार

3. सोमवार

4. शुक्रवार

Question Number : 23 Question Id : 5623032683 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The sum of two numbers is 27 and difference is 13. What is the sum of their squares ?

Options :

1. 1600

2. 1550

3. 449

4. 4049

Question Number : 23 Question Id : 5623032683 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

दोन संख्येची बेरीज 27 आणि वजाबाकी 13 आहे. तर त्यांच्या वर्गांची बेरीज किती असेल ?

Options :

1. 1600

2. 1550

3. 449

4. 4049

Question Number : 24 Question Id : 5623032684 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Select the proper option.

3 : 77 :: 5 : ?

Options :

1. 74

2. 621

3. 601

4. 225

Question Number : 24 Question Id : 5623032684 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

योग्य पर्यायाची निवड करा.

3 : 77 :: 5 : ?

Options :

1. 74

2. 621

3. 601

4. 225

Question Number : 25 Question Id : 5623032685 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Three brothers and three sisters are living in multi-storied building. Miss. Archu lives on lower floor to the Miss. Mani. Mr. Bhavik lives on lower floor to the Miss. Archu. Miss. Kiran lives on the above floor to the Mr. Nitin. Mr. Sanju lives on the above floor to the Miss. Mani and below floor to the Mr. Nitin.

Who lives on the top floor and who lives on the lower floor ?

Options :

1. Mr. Nitin, Miss. Archu
2. Miss. Kiran, Mr. Bhavik
3. Miss. Mani, Miss. Archu
4. Mr. Sanju, Miss. Kiran

Question Number : 25 Question Id : 5623032685 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

तीन भाऊ आणि तीन बहिणी बहुमजली ईमारतीत राहतात. कुमारी मनीच्या खालच्या मजल्यावर कुमारी अर्चू राहते. कुमार भाविक कुमारी अर्चूच्या खालच्या मजल्यावर राहतो. कुमारी किरण ही कुमार नितीनच्या वरच्या मजल्यावर राहते. कुमार संजू हे कुमारी मनीच्या वरच्या आणि कुमार नितीनच्या खालच्या मजल्यावर राहतात. तर सर्वात वरच्या मजल्यावर कोण राहते आणि सर्वात खालच्या मजल्यावर कोण राहते ?

Options :

1. कुमार नितीन, कुमारी अर्चू
2. कुमारी किरण, कुमार भाविक
3. कुमारी मनी, कुमारी अर्चू
4. कुमार संजू, कुमारी किरण

Sub-Section Id :

56230340

Question Shuffling Allowed :

Yes

Question Number : 26 Question Id : 5623032686 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is not a role of tabulation ?

Options :

1. Increases redundancy in data
2. Simplifies complex data
3. Facilitates comparison
4. Gives identity to the data

Question Number : 26 Question Id : 5623032686 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is not a role of tabulation ?

Options :

1. Increases redundancy in data
2. Simplifies complex data
3. Facilitates comparison

4. Gives identity to the data

Question Number : 27 Question Id : 5623032687 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Match the following :

Classification

- a. Geographical
- b. Chronological
- c. Qualitative
- d. Quantitative

Base

- i. On the basis of time
- ii. According to attributes
- iii. In terms of magnitudes
- iv. On the basis of locations

Options :

1. a – i b – ii c – iii d – iv

2. a – iv b – iii c – ii d – i

3. a – iv b – i c – ii d – iii

4. a – iv b – iii c – i d – ii

Question Number : 27 Question Id : 5623032687 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Match the following :

Classification

- a. Geographical
- b. Chronological
- c. Qualitative
- d. Quantitative

Base

- i. On the basis of time
- ii. According to attributes
- iii. In terms of magnitudes
- iv. On the basis of locations

Options :

- 1. a – i b – ii c – iii d – iv
- 2. a – iv b – iii c – ii d – i
- 3. a – iv b – i c – ii d – iii
- 4. a – iv b – iii c – i d – ii

Question Number : 28 Question Id : 5623032688 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is considered to be the most accurate mode of data presentation ?

Options :

- 1. Textual presentation
- 2. Diagrammatic presentation
- 3. Tabulation

4. None of these

Question Number : 28 Question Id : 5623032688 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is considered to be the most accurate mode of data presentation ?

Options :

1. Textual presentation
2. Diagrammatic presentation
3. Tabulation
4. None of these

Question Number : 29 Question Id : 5623032689 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

What is the minimum desirable number of classes for any frequency distribution ?

Options :

1. 5
2. 10
3. 15

4. 20

Question Number : 29 Question Id : 5623032689 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

What is the minimum desirable number of classes for any frequency distribution ?

Options :

1. 5
2. 10
3. 15
4. 20

Question Number : 30 Question Id : 5623032690 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

In a criminal case, two components as number of criminals have been cleared and number of criminals still under trial can be better displayed by _____.

Options :

1. Histogram
2. Paired Bar diagram

3. Sliding Bar diagram
4. Deviational Bar diagram

Question Number : 30 Question Id : 5623032690 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

In a criminal case, two components as number of criminals have been cleared and number of criminals still under trial can be better displayed by _____.

Options :

1. Histogram
2. Paired Bar diagram
3. Sliding Bar diagram
4. Deviational Bar diagram

Question Number : 31 Question Id : 5623032691 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The following table shows the sales and net profits (in percentage) of private industrial companies over different years :

Years	Sales	Net Profits
2011 – 12	14%	49%
2012 – 13	10%	-25%
2013 – 14	13%	-1%

Which type of Bar diagram would be most suitable to represent this data ?

Options :

1. Simple Bar diagram
2. Sub-divided Bar diagram
3. Deviational Bar diagram
4. Multiple Bar diagram

Question Number : 31 Question Id : 5623032691 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The following table shows the sales and net profits (in percentage) of private industrial companies over different years :

Years	Sales	Net Profits
2011 – 12	14%	49%
2012 – 13	10%	-25%
2013 – 14	13%	-1%

Which type of Bar diagram would be most suitable to represent this data ?

Options :

1. Simple Bar diagram
2. Sub-divided Bar diagram
3. Deviational Bar diagram
4. Multiple Bar diagram

Question Number : 32 Question Id : 5623032692 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Consider the following statements :

- a. Two lines of regression are parallel to each other.
- b. Two lines of regression coincide.
- c. Two lines of regression are perpendicular to each other.

Which statement is correct about perfect correlation ?

Options :

1. Only a
2. Only b
3. Only c
4. All of these

Question Number : 32 Question Id : 5623032692 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Consider the following statements :

- a. Two lines of regression are parallel to each other.
- b. Two lines of regression coincide.
- c. Two lines of regression are perpendicular to each other.

Which statement is correct about perfect correlation ?

Options :

1. Only a
2. Only b
3. Only c
4. All of these

Question Number : 33 Question Id : 5623032693 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The mean weight of 150 students is 60 kg. The mean weight of boys is 70 kg and the mean weight of girls is 55 kg. How many boys and girls are there in group ?

Options :

1. 50 boys, 100 girls
2. 60 boys, 90 girls
3. 90 boys, 60 girls
4. 100 boys, 50 girls

Question Number : 33 Question Id : 5623032693 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The mean weight of 150 students is 60 kg. The mean weight of boys is 70 kg and the mean weight of girls is 55 kg. How many boys and girls are there in group ?

Options :

1. 50 boys, 100 girls
2. 60 boys, 90 girls
3. 90 boys, 60 girls

4. 100 boys, 50 girls

Question Number : 34 Question Id : 5623032694 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

For a symmetrical distribution, Median $\pm$ Quartile deviation covers

_____.

Options :

1. 25 percent of the observations
2. 50 percent of the observations
3. 75 percent of the observations
4. 100 percent of the observations

Question Number : 34 Question Id : 5623032694 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

For a symmetrical distribution, Median $\pm$ Quartile deviation covers

_____.

Options :

1. 25 percent of the observations
2. 50 percent of the observations

3. 75 percent of the observations
4. 100 percent of the observations

Question Number : 35 Question Id : 5623032695 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The mean and variance of 10 observations is '4' and '16' respectively and median is '2'. Then what is the Karl Pearson's coefficient of skewness ?

Options :

1. 0.125
2. 1.5
3. 0.375
4. 2.5

Question Number : 35 Question Id : 5623032695 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The mean and variance of 10 observations is '4' and '16' respectively and median is '2'. Then what is the Karl Pearson's coefficient of skewness ?

Options :

1. 0.125
2. 1.5

3. 0.375

4. 2.5

**Question Number : 36 Question Id : 5623032696 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

Which of the following is correct example of positive correlation ?

Options :

1. Weight and Income
2. Price and Demand
3. The Repayment Period and EMI
4. Income and Expenditure

**Question Number : 36 Question Id : 5623032696 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

Which of the following is correct example of positive correlation ?

Options :

1. Weight and Income
2. Price and Demand

3. The Repayment Period and EMI

4. Income and Expenditure

Question Number : 37 Question Id : 5623032697 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Given that $P(A_1) = P(A_2) = P(A_3) = \frac{1}{3}$ and $P(B / A_1) = \frac{1}{5}$, $P(B / A_2) = \frac{1}{3}$, $P(B / A_3) = \frac{2}{11}$. Find the $P(A_1 / B)$.

Options :

1. $\frac{55}{118}$

2. $\frac{30}{118}$

3. $\frac{33}{118}$

4. $\frac{40}{118}$

Question Number : 37 Question Id : 5623032697 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Given that $P(A_1) = P(A_2) = P(A_3) = \frac{1}{3}$ and $P(B / A_1) = \frac{1}{5}$, $P(B / A_2) = \frac{1}{3}$, $P(B / A_3) = \frac{2}{11}$. Find the $P(A_1 / B)$.

Options :

1. $\frac{55}{118}$

2. $\frac{30}{118}$

3. $\frac{33}{118}$

4. $\frac{40}{118}$

Question Number : 38 Question Id : 5623032698 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Let A and B are two events defined on a sample space ' Ω '. Then

Statement I : $P(A) = 0.8$, $P(B) = 0.7$, $P(A \cap B) = 0.8$

Statement II : $P(A) = 0.8$, $P(B) = 0.7$, $P(A \cap B) = 0.3$

Options :

1. Both I and II are true

2. Both I and II are false
3. I is true and II is false
4. I is false and II is true

Question Number : 38 Question Id : 5623032698 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Let A and B are two events defined on a sample space ' Ω '. Then

Statement I : $P(A) = 0.8, P(B) = 0.7, P(A \cap B) = 0.8$

Statement II : $P(A) = 0.8, P(B) = 0.7, P(A \cap B) = 0.3$

Options :

1. Both I and II are true
2. Both I and II are false
3. I is true and II is false
4. I is false and II is true

Question Number : 39 Question Id : 5623032699 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

The Poisson distribution is a limiting case of which of the following probability distribution ?

Options :

1. Uniform distribution
2. Geometric distribution
3. Binomial distribution
4. Normal distribution

Question Number : 39 Question Id : 5623032699 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The Poisson distribution is a limiting case of which of the following probability distribution ?

Options :

1. Uniform distribution
2. Geometric distribution
3. Binomial distribution
4. Normal distribution

Question Number : 40 Question Id : 5623032700 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Let X and Y be two independent normal variate, where $X \sim N(10, 16)$ and $Y \sim N(5, 9)$, then the probability density of $U = X - Y$ is _____.

Options :

1. $U \sim N(5, 25)$
2. $U \sim N(15, 25)$
3. $U \sim N(5, 7)$
4. $U \sim N(15, 7)$

Question Number : 40 Question Id : 5623032700 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Let X and Y be two independent normal variate, where $X \sim N(10, 16)$ and $Y \sim N(5, 9)$, then the probability density of $U = X - Y$ is _____.

Options :

1. $U \sim N(5, 25)$
2. $U \sim N(15, 25)$
3. $U \sim N(5, 7)$
4. $U \sim N(15, 7)$

Question Number : 41 Question Id : 5623032701 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is correct with respect to normal distribution ?

Statement A : Curve is bell shaped.

Statement B : Mean = Median = Mode.

Statement C : x axis is an asymptote to the curve.

Options :

1. Statements A and B
2. Statements B and C
3. Statements A and C
4. All Statements A, B and C

Question Number : 41 Question Id : 5623032701 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is correct with respect to normal distribution ?

Statement A : Curve is bell shaped.

Statement B : Mean = Median = Mode.

Statement C : x axis is an asymptote to the curve.

Options :

1. Statements A and B

2. Statements B and C
3. Statements A and C
4. All Statements A, B and C

Question Number : 42 Question Id : 5623032702 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

There are two alternative proposals before a businessman to start a business :

Proposal X : Profit of 20 lakhs with a probability of 0.4 or a loss of Rs. 4 lakhs with a probability of 0.6.

Proposal Y : Profit of Rs. 9 lakhs with probability of 0.8 or a loss of Rs. 1 lakh with a probability of 0.2.

Which is the best proposal ?

Options :

1. Proposal X
2. Proposal Y
3. Both Proposal X and Proposal Y
4. None of these

Question Number : 42 Question Id : 5623032702 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

There are two alternative proposals before a businessman to start a business :

Proposal X : Profit of 20 lakhs with a probability of 0.4 or a loss of Rs. 4 lakhs with a probability of 0.6.

Proposal Y : Profit of Rs. 9 lakhs with probability of 0.8 or a loss of Rs. 1 lakh with a probability of 0.2.

Which is the best proposal ?

Options :

1. Proposal X
2. Proposal Y
3. Both Proposal X and Proposal Y
4. None of these

Question Number : 43 Question Id : 5623032703 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

In an experiment, if one of the outcomes cannot be expected in preference to the others, the events are said to be _____.

Options :

1. Compound events
2. Simple events

3. Equally likely events

4. Favourable events

Question Number : 43 Question Id : 5623032703 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

In an experiment, if one of the outcomes cannot be expected in preference to the others, the events are said to be _____.

Options :

1. Compound events

2. Simple events

3. Equally likely events

4. Favourable events

Question Number : 44 Question Id : 5623032704 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The proportion of variation explained by the regressor x is called as _____.

Options :

1. Coefficient of Regression

2. Coefficient of Determination
3. Coefficient of Alienation
4. Coefficient of Variation

Question Number : 44 Question Id : 5623032704 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

The proportion of variation explained by the regressor x is called as _____.

Options :

1. Coefficient of Regression
2. Coefficient of Determination
3. Coefficient of Alienation
4. Coefficient of Variation

Question Number : 45 Question Id : 5623032705 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

The second order partial correlation coefficient measures _____.

Options :

1. the correlation between two variables after removing the effect of third variable.

2. the correlation between two variables after removing the effect of two other variables.
3. the squared correlation between two variables.
4. the total correlation between multiple variables.

Question Number : 45 Question Id : 5623032705 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The second order partial correlation coefficient measures _____.

Options :

1. the correlation between two variables after removing the effect of third variable.
2. the correlation between two variables after removing the effect of two other variables.
3. the squared correlation between two variables.
4. the total correlation between multiple variables.

Question Number : 46 Question Id : 5623032706 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

In the multiple linear regression model $Y = \beta_0 + \beta_1 X_1 + \beta_2 X_2 + \epsilon$, what does the parameter β_1 represent ?

Options :

1. The expected change in response (Y) per unit change in X_1 , when X_2 is held constant.
2. The expected change in response (Y) per unit change in X_1 .
3. The expected change in response (Y) per unit change in X_2 .
4. The expected change in response (Y) per unit change in X_2 , when X_1 is held constant.

Question Number : 46 Question Id : 5623032706 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

In the multiple linear regression model $Y = \beta_0 + \beta_1 X_1 + \beta_2 X_2 + \epsilon$, what does the parameter β_1 represent ?

Options :

1. The expected change in response (Y) per unit change in X_1 , when X_2 is held constant.
2. The expected change in response (Y) per unit change in X_1 .
3. The expected change in response (Y) per unit change in X_2 .

4. The expected change in response (Y) per unit change in X_2 , when X_1 is held constant.

Question Number : 47 Question Id : 5623032707 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is correct in respect of two lines of regression when $r = 0$?

Options :

1. The two lines are parallel to each other.
2. The two lines are perpendicular to each other.
3. The two lines are coincident.
4. All of these.

Question Number : 47 Question Id : 5623032707 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is correct in respect of two lines of regression when $r = 0$?

Options :

1. The two lines are parallel to each other.
2. The two lines are perpendicular to each other.

3. The two lines are coincident.
4. All of these.

Question Number : 48 Question Id : 5623032708 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Which of the following is subjected to the discretion of the sampler ?

Options :

1. Simple random sampling
2. Systematic sampling
3. Purposive sampling
4. Cluster sampling

Question Number : 48 Question Id : 5623032708 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Which of the following is subjected to the discretion of the sampler ?

Options :

1. Simple random sampling
2. Systematic sampling

3. Purposive sampling
4. Cluster sampling

Question Number : 49 Question Id : 5623032709 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The discrepancy between estimates and population parameters is known as _____.

Options :

1. Human Error
2. Enumeration Error
3. Sampling Error
4. Formula Error

Question Number : 49 Question Id : 5623032709 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The discrepancy between estimates and population parameters is known as _____.

Options :

1. Human Error

2. Enumeration Error
3. Sampling Error
4. Formula Error

Question Number : 50 Question Id : 5623032710 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

In which of the following situations the cluster sampling is preferred ?

Options :

1. Population size is very large
2. Difficult to prepare sampling frame
3. High cost and administrative difficulty
4. All of these

Question Number : 50 Question Id : 5623032710 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

In which of the following situations the cluster sampling is preferred ?

Options :

1. Population size is very large

2. Difficult to prepare sampling frame
3. High cost and administrative difficulty
4. All of these

Question Number : 51 Question Id : 5623032711 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which one of the following statements is true regarding sampling schemes ?

Options :

1. Equal strata size are highly desirable in stratified random sampling.
2. Systematic sampling is a particular case of multistage sampling.

3. In simple random sampling method, sample units are selected with personal bias.

4. In cluster sampling, the total population is divided into some recognisable sub-divisions.

Question Number : 51 Question Id : 5623032711 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which one of the following statements is true regarding sampling schemes ?

Options :

1. Equal strata size are highly desirable in stratified random sampling.
2. Systematic sampling is a particular case of multistage sampling.

3. In simple random sampling method, sample units are selected with personal bias.

4. In cluster sampling, the total population is divided into some recognisable sub-divisions.

Question Number : 52 Question Id : 5623032712 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

In the example of sampling 50,000 households from Uttar Pradesh, which of the following is the first stage ?

Options :

1. Selecting a sample of villages
2. Selecting a number of districts at random
3. Selecting a number of households
4. Selecting students from Madras University

Question Number : 52 Question Id : 5623032712 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

In the example of sampling 50,000 households from Uttar Pradesh, which of the following is the first stage ?

Options :

1. Selecting a sample of villages
2. Selecting a number of districts at random
3. Selecting a number of households
4. Selecting students from Madras University

Question Number : 53 Question Id : 5623032713 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The number of all possible samples (without replacement) of size two from a population of 6 units as _____.

Options :

1. 36
2. 30
3. 15
4. 8

Question Number : 53 Question Id : 5623032713 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The number of all possible samples (without replacement) of size two from a population of 6 units as _____.

Options :

1. 36
2. 30
3. 15
4. 8

Question Number : 54 Question Id : 5623032714 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

A simple random sample of size 40 is drawn without replacement from a population of size 200. Then finite population correlation is _____.

Options :

1. 0.2
2. 0.8
3. 0.1
4. 0.9

Question Number : 54 Question Id : 5623032714 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

A simple random sample of size 40 is drawn without replacement from a population of size 200. Then finite population correlation is _____.

Options :

1. 0.2
2. 0.8
3. 0.1
4. 0.9

Question Number : 55 Question Id : 5623032715 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

A Pharmaceutical Company is conducting a clinical trial. They first select hospitals randomly, then randomly select patients within those hospitals. Which sampling method is being used ?

Options :

1. Systematic sampling
2. Two-stage sampling
3. Quota sampling
4. Snowball sampling

Question Number : 55 Question Id : 5623032715 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

A Pharmaceutical Company is conducting a clinical trial. They first select hospitals randomly, then randomly select patients within those hospitals. Which sampling method is being used ?

Options :

1. Systematic sampling
2. Two-stage sampling
3. Quota sampling
4. Snowball sampling

Question Number : 56 Question Id : 5623032716 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following tests is used for comparing equality of several population variances ?

Options :

1. t-test
2. z-test
3. F-test

4. Chi-square test

Question Number : 56 Question Id : 5623032716 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following tests is used for comparing equality of several population variances ?

Options :

1. t-test

2. z-test

3. F-test

4. Chi-square test

Question Number : 57 Question Id : 5623032717 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The sample variance given by $s^2 = \frac{\sum (x - \bar{x})^2}{n - 1}$ is _____.

Options :

1. Unbiased estimator of population variance σ^2

2. Biased estimator of population variance σ^2

3. Unbiased estimator of population mean μ
4. Biased estimator of population mean μ

Question Number : 57 Question Id : 5623032717 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

The sample variance given by $s^2 = \frac{\sum (x - \bar{x})^2}{n - 1}$ is _____.

Options :

1. Unbiased estimator of population variance σ^2
2. Biased estimator of population variance σ^2
3. Unbiased estimator of population mean μ
4. Biased estimator of population mean μ

Question Number : 58 Question Id : 5623032718 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Which of the following is not the method of obtaining good estimator ?

Options :

1. Method of maximum likelihood

2. Method of moments
3. Method of t-square
4. Method of minimum Chi-square

Question Number : 58 Question Id : 5623032718 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Which of the following is not the method of obtaining good estimator ?

Options :

1. Method of maximum likelihood
2. Method of moments
3. Method of t-square
4. Method of minimum Chi-square

Question Number : 59 Question Id : 5623032719 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

In a sample of 8 observations, the sum of squared deviations of items from the mean was 84.4. In another sample of 10 observations, the value was found to be 102.6. Then the value of test statistic for testing the difference in the variances of the two samples is not significant, is _____.

Options :

1. 0.90
2. 0.95
3. 1.03
4. 1.06

Question Number : 59 Question Id : 5623032719 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

In a sample of 8 observations, the sum of squared deviations of items from the mean was 84.4. In another sample of 10 observations, the value was found to be 102.6. Then the value of test statistic for testing the difference in the variances of the two samples is not significant, is _____.

Options :

1. 0.90
2. 0.95
3. 1.03
4. 1.06

Question Number : 60 Question Id : 5623032720 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is not the method of estimation ?

Options :

1. Method of moments
2. Method of minimum likelihood
3. Method of minimum χ^2
4. Method of least squares

Question Number : 60 Question Id : 5623032720 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is not the method of estimation ?

Options :

1. Method of moments
2. Method of minimum likelihood
3. Method of minimum χ^2
4. Method of least squares

Question Number : 61 Question Id : 5623032721 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Let $X_1, X_2, \dots, X_n$ follow $N(\mu, \delta^2)$ both μ and δ^2 unknown, then sufficient statistic for $\underline{\theta} = (\mu, \delta^2)$ is _____.

Options :

1. $\sum_{i=1}^n X_i$

2. $\sum_{i=1}^n X_i^2$

3. $\left(\sum_{i=1}^n X_i, \sum_{i=1}^n X_i^2 \right)$

4. $\bar{X}$

Question Number : 61 Question Id : 5623032721 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Let $X_1, X_2, \dots, X_n$ follow $N(\mu, \delta^2)$ both μ and δ^2 unknown, then sufficient statistic for $\underline{\theta} = (\mu, \delta^2)$ is _____.

Options :

1. $\sum_{i=1}^n X_i$

2. $\sum_{i=1}^n X_i^2$

3. $\left(\sum_{i=1}^n X_i, \sum_{i=1}^n X_i^2 \right)$

4. $\bar{X}$

Question Number : 62 Question Id : 5623032722 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which test is used for testing significance of multiple correlation coefficient ?

Options :

1. t-test

2. F-test

3. z-test

4. χ^2 -test

Question Number : 62 Question Id : 5623032722 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which test is used for testing significance of multiple correlation coefficient ?

Options :

1. t-test
2. F-test
3. z-test
4. χ^2 -test

Question Number : 63 Question Id : 5623032723 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Which of the following is an assumption of t-test ?

Options :

1. Data follows a normal distribution.
2. The sample size is greater than 30.
3. The data contains no outliers.
4. The standard deviation is known.

Question Number : 63 Question Id : 5623032723 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Which of the following is an assumption of t-test ?

Options :

1. Data follows a normal distribution.
2. The sample size is greater than 30.
3. The data contains no outliers.
4. The standard deviation is known.

**Question Number : 64 Question Id : 5623032724 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

Which of the following is the unitless measures of dispersion ?

Options :

1. Variance
2. Mean deviation
3. Coefficient of variation
4. Range

**Question Number : 64 Question Id : 5623032724 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

Which of the following is the unitless measures of dispersion ?

Options :

1. Variance
2. Mean deviation
3. Coefficient of variation
4. Range

Question Number : 65 Question Id : 5623032725 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The necessary and sufficient condition for distribution to admit sufficient statistic is given by

Options :

1. Neyman Factorization Theorem
2. Neyman-Pearson's Lemma
3. Cramer-Rao Inequality
4. Chebychev's Inequality

Question Number : 65 Question Id : 5623032725 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The necessary and sufficient condition for distribution to admit sufficient statistic is given by

Options :

1. Neyman Factorization Theorem
2. Neyman-Pearson's Lemma
3. Cramer-Rao Inequality
4. Chebychev's Inequality

Question Number : 66 Question Id : 5623032726 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

A pattern that is repeated throughout a time series and has a recurrence period of at most one year is called _____.

Options :

1. Cyclical variation
2. Irregular variation
3. Seasonal variation
4. Long-term variation

Question Number : 66 Question Id : 5623032726 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

A pattern that is repeated throughout a time series and has a recurrence period of at most one year is called _____.

Options :

1. Cyclical variation
2. Irregular variation
3. Seasonal variation
4. Long-term variation

Question Number : 67 Question Id : 5623032727 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

According to the types of base periods, which of the following is not the method of constructing Index Numbers ?

Options :

1. Average Base Method
2. Chain Base Method
3. Laspeyre's Method

4. Paasche's Method

Question Number : 67 Question Id : 5623032727 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

According to the types of base periods, which of the following is not the method of constructing Index Numbers ?

Options :

1. Average Base Method
2. Chain Base Method
3. Laspeyre's Method
4. Paasche's Method

Question Number : 68 Question Id : 5623032728 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which is the best average for the construction of Index Numbers ?

Options :

1. Arithmetic mean
2. Geometric mean
3. Harmonic mean

4. Median

Question Number : 68 Question Id : 5623032728 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Which is the best average for the construction of Index Numbers ?

Options :

1. Arithmetic mean
2. Geometric mean
3. Harmonic mean
4. Median

Question Number : 69 Question Id : 5623032729 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Given the annual trend with 2004 as origin and X Unit = One year,
Y = Sugar production in m. tonnes, as $Y = 88.803 + 1.38 X$, then the value
of the monthly increase in the production of sugar is _____.

Options :

1. 0.115 m. tonnes
2. 0.138 m. tonnes

3. 7.400 m. tonnes
4. 7.515 m. tonnes

Question Number : 69 Question Id : 5623032729 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Given the annual trend with 2004 as origin and X Unit = One year,
Y = Sugar production in m. tonnes, as $Y = 88.803 + 1.38 X$, then the value
of the monthly increase in the production of sugar is _____.

Options :

1. 0.115 m. tonnes
2. 0.138 m. tonnes
3. 7.400 m. tonnes
4. 7.515 m. tonnes

Question Number : 70 Question Id : 5623032730 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Given the straight line trend is $Y = 76 + 4.857 X$ with origin 2011 and
X Unit = One year and Y Unit = production in thousand quintals, then the
value of Y for 2020 is _____.

Options :

1. 124.57
2. 119.713
3. 117.912
4. 80.857

Question Number : 70 Question Id : 5623032730 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Given the straight line trend is $Y = 76 + 4.857 X$ with origin 2011 and X Unit = One year and Y Unit = production in thousand quintals, then the value of Y for 2020 is _____.

Options :

1. 124.57
2. 119.713
3. 117.912
4. 80.857

Question Number : 71 Question Id : 5623032731 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Base period for an index number should be _____.

Options :

1. a normal period
2. too distant in the past
3. a year only
4. subsequent years

Question Number : 71 Question Id : 5623032731 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Base period for an index number should be _____.

Options :

1. a normal period
2. too distant in the past
3. a year only
4. subsequent years

Question Number : 72 Question Id : 5623032732 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following may be loosely defined as “Long-term change in the mean level” ?

Options :

1. Seasonal variation
2. Cyclic variation
3. Trend
4. Irregular fluctuations

Question Number : 72 Question Id : 5623032732 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following may be loosely defined as “Long-term change in the mean level” ?

Options :

1. Seasonal variation
2. Cyclic variation
3. Trend
4. Irregular fluctuations

Question Number : 73 Question Id : 5623032733 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following index can better approximate a cost-of-living index ?

Options :

1. Young index
2. Superlative index
3. Quantity index
4. Price index

Question Number : 73 Question Id : 5623032733 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following index can better approximate a cost-of-living index ?

Options :

1. Young index
2. Superlative index
3. Quantity index

4. Price index

**Question Number : 74 Question Id : 5623032734 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

Fisher's Ideal Index is a geometric mean of _____ indices.

Options :

1. Laspeyre's and Paasche's
2. Laspeyre's and Marshall's
3. Paasche's and Edgeworth's
4. Lowe's and Paasche's

**Question Number : 74 Question Id : 5623032734 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

Fisher's Ideal Index is a geometric mean of _____ indices.

Options :

1. Laspeyre's and Paasche's
2. Laspeyre's and Marshall's

3. Paasche's and Edgeworth's
4. Lowe's and Paasche's

Question Number : 75 Question Id : 5623032735 Question Type : MCQ Option Shuffling : No Correct Marks : 2 Wrong Marks : 0.5

The graph of time series data is known as _____.

Options :

1. Scatter plot
2. Histogram
3. Historigram
4. Polygon

Question Number : 75 Question Id : 5623032735 Question Type : MCQ Option Shuffling : No Correct Marks : 2 Wrong Marks : 0.5

The graph of time series data is known as _____.

Options :

1. Scatter plot
2. Histogram

3. Histogram

4. Polygon

Question Number : 76 Question Id : 5623032736 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is added in calculating Gross Domestic Product ?

Options :

1. A teacher teaching their child
2. The value of resale of old shares
3. An artisan constructing a new house
4. None of the above

Question Number : 76 Question Id : 5623032736 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is added in calculating Gross Domestic Product ?

Options :

1. A teacher teaching their child
2. The value of resale of old shares

3. An artisan constructing a new house
4. None of the above

Question Number : 77 Question Id : 5623032737 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

To arrive at GDP which of the following is added to GVA ?

Options :

1. Financially intermediate services Indirectly measured
2. Depreciation
3. Product taxes less subsidies
4. None of the above

Question Number : 77 Question Id : 5623032737 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

To arrive at GDP which of the following is added to GVA ?

Options :

1. Financially intermediate services Indirectly measured
2. Depreciation

3. Product taxes less subsidies
4. None of the above

Question Number : 78 Question Id : 5623032738 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Sector wise estimates prepared at constant prices are at _____.

Options :

1. Current year prices
2. Base year prices
3. Previous year prices
4. Fixed constant prices

Question Number : 78 Question Id : 5623032738 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Sector wise estimates prepared at constant prices are at _____.

Options :

1. Current year prices

2. Base year prices
3. Previous year prices
4. Fixed constant prices

Question Number : 79 Question Id : 5623032739 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Which of the following is correct ?

Options :

1. $GNP = GDP - Depreciation$
2. $GNP = GDP + Depreciation$
3. $GNP = GDP + Transfer\ payment$
4. $GNP = GDP + Net\ income\ received\ from\ Abroad$

Question Number : 79 Question Id : 5623032739 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Which of the following is correct ?

Options :

1. $\text{GNP} = \text{GDP} - \text{Depreciation}$
2. $\text{GNP} = \text{GDP} + \text{Depreciation}$
3. $\text{GNP} = \text{GDP} + \text{Transfer payment}$
4. $\text{GNP} = \text{GDP} + \text{Net income received from Abroad}$

Question Number : 80 Question Id : 5623032740 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

When was the First Economic Census conducted in India ?

Options :

1. 1971
2. 1972
3. 1977
4. 1981

Question Number : 80 Question Id : 5623032740 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

When was the First Economic Census conducted in India ?

Options :

1. 1971
2. 1972
3. 1977
4. 1981

Question Number : 81 Question Id : 5623032741 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Capital receipts comprise which of the following ?

- i. Public debt viz. internal debt of the state and loans and advances from Government of India.
- ii. Loan and advances given by the state.
- iii. Net receipts from public account.
- iv. All of the above

Options :

1. Only (i)
2. Only (ii)
3. Only (i) and (iii)

4. (iv)

Question Number : 81 Question Id : 5623032741 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Capital receipts comprise which of the following ?

- i. Public debt viz. internal debt of the state and loans and advances from Government of India.
- ii. Loan and advances given by the state.
- iii. Net receipts from public account.
- iv. All of the above

Options :

- 1. Only (i)
- 2. Only (ii)
- 3. Only (i) and (iii)
- 4. (iv)

Question Number : 82 Question Id : 5623032742 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

The office of the Registrar General of India is responsible for which of the following activities ?

- i. Housing and Population Census
- ii. Periodic Labour Force Survey
- iii. Civil Registration System
- iv. Economic Census

Options :

- 1. (i) and (ii)
- 2. (i) and (iii)
- 3. (i) and (iv)
- 4. All of these

**Question Number : 82 Question Id : 5623032742 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

The office of the Registrar General of India is responsible for which of the following activities ?

- i. Housing and Population Census
- ii. Periodic Labour Force Survey
- iii. Civil Registration System
- iv. Economic Census

Options :

- 1. (i) and (ii)
- 2. (i) and (iii)
- 3. (i) and (iv)
- 4. All of these

Question Number : 83 Question Id : 5623032743 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which Sector in the economy is the largest contribution to the Gross State Domestic Product of Maharashtra ?

Options :

- 1. Tertiary Sector

2. Public Sector
3. Primary Sector
4. Secondary Sector

Question Number : 83 Question Id : 5623032743 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Which Sector in the economy is the largest contribution to the Gross State Domestic Product of Maharashtra ?

Options :

1. Tertiary Sector
2. Public Sector
3. Primary Sector
4. Secondary Sector

Question Number : 84 Question Id : 5623032744 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Rank of India (GDP) in global economy is _____.

Options :

1. 3rd
2. 4th
3. 5th
4. 7th

Question Number : 84 Question Id : 5623032744 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Rank of India (GDP) in global economy is _____.

Options :

1. 3rd
2. 4th
3. 5th
4. 7th

Question Number : 85 Question Id : 5623032745 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

As per India State of Forest Report 2023, which State is having highest percentage of Forest cover to its geographical area ?

Options :

1. Maharashtra
2. Chattisgarh
3. Andhra Pradesh
4. Kerala

Question Number : 85 Question Id : 5623032745 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

As per India State of Forest Report 2023, which State is having highest percentage of Forest cover to its geographical area ?

Options :

1. Maharashtra
2. Chattisgarh
3. Andhra Pradesh
4. Kerala

Question Number : 86 Question Id : 5623032746 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which Organisation is responsible for assessing and monitoring India's forest resources ?

Options :

1. Ministry of environment, forest and climate change
2. Forest survey of India
3. Botanical survey of India
4. Wildlife Institute of India

Question Number : 86 Question Id : 5623032746 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which Organisation is responsible for assessing and monitoring India's forest resources ?

Options :

1. Ministry of environment, forest and climate change
2. Forest survey of India
3. Botanical survey of India

4. Wildlife Institute of India

**Question Number : 87 Question Id : 5623032747 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

The theme for 'National Statistics Day, 2025' was _____.

Options :

1. Data for sustainable development
2. Use of data for decision making
3. 75th years of National Sample Survey
4. Sustainable Development Goals

**Question Number : 87 Question Id : 5623032747 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

The theme for 'National Statistics Day, 2025' was _____.

Options :

1. Data for sustainable development
2. Use of data for decision making

3. 75th years of National Sample Survey
4. Sustainable Development Goals

Question Number : 88 Question Id : 5623032748 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

What is the current base year for calculating India's GDP ?

Options :

1. 2004-05
2. 2010-11
3. 2011-12
4. 2014-15

Question Number : 88 Question Id : 5623032748 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

What is the current base year for calculating India's GDP ?

Options :

1. 2004-05
2. 2010-11

3. 2011-12

4. 2014-15

**Question Number : 89 Question Id : 5623032749 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

What is the primary purpose of Economic Census data ?

Options :

1. To understand the structure and dynamics of unorganised sector.
2. To track the progress of poverty alleviation programs.
3. To determine government policies related to taxation.
4. To measure the level of inflation in the country.

**Question Number : 89 Question Id : 5623032749 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

What is the primary purpose of Economic Census data ?

Options :

1. To understand the structure and dynamics of unorganised sector.

2. To track the progress of poverty alleviation programs.
3. To determine government policies related to taxation.
4. To measure the level of inflation in the country.

Question Number : 90 Question Id : 5623032750 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

What is the primary function of National Sample Survey ?

Options :

1. Conducting agricultural research
2. Conducting large scale sample surveys
3. Formulating economic policies
4. Managing India's foreign exchange reserves

Question Number : 90 Question Id : 5623032750 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

What is the primary function of National Sample Survey ?

Options :

1. Conducting agricultural research

2. Conducting large scale sample surveys
3. Formulating economic policies
4. Managing India's foreign exchange reserves

Question Number : 91 Question Id : 5623032751 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Data on employment and unemployment is collected in which survey ?

Options :

1. Consumer expenditure survey
2. Periodic labour force survey
3. Urban frame survey
4. All India survey on higher education

Question Number : 91 Question Id : 5623032751 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Data on employment and unemployment is collected in which survey ?

Options :

1. Consumer expenditure survey
2. Periodic labour force survey
3. Urban frame survey
4. All India survey on higher education

Question Number : 92 Question Id : 5623032752 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

The term DGGI stands for _____.

Options :

1. Domestic Good Growth Index
2. Delhi Good Governance Index
3. District Good Governance Index
4. District Good Governance Indicator

Question Number : 92 Question Id : 5623032752 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

The term DGGI stands for _____.

Options :

1. Domestic Good Growth Index
2. Delhi Good Governance Index
3. District Good Governance Index
4. District Good Governance Indicator

Question Number : 93 Question Id : 5623032753 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Spatial data in GIS is co-ordinate based vector data consists of _____.

Options :

1. Points
2. Lines
3. Polygons (zones/area)
4. All of the above

Question Number : 93 Question Id : 5623032753 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Spatial data in GIS is co-ordinate based vector data consists of _____.

Options :

1. Points
2. Lines
3. Polygons (zones/area)
4. All of the above

Question Number : 94 Question Id : 5623032754 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Which of the feature in spreadsheet allows users to create a summary report that dynamically changes based on the data selected, which includes calculation, sorting and filtering ?

Options :

1. Data validation
2. Conditional formatting
3. Pivot Table
4. VLookup

Question Number : 94 Question Id : 5623032754 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

Which of the feature in spreadsheet allows users to create a summary report that dynamically changes based on the data selected, which includes calculation, sorting and filtering ?

Options :

1. Data validation
2. Conditional formatting
3. Pivot Table
4. VLookup

**Question Number : 95 Question Id : 5623032755 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

Which of the following is a property of ACID transaction in DBMS ?

Options :

1. Atomicity
2. Availability
3. Concurrency
4. Redundancy

Question Number : 95 Question Id : 5623032755 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is a property of ACID transaction in DBMS ?

Options :

1. Atomicity
2. Availability
3. Concurrency
4. Redundancy

Question Number : 96 Question Id : 5623032756 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

In a distributed database system, which of the following is a challenge related to concurrency control ?

Options :

1. Data replication process
2. Query optimization process
3. Deadlock detection process
4. Schema design process

Question Number : 96 Question Id : 5623032756 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

In a distributed database system, which of the following is a challenge related to concurrency control ?

Options :

1. Data replication process
2. Query optimization process
3. Deadlock detection process
4. Schema design process

Question Number : 97 Question Id : 5623032757 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

In a TCP/IP networking protocol system, which of the following holds true ?

Options :

1. TCP/IP both are connectionless
2. TCP/IP both are connection oriented
3. TCP is connectionless and IP is connection oriented
4. TCP is connection oriented and IP is connectionless

Question Number : 97 Question Id : 5623032757 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

In a TCP/IP networking protocol system, which of the following holds true ?

Options :

1. TCP/IP both are connectionless
2. TCP/IP both are connection oriented
3. TCP is connectionless and IP is connection oriented
4. TCP is connection oriented and IP is connectionless

Question Number : 98 Question Id : 5623032758 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

To sign the document digitally, one of the following is correct process

_____.

Options :

1. Encrypt the hash of document with private key of signer.
2. First encrypt the document with private key and then take hash of it.
3. Encrypt the hash of document with public key of signer.

4. First encrypt the document with public key and then take hash of it.

Question Number : 98 Question Id : 5623032758 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

To sign the document digitally, one of the following is correct process

_____.

Options :

1. Encrypt the hash of document with private key of signer.
2. First encrypt the document with private key and then take hash of it.
3. Encrypt the hash of document with public key of signer.
4. First encrypt the document with public key and then take hash of it.

Question Number : 99 Question Id : 5623032759 Question Type : MCQ Option Shuffling : No

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is not symmetric encryption algorithm ?

Options :

1. DES – Data Encryption Standard
2. AES – Advanced Encryption Standard

3. RSA – Rivest, Shamir, Adleman

4. Tripple DES

**Question Number : 99 Question Id : 5623032759 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

Which of the following is not symmetric encryption algorithm ?

Options :

1. DES – Data Encryption Standard

2. AES – Advanced Encryption Standard

3. RSA – Rivest, Shamir, Adleman

4. Tripple DES

**Question Number : 100 Question Id : 5623032760 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5**

In wireless networks, the signal has no wire to determine the _____
where as signals in wired networks only travel along the wire.

Options :

1. Interference

2. Ranges for transmission
3. Direction of propagation
4. Bandwidth

Question Number : 100 Question Id : 5623032760 Question Type : MCQ Option Shuffling : No
Correct Marks : 2 Wrong Marks : 0.5

In wireless networks, the signal has no wire to determine the _____
where as signals in wired networks only travel along the wire.

Options :

1. Interference
2. Ranges for transmission
3. Direction of propagation
4. Bandwidth