

Maharashtra Public Service Commission Assessment

Question Paper Name :	Associate Professor Information Technology Group A 18th Feb 2026 Shift 4
Subject Name :	Associate Professor Information Technology Group A
Creation Date :	2026-02-18 18:38:38
Duration :	60
Number of Questions :	100
Share Answer Key With Delivery Engine :	No
Actual Answer Key :	Yes

Associate Professor Information Technology Group A

Group Number :	1
Group Id :	15056112
Group Maximum Duration :	0
Group Minimum Duration :	60
Show Attended Group? :	No
Edit Attended Group? :	No
Break time :	0

Associate Professor Information Technology Group A

Section Id :	15056112
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	100
Number of Questions to be attempted :	100
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	15056117
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 1 Question Id : 1505611103 Question Type : MCQ Option Shuffling : No

A problem in mechanics is given to three students A, B, C whose chances of solving it are $\frac{1}{2}$, $\frac{1}{3}$, $\frac{1}{4}$ respectively. What is the probability that the problem is not solved by anyone of them ?

Options :

1. $\frac{3}{4}$

2. $\frac{2}{3}$

3. $\frac{1}{4}$

4. $\frac{4}{3}$

Question Number : 2 Question Id : 1505611104 Question Type : MCQ Option Shuffling : No

In an agricultural experiment n^2 plots are arranged in the form of an $n \times n$ square such that each treatment occurs only once in each row and once in each column, and the rows and columns represent two different sources of variation. This design of experiment is called _____

Options :

1. Completely Randomized Design
2. Randomized Block Design
3. Latin Square Design
4. Factorial Design

Question Number : 3 Question Id : 1505611105 Question Type : MCQ Option Shuffling : No

Which of the following are the three basic principles of design of experiments ?

Options :

1. Sampling, estimation, testing
2. Randomisation, replication, local control
3. Correlation, regression, analysis
4. Blocking, stratification, clustering

Question Number : 4 Question Id : 1505611106 Question Type : MCQ Option Shuffling : No

Which of the following is the most fundamental property of the Laplace transform that allows us to add results together and obtain more complicated transforms ?

Options :

1. Convolution
2. Shifting property
3. Differential property
4. Linearity

Question Number : 5 Question Id : 1505611107 Question Type : MCQ Option Shuffling : No

The first three raw moments of the data 3, 4, 9, 12 are _____

Options :

1. 6, 62.5, 637
2. 7, 60, 630
3. 7, 62.5, 637
4. 7, 65, 640

Question Number : 6 Question Id : 1505611108 Question Type : MCQ Option Shuffling : No

The root of B-tree is always in _____.

Options :

1. Main memory
2. Secondary memory
3. Heap memory
4. Cache memory

Question Number : 7 Question Id : 1505611109 Question Type : MCQ Option Shuffling : No

Consider the following code in C language :

```
int fact (int n)
{
    int x, y ;
    if (n == 0)
        return 1 ;
    x = n - 1
    y = fact (x)
    return (n * y)
}
```

How many recursive calls occur when we replace statement $x = n - 1$ by $x = n - 2$ for fact (8) statement ?

Options :

1. 6 calls
2. 5 calls
3. Infinite loop
4. Error

Question Number : 8 Question Id : 1505611110 Question Type : MCQ Option Shuffling : No

A common example of a height-balanced binary search tree is _____.

Options :

1. Red black tree
2. AVL tree
3. Binary heap
4. B-tree

Question Number : 9 Question Id : 1505611111 Question Type : MCQ Option Shuffling : No

The main idea of using a heap in heapsort is to repeatedly _____.

Options :

1. Insert smallest element at root
2. Delete the largest (root) element and place it at the end
3. Swap every adjacent pair
4. Divide the array in half recursively

Question Number : 10 Question Id : 1505611112 Question Type : MCQ Option Shuffling : No

The advantage of _____ is that given a node in the list, we can navigate in both directions.

Options :

1. Two-way linked list
2. Singly linked list
3. Graph
4. Tree

Question Number : 11 Question Id : 1505611113 Question Type : MCQ Option Shuffling : No

The _____ is an approach to handle replication.

Options :

1. Simple protocol
2. TCP/IP protocol
3. SNMP protocol
4. Biased protocol

Question Number : 12 Question Id : 1505611114 Question Type : MCQ Option Shuffling : No

Granting a user no privileges means _____.

Options :

1. User can only read the data
2. User can access but cannot modify
3. User has no access to the specified data
4. User get all right for all DBMS operation

Question Number : 13 Question Id : 1505611115 Question Type : MCQ Option Shuffling : No

A Data Definition Language (DDL) is primarily used to _____.

Options :

1. Insert, delete and update records
2. Query data only
3. Specify the database schema
4. Tune database performance

Question Number : 14 Question Id : 1505611116 Question Type : MCQ Option Shuffling : No

The three major goals of relational schema design using functional dependency are _____.

Options :

1. 1NF, 2NF, 3NF
2. BCNF, losslessness, dependency preservation
3. BCNF, 3NF, losslessness
4. 1NF, BCNF, SQL

Question Number : 15 Question Id : 1505611117 Question Type : MCQ Option Shuffling : No

In database systems the transaction manager consists of _____.

Options :

1. Concurrency-control manager
2. Recovery manager
3. Concurrency-control manager or recovery manager
4. Concurrency-control manager and recovery manager

Question Number : 16 Question Id : 1505611118 Question Type : MCQ Option Shuffling : No

Query optimization is the process of _____ in information retrieval.

Options :

1. Writing queries in a new language
2. Increasing the number of queries
3. Selecting the most efficient way to answer a query
4. Storing queries in memory

Question Number : 17 Question Id : 1505611119 Question Type : MCQ Option Shuffling : No

The process of adding score contributions one query at a time is called _____ in information retrieval.

Options :

1. Document-at-a-time scoring
2. Term-at-a-time scoring
3. Boolean matching
4. Query expansion

Question Number : 18 Question Id : 1505611120 Question Type : MCQ Option Shuffling : No

What key difference between Boolean predicates and term vectors is emphasized in passage in information retrieval ?

Options :

1. Boolean predicates support ranking while term vectors do not
2. Boolean predicates act as filters, while term vectors summarize information needs
3. Term vectors require exact matching while Boolean predicates do not
4. Both are interpreted identically

Question Number : 19 Question Id : 1505611121 Question Type : MCQ Option Shuffling : No

_____ is a language used to describe documents and requests in information systems.

Options :

1. C
2. C++
3. C#
4. Index language

Question Number : 20 Question Id : 1505611122 Question Type : MCQ Option Shuffling : No

The main objective of item normalization in information retrieval systems is to ensure _____.

Options :

1. Standard format of representation
2. Faster execution of query
3. Higher recall values
4. Reduced index size

Question Number : 21 Question Id : 1505611123 Question Type : MCQ Option Shuffling : No

Automatic information retrieval systems rely on thesauri primarily to _____.

Options :

1. Modify queries and document representations to improve retrieval of relevant documents
2. Reduce the size of the inverted index
3. Replace ranking algorithms with exact matching
4. Eliminate the need of relevance feedback

Question Number : 22 Question Id : 1505611124 Question Type : MCQ Option Shuffling : No

Tokenization is the process of _____ in information retrieval.

Options :

1. Splitting text into tokens and removing punctuations
2. Calculating document relevance
3. Storing data in files
4. Ranking documents

Question Number : 23 Question Id : 1505611125 Question Type : MCQ Option Shuffling : No

The indexing method considered to be a more scalable alternative for very large collections in information retrieval is _____.

Options :

1. Permuterm indexing
2. K-gram indexing
3. Single-Pass-In-Memory Indexing (SPIMI)
4. Positional indexing

Question Number : 24 Question Id : 1505611126 Question Type : MCQ Option Shuffling : No

The elements of a machine instruction are _____.

Options :

1. Opcode
2. Source and result operand reference
3. Next instruction reference
4. All of the above

Question Number : 25 Question Id : 1505611127 Question Type : MCQ Option Shuffling : No

If there are N address lines then it can directly address _____.

Options :

1. 2^N memory locations
2. $2N$ memory locations
3. $2 + N$ memory locations
4. N^2 memory locations

Question Number : 26 Question Id : 1505611128 Question Type : MCQ Option Shuffling : No

Cache memory is in between _____.

- a. CPU and RAM
- b. RAM and HDD
- c. CPU and ALU
- d. CPU and I/O

Options :

1. Only a
2. Only a and b
3. a, b and c
4. Only b and d

Question Number : 27 Question Id : 1505611129 Question Type : MCQ Option Shuffling : No

In _____, the access time (t_a) of a memory word is independent of its location.

Options :

1. RAM
2. SAM
3. DASD
4. DRAM

Question Number : 28 Question Id : 1505611130 Question Type : MCQ Option Shuffling : No

In multiprocessor systems, _____ can tolerate a higher degree of interactions between tasks without significant deterioration in performance.

Options :

1. Tightly Coupled Systems (TCS)
2. Loosely Coupled Systems (LCS)
3. Partial Coupled Systems (PCS)
4. Semi-Tight Coupled System (STCS)

Question Number : 29 Question Id : 1505611131 Question Type : MCQ Option Shuffling : No

The basic COCOMO model uses which formula ?

Options :

1. $\text{effort} = \text{size} + \text{cost}$
2. $\text{effort} = C + K (\text{size})$
3. $\text{effort} = C (\text{size})^K$
4. $\text{effort} = \text{size}/\text{productivity}$

Question Number : 30 Question Id : 1505611132 Question Type : MCQ Option Shuffling : No

In the COCOMO – II Application Composition Model, which sizing measure is used to compute the object point count ?

Options :

1. Flow chart
2. Memory utilized
3. Screens, reports and components
4. Algorithmic complexity

Question Number : 31 Question Id : 1505611133 Question Type : MCQ Option Shuffling : No

A logical grouping of data that resides external to the application but provides information that may be of use to the software application is called _____.

Options :

1. external inquiry
2. external input
3. external output
4. external interface file

Question Number : 32 Question Id : 1505611134 Question Type : MCQ Option Shuffling : No

What risk threaten the quality and timeliness of the software to be produced ?

Options :

1. Technical risks
2. Project risks
3. Business risks
4. Financial risks

Question Number : 33 Question Id : 1505611135 Question Type : MCQ Option Shuffling : No

In software cost estimation the Earned Value (EV) is _____.

Options :

1. The planned cost of total work
2. The actual cost of completed work
3. The budgeted cost of work actually performed
4. The total projected budget

Question Number : 34 Question Id : 1505611136 Question Type : MCQ Option Shuffling : No

The primary purpose of a data flow diagram while developing a software project is _____.

Options :

1. to show the hardware and network components of a system
2. to represent the sequential flow of control
3. to model the information and functional domain
4. to define the database schema and the relationships

Question Number : 35 Question Id : 1505611137 Question Type : MCQ Option Shuffling : No

In the software project plan the risk management steps can be organised into a separate _____.

Options :

1. Flow chart
2. RMMM plan
3. SRS document
4. Algorithm

Question Number : 36 Question Id : 1505611138 Question Type : MCQ Option Shuffling : No

The _____ is the node that is attempting to access the network and may be any device that is managed by the NAC system, including workstations, servers, printers, cameras and other IP-enabled devices.

Options :

1. Policy Server
2. Access Requester
3. Network Access Server
4. Request Server

Question Number : 37 Question Id : 1505611139 Question Type : MCQ Option Shuffling : No

In Secure Socket Layer (SSL) protocol, to provide confidentiality, original data and the Message Authentication Code (MAC) are encrypted using _____.

Options :

1. Symmetric key cryptography
2. Asymmetric key cryptography
3. Hash function
4. Digital signature

Question Number : 38 Question Id : 1505611140 Question Type : MCQ Option Shuffling : No

_____ is a process of comparing definitions of activities that are supposed to be normal against observed events to identify deviations.

Options :

1. Anomaly Based Detection
2. Signature Based Detection
3. Stateful Protocol Analysis
4. Dynamic Packet Filter

Question Number : 39 Question Id : 1505611141 Question Type : MCQ Option Shuffling : No

_____ : This is the scrambled message produced as output.

Options :

1. Ciphertext
2. Plaintext
3. Secret key
4. Encryption algorithm

Question Number : 40 Question Id : 1505611142 Question Type : MCQ Option Shuffling : No

_____ is a device/s that enforces access control between two networks.

Options :

1. Bridge
2. Fire wall
3. Switch
4. Gateway

Question Number : 41 Question Id : 1505611143 Question Type : MCQ Option Shuffling : No

Bipolar Sigmoidal function in ANN is also called as _____.

Options :

1. Unipolar sigmoidal function
2. Hyperbolic tangent function
3. Unipolar continuous function
4. Binary sigmoid function

Question Number : 42 Question Id : 1505611144 Question Type : MCQ Option Shuffling : No

The range of a membership function $\mu_A(x)$ for a fuzzy set A is typically _____.

Options :

1. $[0, 1]$
2. $[-1, 1]$
3. $[0, \infty]$
4. $[1, \infty]$

Question Number : 43 Question Id : 1505611145 Question Type : MCQ Option Shuffling : No

The “intersection” of two fuzzy sets is generally represented by the _____.

Options :

1. Max operator
2. Min operator
3. Average operator
4. Algebraic sum

Question Number : 44 Question Id : 1505611146 Question Type : MCQ Option Shuffling : No

Which of the following sequences correctly represents the main steps in a genetic algorithm process from initial population to producing the next generation offspring ?

Options :

1. Selection $\rightarrow$ Mutation $\rightarrow$ Crossover $\rightarrow$ Fitness evaluation
2. Fitness evaluation $\rightarrow$ Selection $\rightarrow$ Crossover $\rightarrow$ Mutation
3. Crossover $\rightarrow$ Mutation $\rightarrow$ Selection $\rightarrow$ Fitness evaluation
4. Mutation $\rightarrow$ Selection $\rightarrow$ Fitness evaluation $\rightarrow$ Crossover

A data scientist is developing a neural network model to classify images of medicinal plants into their respective species. The dataset contains 10,000 labeled images, each tagged with the correct plant name. During training, the model updates its weights to minimize the difference between its predicted class and the true class label. Which type of training is being applied in this scenario ?

Options :

1. Unsupervised learning
2. Supervised learning
3. Reinforcement learning
4. Self-Supervised learning

Consider two given fuzzy sets :

$$A = \left\{ \frac{1}{2} + \frac{0.3}{4} + \frac{0.5}{6} + \frac{0.2}{8} \right\}$$

$$B = \left\{ \frac{0.5}{2} + \frac{0.4}{4} + \frac{0.1}{6} + \frac{1}{8} \right\}$$

then $A \cup B =$

Options :

1. $\left\{ \frac{1}{3} + \frac{0.4}{4} + \frac{0.5}{6} + \frac{1}{8} \right\}$

2. $\left\{ \frac{0.4}{4} + \frac{1}{3} + \frac{0.5}{6} + \frac{8}{1} \right\}$

3. $\left\{ 0 + \frac{1}{3} + \frac{6}{0.5} + \frac{1}{8} \right\}$

4. $\left\{ \frac{1}{2} + \frac{0.4}{4} + \frac{0.5}{6} + \frac{1}{8} \right\}$

Question Number : 47 Question Id : 1505611149 Question Type : MCQ Option Shuffling : No

The weights contains the information about input signal. This information is used by net to solve a problem. The weight can be represented in terms of matrix, that matrix is called _____.

Options :

1. Two dimensional matrix
2. Connection matrix
3. One Dimensional Matrix
4. Multidimensional matrix

Question Number : 48 Question Id : 1505611150 Question Type : MCQ Option Shuffling : No

A well defined problem in AI is defined using _____.

Options :

1. Initial state, Goal state, Operators and Path cast
2. Multiple possible solutions
3. Human level difficulty
4. Large state space

Question Number : 49 Question Id : 1505611151 Question Type : MCQ Option Shuffling : No

Expensiveness of first-order logic as compared to propositional logic is because of _____.

Options :

1. Probability function
2. More connectives
3. Variables and quantifiers
4. Temporal operator

Question Number : 50 Question Id : 1505611152 Question Type : MCQ Option Shuffling : No

Techniques used in game playing problems are _____.

Options :

1. Heuristic techniques
2. Kevin techniques
3. Goal based agent techniques
4. None of the above

Question Number : 51 Question Id : 1505611153 Question Type : MCQ Option Shuffling : No

Siri, Alexa and Google Assistant are best classified as _____.

Options :

1. Simple reflex agent
2. Model-based reflex agent
3. Utility-based agent
4. Goal-based agent

Question Number : 52 Question Id : 1505611154 Question Type : MCQ Option Shuffling : No

Which planning approach allows for flexibility in order of actions ?

Options :

1. Forward-chaining planning
2. Backward-chaining planning
3. Partial-order planning
4. Linear planning

Question Number : 53 Question Id : 1505611155 Question Type : MCQ Option Shuffling : No

Which type of formulation of 8-queens problem is required to illustrate hill climbing search ?

Options :

1. Partial state formulation
2. Complete state formulation
3. Incremental state formulation
4. Random state formulation

Question Number : 54 Question Id : 1505611156 Question Type : MCQ Option Shuffling : No

Depth-first search is not cost-optimal because _____.

Options :

1. It returns only leaf node
2. It skips nodes based on heuristic
3. It returns the first solution it finds
4. It expands nodes in random order

Question Number : 55 Question Id : 1505611157 Question Type : MCQ Option Shuffling : No

The 8 queens problem is typically solved using _____.

Options :

1. Breadth first search
2. Depth first search with backtracking
3. Propositional logic
4. Neural network

Question Number : 56 Question Id : 1505611158 Question Type : MCQ Option Shuffling : No

Inside-out tracking primarily uses which of the following ?

Options :

1. External sensors
2. Cameras on the headset
3. Magnetic fields
4. Manual calibration

Question Number : 57 Question Id : 1505611159 Question Type : MCQ Option Shuffling : No

In AR hardware, which component is responsible for interpreting the user's environment and positioning virtual objects ?

Options :

1. Speakers
2. Processor
3. Battery
4. Printer

Question Number : 58 Question Id : 1505611160 Question Type : MCQ Option Shuffling : No

How good does the VR visual display need to be ?

Options :

1. Spatial resolution
2. Intensity resolution
3. Temporal resolution
4. All of the above

Question Number : 59 Question Id : 1505611161 Question Type : MCQ Option Shuffling : No

Which technology overlays digital content onto the real world ?

Options :

1. Virtual reality
2. Mixed reality
3. Augmented reality
4. Extended reality

Question Number : 60 Question Id : 1505611162 Question Type : MCQ Option Shuffling : No

The screen-door effect refers to _____.

Options :

1. Tracking lag
2. Visible pixel grid
3. Audio delay
4. Controller drift

Question Number : 61 Question Id : 1505611163 Question Type : MCQ Option Shuffling : No

Which of the following tracking methods is commonly used in Augmented reality systems ?

Options :

1. Fingerprint scanning
2. Optical tracking
3. Keyboard mapping
4. Packet switching

Question Number : 62 Question Id : 1505611164 Question Type : MCQ Option Shuffling : No

A field of technology that deals with a combination of real-world and data generated from computer is called _____.

Options :

1. IoT
2. AI
3. ML
4. Augmented reality

Question Number : 63 Question Id : 1505611165 Question Type : MCQ Option Shuffling : No

Cannibalization of virtual reality market means _____.

Options :

1. Growth of augmented reality
2. Devices replacing each other
3. User addition
4. Health risks

Question Number : 64 Question Id : 1505611166 Question Type : MCQ Option Shuffling : No

_____ is the place where human and computer make contact.

Options :

1. VR
2. AR
3. AI
4. Machine Learning

Question Number : 65 Question Id : 1505611167 Question Type : MCQ Option Shuffling : No

What is the purpose of ready-made models in content creation ?

Options :

1. Replace development engines
2. Speed up the design process
3. Reduce hardware dependency
4. Improve battery life

Question Number : 66 Question Id : 1505611168 Question Type : MCQ Option Shuffling : No

Domain model specification of IoT Design methodology includes _____.

Options :

1. Physical Entity, Virtual Entity
2. Device, Resource
3. Service
4. All of the above

Question Number : 67 Question Id : 1505611169 Question Type : MCQ Option Shuffling : No

The mechanism where CPU stops a low-priority task to run a high-priority task is called _____.

Options :

1. Memory swapping
2. Context switching
3. Pipelining
4. Multi-core processing

Question Number : 68 Question Id : 1505611170 Question Type : MCQ Option Shuffling : No

Purpose and requirement specification of IoT design methodology includes _____.

Options :

1. Purpose, Behaviour
2. System management requirement, Data analysis requirement
3. Application deployment requirement, Security requirement
4. All of the above

Question Number : 69 Question Id : 1505611171 Question Type : MCQ Option Shuffling : No

Which of the following is an IoT communication protocol ?

Options :

1. MQTT
2. HTML
3. SQL
4. SMTP

Question Number : 70 Question Id : 1505611172 Question Type : MCQ Option Shuffling : No

For real time communication and streaming XML data between network entities, the _____ protocol is used.

Options :

1. XMPP
2. DDS
3. MQTT
4. AMQP

Question Number : 71 Question Id : 1505611173 Question Type : MCQ Option Shuffling : No

Which technology allows short-range communication using electro-magnetic induction ?

Options :

1. Wi-fi
2. NFC
3. LoRaWAN
4. Z-Wave

Question Number : 72 Question Id : 1505611174 Question Type : MCQ Option Shuffling : No

ZigBee Networks use which type of configuration for communication ?

Options :

1. Hub and spoke
2. Star only
3. Mesh configuration
4. Bus configuration

Question Number : 73 Question Id : 1505611175 Question Type : MCQ Option Shuffling : No

Which one of the following is IoT enabling Technology ?

Options :

1. Wireless Sensor Network
2. Cloud Computing
3. Big Data Analytics
4. All of the above

Question Number : 74 Question Id : 1505611176 Question Type : MCQ Option Shuffling : No

Which of the following is not a hardware component of an embedded system ?

Options :

1. Power supply
2. Processing unit
3. Output devices
4. Cloud server

Question Number : 75 Question Id : 1505611177 Question Type : MCQ Option Shuffling : No

In the context of IoT physical design, SoC stands for _____.

Options :

1. System on Chip
2. Sensor on Circuit
3. System on Cable
4. Service on Cloud

Question Number : 76 Question Id : 1505611178 Question Type : MCQ Option Shuffling : No

What is the main goal of data science ?

Options :

1. Data storage
2. Data visualization
3. Extracting actionable insights from data
4. Software development

Question Number : 77 Question Id : 1505611179 Question Type : MCQ Option Shuffling : No

Which of the following is one of the key data science skills ?

Options :

1. Data visualization
2. Machine learning
3. Statistics
4. All of the above

Question Number : 78 Question Id : 1505611180 Question Type : MCQ Option Shuffling : No

_____ is data that depends on a data model and resides in fixed field within a record.

Options :

1. Unstructured data
2. Machine generated data
3. Graph based data
4. Structured data

Question Number : 79 Question Id : 1505611181 Question Type : MCQ Option Shuffling : No

_____ is a learning technique that can be only be applied on labeled data.

Options :

1. Semi-supervised learning
2. Unsupervised learning
3. Supervised learning
4. Strategic learning

Question Number : 80 Question Id : 1505611182 Question Type : MCQ Option Shuffling : No

In a normal distribution, if mean = median = mode, then the distribution is _____.

Options :

1. Skewed right
2. Skewed left
3. Symmetrical
4. Uniform

Question Number : 81 Question Id : 1505611183 Question Type : MCQ Option Shuffling : No

Incorrect or invalid data is known as _____.

Options :

1. Changing data
2. Noisy data
3. Outliers
4. Missing data

Question Number : 82 Question Id : 1505611184 Question Type : MCQ Option Shuffling : No

Decision trees can be used for _____ learning tasks.

Options :

1. Classification only
2. Regression only
3. Both classification and regression
4. Neither classification nor regression

Question Number : 83 Question Id : 1505611185 Question Type : MCQ Option Shuffling : No

Which algorithm is best for classification of data sets that have larger number of observations ?

Options :

1. Linear regression
2. Logistic regression
3. k-means
4. PCA

Question Number : 84 Question Id : 1505611186 Question Type : MCQ Option Shuffling : No

Which of the following is required before running k-means clustering ?

Options :

1. Number of clusters (k)
2. Labeled trained data
3. The maximum number of points
4. A hierarchical tree structure

Question Number : 85 Question Id : 1505611187 Question Type : MCQ Option Shuffling : No

Which method detects density based clusters ?

Options :

1. k-means
2. Hierarchical clustering
3. DBSCAN
4. KNN

Question Number : 86 Question Id : 1505611188 Question Type : MCQ Option Shuffling : No

What is the primary goal of Principle Component Analysis (PCA) ?

Options :

1. Classification
2. Clustering
3. Dimensionality reduction
4. Regression

Question Number : 87 Question Id : 1505611189 Question Type : MCQ Option Shuffling : No

Which learning works on reward and punishment ?

Options :

1. Supervised
2. Unsupervised
3. Reinforcement
4. Regression

Question Number : 88 Question Id : 1505611190 Question Type : MCQ Option Shuffling : No

In machine learning, PAC Learning stands for _____.

Options :

1. Partial Access Correct Learning
2. Problem Approximately Correct Learning
3. Progressive Approximately Correct Learning
4. Probably Approximately Correct Learning

Question Number : 89 Question Id : 1505611191 Question Type : MCQ Option Shuffling : No

The process of clustering groups data objects based on their _____.

Options :

1. Lables
2. Rewards
3. Similarity
4. Supervision

Question Number : 90 Question Id : 1505611192 Question Type : MCQ Option Shuffling : No

Which supervised learning task predicts continuous numerical values ?

Options :

1. Classification
2. Regression
3. Clustering
4. Reinforcement

Question Number : 91 Question Id : 1505611193 Question Type : MCQ Option Shuffling : No

Which is not a type of machine learning ?

Options :

1. Supervised
2. Unsupervised
3. Reinforcement
4. Deterministic

Question Number : 92 Question Id : 1505611194 Question Type : MCQ Option Shuffling : No

ISOMAP stands for _____

Options :

1. Isomatic measurement
2. Isomorphic feature mapping
3. Isomorphic characteristics mapping
4. Isometric feature mapping

Question Number : 93 Question Id : 1505611195 Question Type : MCQ Option Shuffling : No

Values which are assigned to named values is called _____.

Options :

1. Nominal data
2. Categorical data
3. Quantitative data
4. Interval data

Question Number : 94 Question Id : 1505611196 Question Type : MCQ Option Shuffling : No

In supervised learning, there may be error in labeling data points, which may relabel positive instances as negative and vice-versa, this is called _____.

Options :

1. Impulsive Noise
2. Transit Time Noise
3. Acoustic Noise
4. Teacher Noise

Question Number : 95 Question Id : 1505611197 Question Type : MCQ Option Shuffling : No

The principle of the method of least squares is to minimize _____.

Options :

1. The sum of errors
2. The sum of absolute errors
3. The sum of squared residuals
4. The maximum errors

Question Number : 96 Question Id : 1505611198 Question Type : MCQ Option Shuffling : No

Which protocol enables off-chain Bitcoin transaction ?

Options :

1. Segwit
2. Lighting network
3. Side chains
4. Plasma

Question Number : 97 Question Id : 1505611199 Question Type : MCQ Option Shuffling : No

Which component stores the hash of all transactions in a block ?

Options :

1. Nonce
2. Timestamp
3. Merkle root
4. Block body

Question Number : 98 Question Id : 1505611200 Question Type : MCQ Option Shuffling : No

Which feature of block chain ensures quick verification, reconciliation and clearance ?

Options :

1. Private keys
2. Distributed ledger
3. Central authority
4. Encryption only

Question Number : 99 Question Id : 1505611201 Question Type : MCQ Option Shuffling : No

Which language is used to write Ethereum smart contracts ?

Options :

1. Java
2. Python
3. Solidity
4. Go

Question Number : 100 Question Id : 1505611202 Question Type : MCQ Option Shuffling : No

Which scalability solution splits block chain state into multiple chunks ?

Options :

1. Plasma
2. Sharding
3. Side chains
4. Segwit