

Maharashtra Public Service Commission Assessment

Question Paper Name :	Assistant Professor Periodontology 27th Apr 2026 Shift 3
Subject Name :	Assistant Professor Periodontology
Creation Date :	2026-04-27 16:13:02
Duration :	60
Number of Questions :	100
Share Answer Key With Delivery Engine :	No
Actual Answer Key :	Yes

Assistant Professor Periodontology

Group Number :	1
Group Id :	15056114
Group Maximum Duration :	0
Group Minimum Duration :	60
Show Attended Group? :	No
Edit Attended Group? :	No
Break time :	0

Periodontology A

Section Id :	15056114
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	50
Number of Questions to be attempted :	50
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	15056119
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 1 Question Id : 1505611303 Question Type : MCQ Option Shuffling : No

Characteristic features of sesamoid bone are _____.

- Ossify before birth
- Develops in tendon
- Ossify after birth
- Absence of periosteum

Which of the statements given above is/are correct ?

Options :

- Only a
- Only a and b
- a, b and c
- b, c and d

Question Number : 2 Question Id : 1505611304 Question Type : MCQ Option Shuffling : No

All cranial nerves carry general visceral efferent (Parasympathetic) fibers Except _____.

Options :

1. Facial
2. Glossopharyngeal
3. Hypoglossal
4. Vagus

Question Number : 3 Question Id : 1505611305 Question Type : MCQ Option Shuffling : No

The S.A. node is located in which part of Heart ?

Options :

1. Right atrial wall near the opening of Inferior Vena cava
2. Interatrial septum
3. Near opening of superior Vena cava in upper part of sulcus terminalis
4. Left atrial wall

Question Number : 4 Question Id : 1505611306 Question Type : MCQ Option Shuffling : No

The stomach bed does not include _____.

Options :

1. Left kidney
2. Spleen
3. Pancreas
4. Right kidney

Question Number : 5 Question Id : 1505611307 Question Type : MCQ Option Shuffling : No

Femoral artery can be compressed against _____ bone.

Options :

1. Head of femur
2. Neck of femur
3. Body of pubis
4. Greater trochanter of femur

Question Number : 6 Question Id : 1505611308 Question Type : MCQ Option Shuffling : No

In secondary active transport across cell membrane, the energy used is in the form of _____.

Options :

1. ATP
2. Phosphocreatine
3. K^+ diffusion energy
4. Na^+ diffusion energy

Question Number : 7 Question Id : 1505611309 Question Type : MCQ Option Shuffling : No

Cardiac muscle derives energy required for muscle contraction primarily from _____.

Options :

1. Anaerobic glycolysis
2. Oxidative metabolism of glucose
3. Oxidative metabolism of lactate
4. Oxidative metabolism of fatty acids

Question Number : 8 Question Id : 1505611310 Question Type : MCQ Option Shuffling : No

Continuous and spontaneous breathing is a function of _____.

Options :

1. Pneumotaxic center in upper pons
2. Motor cortex supplying muscles of respiration
3. Dorsal respiratory group of neurons in medulla
4. Bilateral Vagi (vagal) stimulation at medulla

Question Number : 9 Question Id : 1505611311 Question Type : MCQ Option Shuffling : No

The substance having lowest clearance in urine is _____.

Options :

1. Inulin
2. Glucose
3. PAH
4. Creatinine

Question Number : 10 Question Id : 1505611312 Question Type : MCQ Option Shuffling : No

Impedance matching in middle ear is to _____.

Options :

1. increase force of sound wave in fluid of cochlea as compared to tympanic membrane
2. decrease person's hearing sensitivity to his or her own speech
3. increase rigidity of middle ear ossicles during loud sound
4. transmit sound wave from external ear to cochlea

Question Number : 11 Question Id : 1505611313 Question Type : MCQ Option Shuffling : No

McArdle's disease is characterised by deficiency of the enzyme _____.

Options :

1. Glycogen synthase
2. Glucose-6-Phosphatase
3. Glucose Transporter-2
4. Muscle glycogen Phosphorylase

Question Number : 12 Question Id : 1505611314 Question Type : MCQ Option Shuffling : No

The ideal composition of saturated fatty acid, mono unsaturated fatty acid and poly unsaturated fatty acid in balanced diet is about _____.

Options :

1. 1 : 2 : 3
2. 2 : 1 : 3
3. 1 : 2 : 4
4. 1 : 1 : 1

Question Number : 13 Question Id : 1505611315 Question Type : MCQ Option Shuffling : No

Xeroderma pigmentosa is due to defect in _____.

Options :

1. Direct repair
2. Base emission repair
3. Mismatch repair
4. Nucleotide emission repair

Question Number : 14 Question Id : 1505611316 Question Type : MCQ Option Shuffling : No

The deficiency of Vitamin B12 specifically due to lack of intrinsic factor leads to _____.

Options :

1. Megaloblastic anemia
2. Pernicious anemia
3. Iron-deficiency anemia
4. Sickle cell anemia

Question Number : 15 Question Id : 1505611317 Question Type : MCQ Option Shuffling : No

Which test is most effective for monitoring long-term (2 – 3 months) blood sugar control ?

Options :

1. Fasting Plasma Glucose (FPG)
2. Oral Glucose Tolerance Test (OGTT)
3. Glycated Hemoglobin (HbA1C)
4. Urine ketone test

Question Number : 16 Question Id : 1505611318 Question Type : MCQ Option Shuffling : No

Apoptosis is _____.

- a. Always pathological process
- b. Can be physiological or pathological process
- c. Is the programmed cell death
- d. Shows variable inflammatory reaction

Which of the statement given above is/are correct ?

Options :

1. Only a
2. Only b
3. Only b and c
4. Only a and d

Question Number : 17 Question Id : 1505611319 Question Type : MCQ Option Shuffling : No

Which one of the listed statement is the best definition of abscess ?

Options :

1. A localised connection of purulent inflammatory tissue
2. A localised defect that results from the sloughing of necrotic tissue from the surface
3. A localised proliferation of capillaries of fibroblast
4. Aggregate of activated macrophages

Question Number : 18 Question Id : 1505611320 Question Type : MCQ Option Shuffling : No

Histopathological evaluation of lymphnode from a case of suspected Hodgkin's lymphoma reveal frequent RS cells, background of eosinophils, lymphocytes, plasma cells and RS cells are CD 15+ve, CD 30+ve and EBV +ve. Identify the subtype.

Options :

1. Nodular sclerosis
2. Mixed cellularity
3. Lymphocyte rich
4. Lymphocyte depletion

Question Number : 19 Question Id : 1505611321 Question Type : MCQ Option Shuffling : No

Pathological changes as complications of Diabetic mellitus are _____.

- a. Diabetic glomerulosclerosis
- b. Myocardial infarction due to atherosclerosis of the coronary artery
- c. Bone disease and nephrolithiasis
- d. Cushing syndrome

Options :

1. a and b
2. c and d
3. a and c
4. b and d

Question Number : 20 Question Id : 1505611322 Question Type : MCQ Option Shuffling : No

During first 48 – 72 hours of myocardial infarct microscopy will show _____.

- a. No change
- b. Coagulative necrosis
- c. Neutrophilic infiltrate
- d. Only fibrous tissue

Options :

- 1. a and b
- 2. b and c
- 3. c and d
- 4. a and d

Question Number : 21 Question Id : 1505611323 Question Type : MCQ Option Shuffling : No

Which of the following bacteria lacks cell wall ?

Options :

- 1. *Escherichia coli*
- 2. *Staphylococcus aureus*
- 3. *Mycoplasma pneumoniae*
- 4. *Corynebacterium diphtheriae*

Question Number : 22 Question Id : 1505611324 Question Type : MCQ Option Shuffling : No

Which of the following is an example of cold sterilization ?

Options :

- 1. Pasteurisation
- 2. Ionizing radiation
- 3. Inspissation
- 4. Tyndallization

Question Number : 23 Question Id : 1505611325 Question Type : MCQ Option Shuffling : No

A Meningitis outbreak was suspected in a nursery school. Few of the children presented with vomiting and petechial rash. The organism most likely caused this outbreak is _____.

Options :

- 1. *Streptococcus agalactiae*
- 2. *Escherichia coli* K1
- 3. *Haemophilus influenzae* serotype B
- 4. *Neisseria meningitidis* serogroup A

Question Number : 24 Question Id : 1505611326 Question Type : MCQ Option Shuffling : No

In a sensitized host the term hypersensitivity refers to _____.

Options :

1. Highly protective immune response
2. Undesirable injurious consequences
3. Exaggerated inflammatory immune response
4. Both (2) and (3)

Question Number : 25 Question Id : 1505611327 Question Type : MCQ Option Shuffling : No

A patient with syphilis presenting with multiple painless oral lesions is treated with Benzathine penicillin G. Which serological test is most useful for monitoring response to treatment ?

Options :

1. Dark ground microscopy
2. Qualitative TPHA test
3. Quantitative VDRL test
4. FTA – ABS test

Question Number : 26 Question Id : 1505611328 Question Type : MCQ Option Shuffling : No

Which of the following diuretic is preferred in a patient suffering from cerebral edema ?

- a. Spironolactone
- b. Hydrochlorothiazide
- c. Acetazolamide
- d. Mannitol

Options :

1. b
2. c
3. a
4. d

Question Number : 27 Question Id : 1505611329 Question Type : MCQ Option Shuffling : No

Which of the following is not used for a medical treatment to quit smoking and tobacco chewing ?

Options :

1. Neostigmine
2. Bupropion
3. Varenicline
4. Nicotinic transdermal patch

Question Number : 28 Question Id : 1505611330 Question Type : MCQ Option Shuffling : No

A 25 years old electrician being treated for pulmonary tuberculosis return for follow up and reports difficulty in distinguishing between coloured wires. The antitubercular medication likely for his complaint is _____.

Options :

1. Isoniazid (INH)
2. Rifampicin
3. Ethambutol
4. Pyrazinamide

Question Number : 29 Question Id : 1505611331 Question Type : MCQ Option Shuffling : No

Which of the following is an anticholinergic bronchodilator ?

Options :

1. Budesonide
2. Salbutamol
3. Ipratropium bromide
4. Theophylline

Question Number : 30 Question Id : 1505611332 Question Type : MCQ Option Shuffling : No

Dyes used to facilitate clear visualization of dental plaque are called as _____.

Options :

1. Disclosing agent
2. Dentine bonding agent
3. Mummifying agent
4. Obtundents

Question Number : 31 Question Id : 1505611333 Question Type : MCQ Option Shuffling : No

2 month ANC, brought by relative with complaint of fever with chills since 7 days. On peripheral smear examination, P. falciparum gametocyte was seen.

For the above disease, WHO recommend which of the following drug for treatment ?

Options :

1. Doxycycline
2. Artesunate + Lumefantrine
3. Ampicillin + Sulbactam
4. Primaquine

Question Number : 32 Question Id : 1505611334 Question Type : MCQ Option Shuffling : No

The functional defect of platelets due to Aspirin reverts to normal after the last of aspirin within _____.

Options :

1. 7 – 8 days
2. 5 – 6 days
3. 2 – 3 days
4. 10 – 12 days

Question Number : 33 Question Id : 1505611335 Question Type : MCQ Option Shuffling : No

A 45 years old male patient with alcohol use disorder and diagnosed as a case of alcoholic liver disease has come to you and you have advised complete alcohol abstinence. After one month he visits you. To confirm his alcohol abstinence which of the following tests will you advice ?

Options :

1. Phosphatidylethanol
2. Alanine aminotransferase and Aspartate aminotransferase
3. Mean corpuscular volume
4. Gamma glutamyl transferase

Question Number : 34 Question Id : 1505611336 Question Type : MCQ Option Shuffling : No

In the management of hypertension in chronic kidney disease, which of the following is a preferred initial antihypertensive ?

Options :

1. Thiazide diuretic
2. Angiotensin converting enzyme inhibitor
3. Beta-blocker
4. Calcium channel blocker

Question Number : 35 Question Id : 1505611337 Question Type : MCQ Option Shuffling : No

“CURB-65” score is applied for measuring severity of _____.

Options :

1. Rheumatic Heart disease
2. Malabsorption syndrome
3. Community acquired pneumonia
4. Ischemic Heart disease

Question Number : 36 Question Id : 1505611338 Question Type : MCQ Option Shuffling : No

Among the following oral premalignant lesions, the highest risk for malignant transformation is with _____.

Options :

1. Erythroleukoplakia
2. Submucous fibrosis
3. Lichen planus
4. Dysplasia

Question Number : 37 Question Id : 1505611339 Question Type : MCQ Option Shuffling : No

The most common primary malignant tumor of thyroid gland is _____.

Options :

1. Follicular carcinoma
2. Papillary carcinoma
3. Medullary carcinoma
4. Anaplastic carcinoma

Question Number : 38 Question Id : 1505611340 Question Type : MCQ Option Shuffling : No

'Cold Abscess' is seen in late stage of _____.

Options :

1. Tuberculous cervical lymphadenopathy
2. Hodgkin's lymphoma
3. Acute suppurative lymphadenitis
4. Leprosy

Question Number : 39 Question Id : 1505611341 Question Type : MCQ Option Shuffling : No

All of the following are non-absorbable sutures except _____.

Options :

1. Polypropylene
2. Linen
3. Catgut
4. Nylon

Question Number : 40 Question Id : 1505611342 Question Type : MCQ Option Shuffling : No

French chemist, who studied the process of fermentation and showed that it was caused by growth of living organisms named germs is _____.

Options :

1. Joseph Lister
2. Louis Pasteur
3. Alexis Carrel
4. Henry Dakin

Question Number : 41 Question Id : 1505611343 Question Type : MCQ Option Shuffling : No

A faculty member wants to teach professional behaviour during breaking bad news, emphasizing on empathy, communication and ethical decision making, in classroom setting.

Which teaching-learning method is MOST effective ?

Options :

1. Role play
2. Didactic lecture
3. Symposium
4. Tutorial

Question Number : 42 Question Id : 1505611344 Question Type : MCQ Option Shuffling : No

According to the constructive approach, which of the following characterizes an effective constructive classroom in medical teaching ?

Options :

1. Instructor delivers pre synthesized knowledge through lectures
2. Faculty serves as a guide for facilitators and learning in small groups
3. Students can learn exclusively through memorization of textbooks
4. Main authority is with instructor without student input

Question Number : 43 Question Id : 1505611345 Question Type : MCQ Option Shuffling : No

Match the shortcut keys for MS-Word with their functions.

List – 1

**(Shortcut keys
for MS-Word)**

List – 2

(Function)

- | | |
|-----------|------------|
| a. Ctrl X | i. Copy |
| b. Ctrl C | ii. Undo |
| c. Ctrl Z | iii. Paste |
| d. Ctrl V | iv. Cut |

Options :

1. a – iv b – i c – ii d – iii
2. a – iv b – iii c – ii d – i
3. a – ii b – i c – iv d – iii
4. a – i b – iv c – iii d – ii

Question Number : 44 Question Id : 1505611346 Question Type : MCQ Option Shuffling : No

During a community-based-cross-sectional study assessing systolic blood pressure among adults, the variance of the recorded values was found to be 16 mmHg².

Which of the following values represent the standard deviation of systolic blood pressure in this population ?

Options :

1. 2 mmHg
2. 4 mmHg
3. 6 mmHg
4. 8 mmHg

Question Number : 45 Question Id : 1505611347 Question Type : MCQ Option Shuffling : No

A research team intends to evaluate the effectiveness of a newly developed educational intervention in improving the knowledge of Breast Self Examination (BSE) among nursing students. Knowledge levels are assessed before and after the educational session in the same cohort. Which of the following statistical tests is most appropriate to analyze the data ?

Options :

1. Chi-square test
2. Independent t-test
3. Paired t-test
4. One-way ANOVA

Question Number : 46 Question Id : 1505611348 Question Type : MCQ Option Shuffling : No

All of the following statements concerning the reduction of type I error are true except _____.

Options :

1. The hypothesis H_0 is true but still rejected
2. The hypothesis H_0 is false but still accepted
3. Type I error reduced by increasing sample size
4. In medical studies type I error is more serious than type II error

Question Number : 47 Question Id : 1505611349 Question Type : MCQ Option Shuffling : No

All of the following statements are true about logistic regression analysis except _____.

Options :

1. Dependent variables are qualitative
2. Independent variables are qualitative or quantitative
3. Change in dependent variable associated with one-unit change in independent variable
4. Change in independent variable associated with one-unit change in dependent variable

Question Number : 48 Question Id : 1505611350 Question Type : MCQ Option Shuffling : No

A 2 year old child admitted in hospital for diarrhoea. The paediatrician diagnosed as child having gastroenteritis with severe dehydration. The characterization of dehydration as 'severe' is an example of _____.

Options :

1. Nominal variable
2. Ordinal variable
3. Discrete variable
4. Continuous variable

Question Number : 49 Question Id : 1505611351 Question Type : MCQ Option Shuffling : No

A researcher wants to compare the haemoglobin levels in three groups- non-pregnant, pregnant and post menopausal women. Which statistical test is most appropriate ?

Options :

1. Independent t-test
2. Paired t-test
3. Chi-square test
4. Oneway ANOVA

Question Number : 50 Question Id : 1505611352 Question Type : MCQ Option Shuffling : No

A study was conducted where blood sugar level of each individual was collected every month for three years and the observations studied. Which type of study design is this ?

Options :

1. Case report
2. Case series
3. Longitudinal study
4. Cross-sectional study

Periodontology B

Section Id :	15056115
Section Number :	2
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	50
Number of Questions to be attempted :	50
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	15056120
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 51 Question Id : 1505611353 Question Type : MCQ Option Shuffling : No

Guided Tissue Regeneration Technique for Root coverage was given by the following _____.

Options :

1. Pini Prato et. al.
2. Azzi et. al.
3. Raetzke et. al.
4. Perez Fernandez et. al.

Question Number : 52 Question Id : 1505611354 Question Type : MCQ Option Shuffling : No

The presence of GCF (Gingival Cervicular Fluid) is considered as transudate and confirmed by one of the following author _____.

Options :

1. Loe et. al
2. Brill et. al
3. Sillness et. al
4. Lindhe et. al

Question Number : 53 Question Id : 1505611355 Question Type : MCQ Option Shuffling : No

Which of the following condition clinically as Desquamative gingivitis have basal cells with characteristic tombstone appearance ?

Options :

1. Lichen planus
2. Pemphigus
3. Bullous pemphigoid
4. Systemic Lupus

The Odland bodies on keratinosomes are _____.

- a. Present in upper most cell of the stratum spinosum
- b. They are modified lysosomes
- c. They contain large amount of acid phosphatase
- d. They contain large amount of alkaline phosphatase

Which of the statement given above is/are correct ?

Options :

- 1. a and d are correct
- 2. b and d are correct
- 3. a, b, c are correct
- 4. All of the above are correct

What mediates the attachment of cells to the implant surface ?

Options :

- 1. Lamina lucida
- 2. Lamina Densa
- 3. Hemi desmosomes
- 4. Desmosomes

What type of tissue surrounding the implant can decrease the risk of peri mucositis or peri implantitis ?

Options :

- 1. A minimum of 2 mm of keratinized gingiva
- 2. A minimum of 1 mm of keratinized gingiva
- 3. An entire border of detached mucosa

The tissue type or quality does not affect the risk of disease around the implant

4.

Human Herpes Virus 8 is primarily associated with which oral lesion ?

- a. Oral Hairy Leucoplakia
- b. Recurrent aphthous stomatitis
- c. Kaposi's sarcoma
- d. Necrotizing ulcerative gingivitis

Which of the statement given above is/are correct ?

Options :

- 1. b only
- 2. c only
- 3. a and c only
- 4. b and d only

Which of the following organisms is a member of the purple complex ?

- a. *Fusobacterium nucleatum*
- b. *Prevotella intermedia*
- c. *Caprocytophaga* species
- d. *Actinomyces Odontolyticus*

Which of the statement given above is/are correct ?

Options :

- 1. d only
- 2. b and d only
- 3. a and c only
- 4. a, b, c only

In a cohort study, subjects are grouped based on _____.

- a. Presence or absence of disease
- b. Presence or absence of exposure
- c. Genetic risk factors
- d. Socio-economic status

Which of the statement given above is/are correct ?

Options :

- 1. b only
- 2. d only
- 3. a and d only
- 4. a and c only

The Periodontal Risk Calculator (PRC) is _____.

- a. A free web-based tool developed at university of Been
- b. Marked by Pre Viser Corporation (U.S.A.)
- c. Based only on microbiological data
- d. No longer in clinical use

Which of the statement given above is/are correct ?

Options :

- 1. a only
- 2. b only
- 3. a and c only
- 4. b and d only

During the initial lesion of gingivitis (2 – 4 days), upregulation of which adhesion molecules facilitate Leucocyte migration

- a. P Cadherin and Laminin
- b. I-CAM – I and E selectin
- c. Fibronectin and Integrin B-4
- d. Tenascin and collagen IV

Which of the statements given above is/are correct ?

Options :

- 1. b only
- 2. d only
- 3. a and c only
- 4. a, c, d only

Oral/Periodontal pathogens increasingly implicated in Infective endocarditis
Includes all except _____.

- a. Eikenella corrodens
- b. Aggregatibacter actinomycetemcomitans
- c. Capnocytophaga
- d. Treponema denticola

Which of the statements given above is/are correct ?

Options :

- 1. a only
- 2. a and c only
- 3. d only
- 4. b, c, d only

Cytokines can be proinflammatory or anti-inflammatory in nature. Which one of the following cytokines is anti-inflammatory in nature ?

Options :

- 1. Interleukin-1 (IL-1)
- 2. Interleukin-4 (IL-4)
- 3. Interleukin-6 (IL-6)
- 4. Tumor Necrosis Factor-alpha (TNF- α)

Question Number : 64 Question Id : 1505611366 Question Type : MCQ Option Shuffling : No

Who reported osteonecrosis of jaw associated with bisphosphonate in year 2003 ?

Options :

1. Robert Marx
2. Eisenmenger
3. Esa Klemetti
4. Dr. Eisaku Nishida

Question Number : 65 Question Id : 1505611367 Question Type : MCQ Option Shuffling : No

Who is known as the Father of Oral Hygiene ?

Options :

1. John Riggs
2. Levi Spear Parmly
3. Piere Fauchard
4. John Hunter

Question Number : 66 Question Id : 1505611368 Question Type : MCQ Option Shuffling : No

Most commonly employed suture size in microsurgery is _____.

- a. 3 – 0
- b. 4 – 0
- c. 6.0 to 9.00
- d. 10 – 0

Which of the above statement is/are correct ?

Options :

1. a only
2. c only
3. a and b only
4. a and d only

Active Engineering includes all of these except _____.

- a. Biologically based Acellular Dermal Matrix
- b. Enamel Matrix Derivative
- c. Bilayer Cell Therapy
- d. Recombinant PDGF-BB Growth factors

Which statement given above is correct ?

Options :

- 1. a only
- 2. a and b only
- 3. a, b and c
- 4. a, b and d

Prevalence of Cervical-Enamel Projections are most frequently seen in which teeth _____.

- a. Maxillary premolars
- b. Mandibular molars
- c. Maxillary incisors
- d. Mandibular premolars

Which of the statement given above is correct ?

Options :

- 1. a only
- 2. b only
- 3. a and b only
- 4. a, c, d only

Which type of cementum is primarily responsible for anchorage of tooth to cementum ?

- a. Acellular Afibrillar cementum
- b. Acellular Extrinsic fibre cementum
- c. Cellular mixed stratified cementum
- d. Cellular intrinsic fibre cementum

Which of the statement given above is correct ?

Options :

- 1. a only
- 2. b only
- 3. b and c only
- 4. a, b and c only

Bone morphogenic protein – 3 is also known as _____.

- a. Chordin
- b. Osteopontin
- c. Osteogenic protein – 1
- d. Osteogenin

Which of the statement given above is correct ?

Options :

- 1. a only
- 2. b and c only
- 3. c only
- 4. d only

Gingival enlargement is mainly caused by these types of drugs except _____.

Options :

- 1. Calcium channel blockers
- 2. Immunosuppressants
- 3. Anticonvulsants
- 4. Antibiotics

Question Number : 72 Question Id : 1505611374 Question Type : MCQ Option Shuffling : No

The first individual to identify bacteria as cause of periodontal disease was _____.

Options :

1. W.D. Miller
2. Adolf Witzel
3. Robert Koch
4. Solomon Robicsek

Question Number : 73 Question Id : 1505611375 Question Type : MCQ Option Shuffling : No

The earliest time mineralization (calcification) of plaque has been reported to occur is _____.

Options :

1. 24 – 48 hours
2. 1 – 14 days
3. 4 – 8 hours
4. 12 hours

Question Number : 74 Question Id : 1505611376 Question Type : MCQ Option Shuffling : No

Varinicline, used for smoking cessation is classified as a _____.

Options :

1. Dopamine re-uptake inhibitor
2. Nicotine receptor partial agonist
3. Nicotine receptor antagonist
4. Serotonin – norepinephrine re-uptake agonist

Question Number : 75 Question Id : 1505611377 Question Type : MCQ Option Shuffling : No

Plasma and saliva cotinine concentration in active smokers are _____ approximately.

Options :

1. 2 ng/mL
2. 20 ng/mL
3. 100 ng/mL
4. 1200 ng/mL

A smooth and shiny gingival pocket wall surface is histologically correlated with _____.

- a. Collagen fibre deposition
- b. Epithelial atrophy and oedema
- c. Hyperplasia of junctional epithelium
- d. Keratinization of sulcular epithelium

Which of the statement given above is/are correct ?

Options :

- 1. Only b
- 2. Only a and c
- 3. Only a and d
- 4. Only b, c and d

Which of the following is a Stage-III complexity factor as per 2017 classification ?

- a. Probing Pocket Depth $\leq$ 4 mm.
- b. Vertical bone loss $\geq$ 3 mm with furcation involvement.
- c. No tooth loss.
- d. Bite collapsed < 20 teeth remaining.

Which of the statement given above is/are correct ?

Options :

- 1. Only b
- 2. Only a and b
- 3. Only b and d
- 4. Only b, c, d

Which bacterial species has been most strongly implicated in puberty associated gingivitis ?

- a. Porphyromonas gingivalis.
- b. Aggregatibacter actinomycetemcomitans
- c. Capnocytophaga species.
- d. Fusobacterium Nucleatum

Which of the statement given above is/are correct ?

Options :

- 1. Only a
- 2. Only b and c
- 3. Only c
- 4. Only b and d

Calcium channel blocker-induced gingival overgrowth differs from phenytoin induced lesions mainly because _____.

- a. It shows no rete-peg elongation.
- b. It lacks matrix accumulation.
- c. It is associated with attachment loss due to concomitant periodontitis.
- d. It has no fibrosis.

Which of the statement given above is correct ?

Options :

- 1. Only d
- 2. Only c
- 3. Only a and b
- 4. Only b, c, d

Direct immunofluorescence in chronic ulcerative stomatitis typically shows

- a. Fish-net pattern of IgG.
- b. Stratified Epithelium – Specific Antinuclear Antibodies (SES-ANA).
- c. C3 granular deposits in Dermal papillae.
- d. Linear IgA along Basement Membrane Zone.

Which of the statement given above is/are correct ?

Options :

- 1. Only c
- 2. Only b
- 3. Only a and d
- 4. Only a, b and c

Which type of blister is most characteristic of bullous pemphigoid ?

- a. Fragile intra-epithelial blister.
- b. Tense cutaneous blister.
- c. Pusfule with neutrophils.
- d. Haemorrhagic vesicle.

Which of the statement given above is/are correct ?

Options :

- 1. Only a
- 2. Only b
- 3. Only c and d
- 4. Only a and d

The hall mark of Oral Focal mucinosis is _____.

- a. Excessive collagen production.
- b. Overproduction of hyaluronic acid by fibroblast.
- c. Keratinization of epithelium.
- d. Viral aetiology.

Which of the statement given above is correct ?

Options :

- 1. Only d
- 2. Only b
- 3. Only a and c
- 4. Only b, c, d

The classic oral manifestation of Granulomatosis with Polyangiitis (GPA) is _____.

- a. Desquamative gingivitis
- b. Necrotizing gingivitis
- c. Strawberry gingivitis
- d. Pyogenic granuloma

Which of the statements given above is/are correct ?

Options :

- 1. Only a
- 2. Only b
- 3. Only c and d
- 4. Only c

All of the following are saliva stimulants except _____.

- a. Pilocarpine
- b. Cevimeline
- c. Anethole trithione
- d. Artificial saliva (Oralube)

Which of the statements given above is/are correct ?

Options :

- 1. Only c
- 2. Only d
- 3. Only a and b
- 4. Only c and d

The Lectin pathway of complement activation is triggered when _____.

- a. C1q binds to IgG or IgM
- b. Mannose Binding Lectin (MBL) and MASPS (MBL Associated Serine Proteases) recognize microbial surfaces
- c. Spontaneous hydrolysis of C3 occurs
- d. C5a binds to C5aR1

Which of the statements given above is/are correct ?

Options :

- 1. Only a and b
- 2. Only c and d
- 3. Only b
- 4. Only a and d

Major Sheath Protein (MSP) is a virulence factor produced by _____.

- a. Porphyromonas gingivalis
- b. Fusobacterium Nucleatum
- c. Prevotella Intermedia
- d. Treponema Denticola

Which of the statements given above is/are correct ?

Options :

- 1. Only c
- 2. Only d
- 3. Only b and d
- 4. Only a, b, c

Compared to Stannous Fluoride (SnF), Triclosan dentifrice is _____.

- a. More effective at plaque removal
- b. Less effective at plaque removal
- c. Equally effective at gingival bleeding reduction
- d. Superior in caries control

Which of the statements given above is/are correct ?

Options :

- 1. Only a
- 2. Only a and c
- 3. Only b and d
- 4. Only d

Question Number : 88 Question Id : 1505611390 Question Type : MCQ Option Shuffling : No

Which test is based on bacterial hydrolysis of synthetic trypsin substitute N-Benzoyl-DL-Arginine-2 Naphthalamine ?

- a. Ninhydrin test
- b. BANA test
- c. β galactosidase test
- d. Halimeter

Which of the statements given above is/are correct ?

Options :

- 1. a only
- 2. b only
- 3. b and c only
- 4. c and d only

Question Number : 89 Question Id : 1505611391 Question Type : MCQ Option Shuffling : No

Which malodorous compounds have the lowest threshold concentration (detected at lowest levels) ?

Options :

- 1. Hydrogen sulphide and indole
- 2. Skatole and Methyl Mercaptan
- 3. Ammonia and Dimethyl sulphide
- 4. Acetone and Butyric acid

Question Number : 90 Question Id : 1505611392 Question Type : MCQ Option Shuffling : No

Which is the least common form of oral candidiasis ?

Options :

- 1. Pseudomembraneous candidiasis
- 2. Erythematous candidiasis
- 3. Hyperplastic candidiasis
- 4. Angular cheilitis

Question Number : 91 Question Id : 1505611393 Question Type : MCQ Option Shuffling : No

The most common herpes virus detected in HIV associated periodontitis lesion is _____.

Options :

1. HSV-1 (Herpes Simplex Virus)
2. EBV (Ebstein Bar Virus)
3. Cytomegalovirus (CMV)
4. Varicella Zoster

Question Number : 92 Question Id : 1505611394 Question Type : MCQ Option Shuffling : No

Which salivary components reduce HIV transmission risk via saliva ?

- a. MUC 1 only
- b. MUC 5B and MUC 7
- c. ICAM-1 and VCAM-1
- d. Elastase and collagenase

Which of the statements given above is/are correct ?

Options :

1. a and b only
2. b only
3. d only
4. b and d only

Question Number : 93 Question Id : 1505611395 Question Type : MCQ Option Shuffling : No

Foam cells in atheromatous plaques are formed when _____.

- a. Neutrophils engulf platelet
- b. Monocytes ingest oxidized low density lipoproteins
- c. Smooth muscle undergo calcification
- d. Endothelial cells phagocytose cholesterol

Which of the statements given above is/are correct ?

Options :

1. a only
2. b only
3. b and c only
4. c and d only

Question Number : 94 Question Id : 1505611396 Question Type : MCQ Option Shuffling : No

The term ARONJ refers to _____.

Options :

1. Avascular Radiation induced Osteonecrosis of Jaw
2. Anti Resorptive Agent-Related Osteonecrosis of Jaw
3. Auto-immune Related Osteonecrosis of Jaw
4. Alveolar Resorption Osteonecrosis of Jaw

Question Number : 95 Question Id : 1505611397 Question Type : MCQ Option Shuffling : No

In Chediak-Higashi syndrome, neutrophils contain _____.

Options :

1. Small defective lysosomes with hyperactive degranulation
2. Normal lysosomes but defective chemotaxis
3. Giant lysosomes that fail to release contents into phagosomes effectively
4. No lysosomes at all

Question Number : 96 Question Id : 1505611398 Question Type : MCQ Option Shuffling : No

AGEs (Advanced Glycation End products) formation in collagen leads to _____.

- a. Increased solubility and rapid repair
- b. Cross-linking reduced solubility, impaired tissue integrity
- c. Complex collagen degradation
- d. Prevention of bacterial invasion

Which of the statement given above is/are correct ?

Options :

1. a and d only
2. b only
3. c only
4. c and d only

Which of the following is not a precipitating factor for recurrent herpes ?

- a. Sunlight exposure
- b. Emotional stress
- c. Iron deficiency anaemia
- d. Dental treatment

Which of the statements given above is/are correct ?

Options :

- 1. b only
- 2. c only
- 3. a and d only
- 4. b, c and d

The 2017 World Workshop in Periodontology concluded that occlusal trauma _____.

- a. Is the primary cause of periodontitis
- b. Initiates periodontitis
- c. Directly increases plaque formation
- d. Does not initiate periodontitis

Which of the statements given above is/are correct ?

Options :

- 1. a and d only
- 2. c only
- 3. d only
- 4. b and c only

What is the minimum Mesio-Distal Space required for two standard diameter (4.1 mm each) implants placed adjacent to each other between natural teeth ?

Options :

- 1. 12 mm
- 2. 13 mm
- 3. 14 mm
- 4. 15 mm

Ligosan slow release is a locally delivered doxycycline formulation used for periodontal therapy. Its concentration is _____.

Options :

1. 10%
2. 12%
3. 14%
4. 20%