

Maharashtra Public Service Commission Assessment

Question Paper Name :	Assistant Professor Oral Pathology and Microbiology 27th Apr 2026 Shift 3
Subject Name :	Assistant Professor Oral Pathology and Microbiology
Creation Date :	2026-04-27 16:13:02
Duration :	60
Number of Questions :	100
Share Answer Key With Delivery Engine :	No
Actual Answer Key :	Yes

Assistant Professor Oral Pathology and Microbiology

Group Number :	1
Group Id :	15056115
Group Maximum Duration :	0
Group Minimum Duration :	60
Show Attended Group? :	No
Edit Attended Group? :	No
Break time :	0

Oral Pathology and Microbiology A

Section Id :	15056116
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	50
Number of Questions to be attempted :	50
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	15056121
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 1 Question Id : 1505611403 Question Type : MCQ Option Shuffling : No

Characteristic features of sesamoid bone are _____.

- Ossify before birth
- Develops in tendon
- Ossify after birth
- Absence of periosteum

Which of the statements given above is/are correct ?

Options :

- Only a
- Only a and b
- a, b and c
- b, c and d

Question Number : 2 Question Id : 1505611404 Question Type : MCQ Option Shuffling : No

All cranial nerves carry general visceral efferent (Parasympathetic) fibers
Except _____.

Options :

1. Facial
2. Glossopharyngeal
3. Hypoglossal
4. Vagus

Question Number : 3 Question Id : 1505611405 Question Type : MCQ Option Shuffling : No

The S.A. node is located in which part of Heart ?

Options :

1. Right atrial wall near the opening of Inferior Vena cava
2. Interatrial septum
3. Near opening of superior Vena cava in upper part of sulcus terminalis
4. Left atrial wall

Question Number : 4 Question Id : 1505611406 Question Type : MCQ Option Shuffling : No

The stomach bed does not include _____.

Options :

1. Left kidney
2. Spleen
3. Pancreas
4. Right kidney

Question Number : 5 Question Id : 1505611407 Question Type : MCQ Option Shuffling : No

Femoral artery can be compressed against _____ bone.

Options :

1. Head of femur
2. Neck of femur
3. Body of pubis
4. Greater trochanter of femur

Question Number : 6 Question Id : 1505611408 Question Type : MCQ Option Shuffling : No

In secondary active transport across cell membrane, the energy used is in the form of _____.

Options :

1. ATP
2. Phosphocreatine
3. K^+ diffusion energy
4. Na^+ diffusion energy

Question Number : 7 Question Id : 1505611409 Question Type : MCQ Option Shuffling : No

Cardiac muscle derives energy required for muscle contraction primarily from _____.

Options :

1. Anaerobic glycolysis
2. Oxidative metabolism of glucose
3. Oxidative metabolism of lactate
4. Oxidative metabolism of fatty acids

Question Number : 8 Question Id : 1505611410 Question Type : MCQ Option Shuffling : No

Continuous and spontaneous breathing is a function of _____.

Options :

1. Pneumotaxic center in upper pons
2. Motor cortex supplying muscles of respiration
3. Dorsal respiratory group of neurons in medulla
4. Bilateral Vagi (vagal) stimulation at medulla

Question Number : 9 Question Id : 1505611411 Question Type : MCQ Option Shuffling : No

The substance having lowest clearance in urine is _____.

Options :

1. Inulin
2. Glucose
3. PAH
4. Creatinine

Question Number : 10 Question Id : 1505611412 Question Type : MCQ Option Shuffling : No

Impedance matching in middle ear is to _____.

Options :

1. increase force of sound wave in fluid of cochlea as compared to tympanic membrane
2. decrease person's hearing sensitivity to his or her own speech
3. increase rigidity of middle ear ossicles during loud sound
4. transmit sound wave from external ear to cochlea

Question Number : 11 Question Id : 1505611413 Question Type : MCQ Option Shuffling : No

McArdle's disease is characterised by deficiency of the enzyme _____.

Options :

1. Glycogen synthase
2. Glucose-6-Phosphatase
3. Glucose Transporter-2
4. Muscle glycogen Phosphorylase

Question Number : 12 Question Id : 1505611414 Question Type : MCQ Option Shuffling : No

The ideal composition of saturated fatty acid, mono unsaturated fatty acid and poly unsaturated fatty acid in balanced diet is about _____.

Options :

1. 1 : 2 : 3
2. 2 : 1 : 3
3. 1 : 2 : 4
4. 1 : 1 : 1

Question Number : 13 Question Id : 1505611415 Question Type : MCQ Option Shuffling : No

Xeroderma pigmentosa is due to defect in _____.

Options :

1. Direct repair
2. Base emission repair
3. Mismatch repair
4. Nucleotide emission repair

Question Number : 14 Question Id : 1505611416 Question Type : MCQ Option Shuffling : No

The deficiency of Vitamin B12 specifically due to lack of intrinsic factor leads to _____.

Options :

1. Megaloblastic anemia
2. Pernicious anemia
3. Iron-deficiency anemia
4. Sickle cell anemia

Question Number : 15 Question Id : 1505611417 Question Type : MCQ Option Shuffling : No

Which test is most effective for monitoring long-term (2 – 3 months) blood sugar control ?

Options :

1. Fasting Plasma Glucose (FPG)
2. Oral Glucose Tolerance Test (OGTT)
3. Glycated Hemoglobin (HbA1C)
4. Urine ketone test

Question Number : 16 Question Id : 1505611418 Question Type : MCQ Option Shuffling : No

Apoptosis is _____.

- a. Always pathological process
- b. Can be physiological or pathological process
- c. Is the programmed cell death
- d. Shows variable inflammatory reaction

Which of the statement given above is/are correct ?

Options :

1. Only a
2. Only b
3. Only b and c
4. Only a and d

Question Number : 17 Question Id : 1505611419 Question Type : MCQ Option Shuffling : No

Which one of the listed statement is the best definition of abscess ?

Options :

1. A localised connection of purulent inflammatory tissue
2. A localised defect that results from the sloughing of necrotic tissue from the surface
3. A localised proliferation of capillaries of fibroblast
4. Aggregate of activated macrophages

Question Number : 18 Question Id : 1505611420 Question Type : MCQ Option Shuffling : No

Histopathological evaluation of lymphnode from a case of suspected Hodgkin's lymphoma reveal frequent RS cells, background of eosinophils, lymphocytes, plasma cells and RS cells are CD 15+ve, CD 30+ve and EBV +ve. Identify the subtype.

Options :

1. Nodular sclerosis
2. Mixed cellularity
3. Lymphocyte rich
4. Lymphocyte depletion

Question Number : 19 Question Id : 1505611421 Question Type : MCQ Option Shuffling : No

Pathological changes as complications of Diabetic mellitus are _____.

- a. Diabetic glomerulosclerosis
- b. Myocardial infarction due to atherosclerosis of the coronary artery
- c. Bone disease and nephrolithiasis
- d. Cushing syndrome

Options :

1. a and b
2. c and d
3. a and c
4. b and d

Question Number : 20 Question Id : 1505611422 Question Type : MCQ Option Shuffling : No

During first 48 – 72 hours of myocardial infarct microscopy will show _____.

- a. No change
- b. Coagulative necrosis
- c. Neutrophilic infiltrate
- d. Only fibrous tissue

Options :

- 1. a and b
- 2. b and c
- 3. c and d
- 4. a and d

Question Number : 21 Question Id : 1505611423 Question Type : MCQ Option Shuffling : No

Which of the following bacteria lacks cell wall ?

Options :

- 1. *Escherichia coli*
- 2. *Staphylococcus aureus*
- 3. *Mycoplasma pneumoniae*
- 4. *Corynebacterium diphtheriae*

Question Number : 22 Question Id : 1505611424 Question Type : MCQ Option Shuffling : No

Which of the following is an example of cold sterilization ?

Options :

- 1. Pasteurisation
- 2. Ionizing radiation
- 3. Inspissation
- 4. Tyndallization

Question Number : 23 Question Id : 1505611425 Question Type : MCQ Option Shuffling : No

A Meningitis outbreak was suspected in a nursery school. Few of the children presented with vomiting and petechial rash. The organism most likely caused this outbreak is _____.

Options :

- 1. *Streptococcus agalactiae*
- 2. *Escherichia coli* K1
- 3. *Haemophilus influenzae* serotype B
- 4. *Neisseria meningitidis* serogroup A

Question Number : 24 Question Id : 1505611426 Question Type : MCQ Option Shuffling : No

In a sensitized host the term hypersensitivity refers to _____.

Options :

1. Highly protective immune response
2. Undesirable injurious consequences
3. Exaggerated inflammatory immune response
4. Both (2) and (3)

Question Number : 25 Question Id : 1505611427 Question Type : MCQ Option Shuffling : No

A patient with syphilis presenting with multiple painless oral lesions is treated with Benzathine penicillin G. Which serological test is most useful for monitoring response to treatment ?

Options :

1. Dark ground microscopy
2. Qualitative TPHA test
3. Quantitative VDRL test
4. FTA – ABS test

Question Number : 26 Question Id : 1505611428 Question Type : MCQ Option Shuffling : No

Which of the following diuretic is preferred in a patient suffering from cerebral edema ?

- a. Spironolactone
- b. Hydrochlorothiazide
- c. Acetazolamide
- d. Mannitol

Options :

1. b
2. c
3. a
4. d

Question Number : 27 Question Id : 1505611429 Question Type : MCQ Option Shuffling : No

Which of the following is not used for a medical treatment to quit smoking and tobacco chewing ?

Options :

1. Neostigmine
2. Bupropion
3. Varenicline
4. Nicotinic transdermal patch

Question Number : 28 Question Id : 1505611430 Question Type : MCQ Option Shuffling : No

A 25 years old electrician being treated for pulmonary tuberculosis return for follow up and reports difficulty in distinguishing between coloured wires. The antitubercular medication likely for his complaint is _____.

Options :

1. Isoniazid (INH)
2. Rifampicin
3. Ethambutol
4. Pyrazinamide

Question Number : 29 Question Id : 1505611431 Question Type : MCQ Option Shuffling : No

Which of the following is an anticholinergic bronchodilator ?

Options :

1. Budesonide
2. Salbutamol
3. Ipratropium bromide
4. Theophylline

Question Number : 30 Question Id : 1505611432 Question Type : MCQ Option Shuffling : No

Dyes used to facilitate clear visualization of dental plaque are called as _____.

Options :

1. Disclosing agent
2. Dentine bonding agent
3. Mummifying agent
4. Obtundents

Question Number : 31 Question Id : 1505611433 Question Type : MCQ Option Shuffling : No

2 month ANC, brought by relative with complaint of fever with chills since 7 days. On peripheral smear examination, P. falciparum gametocyte was seen.

For the above disease, WHO recommend which of the following drug for treatment ?

Options :

1. Doxycycline
2. Artesunate + Lumefantrine
3. Ampicillin + Sulbactam
4. Primaquine

Question Number : 32 Question Id : 1505611434 Question Type : MCQ Option Shuffling : No

The functional defect of platelets due to Aspirin reverts to normal after the last of aspirin within _____.

Options :

1. 7 – 8 days
2. 5 – 6 days
3. 2 – 3 days
4. 10 – 12 days

Question Number : 33 Question Id : 1505611435 Question Type : MCQ Option Shuffling : No

A 45 years old male patient with alcohol use disorder and diagnosed as a case of alcoholic liver disease has come to you and you have advised complete alcohol abstinence. After one month he visits you. To confirm his alcohol abstinence which of the following tests will you advice ?

Options :

1. Phosphatidylethanol
2. Alanine aminotransferase and Aspartate aminotransferase
3. Mean corpuscular volume
4. Gamma glutamyl transferase

Question Number : 34 Question Id : 1505611436 Question Type : MCQ Option Shuffling : No

In the management of hypertension in chronic kidney disease, which of the following is a preferred initial antihypertensive ?

Options :

1. Thiazide diuretic
2. Angiotensin converting enzyme inhibitor
3. Beta-blocker
4. Calcium channel blocker

Question Number : 35 Question Id : 1505611437 Question Type : MCQ Option Shuffling : No

“CURB-65” score is applied for measuring severity of _____.

Options :

1. Rheumatic Heart disease
2. Malabsorption syndrome
3. Community acquired pneumonia
4. Ischemic Heart disease

Question Number : 36 Question Id : 1505611438 Question Type : MCQ Option Shuffling : No

Among the following oral premalignant lesions, the highest risk for malignant transformation is with _____.

Options :

1. Erythroleukoplakia
2. Submucous fibrosis
3. Lichen planus
4. Dysplasia

Question Number : 37 Question Id : 1505611439 Question Type : MCQ Option Shuffling : No

The most common primary malignant tumor of thyroid gland is _____.

Options :

1. Follicular carcinoma
2. Papillary carcinoma
3. Medullary carcinoma
4. Anaplastic carcinoma

Question Number : 38 Question Id : 1505611440 Question Type : MCQ Option Shuffling : No

'Cold Abscess' is seen in late stage of _____.

Options :

1. Tuberculous cervical lymphadenopathy
2. Hodgkin's lymphoma
3. Acute suppurative lymphadenitis
4. Leprosy

Question Number : 39 Question Id : 1505611441 Question Type : MCQ Option Shuffling : No

All of the following are non-absorbable sutures except _____.

Options :

1. Polypropylene
2. Linen
3. Catgut
4. Nylon

Question Number : 40 Question Id : 1505611442 Question Type : MCQ Option Shuffling : No

French chemist, who studied the process of fermentation and showed that it was caused by growth of living organisms named germs is _____.

Options :

1. Joseph Lister
2. Louis Pasteur
3. Alexis Carrel
4. Henry Dakin

Question Number : 41 Question Id : 1505611443 Question Type : MCQ Option Shuffling : No

A faculty member wants to teach professional behaviour during breaking bad news, emphasizing on empathy, communication and ethical decision making, in classroom setting.

Which teaching-learning method is MOST effective ?

Options :

1. Role play
2. Didactic lecture
3. Symposium
4. Tutorial

Question Number : 42 Question Id : 1505611444 Question Type : MCQ Option Shuffling : No

According to the constructive approach, which of the following characterizes an effective constructive classroom in medical teaching ?

Options :

1. Instructor delivers pre synthesized knowledge through lectures
2. Faculty serves as a guide for facilitators and learning in small groups
3. Students can learn exclusively through memorization of textbooks
4. Main authority is with instructor without student input

Question Number : 43 Question Id : 1505611445 Question Type : MCQ Option Shuffling : No

Match the shortcut keys for MS-Word with their functions.

List – 1

**(Shortcut keys
for MS-Word)**

List – 2

(Function)

- | | |
|-----------|------------|
| a. Ctrl X | i. Copy |
| b. Ctrl C | ii. Undo |
| c. Ctrl Z | iii. Paste |
| d. Ctrl V | iv. Cut |

Options :

1. a – iv b – i c – ii d – iii
2. a – iv b – iii c – ii d – i
3. a – ii b – i c – iv d – iii
4. a – i b – iv c – iii d – ii

Question Number : 44 Question Id : 1505611446 Question Type : MCQ Option Shuffling : No

During a community-based-cross-sectional study assessing systolic blood pressure among adults, the variance of the recorded values was found to be 16 mmHg².

Which of the following values represent the standard deviation of systolic blood pressure in this population ?

Options :

1. 2 mmHg
2. 4 mmHg
3. 6 mmHg
4. 8 mmHg

Question Number : 45 Question Id : 1505611447 Question Type : MCQ Option Shuffling : No

A research team intends to evaluate the effectiveness of a newly developed educational intervention in improving the knowledge of Breast Self Examination (BSE) among nursing students. Knowledge levels are assessed before and after the educational session in the same cohort. Which of the following statistical tests is most appropriate to analyze the data ?

Options :

1. Chi-square test
2. Independent t-test
3. Paired t-test
4. One-way ANOVA

Question Number : 46 Question Id : 1505611448 Question Type : MCQ Option Shuffling : No

All of the following statements concerning the reduction of type I error are true except _____.

Options :

1. The hypothesis H_0 is true but still rejected
2. The hypothesis H_0 is false but still accepted
3. Type I error reduced by increasing sample size
4. In medical studies type I error is more serious than type II error

Question Number : 47 Question Id : 1505611449 Question Type : MCQ Option Shuffling : No

All of the following statements are true about logistic regression analysis except _____.

Options :

1. Dependent variables are qualitative
2. Independent variables are qualitative or quantitative
3. Change in dependent variable associated with one-unit change in independent variable
4. Change in independent variable associated with one-unit change in dependent variable

Question Number : 48 Question Id : 1505611450 Question Type : MCQ Option Shuffling : No

A 2 year old child admitted in hospital for diarrhoea. The paediatrician diagnosed as child having gastroenteritis with severe dehydration. The characterization of dehydration as 'severe' is an example of _____.

Options :

1. Nominal variable
2. Ordinal variable
3. Discrete variable
4. Continuous variable

Question Number : 49 Question Id : 1505611451 Question Type : MCQ Option Shuffling : No

A researcher wants to compare the haemoglobin levels in three groups- non-pregnant, pregnant and post menopausal women. Which statistical test is most appropriate ?

Options :

1. Independent t-test
2. Paired t-test
3. Chi-square test
4. Oneway ANOVA

Question Number : 50 Question Id : 1505611452 Question Type : MCQ Option Shuffling : No

A study was conducted where blood sugar level of each individual was collected every month for three years and the observations studied. Which type of study design is this ?

Options :

1. Case report
2. Case series
3. Longitudinal study
4. Cross-sectional study

Oral Pathology and Microbiology B

Section Id :	15056117
Section Number :	2
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	50
Number of Questions to be attempted :	50
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	15056122
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 51 Question Id : 1505611453 Question Type : MCQ Option Shuffling : No

The special stains is commonly employed to demonstrate smooth muscle fibers in leiomyoma is _____.

Options :

1. Mallory stain
2. Masson's trichrome stain
3. Von Geison's stain
4. Periodic Acid schiff's reagent

Question Number : 52 Question Id : 1505611454 Question Type : MCQ Option Shuffling : No

Insufficiency of the TCOF1 gene, mapped to chromosome 5q31.3 – q33.3 lead to the development of which syndrome ?

Options :

1. Treacher – Collins syndrome
2. Pierre – Robin syndrome
3. Parry – Romberg syndrome
4. Lip – Pit syndrome

Question Number : 53 Question Id : 1505611455 Question Type : MCQ Option Shuffling : No

Peripheral blood smear examination showing microcytic hypochromic red blood cells is suggestive of _____.

Options :

1. Iron deficiency anemia
2. Folate deficiency anemia
3. B12 deficiency anemia
4. Aplastic anemia

Question Number : 54 Question Id : 1505611456 Question Type : MCQ Option Shuffling : No

Sialolithiasis is most commonly seen in _____.

Options :

1. Parotid
2. Submandibular
3. Sublingual
4. Minor salivary gland

Question Number : 55 Question Id : 1505611457 Question Type : MCQ Option Shuffling : No

Which malignancy shows 'numb-chin syndrome' ?

Options :

1. Osteosarcoma
2. Chondrosarcoma
3. Primary intra osseous carcinoma
4. Metastatic carcinoma

Question Number : 56 Question Id : 1505611458 Question Type : MCQ Option Shuffling : No

Anaesthetic necrosis is commonly seen at _____.

Options :

1. Buccal mucosa
2. Lip
3. Tongue
4. Hard palate

Question Number : 57 Question Id : 1505611459 Question Type : MCQ Option Shuffling : No

Which of the following nevus shows abtropfung effect histologically ?

Options :

1. Blue
2. Intradermal
3. Junctional
4. Epitheloid/spindle

Question Number : 58 Question Id : 1505611460 Question Type : MCQ Option Shuffling : No

The Kveim slitzbach test an intracutaneous test, commonly used for _____.

Options :

1. Tuberculosis
2. Sarcoidosis
3. Leprosy
4. Syphilis

Question Number : 59 Question Id : 1505611461 Question Type : MCQ Option Shuffling : No

Life threatening sequelae of cellulitis with maxillary teeth is

Options :

1. Cavernous sinus thrombosis
2. Orbital Abscess
3. Quincke's
4. Pericoronitis

Question Number : 60 Question Id : 1505611462 Question Type : MCQ Option Shuffling : No

The histopathological feature observed in Benign migratory glossitis closely resembles those seen in which of the following condition ?

Options :

1. Lichen planus
2. Psoriasis
3. Systemic lupus erythematosus
4. Erythema multiforme

Question Number : 61 Question Id : 1505611463 Question Type : MCQ Option Shuffling : No

Histological features, composed of polyhedral epithelial cells closely packed in sheets, with finely granular eosinophilic cytoplasm and showing homogenous eosinophilic substance amyloid is suggestive of _____.

Options :

1. Calcifying epithelial odontogenic tumour
2. Dentinogenesis imperfecta
3. Odontoameloblastoma
4. Primordial odontogenic tumour

Question Number : 62 Question Id : 1505611464 Question Type : MCQ Option Shuffling : No

The most common pathogenesis of nasopharyngeal carcinoma is _____.

Options :

1. Epstein bar viruses
2. Human papilloma virus
3. Herpes simplex virus
4. Herpes zoster

Question Number : 63 Question Id : 1505611465 Question Type : MCQ Option Shuffling : No

Histological examination of oral lichen planus shows following microscopic structure except _____.

Options :

1. Juxta epithelial chronic inflammatory cell infiltration
2. Hyperparakerotosis of epithelium with liquefaction degeneration
3. Presence of civatte bodies, Max-Joseph spaces
4. Suprabasilar cleft

Question Number : 64 Question Id : 1505611466 Question Type : MCQ Option Shuffling : No

On radiological examination, "Shepherd crook deformity" is pathognomic feature of _____.

Options :

1. Polyostotic fibrous dysplasia
2. Craniofacial fibrous dysplasia
3. Monostatic fibrous dysplasia
4. Familial fibrous dysplasia of Jaw

Question Number : 65 Question Id : 1505611467 Question Type : MCQ Option Shuffling : No

"Cafe-au-laits" spots are not associated with _____.

Options :

1. Albright syndrome
2. Jaffe type of fibrous dysplasia
3. Neurofibromatosis
4. Ossifying fibroma

Question Number : 66 Question Id : 1505611468 Question Type : MCQ Option Shuffling : No

Angular cheilitis of lip is also known as _____.

Options :

1. Perleche
2. Cheilitis glandularis
3. Cheilosis
4. Cheilitis granulomatosa

Question Number : 67 Question Id : 1505611469 Question Type : MCQ Option Shuffling : No

Which of the following oral potentially malignant disorder, showing multifocal appearance and high recurrence rate and malignant transformation ?

Options :

1. Oral submucous fibrosis
2. Oral lichen planus
3. Proliferating verrucous leukoplakia
4. Sanguinaria associated keratosis

Question Number : 68 Question Id : 1505611470 Question Type : MCQ Option Shuffling : No

The critical pH below which demineralization of tooth substance begins is _____.

Options :

1. 4.5
2. 5.5
3. 6.0
4. 3.5

Question Number : 69 Question Id : 1505611471 Question Type : MCQ Option Shuffling : No

Which of the following Vitamin is responsible for enhancement of faster healing ?

Options :

1. Vit. K
2. Vit. C
3. Vit. E
4. Vit. D

Question Number : 70 Question Id : 1505611472 Question Type : MCQ Option Shuffling : No

Labret is the term used for _____.

Options :

1. Perioral piercing
2. Lip piercing ornament
3. Tongue piercing
4. Teeth blackening

Question Number : 71 Question Id : 1505611473 Question Type : MCQ Option Shuffling : No

Erythema multiform minor is regarded as triggered by infection such as _____.

Options :

1. HSV virus
2. HPV virus
3. Herpes zoster
4. HIV virus

Question Number : 72 Question Id : 1505611474 Question Type : MCQ Option Shuffling : No

In molecular insight of tooth development which gene is responsible for induction of dentinogenesis ?

Options :

1. BMP5
2. BMP7
3. MSX-1
4. MSX-2

Question Number : 73 Question Id : 1505611475 Question Type : MCQ Option Shuffling : No

The lesion characteristically associated with the presence of chocolate coloured fluid in the gross specimen _____.

Options :

1. Dentigerous cyst
2. Odontogenic keratocyst
3. Unicystic ameloblastoma
4. Papillary cystadenoma

Question Number : 74 Question Id : 1505611476 Question Type : MCQ Option Shuffling : No

Kwashiorkor is a form of malnutrition caused by a lack of _____.

Options :

1. Protein
2. Carbohydrate
3. Lipid
4. Vitamin A

Question Number : 75 Question Id : 1505611477 Question Type : MCQ Option Shuffling : No

According to Watson and Mc Carthy classification of cystic hygroma is also called as _____.

Options :

1. Capillary lymphangioma
2. Cavernous lymphangioma
3. Hypertrophic lymphangioma
4. Cystic lymphangioma

Question Number : 76 Question Id : 1505611478 Question Type : MCQ Option Shuffling : No

PVL-associated carcinomas that histologically present with cumbrous appearing epithelium and frequently have a “stuck-on” appearance without conventional invasive growth are described as _____.

Options :

1. Verrucous carcinoma
2. Barniculate carcinoma
3. Squamous cell carcinoma
4. Basal cell carcinoma

Question Number : 77 Question Id : 1505611479 Question Type : MCQ Option Shuffling : No

Which of the following glycoprotein expression by odontoblasts is higher in reversible pulpitis than in irreversible pulpitis ?

Options :

1. Osteocalcin
2. Osteopontin
3. Osteonectin
4. Osteoprotegerin

Question Number : 78 Question Id : 1505611480 Question Type : MCQ Option Shuffling : No

Which are strict anaerobes present in dental caries ?

Options :

1. Lactobacilli
2. Actinomyces naeslundii
3. Veillonella
4. Actinomyces odontolyticus

Question Number : 79 Question Id : 1505611481 Question Type : MCQ Option Shuffling : No

Erethism is noted in systemic metallic intoxication of _____.

Options :

1. Silver
2. Mercury
3. Gold
4. Lead

Question Number : 80 Question Id : 1505611482 Question Type : MCQ Option Shuffling : No

Which of the following melanocytic lesions rarely harbor BRAF mutation ?

Options :

1. Melanoma
2. Halo nevus
3. Conventional melanocytic nevus
4. Blue nevus

Question Number : 81 Question Id : 1505611483 Question Type : MCQ Option Shuffling : No

Which zone appears structureless in quinolone treated ground section of enamel caries ?

Options :

1. Dark zone
2. Body of lesion
3. Translucent zone
4. Surface zone

Question Number : 82 Question Id : 1505611484 Question Type : MCQ Option Shuffling : No

Which disease histopathologically shows lipid-engorged macrophages exhibiting abundant bluish cytoplasm, fine texture and wrinkled silk appearance ?

Options :

1. Lipoid protenosis
2. Tay-Sachs disease
3. Niemann-Pick disease
4. Gaucher disease

Question Number : 83 Question Id : 1505611485 Question Type : MCQ Option Shuffling : No

How many different combinations of biting edges of the twelve anterior teeth is suggested in human dentition by Rawson and Associates for bite mark analysis ?

Options :

1. 0.36×10^{26}
2. 136×10^{26}
3. 130×10^{26}
4. 1.36×10^{26}

Question Number : 84 Question Id : 1505611486 Question Type : MCQ Option Shuffling : No

Historically which of the following cell's proliferation was called 'chloroma' on fresh-cut sections ?

Options :

1. Lymphoid cells
2. Plasmacytic cells
3. Leukemic cells
4. Erythroblastic cells

Question Number : 85 Question Id : 1505611487 Question Type : MCQ Option Shuffling : No

The cyst showing cystic lining with clear, vacuolated, glycogen-rich cytoplasm cells and focal thickened plaques of proliferating lining cells projecting into the lumen is _____.

Options :

1. Glandular odontogenic cyst
2. Lateral periodontal cyst
3. Botryoid odontogenic cyst
4. Calcifying odontogenic cyst

Question Number : 86 Question Id : 1505611488 Question Type : MCQ Option Shuffling : No

Which malignant melanoma exists only in the vertical-growth phase ?

Options :

1. Superficial spreading melanoma
2. Nodular melanoma
3. Melanotic freckle of Hutchinson
4. Amelanotic melanoma

Question Number : 87 Question Id : 1505611489 Question Type : MCQ Option Shuffling : No

Myoepithelioma histopathologically does not show _____.

Options :

1. Spindle cells
2. Epithelioid cells
3. Plasmacytoid cells
4. Chondromyxoid stroma

Question Number : 88 Question Id : 1505611490 Question Type : MCQ Option Shuffling : No

A cyst containing multiple sebaceous glands and almost all skin appendages is usually _____.

Options :

1. Dermoid cyst
2. Epidermoid cyst
3. Botryoid cyst
4. Hydatid cyst

Question Number : 89 Question Id : 1505611491 Question Type : MCQ Option Shuffling : No

A hereditary skeletal disorder characterised by failure of osteoclast function or differentiation is _____.

Options :

1. Osteopetrosis
2. Osteomalacia
3. Osteopenia
4. Osteoporosis

Question Number : 90 Question Id : 1505611492 Question Type : MCQ Option Shuffling : No

Myospherulosis is a complication of healing of an extraction wound due to _____.

Options :

1. Diabetes mellitus
2. Dislodgement of clot
3. Use of antibiotic ointment with petroleum base
4. Fungal infection

Question Number : 91 Question Id : 1505611493 Question Type : MCQ Option Shuffling : No

Focal epithelial hyperplasia is usually associated with _____.

Options :

1. Adenovirus
2. Human papillomavirus
3. Herpes virus
4. Hepatitis B virus

Question Number : 92 Question Id : 1505611494 Question Type : MCQ Option Shuffling : No

Which of the following is a hybrid odontogenic tumor which exhibits features of ameloblastoma and Adenomatoid Odontogenic Tumor (AOT) histopathologically ?

Options :

1. Desmoplastic ameloblastoma
2. Unicystic ameloblastoma
3. Adenoid ameloblastoma
4. Plexiform ameloblastoma

Question Number : 93 Question Id : 1505611495 Question Type : MCQ Option Shuffling : No

A virus altered epithelial cells are known as _____.

Options :

1. Popcorn cells
2. Koilocytes
3. Keratinocytes
4. Strap cells

Question Number : 94 Question Id : 1505611496 Question Type : MCQ Option Shuffling : No

Which of the following type of abscess is not related to a pre existing periodontal pocket ?

Options :

1. Periodontal abscess
2. Lateral abscess
3. Parietal abscess
4. Phoenix abscess

Question Number : 95 Question Id : 1505611497 Question Type : MCQ Option Shuffling : No

Which of the following is characterised by multiple Basal cell carcinomas ?

Options :

1. Xeroderma pigmentosa
2. Albrights syndrome
3. Ramsay Hunts syndrome
4. Pierre Robin syndrome

Question Number : 96 Question Id : 1505611498 Question Type : MCQ Option Shuffling : No

Histopathologically presence of large sinusoidal blood spaces in lesion is a feature of _____.

Options :

1. Cherubism
2. Hyperparathyroidism
3. Pagets disease
4. Aneurysmal bone cyst

Question Number : 97 Question Id : 1505611499 Question Type : MCQ Option Shuffling : No

Abnormal and excessive deposits of intracellular mucopolysaccharides in many tissues, involving fibroblast and leading to formation of 'Gargoyle cells' is seen in _____.

Options :

1. Hurler syndrome
2. Gaucher disease
3. Hereditary fructose intolerance
4. Niemann-Pick disease

Question Number : 98 Question Id : 1505611500 Question Type : MCQ Option Shuffling : No

The patient comes with oral manifestation of ragged necrotic ulcer covered with grey or black membrane and no surrounding apparent inflammation is typical of _____.

Options :

1. Leukemia
2. Cyclic neutropenia
3. Agranulocytosis
4. Polycythemia vera

Question Number : 99 Question Id : 1505611501 Question Type : MCQ Option Shuffling : No

Which of the following histopathological differences help distinguish congenital epulis from a granular cell tumour ?

Options :

1. Presence of ulceration in the overlying mucosa
2. Absence of pseudoepitheliomatous hyperplasia in overlying epithelium
3. Presence of epithelial atrophy in the overlying mucosa
4. Presence of epithelial acanthosis in the overlying mucosa

Question Number : 100 Question Id : 1505611502 Question Type : MCQ Option Shuffling : No

The abundant cytoplasmic granularity and clusters of oncocytes in oxyphilic adenoma is primarily due to excessive presence of _____.

Options :

1. Golgi apparatus
2. Proteins
3. Morphologically altered mitochondria
4. Ribosomes