

Maharashtra Public Service Commission Assessment

Question Paper Name :	Assistant Professor Oral and Maxillofacial Surgery 27th Apr 2026 Shift 3
Subject Name :	Assistant Professor Oral and Maxillofacial Surgery
Creation Date :	2026-04-27 16:13:02
Duration :	60
Number of Questions :	100
Share Answer Key With Delivery Engine :	No
Actual Answer Key :	Yes

Assistant Professor Oral and Maxillofacial Surgery

Group Number :	1
Group Id :	15056116
Group Maximum Duration :	0
Group Minimum Duration :	60
Show Attended Group? :	No
Edit Attended Group? :	No
Break time :	0

Oral and Maxillofacial Surgery A

Section Id :	15056118
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	50
Number of Questions to be attempted :	50
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	15056123
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 1 Question Id : 1505611503 Question Type : MCQ Option Shuffling : No

Characteristic features of sesamoid bone are _____.

- Ossify before birth
- Develops in tendon
- Ossify after birth
- Absence of periosteum

Which of the statements given above is/are correct ?

Options :

- Only a
- Only a and b
- a, b and c
- b, c and d

Question Number : 2 Question Id : 1505611504 Question Type : MCQ Option Shuffling : No

All cranial nerves carry general visceral efferent (Parasympathetic) fibers
Except _____.

Options :

1. Facial
2. Glossopharyngeal
3. Hypoglossal
4. Vagus

Question Number : 3 Question Id : 1505611505 Question Type : MCQ Option Shuffling : No

The S.A. node is located in which part of Heart ?

Options :

1. Right atrial wall near the opening of Inferior Vena cava
2. Interatrial septum
3. Near opening of superior Vena cava in upper part of sulcus terminalis
4. Left atrial wall

Question Number : 4 Question Id : 1505611506 Question Type : MCQ Option Shuffling : No

The stomach bed does not include _____.

Options :

1. Left kidney
2. Spleen
3. Pancreas
4. Right kidney

Question Number : 5 Question Id : 1505611507 Question Type : MCQ Option Shuffling : No

Femoral artery can be compressed against _____ bone.

Options :

1. Head of femur
2. Neck of femur
3. Body of pubis
4. Greater trochanter of femur

Question Number : 6 Question Id : 1505611508 Question Type : MCQ Option Shuffling : No

In secondary active transport across cell membrane, the energy used is in the form of _____.

Options :

1. ATP
2. Phosphocreatine
3. K^+ diffusion energy
4. Na^+ diffusion energy

Question Number : 7 Question Id : 1505611509 Question Type : MCQ Option Shuffling : No

Cardiac muscle derives energy required for muscle contraction primarily from _____.

Options :

1. Anaerobic glycolysis
2. Oxidative metabolism of glucose
3. Oxidative metabolism of lactate
4. Oxidative metabolism of fatty acids

Question Number : 8 Question Id : 1505611510 Question Type : MCQ Option Shuffling : No

Continuous and spontaneous breathing is a function of _____.

Options :

1. Pneumotaxic center in upper pons
2. Motor cortex supplying muscles of respiration
3. Dorsal respiratory group of neurons in medulla
4. Bilateral Vagi (vagal) stimulation at medulla

Question Number : 9 Question Id : 1505611511 Question Type : MCQ Option Shuffling : No

The substance having lowest clearance in urine is _____.

Options :

1. Inulin
2. Glucose
3. PAH
4. Creatinine

Question Number : 10 Question Id : 1505611512 Question Type : MCQ Option Shuffling : No

Impedance matching in middle ear is to _____.

Options :

1. increase force of sound wave in fluid of cochlea as compared to tympanic membrane
2. decrease person's hearing sensitivity to his or her own speech
3. increase rigidity of middle ear ossicles during loud sound
4. transmit sound wave from external ear to cochlea

Question Number : 11 Question Id : 1505611513 Question Type : MCQ Option Shuffling : No

McArdle's disease is characterised by deficiency of the enzyme _____.

Options :

1. Glycogen synthase
2. Glucose-6-Phosphatase
3. Glucose Transporter-2
4. Muscle glycogen Phosphorylase

Question Number : 12 Question Id : 1505611514 Question Type : MCQ Option Shuffling : No

The ideal composition of saturated fatty acid, mono unsaturated fatty acid and poly unsaturated fatty acid in balanced diet is about _____.

Options :

1. 1 : 2 : 3
2. 2 : 1 : 3
3. 1 : 2 : 4
4. 1 : 1 : 1

Question Number : 13 Question Id : 1505611515 Question Type : MCQ Option Shuffling : No

Xeroderma pigmentosa is due to defect in _____.

Options :

1. Direct repair
2. Base emission repair
3. Mismatch repair
4. Nucleotide emission repair

Question Number : 14 Question Id : 1505611516 Question Type : MCQ Option Shuffling : No

The deficiency of Vitamin B12 specifically due to lack of intrinsic factor leads to _____.

Options :

1. Megaloblastic anemia
2. Pernicious anemia
3. Iron-deficiency anemia
4. Sickle cell anemia

Question Number : 15 Question Id : 1505611517 Question Type : MCQ Option Shuffling : No

Which test is most effective for monitoring long-term (2 – 3 months) blood sugar control ?

Options :

1. Fasting Plasma Glucose (FPG)
2. Oral Glucose Tolerance Test (OGTT)
3. Glycated Hemoglobin (HbA1C)
4. Urine ketone test

Question Number : 16 Question Id : 1505611518 Question Type : MCQ Option Shuffling : No

Apoptosis is _____.

- a. Always pathological process
- b. Can be physiological or pathological process
- c. Is the programmed cell death
- d. Shows variable inflammatory reaction

Which of the statement given above is/are correct ?

Options :

1. Only a
2. Only b
3. Only b and c
4. Only a and d

Question Number : 17 Question Id : 1505611519 Question Type : MCQ Option Shuffling : No

Which one of the listed statement is the best definition of abscess ?

Options :

1. A localised connection of purulent inflammatory tissue
2. A localised defect that results from the sloughing of necrotic tissue from the surface
3. A localised proliferation of capillaries of fibroblast
4. Aggregate of activated macrophages

Question Number : 18 Question Id : 1505611520 Question Type : MCQ Option Shuffling : No

Histopathological evaluation of lymphnode from a case of suspected Hodgkin's lymphoma reveal frequent RS cells, background of eosinophils, lymphocytes, plasma cells and RS cells are CD 15+ve, CD 30+ve and EBV +ve. Identify the subtype.

Options :

1. Nodular sclerosis
2. Mixed cellularity
3. Lymphocyte rich
4. Lymphocyte depletion

Question Number : 19 Question Id : 1505611521 Question Type : MCQ Option Shuffling : No

Pathological changes as complications of Diabetic mellitus are _____.

- a. Diabetic glomerulosclerosis
- b. Myocardial infarction due to atherosclerosis of the coronary artery
- c. Bone disease and nephrolithiasis
- d. Cushing syndrome

Options :

1. a and b
2. c and d
3. a and c
4. b and d

Question Number : 20 Question Id : 1505611522 Question Type : MCQ Option Shuffling : No

During first 48 – 72 hours of myocardial infarct microscopy will show _____.

- a. No change
- b. Coagulative necrosis
- c. Neutrophilic infiltrate
- d. Only fibrous tissue

Options :

- 1. a and b
- 2. b and c
- 3. c and d
- 4. a and d

Question Number : 21 Question Id : 1505611523 Question Type : MCQ Option Shuffling : No

Which of the following bacteria lacks cell wall ?

Options :

- 1. *Escherichia coli*
- 2. *Staphylococcus aureus*
- 3. *Mycoplasma pneumoniae*
- 4. *Corynebacterium diphtheriae*

Question Number : 22 Question Id : 1505611524 Question Type : MCQ Option Shuffling : No

Which of the following is an example of cold sterilization ?

Options :

- 1. Pasteurisation
- 2. Ionizing radiation
- 3. Inspissation
- 4. Tyndallization

Question Number : 23 Question Id : 1505611525 Question Type : MCQ Option Shuffling : No

A Meningitis outbreak was suspected in a nursery school. Few of the children presented with vomiting and petechial rash. The organism most likely caused this outbreak is _____.

Options :

- 1. *Streptococcus agalactiae*
- 2. *Escherichia coli* K1
- 3. *Haemophilus influenzae* serotype B
- 4. *Neisseria meningitidis* serogroup A

Question Number : 24 Question Id : 1505611526 Question Type : MCQ Option Shuffling : No

In a sensitized host the term hypersensitivity refers to _____.

Options :

1. Highly protective immune response
2. Undesirable injurious consequences
3. Exaggerated inflammatory immune response
4. Both (2) and (3)

Question Number : 25 Question Id : 1505611527 Question Type : MCQ Option Shuffling : No

A patient with syphilis presenting with multiple painless oral lesions is treated with Benzathine penicillin G. Which serological test is most useful for monitoring response to treatment ?

Options :

1. Dark ground microscopy
2. Qualitative TPHA test
3. Quantitative VDRL test
4. FTA – ABS test

Question Number : 26 Question Id : 1505611528 Question Type : MCQ Option Shuffling : No

Which of the following diuretic is preferred in a patient suffering from cerebral edema ?

- a. Spironolactone
- b. Hydrochlorothiazide
- c. Acetazolamide
- d. Mannitol

Options :

1. b
2. c
3. a
4. d

Question Number : 27 Question Id : 1505611529 Question Type : MCQ Option Shuffling : No

Which of the following is not used for a medical treatment to quit smoking and tobacco chewing ?

Options :

1. Neostigmine
2. Bupropion
3. Varenicline
4. Nicotinic transdermal patch

Question Number : 28 Question Id : 1505611530 Question Type : MCQ Option Shuffling : No

A 25 years old electrician being treated for pulmonary tuberculosis return for follow up and reports difficulty in distinguishing between coloured wires. The antitubercular medication likely for his complaint is _____.

Options :

1. Isoniazid (INH)
2. Rifampicin
3. Ethambutol
4. Pyrazinamide

Question Number : 29 Question Id : 1505611531 Question Type : MCQ Option Shuffling : No

Which of the following is an anticholinergic bronchodilator ?

Options :

1. Budesonide
2. Salbutamol
3. Ipratropium bromide
4. Theophylline

Question Number : 30 Question Id : 1505611532 Question Type : MCQ Option Shuffling : No

Dyes used to facilitate clear visualization of dental plaque are called as _____.

Options :

1. Disclosing agent
2. Dentine bonding agent
3. Mummifying agent
4. Obtundents

Question Number : 31 Question Id : 1505611533 Question Type : MCQ Option Shuffling : No

2 month ANC, brought by relative with complaint of fever with chills since 7 days. On peripheral smear examination, P. falciparum gametocyte was seen.

For the above disease, WHO recommend which of the following drug for treatment ?

Options :

1. Doxycycline
2. Artesunate + Lumefantrine
3. Ampicillin + Sulbactam
4. Primaquine

Question Number : 32 Question Id : 1505611534 Question Type : MCQ Option Shuffling : No

The functional defect of platelets due to Aspirin reverts to normal after the last of aspirin within _____.

Options :

1. 7 – 8 days
2. 5 – 6 days
3. 2 – 3 days
4. 10 – 12 days

Question Number : 33 Question Id : 1505611535 Question Type : MCQ Option Shuffling : No

A 45 years old male patient with alcohol use disorder and diagnosed as a case of alcoholic liver disease has come to you and you have advised complete alcohol abstinence. After one month he visits you. To confirm his alcohol abstinence which of the following tests will you advice ?

Options :

1. Phosphatidylethanol
2. Alanine aminotransferase and Aspartate aminotransferase
3. Mean corpuscular volume
4. Gamma glutamyl transferase

Question Number : 34 Question Id : 1505611536 Question Type : MCQ Option Shuffling : No

In the management of hypertension in chronic kidney disease, which of the following is a preferred initial antihypertensive ?

Options :

1. Thiazide diuretic
2. Angiotensin converting enzyme inhibitor
3. Beta-blocker
4. Calcium channel blocker

Question Number : 35 Question Id : 1505611537 Question Type : MCQ Option Shuffling : No

“CURB-65” score is applied for measuring severity of _____.

Options :

1. Rheumatic Heart disease
2. Malabsorption syndrome
3. Community acquired pneumonia
4. Ischemic Heart disease

Question Number : 36 Question Id : 1505611538 Question Type : MCQ Option Shuffling : No

Among the following oral premalignant lesions, the highest risk for malignant transformation is with _____.

Options :

1. Erythroleukoplakia
2. Submucous fibrosis
3. Lichen planus
4. Dysplasia

Question Number : 37 Question Id : 1505611539 Question Type : MCQ Option Shuffling : No

The most common primary malignant tumor of thyroid gland is _____.

Options :

1. Follicular carcinoma
2. Papillary carcinoma
3. Medullary carcinoma
4. Anaplastic carcinoma

Question Number : 38 Question Id : 1505611540 Question Type : MCQ Option Shuffling : No

'Cold Abscess' is seen in late stage of _____.

Options :

1. Tuberculous cervical lymphadenopathy
2. Hodgkin's lymphoma
3. Acute suppurative lymphadenitis
4. Leprosy

Question Number : 39 Question Id : 1505611541 Question Type : MCQ Option Shuffling : No

All of the following are non-absorbable sutures except _____.

Options :

1. Polypropylene
2. Linen
3. Catgut
4. Nylon

Question Number : 40 Question Id : 1505611542 Question Type : MCQ Option Shuffling : No

French chemist, who studied the process of fermentation and showed that it was caused by growth of living organisms named germs is _____.

Options :

1. Joseph Lister
2. Louis Pasteur
3. Alexis Carrel
4. Henry Dakin

Question Number : 41 Question Id : 1505611543 Question Type : MCQ Option Shuffling : No

A faculty member wants to teach professional behaviour during breaking bad news, emphasizing on empathy, communication and ethical decision making, in classroom setting.

Which teaching-learning method is MOST effective ?

Options :

1. Role play
2. Didactic lecture
3. Symposium
4. Tutorial

Question Number : 42 Question Id : 1505611544 Question Type : MCQ Option Shuffling : No

According to the constructive approach, which of the following characterizes an effective constructive classroom in medical teaching ?

Options :

1. Instructor delivers pre synthesized knowledge through lectures
2. Faculty serves as a guide for facilitators and learning in small groups
3. Students can learn exclusively through memorization of textbooks
4. Main authority is with instructor without student input

Question Number : 43 Question Id : 1505611545 Question Type : MCQ Option Shuffling : No

Match the shortcut keys for MS-Word with their functions.

List – 1

**(Shortcut keys
for MS-Word)**

List – 2

(Function)

- | | |
|-----------|------------|
| a. Ctrl X | i. Copy |
| b. Ctrl C | ii. Undo |
| c. Ctrl Z | iii. Paste |
| d. Ctrl V | iv. Cut |

Options :

1. a – iv b – i c – ii d – iii
2. a – iv b – iii c – ii d – i
3. a – ii b – i c – iv d – iii
4. a – i b – iv c – iii d – ii

Question Number : 44 Question Id : 1505611546 Question Type : MCQ Option Shuffling : No

During a community-based-cross-sectional study assessing systolic blood pressure among adults, the variance of the recorded values was found to be 16 mmHg².

Which of the following values represent the standard deviation of systolic blood pressure in this population ?

Options :

1. 2 mmHg
2. 4 mmHg
3. 6 mmHg
4. 8 mmHg

Question Number : 45 Question Id : 1505611547 Question Type : MCQ Option Shuffling : No

A research team intends to evaluate the effectiveness of a newly developed educational intervention in improving the knowledge of Breast Self Examination (BSE) among nursing students. Knowledge levels are assessed before and after the educational session in the same cohort. Which of the following statistical tests is most appropriate to analyze the data ?

Options :

1. Chi-square test
2. Independent t-test
3. Paired t-test
4. One-way ANOVA

Question Number : 46 Question Id : 1505611548 Question Type : MCQ Option Shuffling : No

All of the following statements concerning the reduction of type I error are true except _____.

Options :

1. The hypothesis H_0 is true but still rejected
2. The hypothesis H_0 is false but still accepted
3. Type I error reduced by increasing sample size
4. In medical studies type I error is more serious than type II error

Question Number : 47 Question Id : 1505611549 Question Type : MCQ Option Shuffling : No

All of the following statements are true about logistic regression analysis except _____.

Options :

1. Dependent variables are qualitative
2. Independent variables are qualitative or quantitative
3. Change in dependent variable associated with one-unit change in independent variable
4. Change in independent variable associated with one-unit change in dependent variable

Question Number : 48 Question Id : 1505611550 Question Type : MCQ Option Shuffling : No

A 2 year old child admitted in hospital for diarrhoea. The paediatrician diagnosed as child having gastroenteritis with severe dehydration. The characterization of dehydration as 'severe' is an example of _____.

Options :

1. Nominal variable
2. Ordinal variable
3. Discrete variable
4. Continuous variable

Question Number : 49 Question Id : 1505611551 Question Type : MCQ Option Shuffling : No

A researcher wants to compare the haemoglobin levels in three groups- non-pregnant, pregnant and post menopausal women. Which statistical test is most appropriate ?

Options :

1. Independent t-test
2. Paired t-test
3. Chi-square test
4. Oneway ANOVA

Question Number : 50 Question Id : 1505611552 Question Type : MCQ Option Shuffling : No

A study was conducted where blood sugar level of each individual was collected every month for three years and the observations studied. Which type of study design is this ?

Options :

1. Case report
2. Case series
3. Longitudinal study
4. Cross-sectional study

Oral and Maxillofacial Surgery B

Section Id :	15056119
Section Number :	2
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	50
Number of Questions to be attempted :	50
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	15056124
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 51 Question Id : 1505611553 Question Type : MCQ Option Shuffling : No

Which characteristic feature is not seen in case of cellulitis ?

Options :

1. Acute phase
2. Fluctuance on palpation
3. Aerobic bacteria
4. Greater degree of seriousness

Question Number : 52 Question Id : 1505611554 Question Type : MCQ Option Shuffling : No

Who among the following authors, first reported the usage of the Arthroscope for diagnostic purpose in TMJ ?

Options :

1. Dr. Murakami
2. Dr. Ohnishi
3. Dr. Nitzan
4. Dr. Dimitrolious

Question Number : 53 Question Id : 1505611555 Question Type : MCQ Option Shuffling : No

In triage, the green colour flag indicates _____.

Options :

1. These patients can wait
2. Dead or moribund
3. High-priority treatment or transfer
4. Medium-priority treatment or transfer

Question Number : 54 Question Id : 1505611556 Question Type : MCQ Option Shuffling : No

Motor root of trigeminal nerve is often called as _____.

Options :

1. Gasserian nerve
2. Spinal nerve
3. Masticator nerve
4. Semilunar nerve

Question Number : 55 Question Id : 1505611557 Question Type : MCQ Option Shuffling : No

Which of the following statement about local anaesthetic potency is correct ?

Options :

1. Higher lipid solubility → lower potency
2. Higher protein binding → shorter potency
3. Higher lipid solubility → greater potency
4. Lower lipid solubility → greater potency

Question Number : 56 Question Id : 1505611558 Question Type : MCQ Option Shuffling : No

Sunderland classification is used for _____.

Options :

1. Management of facial injury based on the mechanism of conduction
2. Electrodiagnostic testing
3. Amount of nerve tissue damage
4. Uses a histopathological description of nerve injury and decided if surgical exploration is necessary

Question Number : 57 Question Id : 1505611559 Question Type : MCQ Option Shuffling : No

Procedure of splitting the mandible vertically in the posterior segment and horizontally in the anterior segment is termed as _____.

Options :

1. Visor osteotomy by Harle
2. Modified visor osteotomy by Peterson and Slade
3. Visor osteotomy by Obwegeser
4. Modified visor osteotomy by Obwegeser

Question Number : 58 Question Id : 1505611560 Question Type : MCQ Option Shuffling : No

A 29 year old male patient diagnosed with ameloblastoma of the left body of mandible and was treated with a free fibula graft. Recently he came with a complaint of failure of the same. What could be the line of treatment in terms of reconstruction ?

Options :

1. Distraction osteogenesis
2. Reconstruction with load bearing reconstruction plate
3. Revised free fibula graft
4. Patient specific implants with fibula graft

Question Number : 59 Question Id : 1505611561 Question Type : MCQ Option Shuffling : No

Fixed and enlarged lymph nodes can be seen in case of _____.

Options :

1. Acute infection
2. Tuberculosis
3. Squamous cell carcinoma
4. Lymphoma

Question Number : 60 Question Id : 1505611562 Question Type : MCQ Option Shuffling : No

Type IV palatal fracture is classified by Hendrickson and colleagues is suggestive of _____.

Options :

1. Para-alveolar
2. Alveolar
3. Sagittal
4. Para sagittal

Question Number : 61 Question Id : 1505611563 Question Type : MCQ Option Shuffling : No

All of the following are the most common sites from which to harvest dermal grafts for TMJ surgery "EXCEPT" _____.

Options :

1. Upper lateral thigh
2. Buttock
3. Groin
4. Forearm

Question Number : 62 Question Id : 1505611564 Question Type : MCQ Option Shuffling : No

Of the following, which is not an example of additive processes used to alter the implant surface topography ?

Options :

1. Blasting and etching
2. Titanium Plasma Spray
3. Oxidation
4. Hydroxyapatite coating

Question Number : 63 Question Id : 1505611565 Question Type : MCQ Option Shuffling : No

A young adult has sustained comminuted fracture of the mandible following a road accident. What type of fixation would be advisable for this patient ?

Options :

1. Arch bar fixation followed by maxillomandibular fixation
2. Load bearing fixation with the help of reconstruction plate
3. Load shering fixation with the help of miniplates
4. None of the above

Question Number : 64 Question Id : 1505611566 Question Type : MCQ Option Shuffling : No

A 50 year old patient who was brought to a hospital following an assault was diagnosed to be suffering from multiple facial injuries along with pneumothorax. What will be the procedure performed by the surgeon for the management of pneumothorax ?

Options :

1. Placement of a moderate sized chest tube in the fifth intercostal space midaxillary line
2. Placement of a moderate sized suction tube in the first intercostal space midpupillary line
3. Placement of a moderate sized chest tube in the sixth intercostal space midaxillary line
4. None of the above

Question Number : 65 Question Id : 1505611567 Question Type : MCQ Option Shuffling : No

Which of the following lasers with a wavelength of 9600 nm can be used by the dentist for cutting hard tissues like tooth, bone ?

Options :

1. Carbon Dioxide lasers
2. Diode laser
3. Neodymium : YAG laser
4. Erbium laser

Question Number : 66 Question Id : 1505611568 Question Type : MCQ Option Shuffling : No

A 10 year old child dental pain is brought to a dental clinic by his parents. History reveals that child is suffering from mild to moderate mental retardation. Clinical examination by the dentist confirms findings of macroglossia, micrognathia and short neck. Previous examination reports confirm that the child is also suffering from ventricular septal defect and altanotoxial instability. What disorder is the child suffering from ?

Options :

1. Gorlin Goltz syndrome
2. Pierre Robin syndrome
3. Down syndrome
4. Autism

Question Number : 67 Question Id : 1505611569 Question Type : MCQ Option Shuffling : No

Which of the following is/are the principles of oral soft tissue grafting to be followed in implant therapy ?

- a. The recipient site must provide for graft vascularisation.
- b. The recipient site must provide a means for rigid immobilization of the graft tissue.
- c. Adequate haemostasis must be obtained at the recipient site.
- d. The donor tissue must be large enough to facilitate immobilization at the recipient site.

Options :

1. a and b
2. b, c and d
3. a, b and c
4. all of the above

Question Number : 68 Question Id : 1505611570 Question Type : MCQ Option Shuffling : No

Which of the following is/are the functional requirements of the barrier membranes used in guided tissue regeneration ?

- a. Stability
- b. Ability to facilitate space maintenance
- c. Biocompatibility
- d. Ease of use

Options :

1. c only
2. c and d
3. a and b
4. all of the above

Question Number : 69 Question Id : 1505611571 Question Type : MCQ Option Shuffling : No

Which of the following are current trends in alveolar bone preservation ?

- a. Orthodontic guided tooth/root extraction
- b. Conservative extraction techniques using periostomes
- c. Immediate grafting of extraction sites
- d. Guided tissue regeneration

Options :

- 1. b and d
- 2. b and c
- 3. a and c
- 4. all of the above

Question Number : 70 Question Id : 1505611572 Question Type : MCQ Option Shuffling : No

Which of the following statements regarding an ulcer is/are true ?

- a. Undetermined edges are seen with Gummatous ulcers
- b. Punched out edges are seen with Tuberculous ulcers
- c. Rolled, raised and everted edges are seen with malignant ulcers
- d. The floor of an ulcer may be fungating as seen in some clinical varieties of malignant disease

Options :

- 1. a and c
- 2. b, c, d
- 3. c and d
- 4. all of the above

Question Number : 71 Question Id : 1505611573 Question Type : MCQ Option Shuffling : No

Which of the following is “NOT” one of the factors that increases the difficulty of an impaction surgery ?

Options :

- 1. Dense, inelastic bone
- 2. Contact with second molar
- 3. Distoangular position of third molar
- 4. Soft tissue impaction

Question Number : 72 Question Id : 1505611574 Question Type : MCQ Option Shuffling : No

A blood level high enough to causes the symptoms of toxic overdose of local anaesthesia may be due to _____.

- a. Too large a dose of local anaesthetic drug
- b. Unusually rapid absorption of the drug or intravascular injection
- c. Unusually slow biotransformation
- d. Slow elimination or redistribution

Options :

- 1. a and b
- 2. a and c
- 3. d only
- 4. all of the above

Question Number : 73 Question Id : 1505611575 Question Type : MCQ Option Shuffling : No

Which of the following statement/s regarding allografts is/are false ?

- a. Allografts are bone grafts from a donor of the same species, derived from living or deceased donor bone.
- b. Allografts are bone tissues harvested from one species and implanted into a different species.
- c. Once the allografts is harvested, it undergoes physical debridement, ultrasonic, washing, ethanol treatment, antibiotic wash and sterilization through gamma radiation and ethylene oxide.
- d. Bone allografts commonly used in reconstructive oral surgical procedures can be broadly divided into particulate and structured grafts.

Options :

- 1. a only
- 2. b only
- 3. a and c
- 4. a and d

Question Number : 74 Question Id : 1505611576 Question Type : MCQ Option Shuffling : No

What is normal intraocular pressure in adult ?

Options :

- 1. 10 to 15 mm of Hg
- 2. 10 to 21 mm of Hg
- 3. 10 to 25 mm of Hg
- 4. 10 to 30 mm of Hg

Question Number : 75 Question Id : 1505611577 Question Type : MCQ Option Shuffling : No

According to American Association of Oral and Maxillofacial Surgeon's (AAOMS) Osteochemonecrosis is defined when persistent exposed bone is present more than _____.

Options :

1. 4 weeks
2. 6 weeks
3. 8 weeks
4. 10 weeks

Question Number : 76 Question Id : 1505611578 Question Type : MCQ Option Shuffling : No

Which cervical vertebrae are most commonly fused in Apert syndrome ?

Options :

1. $C_2 - C_3$
2. $C_3 - C_4$
3. $C_5 - C_6$
4. $C_1 - C_2$

Question Number : 77 Question Id : 1505611579 Question Type : MCQ Option Shuffling : No

13 year old patient presents with recurrent facias swelling, persistent orofacial granulomatous cheilitis and a fissured, enlarged tongue with intermittent facial nerve palsy. Most likely diagnosis is _____.

Options :

1. Frey syndrome
2. Melkersson-Rosenthal syndrome
3. Heerfordt syndrome
4. Eagle syndrome

Question Number : 78 Question Id : 1505611580 Question Type : MCQ Option Shuffling : No

In WHARFE assessment of mandibular third molar, 'W' stands for _____.

Options :

1. War line
2. Width of the bone
3. Winter line
4. Winter's classification

Question Number : 79 Question Id : 1505611581 Question Type : MCQ Option Shuffling : No

In hemifacial microsomia, the chin appears to be deviated _____.

Options :

1. Away from the affected side
2. Towards the affected side
3. In an upward direction
4. In a downward direction

Question Number : 80 Question Id : 1505611582 Question Type : MCQ Option Shuffling : No

For achievement of drainage from maxillary sinus intranasal antrostomy is performed through _____.

Options :

1. Inferior meatus
2. Middle meatus
3. Superior meatus
4. Inferior concha

Question Number : 81 Question Id : 1505611583 Question Type : MCQ Option Shuffling : No

COOS (Cephalometrics for Orthognathic Surgery) analysis was given by _____.

Options :

1. Burstone and Levine
2. Burstone and Legan
3. Burstone and Memmil
4. Burstone and Nanda

Question Number : 82 Question Id : 1505611584 Question Type : MCQ Option Shuffling : No

“Dishwater pus” is a pathognomonic feature seen in which condition ?

Options :

1. Cavernous sinus Thrombosis
2. Mediastinitis
3. Necrotizing fasciitis
4. Ludwig's Angina

Question Number : 83 Question Id : 1505611585 Question Type : MCQ Option Shuffling : No

Trismus associated with infection of lateral pharyngeal space is related to irritation of which muscle ?

Options :

1. Buccinator muscle
2. Masseter muscle
3. Lateral pterygoid muscle
4. Medial pterygoid muscle

Question Number : 84 Question Id : 1505611586 Question Type : MCQ Option Shuffling : No

Dislocation of temporomandibular joint is treated by forcing of the mandible _____.

Options :

1. Upwards, backwards and downward
2. Upwards, forwards and downward
3. Downwards, forwards and upward
4. Downwards, backwards and upward

Question Number : 85 Question Id : 1505611587 Question Type : MCQ Option Shuffling : No

The most common pathognomic sign of mandibular fracture is _____.

Options :

1. Malocclusion
2. Sublingual ecchymosis
3. Deviation of jaw on opening
4. Paresthesia of the mental nerve

Question Number : 86 Question Id : 1505611588 Question Type : MCQ Option Shuffling : No

Most common complication of condylar fracture in pediatric age group is _____.

Options :

1. pain
2. ankylosis of joint
3. osteoarthritis of joint
4. fracture of glenoid fossa

Question Number : 87 Question Id : 1505611589 Question Type : MCQ Option Shuffling : No

The “PENTOCLO” protocol for refractory osteoradionecrosis includes

_____.

Options :

1. Pentoxifylline, Tocopherol and Clodronate
2. Penicillin, Tetracycline and Clopidogrel
3. Pentoxifylline, Tocopherol and Clopidogrel
4. Pentoxifylline, Tetracycline and Colchicine

Question Number : 88 Question Id : 1505611590 Question Type : MCQ Option Shuffling : No

A patient presents with a painful ulcer on the palate that develops rapidly and clinically squamous carcinoma. Histopathology shows squamous metaplasia and lobular necrosis of salivary glands diagnosis is _____.

Options :

1. Necrotizing Sialometaplasia
2. Adenoid cystic carcinoma
3. Squamous cell carcinoma
4. Chronic sialadenitis

Question Number : 89 Question Id : 1505611591 Question Type : MCQ Option Shuffling : No

In the sequence (BLS) of emergency management in the dental office, the correct order of steps is _____.

Options :

1. Position → Circulation → Airway → Breathing → Definitive management
2. Position → Circulation → Breathing → Airway → Definitive management
3. Position → Airway → Circulation → Breathing → Definitive management
4. Position → Airway → Breathing → Circulation → Definitive management

Question Number : 90 Question Id : 1505611592 Question Type : MCQ Option Shuffling : No

Which cyst shows a “botryoid” (grapelike) multilocular appearance on radiograph and may be considered a polycystic variant ?

Options :

1. Paradental cyst
2. Lateral pariodental cyst
3. Glandular odontogenic cyst
4. Odontogenic cyst

Question Number : 91 Question Id : 1505611593 Question Type : MCQ Option Shuffling : No

“Crocodile Tears Syndrome” is a complication following recovery from which condition ?

Options :

1. Ramsay Hunt's syndrome
2. Trigeminal neuralgia
3. Glossopharyngeal neuralgia
4. Bell's palsy

Question Number : 92 Question Id : 1505611594 Question Type : MCQ Option Shuffling : No

During implant placement, the ideal temperature rise in bone should not exceed _____.

Options :

1. 30°C
2. 40°C
3. 47°C
4. 60°C

Question Number : 93 Question Id : 1505611595 Question Type : MCQ Option Shuffling : No

How long does it typically take for the re-epithelization of skin ?

Options :

1. 3 – 5 days
2. 7 – 10 days
3. 14 – 21 days
4. 4 – 6 days

Question Number : 94 Question Id : 1505611596 Question Type : MCQ Option Shuffling : No

The minimum alveolar concentration (MAC) of an inhalational anaesthetic is a measure of its _____.

Options :

1. Therapeutic index
2. Diffusibility
3. Oilgas partition coefficient
4. Potency

Question Number : 95 Question Id : 1505611597 Question Type : MCQ Option Shuffling : No

A 35 year old male patient has a painless swelling in the posterior region of the mandible, shows expansion of posterior mandible with radiograph finding of multilocular radiolucency and radio opaque calcifications is present. The histopathological features showing sheets of polyhedral amyloid deposits and Liesegang rings. The final diagnosis is _____.

Options :

1. Odontogenic myxoma
2. Calcifying odontogenic cyst
3. Calcifying Epithelial odontogenic tumor
4. Adenomatoid odontogenic tumor

Question Number : 96 Question Id : 1505611598 Question Type : MCQ Option Shuffling : No

Lateral parapharyngeal space divided into 2 compartment. An anterior compartment and the posterior compartment by _____.

Options :

1. Styloglossus muscle
2. Stylopharyngeus muscle
3. Styloid process
4. Sternocleidomastoid muscle

Question Number : 97 Question Id : 1505611599 Question Type : MCQ Option Shuffling : No

The differential blockage that relates to the order of sensation loss after injection of local anesthesia. The order of sensation loss during local anesthesia is _____.

Options :

1. pain, cold, warm, touch, deep pressure, motor
2. cold, warm, pain, deep pressure, touch, motor
3. motor, deep pressure, touch, cold, warm, pain
4. pain, cold, warm, deep pressure, touch, motor

Question Number : 98 Question Id : 1505611600 Question Type : MCQ Option Shuffling : No

Bowstring test is used for _____.

Options :

1. Ptosis
2. Hypertelorism
3. Traumatic telecanthus
4. Nasoethmoidal fracture

Question Number : 99 Question Id : 1505611601 Question Type : MCQ Option Shuffling : No

Tensor fascia lata is encountered in harvesting which of the following graft ?

Options :

1. Tibial plateau graft
2. Scapular graft
3. Clavicular graft
4. Anterior iliac crest graft

Question Number : 100 Question Id : 1505611602 Question Type : MCQ Option Shuffling : No

Chylous fistula is most likely to occur after dissection of which side ?

Options :

1. Right side
2. Left side
3. Bilateral
4. None of the above