

# **Texas Department of State Health Services**

### Center for Health Statistics Texas Health Care Information Collection

## TEXAS HOSPITAL INPATIENT DISCHARGE PUBLIC USE DATA FILE (PUDF)

#### **USER MANUAL**

#### 2018

BACKGROUND	. 2
PUBLIC USE DATA FILE (PUDF)	. 2
DATA PROCESSING AND QUALITY	. 4
PATIENT/PHYSICIAN CONFIDENTIALITY	. 5
RESTRICTIONS ON DATA USE	. 6
DATA LIMITATIONS(Users are advised to become familiar with the data limitations.)	
HOSPITAL COMMENTS(Users are advised to consider hospital comments in any analysis of the data.)	•
CITATION	10
DATA DICTIONARY  BASE DATA #1 FILE  BASE DATA #2 FILE  CHARGES DATA FILE  FACILITY TYPE INDICATOR FILE	11 33 46
DATA FIELDS	57 62 65

#### **BACKGROUND**

The Texas Health Care Information Council (THCIC) was created by Chapter 108 of the Texas Health and Safety Code (THSC) and was responsible, under Sections 108.011 through 108.0135, for collecting hospital discharge data from all state licensed hospitals except those that are statutorily exempt from the reporting requirement. Exempt hospitals include those located in a county with a population less than 35,000, or those located in a county with a population more than 35,000 and with fewer than 100 licensed hospital beds and not located in an area that is delineated as an urbanized area by the United States Bureau of the Census (Section 108.0025). Exempt hospitals also include hospitals that do not seek insurance payment or government reimbursement (Section 108.009). THCIC became part of the Texas Department of State Health Services (DSHS) effective September 1, 2004 and the DSHS Center for Health Statistics is now responsible for the collection and release of hospital discharge data.

Senate Bill (SB) 7 (82<sup>nd</sup> Texas Legislature First Called Special Session) SECTION 7.06 repeals the facility exemption sections in Chapter 108 effective September 1, 2014. Rules were adopted implementing the rural provider requirements to begin with January 1, 2015 data. Rural providers and providers that are exempt from state franchise, sales, ad valorem, or other state or local taxes, and that do not seek or receive reimbursement for providing health care services to patients from any source will no longer be exempt from the data reporting requirements of Chapter 108.

#### **PUBLIC USE DATA FILE (PUDF)**

Sections 108.011(a) and 108.012 of the THSC require DSHS to provide public use data for computer-to-computer access. It also permits DSHS to charge the data requestor a fee for using the Public Use Data File (PUDF). The PUDF contains patient-level information for inpatient hospital stays. These data are extracted from DSHS's Hospital Discharge Database (HDD).

The PUDF Base Data File is split into two (2) Base Data files. Base Data #1 File contains the required data elements. Base Data #2 File contains most of the situationally required data elements and some calculated fields. The Record ID allows for linking the files together. The providers/submitters have, by law, until the next quarter (following the discharge) to submit their data. This means that the PUDF data is a snapshot in time and each quarter may contain some discharges dated in the previous quarter (i.e. for calendar year data be sure to check the first quarter of the following year also).

The Facility Type Indicator File is also included. This contains 12 variables including the THCIC ID and facility name and variables indicating whether the facility is a teaching facility or pediatric hospital or other specialty facility. The file also includes POA provider indicator and certification status.

A Facility Reporting Status document is included which provides information about whether the facilities reported or if they reported low numbers and their identification was masked in the data, reported no discharges or if they closed, were out of compliance and if they submitted any comments about their data.

Additionally, the submitter Comments File is included. This contains any comments that were included by the submitter when the respective data was submitted and certified from a given facility.

The 2018 PUDF is available in four fixed length format text files, Base Data #1 (logical record length of 802 bytes), Base Data #2 (logical record length of 648 bytes), Charges (logical record length of 80 bytes), and Facility Type Data (logical record length of 71 bytes) files. The files are also available in tabdelimited format. The size of the files is as follows:

#### First quarter, 694 hospitals:

Base Data #1	788,843 records	167 variables	Fixed field format	606 MB	Tab-delimited	314 MB
Base Data #2	788,843 records	99 variables	Fixed field format	489 MB	Tab-delimited	207 MB
Charges	12,645,492 records	13 variables	Fixed field format	989 MB	Tab-delimited	583 MB
Facility Type Data	694 records	12 variables	Fixed field format	49 KB	Tab-delimited	37 KB

The data must be imported into a software package. No software is included with the PUDF. The data file has been tested with several software packages, including Microsoft Access, 2010 Microsoft Excel (one quarter), SAS, and SPSS.

The PUDF, beginning with data collected for 2004, is formatted to accommodate additional data elements available with the collection of data from hospitals using the THCIC 837 format. The following data elements are available in the PUDF beginning with data for 2004 or are not comparable to data collected in years prior to 2004:

BASE DATA #1 FILE (Separated Base File 2	2011)
FAC_LONG_TERM_AC_IND	Added 2004. Moved to Facility Type Indicator File in 2011
PAT_COUNTRY	Added 2004
FIRST_PAYMENT_SRC	Replaces PAYMENT_SOURCE_1 and SOURCE_PAYMENT_CODE_1
SECOND_PAYMENT_SRC	Replaces PAYMENT_SOURCE_2 and SOURCE_PAYMENT_CODE_2
REVENUE_CODE_23	No longer available
TOTAL_CHARGES	Replaces TOTAL_CHARGES_23
TOTAL_CHARGES_ACCOMM	Replaces CLAIM_CHARGES_ACCOMM
TOTAL_NON_COV_CHARGES_ACCOMM	Replaces CLAIM_NON_COV_CHARGES_ACCOMM
TOTAL_CHARGES_ANCIL	Replaces CLAIM_CHARGES_ANCIL
TOTAL_NON_COV_CHARGES_ANCIL	Replaces CLAIM_NON_COV_CHARGES_ANCIL
EXTERNAL_CAUSE_OF_INJURY_1	Replaces EXTNAL_CAUSE_OF_INJURY
EXTERNAL_CAUSE_OF_INJURY_2 to	Added 2004
EXTERNAL_CAUSE_OF_INJURY_10	
OTH_DIAG_CODE_9 to OTH_DIAG_CODE_25	Added 2004
OTH_SURG_PROC_CODE_6 to	Added 2004
OTH_SURG_PROC_CODE_25	
OTH_SURG_PROC_DAY_6 to	Added 2004
OTH_SURG_PROC_DAY_25	

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC DSHS Document # E25-14163

Page 3

BASE DATA #1 FILE (Separated Base File 2	2011\
OTH ICD9 CODE 6 to OTH ICD9 CODE 25	Added 2004
MS MDC name changed from CMS MDC	Added 2004 Added 2004
(2011)	Added 2004
INBOUND INDICATOR	Available 2004 only
POA PRINC DIAG CODE	Added 2011
POA_OTH_DIAG_CODE_1 to	Audeu 2011
POA OTH DIAG CODE 24	Added 2011
POA E CODE 1 to POA E CODE 10	Added 2011
MS_GROUPER_ ERROR _CODE	Added 2011 Added 2011
APR_GROUPER_ERROR_CODE	Added 2011 Added 2011
PRINC ICD9 CODE	No longer available
OTH_ICD9_CODE_1- OTH_ICD9_CODE_24	No longer available
EMERGENCY DEPT FLAG	Added 2017
	calculated charge amounts and situational data elements to
this file	anounted enalye amounts and situational data elements to
CONDITION_CODE_1 to CONDITION_CODE_8	Added 2004
OCCUR CODE 1 to OCCUR CODE 12	Added 2004
OCCUR DAY 1 to OCCUR DAY 12	Added 2004
OCCUR SPAN CODE 1 to	Added 2004
OCCUR SPAN CODE 4	7.0000 200 .
OCCUR SPAN FROM 1 to	Added 2004
OCCUR SPAN FROM 4	
OCCUR SPAN THRU 1 to	Added 2004
OCCUR SPAN THRU 4	
VALUE_CODE_1 to VALUE_CODE_12	Added 2004
VALUE_AMOUNT_1 to VALUE_AMOUNT_12	Added 2004
CHARGES FILE	
REVENUE_CODE	Added 2004
HCPCS_QUALIFIER	Added 2004
HCPCS_PROCEDURE_CODE	Added 2004
MODIFIER_1 TO MODIFIER_4	Added 2004
UNIT_MEASUREMENT_CODE	Added 2004
UNITS_OF_SERVICE	Added 2004
UNIT_RATE	Added 2004
CHRGS_LINE_ITEM	Added 2004
CHRGS_NON_COV	Added 2004
•	011) Moved facility information data elements to this file
POA_PROVIDER_INDICATOR	Moved from Base Data #1 file to Facility Type Indicator File in 2015
CERT_STATUS	Moved from Base Data #1 file to Facility Type Indicator File in 2015

#### DATA PROCESSING AND QUALITY

Beginning with data submitted for 2004 discharges hospitals required to submit discharged inpatient claims data, moved from the submission of data in the uniform bill (electronic UB-92) format to the THCIC 837 format. The data are validated through a process of automated auditing and verification. Each individual hospital is responsible for the accuracy and completeness of its data. Even so, each record is subjected by DSHS to a series of audits that check for consistency and conformity with the definitions stated in the data specification manual. Records failing an audit check are returned to the hospital for correction and resubmission. Following the correction process, DSHS uses valid claims data to build files of "encounters" where one encounter contains the final discharge and all related interim claims information for a patient. Then, each submitting hospital has an opportunity to review, to make additional corrections, and to certify the encounter data with or without comments. Finally, DSHS builds a final

encounter file that includes all corrections submitted by the hospitals. DSHS staff checks and adjusts for missing values and invalid codes in this file before the PUDF is generated. Users are advised to examine every data element to be used for missing values and invalid codes and to read accompanying notes, comments, and other descriptive text.

Beginning with fourth (4<sup>th</sup>) quarter 2015 data ICD-10-CM diagnostic codes and ICD-10-PCS procedure codes were mandated by the Federal Government. The increased length of the codes required a change in the data file formats. Some data fields (for example, "POA\_Provider\_ Indicator" and Cert\_Status") are moved to the "Facility Type Indicator" file.

#### PATIENT/PHYSICIAN CONFIDENTIALITY

The legislative intent behind the creation of the Hospital Discharge Database (HDD) was that the data and resulting information be used for the benefit of the public. This is specified in Section 108.013 of the Texas Health and Safety Code (THSC). Section 108.013(c) also stipulates that DSHS may not release and a person or entity may not gain access to any data that could reasonably be expected to reveal the identity of a patient or physician. Any effort to determine the identity of any person violates the Section 108.013 and may incur penalties as stated in Sections 108.014 and 108.0141. In addition, under Section 108.013(e) and (f), patient and/or physician information in the HDD cannot be used for discovery, subpoena, or other means of legal compulsion or in any civil, administrative, or criminal proceeding. Pursuant to the THSC, DSHS excludes all direct personal and demographic identifiers (e.g., name, address, social security number, patient identifiers, admission and discharge dates) that might lead to the identification of a specific patient from the PUDF.

To protect patient identities, DSHS has suppressed these data elements in this release of the PUDF:

- The last two digits of the patient's ZIP code are suppressed if there are fewer than thirty patients included in the ZIP code.
- The ZIP code is changed to '88888' for patients from states other than Texas and the adjacent states.
- The entire ZIP code and gender code are suppressed if the ICD-10-CM or ICD-10-PCS codes indicates alcohol or drug use or an HIV diagnosis.
- The entire ZIP code and provider name are suppressed if a hospital has fewer than five discharges of a particular gender, including 'unknown'. The provider ID is changed to '999998'.
- The entire ZIP code is suppressed if a hospital has fewer than fifty discharges in a quarter and the provider ID is changed to '999999'.
- The country code is suppressed if the country field has fewer than five discharges for that quarter.

- The county code is suppressed if a county has fewer than five discharges for that quarter.
- Age is represented by 22 age group codes for the general patient population and 5 age group codes for the HIV and alcohol and drug use patient populations.
- Race is changed to 'Other' and ethnicity is suppressed if a hospital has fewer than ten discharges of a race.

To protect physician identities, the THSC requires creation of a uniform identification number for physicians in practice. Uniform physician identifiers are available except when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five.

It may be possible in rare instances, through complex analysis and with outside information, to ascertain from the PUDF the identity of individual patients. Considerable harm could result if this were done. PUDF users are required to sign and comply with the DSHS Hospital Discharge Data Use Agreement in the Application before shipment of the PUDF. The Data Use Agreement prohibits attempts to identify individual patients.

#### **RESTRICTIONS ON DATA USE**

Section 108.010(c) of the THSC prohibits DSHS from releasing provider quality reports until one year of data is available. Users of the PUDF are cautioned about using less than a year of data to make any hospital quality assumptions.

Sections 108.013(c)(1) and (2) and 108.013 (g) of the Texas Health and Safety Code (THSC) prohibit the DSHS from releasing, and a person or entity from gaining access to, any data that could reveal the identity of a patient or the identity of a physician unless specifically authorized by the Act. Any effort to determine the identity of any person or to use the information for any purpose other than for analysis and aggregate statistical reporting violates the THSC and the Data Use Agreement. By virtue of the Agreement, the signer agrees that the data will not be used to identify an individual patient or physician. Because of these restrictions, under no circumstances will users of the data contact an individual patient or physician or hospital for the purpose of verifying information supplied in the DSHS Hospital Discharge Data sets. Any questions about the data must be referred to DSHS only. Data analysis assistance is not provided by DSHS. The data are protected by United States copyright laws and international treaty provisions.

In the Data Use Agreement, the purchaser and end-user of the data are referred to as the "licensee". To acquire the data the licensee must give the following assurances with respect to the use of DSHS Hospital Discharge Data sets:

- The licensee will not release nor permit others to release the individual patient records or any part of them to any person who is not a staff member of the organization that has acquired the data, except with the written approval of DSHS;
- The licensee will not attempt to link nor permit others to attempt to link the hospital stay records of patients in this data set with personally identifiable records from any other source, including any THCIC research data files;
- The licensee will not release nor permit others to release any information that identifies persons, directly or indirectly;
- The licensee will not attempt to use nor permit others to use the data to learn the identity of any physician;
- The licensee will not permit others to copy, sell, rent, license, lease, loan, or otherwise grant access to the data covered by the Data Use Agreement to any other person or entity, unless approved in writing by DSHS;
- The licensee agrees to read the User Manual and to be cognizant of the limitations of the data;
- The licensee will use the following citation in any publication of information from this file:
- Texas Hospital Inpatient Discharge Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication];
- The licensee will indemnify, defend, and hold the DSHS, its members, employees, and the Department's contract vendors harmless from any and all claims and losses accruing to any person as a result of violation of this agreement; and
- The licensee will make no statement nor permit others to make statements indicating or suggesting that interpretations drawn from these data are those of DSHS.

The licensee understands that these assurances are collected by DSHS to assure compliance with its statutory confidentiality requirement. The signature on behalf of the licensee indicates the licensee's agreement to comply with the above-stated requirements with the knowledge that under Sections 108.014 and 108.0141 of the Texas Health and Safety Code to knowingly or negligently release data in violation of this agreement is punishable by a fine of up to \$10,000 and an offense is a state jail felony. By signing the Data Use Agreement, the PUDF user has been informed that the potential for both civil and criminal penalties exists.

Users of report generating software to access the PUDF are required to purchase a license to use the data.

#### DATA LIMITATIONS

#### (Users are advised to become familiar with the data limitations.)

- Section 108.009(h), THSC requires that a uniform submission format be used for reporting purposes. Before 2004 data were collected in the UB-92 format. Data for 2004 were collected in both UB-92 electronic format and THCIC 837 format. Because these are billing forms, the data collected are administrative data and not clinical data. Beginning with 2005 all data are collected from the THCIC 837 format.
- Records with Major Diagnositic Category (MDC) codes of 15 (newborns and other neonates with conditions originating in the perinatal period), 20 (alcohol/drug induced organic mental disorders), or 22 (burns) and Patient Status codes of 62 (discharged/transferred to inpatient rehabilitation), 71 (discharged/transferred to other outpatient service), or 72 (discharged/transferred to institution outpatient service) contain an APR-DRG of 956 (ungroupable). These Patient Status codes were not valid when version 15 of the 3M APR-DRG Grouper was developed. A valid Patient Status code is required for these MDC codes for APR-DRG assignment and Risk of Mortality and Severity of Illness scoring. Patient status codes 71 and 72 are no longer valid as of October 2003. After October 2003 records with MDC codes of 15, 20, or 22 and Patient Status code of 62 contain an APR-DRG of 956.
- Hospital charges data are available after third (3<sup>rd</sup>) quarter 2000. Earlier data were not reported correctly by some hospitals.
- Secondary source of payment data are available after third (3<sup>rd</sup>) quarter 2000. Earlier data were not reported correctly by some hospitals.
- Gender is suppressed for patients with an ICD-10-CM code that indicates drug or alcohol use or an HIV diagnosis.
- The last two digits of the ZIP code are suppressed if there are fewer than thirty patients included in the zip code. All of the ZIP code is suppressed for patients with an ICD-10-CM code that indicates drug or alcohol use or an HIV diagnosis or if a hospital has fewer than five discharges of a particular gender, including 'unknown'. ZIP code is changed to '88888' for patients from a state other than Texas and not from an adjacent state. If ZIP is '88888' the state abbreviation is changed to 'ZZ'. ZIP code is suppressed if a hospital has fewer than five patients of a particular gender, including 'unknown'.
- Admission Source as reported by hospitals is suppressed, as recommended by the Council, when the Admission Type is 'newborn'. Data users can use ICD-10-CM codes to correctly identify the clinical status of newborns.
- Uniform identification numbers for physicians are available after first (1<sup>st</sup>) quarter 2000 except when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five.

Page 8 Last Updated: October, 2018

- The data are a snapshot in time. Hospitals must submit data no later than 60 days after the close of a calendar quarter. Depending on hospitals' collection and billing cycles, not all discharges may have been billed or reported. This can affect the accuracy of source of payment data, particularly self-pay and charity that may later qualify for Medicaid or other payment sources.
- Beginning with data for 2004 discharges, up to 25 diagnosis codes, up to 25 procedure codes, and up to 10 E-codes can be submitted. For earlier years the number of diagnosis codes collected per patient is limited to 9 and the number of procedure codes to 6. Because of these limitations, sicker patients and the hospitals that treat them may not be accurately represented in the data. This may also result in total volume and percentage calculations for diagnoses and procedures not being complete.
- Race and ethnicity data are required by law and rule to submit for each patient, generally not collected by hospitals and may be subjectively captured.
- Inaccuracies in the data and incompleteness of the data are addressed in the hospitals' comments if submitted by the facilities.
- County of residence is not collected by hospitals. County Federal Information Processing Standard (FIPS) codes are assigned by DSHS based on patient ZIP code.
- DSHS assigns the Risk of Mortality and Severity of Illness scores using methodology designed by 3M. These scores may be affected by the number of diagnoses and procedure codes collected by DSHS or by the facility's information system and may be understated.
- Comparability of length of stay (LOS) across hospitals is affected by factors such as case-mix and severity complexity, payer-mix, market areas and hospital ownership, affiliation or teaching status. Any analysis of LOS at the hospital level should consider the above factors.
- Length of stay is limited to 999 days prior to 2004 discharges.
- Any analysis of mortality should note that the data reflect only patients who died in the hospital and not those who died after discharge from the hospital.
- Conditions present at time of admission cannot be distinguished from those occurring during hospitalization prior to 2011 discharges. Diagnosis present on admission indicator codes (POA) were required for all hospitals, except Critical Access Hospitals, Inpatient Rehabilitation Hospitals, Inpatient Psychiatric Hospitals, Cancer Hospitals, Children's or Pediatric Hospitals, and Long Term Care Hospitals. Some acute care hospitals that have special units similar to the hospitals exempted from reporting POA may not include POA codes for those patients.
- Updates to any PUDF CD's are available through the THCIC website, <a href="http://www.dshs.texas.gov/thcic/">http://www.dshs.texas.gov/thcic/</a>, which should be checked periodically as notifications of an update will not be sent.

- DSHS collects data from all hospitals in the state not specifically exempted by statute prior to January 1, 2015 services. Some hospitals maybe exempted for certain situations (for example, natural or other disasters or other unusual conditions) for limited time periods. This hospital mix should be considered when drawing conclusions about the data or making comparisons with other data.
- Any conclusions drawn from the data are subject to errors caused by the inability of the hospital to communicate complete data due to form constraints, subjectivity in the assignment of codes, system mapping, and clerical error. The data are submitted by hospitals as their best effort to meet statutory requirements.

#### **HOSPITAL COMMENTS**

#### (Users are advised to consider hospital comments in any analysis of the data.)

Included with the PUDF is a separate file containing the unedited comments submitted by hospitals at the time of data certification. Comments relating to individual data elements should be considered in any analysis of those data elements. These comments express the opinions of individual hospitals and are not necessarily the views of the DSHS. Hospitals that submitted comments are identified in separate file called the 'Reporting Status of Texas Hospitals'.

#### **CITATION**

Any statistical reporting or analysis based on the data shall cite the source as the following:

Texas Hospital Inpatient Discharge Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication].

DSHS Document # E25-14163

Page 10 Last Updated: October, 2018



### Texas Department of State Health Services

### Texas Hospital Inpatient Discharge Public Use Data File

#### **DATA DICTIONARY**

The purpose of this document is to provide the user with the necessary information to use and understand the data in the Public Use Data File. The following information is provided:

Field	Unique, abbreviated name of the data element.
Description	Brief explanation of the data element. Descriptions of data elements are taken from specifications manuals
Data	Provided by the health care facility on the claim form (Claim)
Source	
	Assigned by DSHS (Assigned)
	Provided to THCIC by the healthcare facility (Provider)
	Calculated by DSHS (Calculated)
	Note: For those data elements that have been temporarily suppressed, the quarter of data for which the data element will be released is noted
	following the Data Source.
Type	Alphanumeric or numeric
Coding scheme	Valid codes for a data field. Values taken from specifications manuals.

Note a change: Any code provided by a hospital that has been determined to be invalid has been assigned the value `. Any data element that is blank should be interpreted as 'missing', no data provided, unless otherwise noted.

#### BASE DATA #1 FILE

Field 1:	RECORD_ID		
<b>Description:</b>	Record Identification Numb	er. Unique numbe	er assigned to identify the record. First available
_	1 <sup>st</sup> quarter 2002. Does NOT	Γ match the RECC	RD_ID in THCIC Research Data Files (RDF's).
<b>Beginning Position:</b>	1	<b>Data Source:</b>	Assigned
Length:	12	Type:	Alphanumeric
Field 2:	DISCHARGE		
<b>Description:</b>	Discharge Quarter. Year and	d quarter of discha	rge. yyyyQn.
<b>Beginning Position:</b>	13	Data Source:	Assigned
Length:	6	Type:	Alphanumeric
Field 3:	THCIC_ID		
Description:	Provider ID. Unique identif	ier assigned to the	provider by DSHS.

				the Provider ID '999999'. If ding 'unknown', Provider ID
<b>Beginning Position:</b>	19	Data Source:	Assigned	
Length:	6	Type:	Alphanumeric	
Field 4:	TYPE_OF_ADMISSION		<u>r : : : : : : : : : : : : : : : : : : :</u>	
Description:	Code indicating the type o			
Coding Scheme:	1 Emergency			
9	2 Urgent			
	3 Elective 4 Newborn			
	5 Trauma			
	9 Information not avail	able		
Doniumiu a Doniti au .	` Invalid	Data Carrage	Claim	
Beginning Position:	25 1	Data Source:	Alphanumeric	
Length: Field 5:	SOURCE_OF_ADMISS	Type:	Aiphanumenc	<u> </u>
	Code indicating source of			
Description: Coding Scheme:		lity Point of Origin (Beg	inning July 1, 2010)	
Couning Scheme.	2 Clinic or Physician's		g vary 1, 2010)	
	4 Transfer from a hospi			
			nediate care facility or assi	isted living facility
	6 Transfer from another 8 Court/Law Enforcement	•		
	9 Information not avail			
	D Transfer from One Di	istinct Unit of the Hospi	tal to another Distinct Unit	t of the Same Hospital Resulting in a
	Separate Claim to the	•		
	E Transfer from Ambul F Transfer from a Hosp			
	` Invalid	ree I definey		
	If Type of Admission=4 (Newbo			
	5 Born inside this hospi			
	6 Born outside this host	pital		
Doginning Dogition	26	Data Courses	Claim	
Beginning Position:	26	Data Source:	Claim Alphanumeric	
Length:	1	Data Source: Type:	Claim Alphanumeric	_
Length: Field 6:	1 SPEC_UNIT_1	Type:	Alphanumeric	ased on number of days
Length:	1 SPEC_UNIT_1	Type:	Alphanumeric	ased on number of days
Length: Field 6:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever	Type:  n most days during nue Code. Coronary Care Unit	Alphanumeric  ng stay occurred ba	Pediatric Unit
Length: Field 6: Description:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever	Type:  n most days during the Code. Coronary Care Unit Detoxification Unit	Alphanumeric  ng stay occurred ba	Pediatric Unit Psychiatric Unit
Length: Field 6: Description:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit	Alphanumeric  ng stay occurred ba  P Y R	Pediatric Unit Psychiatric Unit Rehabilitation Unit
Length: Field 6: Description:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H	Type:  n most days during the Code. Coronary Care Unit Detoxification Unit	Alphanumeric  ng stay occurred ba	Pediatric Unit Psychiatric Unit
Length: Field 6: Description:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit	Alphanumeric  ng stay occurred ba  P Y R U	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit
Length: Field 6: Description: Coding Scheme:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit	Alphanumeric  P Y R U S Blank	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit
Length: Field 6: Description: Coding Scheme: Beginning Position:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit Data Source:	Alphanumeric  P Y R U S Blank  Calculated	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit
Length: Field 6: Description: Coding Scheme:  Beginning Position: Length:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit	Alphanumeric  P Y R U S Blank	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit
Length: Field 6: Description: Coding Scheme:  Beginning Position: Length: Field 7:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27 1 SPEC_UNIT_2	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit Data Source: Type:	Alphanumeric  P Y R U S Blank  Calculated Alphanumeric	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care
Length: Field 6: Description: Coding Scheme:  Beginning Position: Length:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27 1 SPEC_UNIT_2 Specialty Units in which 2	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit Data Source: Type:	Alphanumeric  P Y R U S Blank  Calculated Alphanumeric	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit
Length: Field 6: Description: Coding Scheme:  Beginning Position: Length: Field 7: Description:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27 1 SPEC_UNIT_2 Specialty Units in which 2 of Bill or Revenue Code.	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit Data Source: Type:	Alphanumeric  P Y R U S Blank  Calculated Alphanumeric	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care
Length: Field 6: Description: Coding Scheme:  Beginning Position: Length: Field 7: Description: Coding Scheme:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27 1 SPEC_UNIT_2 Specialty Units in which 2 of Bill or Revenue Code. Same as field SPEC_UNIT	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit Data Source: Type:	Alphanumeric  P Y R U S Blank  Calculated Alphanumeric	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care
Length: Field 6: Description: Coding Scheme: Beginning Position: Length: Field 7: Description: Coding Scheme: Beginning Position:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27 1 SPEC_UNIT_2 Specialty Units in which 2 of Bill or Revenue Code. Same as field SPEC_UNIT_28	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit Data Source: Type:  2nd most days during T_1 Data Source:	Alphanumeric  P Y R U S Blank  Calculated Alphanumeric  g stay occurred based  Calculated	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care
Length: Field 6: Description: Coding Scheme: Beginning Position: Length: Field 7: Description: Coding Scheme: Beginning Position: Length:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27 1 SPEC_UNIT_2 Specialty Units in which 2 of Bill or Revenue Code. Same as field SPEC_UNIT_28 1	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit Data Source: Type:	Alphanumeric  P Y R U S Blank  Calculated Alphanumeric	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care
Length: Field 6: Description: Coding Scheme: Beginning Position: Length: Field 7: Description: Coding Scheme: Beginning Position: Length: Field 8:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27 1 SPEC_UNIT_2 Specialty Units in which 2 of Bill or Revenue Code. Same as field SPEC_UNIT 28 1 SPEC_UNIT_3	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit Data Source: Type:  2nd most days during T_1 Data Source: Type:	Alphanumeric  P Y R U S Blank  Calculated Alphanumeric  g stay occurred based  Calculated Alphanumeric	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care
Length: Field 6: Description: Coding Scheme: Beginning Position: Length: Field 7: Description: Coding Scheme: Beginning Position: Length:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27 1 SPEC_UNIT_2 Specialty Units in which 2 of Bill or Revenue Code. Same as field SPEC_UNIT_28 1 SPEC_UNIT_3 Specialty Units in which 3	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit Data Source: Type:  2nd most days during T_1 Data Source: Type:	Alphanumeric  P Y R U S Blank  Calculated Alphanumeric  g stay occurred based  Calculated Alphanumeric	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care
Length: Field 6: Description: Coding Scheme: Beginning Position: Length: Field 7: Description: Coding Scheme: Beginning Position: Length: Field 8: Description:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27 1 SPEC_UNIT_2 Specialty Units in which 2 of Bill or Revenue Code. Same as field SPEC_UNIT 28 1 SPEC_UNIT_3 Specialty Units in which 3 of Bill or Revenue Code.	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit Data Source: Type:  2nd most days during T_1 Data Source: Type:	Alphanumeric  P Y R U S Blank  Calculated Alphanumeric  g stay occurred based  Calculated Alphanumeric	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care
Length: Field 6: Description: Coding Scheme: Beginning Position: Length: Field 7: Description: Coding Scheme: Beginning Position: Length: Field 8: Description: Coding Scheme:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27 1 SPEC_UNIT_2 Specialty Units in which 2 of Bill or Revenue Code. Same as field SPEC_UNIT 28 1 SPEC_UNIT_3 Specialty Units in which 3 of Bill or Revenue Code. Same as field SPEC_UNIT	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit Data Source: Type:  2nd most days during T_1 Data Source: Type:  8rd most days during	Alphanumeric  P Y R U S Blank  Calculated Alphanumeric  g stay occurred based  Calculated Alphanumeric  g stay occurred based	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care
Length: Field 6: Description: Coding Scheme: Beginning Position: Length: Field 7: Description: Coding Scheme: Beginning Position: Length: Field 8: Description: Coding Scheme: Beginning Position:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27 1 SPEC_UNIT_2 Specialty Units in which 2 of Bill or Revenue Code. Same as field SPEC_UNIT 28 1 SPEC_UNIT_3 Specialty Units in which 3 of Bill or Revenue Code.	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit Data Source: Type:  2nd most days during T_1 Data Source: Type:  3rd most days during T_1 Data Source: Type:	Alphanumeric  P Y R U S Blank  Calculated Alphanumeric  g stay occurred based  Calculated Alphanumeric  g stay occurred based  Calculated Alphanumeric  g stay occurred based	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care
Length: Field 6: Description: Coding Scheme: Beginning Position: Length: Field 7: Description: Coding Scheme: Beginning Position: Length: Field 8: Description: Coding Scheme:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27 1 SPEC_UNIT_2 Specialty Units in which 2 of Bill or Revenue Code. Same as field SPEC_UNIT 28 1 SPEC_UNIT_3 Specialty Units in which 3 of Bill or Revenue Code. Same as field SPEC_UNIT 29 1	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit Data Source: Type:  2nd most days during T_1 Data Source: Type:  8rd most days during	Alphanumeric  P Y R U S Blank  Calculated Alphanumeric  g stay occurred based  Calculated Alphanumeric  g stay occurred based	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care
Length: Field 6: Description: Coding Scheme: Beginning Position: Length: Field 7: Description: Coding Scheme: Beginning Position: Length: Field 8: Description: Coding Scheme: Beginning Position: Length: Field 8: Description:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27 1 SPEC_UNIT_2 Specialty Units in which 2 of Bill or Revenue Code. Same as field SPEC_UNIT 28 1 SPEC_UNIT_3 Specialty Units in which 3 of Bill or Revenue Code. Same as field SPEC_UNIT 29	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit Data Source: Type:  2nd most days during T_1 Data Source: Type:  3rd most days during T_1 Data Source: Type:	Alphanumeric  P Y R U S Blank  Calculated Alphanumeric  g stay occurred based  Calculated Alphanumeric  g stay occurred based  Calculated Alphanumeric  g stay occurred based	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care
Length: Field 6: Description: Coding Scheme: Beginning Position: Length: Field 7: Description: Coding Scheme: Beginning Position: Length: Field 8: Description: Coding Scheme: Beginning Position: Length: Field 8: Description:	SPEC_UNIT_1 Specialty Units in which by Type of Bill or Rever C D I H N B O 27 1 SPEC_UNIT_2 Specialty Units in which 2 of Bill or Revenue Code. Same as field SPEC_UNIT 28 1 SPEC_UNIT_3 Specialty Units in which 3 of Bill or Revenue Code. Same as field SPEC_UNIT 29 1 SPEC_UNIT_4	Type:  n most days during nue Code. Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery Obstetric Unit Oncology Unit Data Source: Type:  2nd most days during T_1 Data Source: Type:  3rd most days during T_1 Data Source: Type:	Alphanumeric  P Y R U S Blank  Calculated Alphanumeric g stay occurred based  Calculated Alphanumeric g stay occurred based  Calculated Alphanumeric g stay occurred based	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care

Specialty Units in which 4th most days during stay occurred based on number of days by Type **Description:** 

of Bill or Revenue Code.

**Coding Scheme:** Same as field SPEC\_UNIT\_1

**Beginning Position:** 30 **Data Source:** Calculated Length: Type: Alphanumeric

SPEC\_UNIT\_5 Field 10:

**Description:** Specialty Units in which 5th most days during stay occurred based on number of days by Type

of Bill or Revenue Code.

**Coding Scheme:** Same as field SPEC\_UNIT\_1

**Beginning Position:** Calculated **Data Source:** Length: Alphanumeric Type:

Field 11: PAT STATE

**Description:** State of the patient's mailing address in Texas and contiguous states. Standard 2-character

Postal Service abbreviation.

AR Arkansas **Coding Scheme:** 

LA Louisiana NM New Mexico OK Oklahoma TXTexas

ZZAll other states and American Territories

FC Foreign country XXForeign country

**Beginning Position:** 32 **Data Source:** Claim

Length: Alphanumeric Type:

Field 12: PAT ZIP

**Beginning Position:** 

**Description:** 

**Description:** Patient's five-digit ZIP code.

**Suppression:** Last two digits are blank if a ZIP code has fewer than 30 discharges. If state equals 'ZZ', ZIP

code equals '88888'. If state equals 'FC' (foreign country) ZIP code is blank. If ICD-10-CM indicates alcohol or drug use or an HIV diagnosis the ZIP code is blank. If a hospital has fewer than fifty discharges the ZIP code is blank. If a hospital has fewer than 5 discharges of a

Alphanumeric

particular gender, including 'unknown', the ZIP Code is blank. 34 **Data Source:** Claim

Type:

Length: 5

PAT COUNTRY Field 13:

> Country of patient's residential address. List maintained by the International Organization for Standardization (ISO).

**Suppression:** Suppressed if fewer than 5 patients from one country.

**Coding scheme:** See www.ISO.org for complete list.

**Beginning Position:** 39 **Data Source:** Claim

Length: Type: Alphanumeric

#### Field 14: PAT\_COUNTY

<b>Description:</b>	FIPS o	code of patient	's county.					
Coding scheme:	001	Anderson	129	Donley	257	Kaufman	385	Real
coung seneme.	003	Andrews	131	Duval	259	Kendall	387	Red River
	005	Angelina	133	Eastland	261	Kenedy	389	Reeves
	007	Aransas	135	Ector	263	Kent	391	Refugio
	009	Archer	137	Edwards	265	Kerr	393	Roberts
	011	Armstrong	139	Ellis	267	Kimble	395	Robertson
	013	Atascosa	141	El Paso	269	King	397	Rockwall
	015	Austin	143	Erath	271	Kinney	399	Runnels
	017	Bailey	145	Falls	273	Kleberg	401	Rusk
	019	Bandera	147	Fannin	275	Knox	403	Sabine
	021	Bastrop	149	Fayette	283	La Salle	405	San Augustine
	023	Baylor	151	Fisher	277	Lamar	407	San Jacinto
	025	Bee	153	Floyd	279	Lamb	409	San Patricio
	027	Bell	155	Foard	281	Lampasas	411	San Saba
	029	Bexar	157	Fort Bend	285	Lavaca	413	Schleicher
	031	Blanco	159	Franklin	287	Lee	415	Scurry
	033	Borden	161	Freestone	289	Leon	417	Shackelford
	035	Bosque	163	Frio	291	Liberty	419	Shelby
	037	Bowie	165	Gaines	293	Limestone	421	Sherman
	039	Brazoria	167	Galveston	295	Lipscomb	423	Smith

DSHS/THCIC

		Data Source:	Assign	ed; based on patien	t ZIP	code
Dimmit	255	Karnes	383	Reagan	*	Invalid
Dickens	253	Jones	381	Randall		
Dewitt	251	Johnson	379	Rains	507	Zavala
Denton	249	Jim Wells	377	Presidio	505	Zapata
Delta	247	Jim Hogg	375	Potter	503	Young
Deaf Smith	245	Jefferson	373	Polk	501	Yoakum
Dawson	243	Jeff Davis	371	Pecos	499	Wood
Dallas	241	Jasper	369	Parmer	497	Wise
Dallam	239	Jackson	367	Parker	495	Winkler
Culberson	237	Jack	365	Panola	493	Wilson
				Palo Pinto		Williamson
	233					Willacy
Crane	231	Hunt	359	Oldham	487	Wilbarger
Cottle	229		357	Ochiltree	485	Wichita
Coryell	227	Howard	355	Nueces	483	Wheeler
Cooke	225	Houston	353	Nolan	481	Wharton
Concho	223	Hopkins	351	Newton	479	Webb
Comanche	221	Hood	349	Navarro	477	Washington
Comal	219	Hockley	347	Nacogdoches	475	Ward
Colorado	217	Hill	345	Motley	473	Waller
Collingsworth	215	Hidalgo	343	Morris	471	Walker
Collin	213	Henderson	341	Moore	469	Victoria
Coleman	211	Hemphill	339	Montgomery	467	Van Zandt
Coke	209	Hays	337	Montague	465	Val Verde
Cochran	207	Haskell	335	Mitchell	463	Uvalde
Clay	205	Hartley	333	Mills	461	Upton
Childress	203	Harrison	331	Milam	459	Upshur
Cherokee	201	Harris	329	Midland	457	Tyler
Chambers	199	Hardin	327	Menard	455	Trinity
Castro	197	Hardeman	325	Medina	453	Travis
Cass	195	Hansford	323	Maverick	451	Tom Green
Carson	193	Hamilton	321	Matagorda	449	Titus
	191	Hall	319	Mason	447	Throckmorton
Cameron				Martin	445	Terry
						Terrell
						Taylor
Caldwell		•		McMullen		Tarrant
		•				Swisher
				•		Sutton
						Stonewall
				Ç		Sterling
						Stephens
						Starr
Brazos	169	Garza	297	Live Oak	425	Somervell
	Calhoun Callahan Cameron Camp Carson Cass Castro Chambers Cherokee Childress Clay Cochran Coke Coleman Collin Collingsworth Colorado Comal Comal Comal Comal Comal Cottle Crane Crocket Crosby Culberson Dallam Dallas Dawson Deaf Smith Delta Denton Dewitt Dickens	Brewster         171           Briscoe         173           Brooks         175           Brown         177           Burleson         179           Burnet         181           Caldwell         183           Calhoun         185           Callahan         187           Cameron         189           Camp         191           Carson         193           Cass         195           Castro         197           Chambers         199           Cherokee         201           Childress         203           Clay         205           Cochran         207           Coke         209           Coleman         211           Collingsworth         215           Colorado         217           Comal         219           Comanche         221           Concho         223           Cooke         225           Coryell         227           Cottle         229           Crane         231           Crockett         233           Crosby	Brewster         171         Gillespie           Briscoe         173         Glasscock           Brooks         175         Goliad           Brown         177         Gonzales           Burleson         179         Gray           Burnet         181         Grayson           Caldwell         183         Gregg           Calhoun         185         Grimes           Callahan         187         Guadalupe           Cameron         189         Hale           Camp         191         Hall           Carson         193         Hamilton           Cass         195         Hansford           Castro         197         Hardeman           Chambers         199         Hardin           Cherokee         201         Harris           Childress         203         Harrison           Clay         205         Hartley           Cochran         207         Haskell           Coke         209         Hays           Coleman         211         Hemphill           Collingsworth         215         Hidalgo           Colorado         217         Hill </td <td>Brewster         171         Gillespie         299           Briscoe         173         Glasscock         301           Brooks         175         Goliad         303           Brown         177         Gonzales         305           Burleson         179         Gray         307           Burnet         181         Grayson         309           Caldwell         183         Gregg         311           Caldwell         183         Gregg         311           Calhoun         185         Grimes         313           Callham         187         Guadalupe         315           Cameron         189         Hale         317           Cameron         189         Hale         317           Camp         191         Hall         319           Carson         193         Hamilton         321           Cass         195         Hansford         323           Castro         197         Hardeman         325           Chambers         199         Hardin         327           Cherokee         201         Harris         329           Chambers         203</td> <td>Brewster         171         Gillespie         299         Llano           Briscoe         173         Glasscock         301         Loving           Brooks         175         Goliad         303         Lubbock           Brown         177         Gonzales         305         Lynn           Burnet         181         Grayson         309         McCulloch           Burnet         181         Grayson         309         McLennan           Caldwell         183         Gregg         311         McMullen           Caldwell         183         Gregg         311         McMullen           Calloun         185         Grimes         313         Madison           Callahan         187         Guadalupe         315         Marion           Callahan         187         Guadalupe         315         Marion           Cameron         189         Hale         317         Martin           Cameron         193         Hamilton         321         Matagorda           Cassro         193         Hamilton         321         Matagorda           Cassro         194         Hardeman         322         Medina</td> <td>Brewster         171         Gillespie         299         Llano         427           Briscoc         173         Glasscock         301         Loving         429           Brooks         175         Goliad         303         Lubbock         431           Brown         177         Gonzales         305         Lynn         433           Burleson         179         Gray         307         McCulloch         435           Burnet         181         Grayon         309         McLennan         437           Caldwell         183         Gregg         311         McMullen         439           Calhoun         185         Grimes         313         Madison         441           Callahan         187         Guadalupe         315         Marion         443           Cameron         188         Hale         317         Marin         445           Camp         191         Hall         319         Mason         447           Carson         193         Hamilton         321         Matagorda         449           Cass         195         Hansford         323         Maverick         451           <t< td=""></t<></td>	Brewster         171         Gillespie         299           Briscoe         173         Glasscock         301           Brooks         175         Goliad         303           Brown         177         Gonzales         305           Burleson         179         Gray         307           Burnet         181         Grayson         309           Caldwell         183         Gregg         311           Caldwell         183         Gregg         311           Calhoun         185         Grimes         313           Callham         187         Guadalupe         315           Cameron         189         Hale         317           Cameron         189         Hale         317           Camp         191         Hall         319           Carson         193         Hamilton         321           Cass         195         Hansford         323           Castro         197         Hardeman         325           Chambers         199         Hardin         327           Cherokee         201         Harris         329           Chambers         203	Brewster         171         Gillespie         299         Llano           Briscoe         173         Glasscock         301         Loving           Brooks         175         Goliad         303         Lubbock           Brown         177         Gonzales         305         Lynn           Burnet         181         Grayson         309         McCulloch           Burnet         181         Grayson         309         McLennan           Caldwell         183         Gregg         311         McMullen           Caldwell         183         Gregg         311         McMullen           Calloun         185         Grimes         313         Madison           Callahan         187         Guadalupe         315         Marion           Callahan         187         Guadalupe         315         Marion           Cameron         189         Hale         317         Martin           Cameron         193         Hamilton         321         Matagorda           Cassro         193         Hamilton         321         Matagorda           Cassro         194         Hardeman         322         Medina	Brewster         171         Gillespie         299         Llano         427           Briscoc         173         Glasscock         301         Loving         429           Brooks         175         Goliad         303         Lubbock         431           Brown         177         Gonzales         305         Lynn         433           Burleson         179         Gray         307         McCulloch         435           Burnet         181         Grayon         309         McLennan         437           Caldwell         183         Gregg         311         McMullen         439           Calhoun         185         Grimes         313         Madison         441           Callahan         187         Guadalupe         315         Marion         443           Cameron         188         Hale         317         Marin         445           Camp         191         Hall         319         Mason         447           Carson         193         Hamilton         321         Matagorda         449           Cass         195         Hansford         323         Maverick         451 <t< td=""></t<>

**Beginning Position:** 

Length: 3 Type:
Field 15: PUBLIC HEALTH REGION

#### Field 15: Description: Coding Scheme:

#### TUBLIC\_HEALTH\_REGION

Public Health Region of patient's address.

Armstrong, Bailey, Briscoe, Carson, Castro, Childress, Cochran, Collingsworth, Crosby, Dallam, Deaf Smith, Dickens, Donley, Floyd, Garza, Gray, Hale, Hall, Hansford, Hartley, Hemphill, Hockley, Hutchinson, King, Lamb, Lipscomb, Lubbock, Lynn, Moore, Motley, Ochiltree, Oldham, Parmer, Potter, Randall, Roberts, Sherman, Swisher, Terry, Wheeler, Yoakum counties

Alphanumeric

- 2 Archer, Baylor, Brown, Callahan, Clay, Coleman, Comanche, Cottle, Eastland, Fisher, Foard, Hardeman, Haskell, Jack, Jones, Kent, Knox, Mitchell, Montague, Nolan, Runnels, Scurry, Shackleford, Stephens, Stonewall, Taylor, Throckmorton, Wichita, Wilbarger, Young counties
- 3 Collin, Cooke, Dallas, Denton, Ellis, Erath, Fannin, Grayson, Hood, Hunt, Johnson, Kaufman, Navarro, Palo Pinto, Parker, Rockwall, Somervell, Tarrant, Wise counties
- 4 Anderson, Bowie, Camp, Cass, Cherokee, Delta, Franklin, Gregg, Harrison, Henderson, Hopkins, Lamar, Marion, Morris, Panola, Rains, Red River, Rusk, Smith, Titus, Upshur, Van Zandt, Wood counties
- 5 Angelina, Hardin, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Polk, Sabine, San Augustine, San Jacinto, Shelby, Trinity, Tyler counties
- 6 Austin, Brazoria, Chambers, Colorado, Fort Bend, Galveston, Harris, Liberty, Matagorda, Montgomery, Walker, Waller, Wharton counties
- Bastrop, Bell, Blanco, Bosque, Brazos, Burleson, Burnet, Caldwell, Coryell, Falls, Fayette, Freestone, Grimes, Hamilton, Hays, Hill, Lampasas, Lee, Leon, Limestone, Llano, McLennan, Madison, Milam, Mills, Robertson, San Saba, Travis, Washington, Williamson counties
- 8 Atascosa, Bandera, Bexar, Calhoun, Comal, DeWitt, Dimmit, Edwards, Frio, Gillespie, Goliad, Gonzales, Guadalupe, Jackson, Karnes, Kendall, Kerr, Kinney, La Salle, Lavaca, Maverick, Medina, Real, Uvalde, Val Verde, Victoria, Wilson, Zavala counties

DSHS/THCIC
WWW.DSHS.TEXAS.GOV/THCIC

DSHS Document # E25-14163
Last Updated: October, 2018

- 9 Andrews, Borden, Coke, Concho, Crane, Crockett, Dawson, Ector, Gaines, Glasscock, Howard, Irion, Kimble, Loving, McCulloch, Martin, Mason, Menard, Midland, Pecos, Reagan, Reeves, Schleicher, Sterling, Sutton, Terrell, Tom Green, Upton, Ward, Winkler counties
- 10 Brewster, Culberson, El Paso, Hudspeth, Jeff Davis, Presidio counties
- Aransas, Bee, Brooks, Cameron, Duval, Hidalgo, Jim Hogg, Jim Wells, Kenedy, Kleberg, Live Oak, McMullen, Nueces, Refugio, San Patricio, Starr, Webb, Willacy, Zapata counties Invalid

**Beginning Position:** Length:

**Data Source:** Assigned **Type:** Alphanumeric

Field 16:

#### PAT\_STATUS

44

**Description:** Coding Scheme:

Code indicating patient status as of the ending date of service for the period of care reported

- 01 Discharged to home or self-care (routine discharge)
- Oz Discharged/transferred to a short term general hospital for inpatient care
  Discharged/transferred to skilled nursing facility (SNF) with Medicare certification in anticipation of skilled
- Discharged/transferred to skilled nursing facility (SNF) with Medicare certification in anticipation of skilled care
- 04 Discharged/transferred to a facility that provides custodial or supportive care
- 05 Discharged/transferred to a Designated Cancer Center or Children's Hospital (effective 10-1-2007)
- 06 Discharged/transferred to home under care of an organized home health service organization in anticipation of covered skilled care
- 07 Left against medical advice
- 09 Admitted as inpatient to this hospital
- 20 Expired
- 21 Discharged/transferred to Court/Law Enforcement
- 30 Still patient
- 40 Expired at home
- 41 Expired in a medical facility
- 42 Expired, place unknown
- 43 Discharged/transferred to federal government operated health facility
- 50 Hospice-home
- 51 Hospice–medical facility (Certified) providing hospice level of care
- 61 Discharged/transferred within this institution to Medicare-approved swing bed
- 62 Discharged/transferred to inpatient rehabilitation facility
- 63 Discharged/transferred to Medicare-certified long term care hospital
- 64 Discharged/transferred to Medicaid-certified nursing facility under Medicaid but not certified under Medicare
- 65 Discharged/transferred to psychiatric hospital or psychiatric distinct part of a hospital
- 66 Discharged/transferred to Critical Access Hospital (CAH)
- 69 Discharged/Transferred to a designated disaster alternate care (effective 10-1-2013)
- 70 Discharge/transfer to another type of health care institution not defined elsewhere in the code list
- 81 Discharged to Home or Self Care with a Planned Acute. Care Hospital Inpatient Readmission (effective 10-1-2013)
- 82 Discharged/Transferred to a Short Term General Hospital for Inpatient Care with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to a Skilled Nursing Facility (SNF) with Medicare Certification with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 84 Discharged/Transferred to a Facility that Provides Custodial or Supportive Care with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 85 Discharged/transferred to a Designated Cancer Center or Children's Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 86 Discharged/Transferred to Home under Care of Organized Home Health Service Organization with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 87 Discharged/Transferred to Court/Law Enforcement with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 88 Discharged/Transferred to a Federal Health Care Facility with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 89 Discharged/Transferred to a Hospital-based Medicare Approved Swing Bed with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 90 Discharged/Transferred to an Inpatient Rehabilitation Facility (IRF) including Rehabilitation Distinct Part Units of a Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 91 Discharged/Transferred to a Medicare Certified Long Term Care Hospital (LTCH) with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to a Nursing Facility Certified Under Medicaid but not Certified Under Medicare with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 93 Discharged/Transferred to a Psychiatric Hospital or Psychiatric Distinct Part Unit of a Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 94 Discharged/Transferred to a Critical Access Hospital (CAH) with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 95 Discharged/Transferred to Another Type of Health Care Institution not Defined Elsewhere in this Code List with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)

` Invalid

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC DSHS Document # E25-14163

<b>Beginning Position:</b>	46	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 17:	SEX_CODE		
<b>Description:</b>	Gender of the patient as recor		
Suppression:			dicates drug or alcohol use or an HIV diagnosis. If
			cular gender, including unknown, Provider ID is
		and Patient ZIP	Code are blank for those patients.
Coding Scheme:	M Male		
	F Female U Unknown		
	` Invalid		
<b>Beginning Position:</b>	48	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 18:	RACE		
<b>Description:</b>	Code indicating the patient's	race.	
Suppression:			e race that race is changed to 'Other' (code equals 5).
Coding Scheme:	<ol> <li>American Indian/Eskimo/Al</li> </ol>		-
	2 Asian or Pacific Islander		
	<ul><li>3 Black</li><li>4 White</li></ul>		
	5 Other		
	` Invalid		
<b>Beginning Position:</b>		Data Source:	Claim
Length:		Type:	Alphanumeric
Field 19:	ETHNICITY		
<b>Description:</b>	Code indicating the Hispanic		
Suppression:	*	n patients of on	e race the ethnicity of patients of that race is
	suppressed (code is blank).		
Coding Scheme:	1 Hispanic Origin		
	<ul><li>Not of Hispanic Origin</li><li>Invalid</li></ul>		
<b>Beginning Position:</b>		Data Source:	Claim
Length:		Type:	Alphanumeric
Field 20:	ADMIT WEEKDAY	-JP01	
Description:	Code indicating day of week	patient is admit	ted
Coding Scheme:	1 Monday	1	5 Friday
<b>9</b>	2 Tuesday		6 Saturday
	<ul><li>3 Wednesday</li><li>4 Thursday</li></ul>		7 Sunday ` Invalid
<b>Beginning Position:</b>		Data Source:	Assigned
Length:		Type:	Alphanumeric
Field 21:	LENGTH OF STAY	турс.	Пришинене
Description:		Statement cove	ers period through date <i>minus</i> Admission/start of
~ cocription.			ay. The maximum is 9999 days.
<b>Beginning Position:</b>	_	Data Source:	Calculated
Length:		Type:	Alphanumeric
Field 22:	PAT_AGE		<b>f</b>
Description:	Code indicating age of patien	t in davs or vear	rs on date of discharge.
Coding Scheme:	00 1-28 days	10 35-39	20 85-89
<b>9</b>	01 29-365 days	11 40-44	21 90+
	02 1-4 years	12 45-49	HIV and drug/alcohol use patients:
	03 5-9 04 10-14	13 50-54 14 55-59	22 0-17 23 18-44
	05 15-17	15 60-64	25 18-44 24 45-64
	06 18-19	16 65-69	25 65-74
	07 20-24	17 70-74	26 75+
	08 25-29	18 75-79	` Invalid
Designation Design	09 30-34	19 80-84	A 1
<b>Beginning Position:</b>		Data Source:	Assigned
Length:	2	Type:	Alphanumeric

Field 23:	FIRST_PAYMENT_SRC			
Description:	Code indicating the expecte			
Coding Scheme:	09 Self Pay (Removed from 5 beginning 2Q2012 data)	5010 format, use "ZZ	" HM Health M	Maintenance Organization
	10 Central Certification		LI Liability	
	11 Other Non-federal Program	ms	LM Liability	Medical
	12 Preferred Provider Organia	zation (PPO)	MA Medicare	e Part A
	13 Point of Service (POS)	: .: (EDO)	MB Medicare	
	<ul><li>14 Exclusive Provider Organi</li><li>15 Indemnity Insurance</li></ul>	ization (EPO)	MC Medicaid TV Title V	1
	16 Health Maintenance Organ	nization (HMO)		deral Program
	Medicare Risk			
	AM Automobile Medical			Administration Plan
	BL Blue Cross/Blue Shield CH CHAMPUS			Compensation Health Claim
	CI Commercial Insurance		• • • • • • • • • • • • • • • • • • • •	Indigent or Unknown  and ZZ, combined for 2004 & 2005
	DS Disability Insurance		` Invalid	and 22, combined for 200 f & 2005
<b>Beginning Position:</b>	58	Data Source:	Claim	
Length:	2	Type:	Alphanumeric	
Field 24:	SECONDARY_PAYMEN		7 Hphanameric	
Description:	Code indicating the expecte		ce of payment	
Coding Scheme:	Same as field FIRST PAY		ee or payment.	
Beginning Position:	60	Data Source:	Claim	
Length:	2	Type:	Alphanumeric	
Field 25:	TYPE_OF_BILL	-J <b>P</b>	<u> </u>	
Description:	Indicates the specific type o	of bill.		
Coding Scheme:	1 <sup>st</sup> digit—Type of Facility	2 <sup>nd</sup> digit–Type	of Care	3 <sup>rd</sup> digit–Sequence of claim
couning sememor	1 Hospital	1 Inpatient	t, including Medicare	0 Non-payment/Zero claim
	2 (1:11 1 :	Part A	Mr D D	1 41 24 1 1 1
	<ul><li>2 Skilled nursing</li><li>3 Home health</li></ul>	2 Inpatient 3 Outpatie	t, Medicare Part B only	<ol> <li>Admit through discharge claim</li> <li>Interim–first claim</li> </ol>
	4 Religious non-medical health		nt Other, Medicare	3 Interim—continuing claim
	care-Hospital	Part B or		<del>U</del>
	5 Religious non-medical health	h 5 Intermed	liate Care–Level I	4 Interim–last claim
	care–Extended care 6 Intermediate care	6 Intermed	liate Care–Level II	5 Late charge(s) only claim
	7 Clinic		te inpatient – Level III	6 Adjustment of prior claim (Not
			1	used by Medicare)
	8 Special facility	8 Swing b	ed	7 Replacement of prior claim
<b>Beginning Position:</b>	62	Data Source:	Claim	8 Void/cancel of prior claim
Length:	3		Alphanumeric	
Field 26:	TOTAL_CHARGES	Type:	Aiphanumenc	
Description:		arges non-covere	d accommodation	charges, ancillary charges, non-
Description.	covered ancillary charges. F			charges, anemary charges, non-
<b>Beginning Position:</b>	65	Data Source:	Claim	
Length:	12	Type:	Numeric	
Field 27:	TOTAL_NON_COV_CH		Trumerie	
Description:	Sum of non-covered accom-		s non-covered anci	illary charges
Beginning Position:	77	Data Source:	Claim	inal y enal gest
Length:	12	Type:	Numeric	
Field 28:	TOTAL_CHARGES_AC		1,0110110	
Description:	Sum of covered and non-co		lation charges.	
Beginning Position:	89	Data Source:	Claim	
Length:	12	Type:	Numeric	
Field 29:	TOTAL_NON_COV_CH		MM	
<b>Description:</b>	Sum of non-covered accom-			
<b>Beginning Position:</b>	101	Data Source:	Claim	
Length:	12	Type:	Numeric	
Field 30:	TOTAL_CHARGES_AN			
<b>Description:</b>	Sum of covered and non-co		harges.	
DSHS/THCIC		·	-	DSHS Document # E25-14163
WWW.DSHS.TEXAS	S.GOV/THCIC	— Page 17 —		Last Updated: October, 2018
,, ,, ,, ,DDIID.IL/A/A				245t Opaniou. October, 2016

**Beginning Position:** 113 **Data Source:** Claim Length: 12 Type: Numeric Field 31: TOTAL\_NON\_COV\_CHARGES\_ANCIL Sum of non-covered ancillary charges. **Description: Beginning Position:** Claim **Data Source:** Length: 12 Type: Numeric ADMITTING DIAGNOSIS Field 32: **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 137 **Data Source:** Claim Length: 7 Alphanumeric Type: PRINC DIAG CODE Field 33: **Description:** ICD-10-CM diagnosis code for the principal diagnosis, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 144 **Data Source:** Claim Length: Type: Alphanumeric Field 34: POA\_PRINC\_DIAG\_CODE **Description:** Code identifying whether Principal Diagnosis code was present at the time the patient was admitted to the hospital Yes **Coding Scheme:** N No U Unknown W Clinically Undetermined Space (1st & 2nd Qtr. 2012 only) 1 Invalid **Beginning Position:** 151 **Data Source:** Claim Length: Alphanumeric Type: **Field 35:** OTH DIAG CODE 1 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 152 **Data Source:** Claim Length: Type: Alphanumeric Field 36: POA OTH DIAG CODE 1 **Description:** Code identifying whether Oth Diag Code 1 code was present at the time the patient was admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Beginning Position:** 159 **Data Source:** Claim Length: Type: Alphanumeric **Field 37:** OTH DIAG CODE 2 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 160 **Data Source:** Claim Length: Alphanumeric Type: Field 38: POA OTH DIAG CODE 2 **Description:** Code identifying whether Oth Diag Code 2 code was present at the time the patient was admitted to the hospital Same as Field POA PRINC DIAG CODE **Coding Scheme: Beginning Position:** 167 **Data Source:** Claim Length: Alphanumeric Type: OTH DIAG CODE 3 Field 39: **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 168 **Data Source:** Claim Length: Type: Alphanumeric Field 40: POA OTH DIAG CODE 3 Code identifying whether Oth Diag Code 3 code was present at the time the patient was **Description:** admitted to the hospital DSHS/THCIC DSHS Document # E25-14163

Page 18

Last Updated: October, 2018

WWW.DSHS.TEXAS.GOV/THCIC

**Beginning Position:** 175 **Data Source:** Claim

Length: Type: Alphanumeric

OTH\_DIAG\_CODE 4 Field 41:

**Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

**Beginning Position: Data Source:** Claim 176

Length: Alphanumeric Type:

Field 42: POA\_OTH\_DIAG\_CODE\_4

**Description:** Code identifying whether Oth\_Diag\_Code\_4 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:** 

**Beginning Position:** 183 **Data Source:** Claim

Length: Type: Alphanumeric

OTH DIAG CODE 5 Field 43:

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

implied following the third character.

**Beginning Position:** 184 **Data Source:** Claim

Length: Alphanumeric Type:

Field 44: POA OTH DIAG CODE 5

**Description:** Code identifying whether Oth\_Diag\_Code\_5 code was present at the time the patient was

admitted to the hospital

Same as Field POA\_PRINC\_DIAG\_CODE **Coding Scheme:** 

**Beginning Position:** 191 **Data Source:** Claim

Length: Type: Alphanumeric

**Field 45:** OTH\_DIAG\_CODE\_6

**Beginning Position:** 

**Beginning Position:** 

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

**Data Source:** 

Claim

Claim

implied following the third character.

Length:

192

Alphanumeric Type:

POA\_OTH\_DIAG\_CODE\_6 Field 46:

**Description:** Code identifying whether Oth\_Diag\_Code\_6 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:** 

**Data Source: Beginning Position:** 199 Claim

Length: Type: Alphanumeric

Field 47: OTH DIAG CODE 7

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

**Data Source:** 

implied following the third character.

Length: Alphanumeric Type:

Field 48: POA\_OTH\_DIAG\_CODE\_7

200

**Description:** Code identifying whether Oth\_Diag\_Code\_7 code was present at the time the patient was

admitted to the hospital

Same as Field POA\_PRINC\_DIAG\_CODE **Coding Scheme:** 

**Beginning Position:** 207 **Data Source:** Claim

Length: Type: Alphanumeric

Field 49: OTH DIAG CODE 8

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

implied following the third character.

**Beginning Position:** 208 **Data Source:** Claim

Length: Alphanumeric Type:

Field 50: POA\_OTH\_DIAG\_CODE\_8

Code identifying whether Oth\_Diag\_Code\_8 code was present at the time the patient was **Description:** 

admitted to the hospital

DSHS/THCIC DSHS Document # E25-14163 Page 19 Last Updated: October, 2018

**Beginning Position:** 215 **Data Source:** Claim

Length: Type: Alphanumeric

OTH\_DIAG\_CODE 9 Field 51:

**Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

**Beginning Position: Data Source:** Claim 216

Length: Alphanumeric Type:

Field 52: POA\_OTH\_DIAG\_CODE\_9

**Description:** Code identifying whether Oth\_Diag\_Code\_9 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:** 

**Beginning Position:** 223 **Data Source:** Claim

Length: Type: Alphanumeric

OTH DIAG CODE 10 Field 53:

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

implied following the third character.

**Beginning Position: Data Source:** 224 Claim

Length: Alphanumeric Type:

Field 54: POA OTH DIAG CODE 10

**Description:** Code identifying whether Oth\_Diag\_Code\_10 code was present at the time the patient was

admitted to the hospital

Same as Field POA\_PRINC\_DIAG\_CODE **Coding Scheme:** 

**Beginning Position:** 231 **Data Source:** Claim

Length: Type: Alphanumeric

Field  $\overline{55}$ : OTH\_DIAG\_CODE\_11

232

**Beginning Position:** 

**Beginning Position:** 

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

**Data Source:** 

Claim

Claim

implied following the third character.

Length:

Alphanumeric Type:

POA\_OTH\_DIAG\_CODE\_11 Field 56:

**Description:** Code identifying whether Oth\_Diag\_Code\_11 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:** 

**Data Source: Beginning Position:** 239 Claim

Length: Type: Alphanumeric

Field 57: OTH DIAG CODE 12

240

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

**Data Source:** 

implied following the third character.

Length: Alphanumeric Type:

Field 58: POA\_OTH\_DIAG\_CODE\_12

**Description:** Code identifying whether Oth\_Diag\_Code\_12 code was present at the time the patient was

admitted to the hospital

Same as Field POA\_PRINC\_DIAG\_CODE **Coding Scheme:** 

**Beginning Position:** 247 **Data Source:** Claim

Length: Type: Alphanumeric

Field 59: OTH DIAG CODE 13

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

implied following the third character.

**Beginning Position:** 248 **Data Source:** Claim

Length: Alphanumeric Type:

Field 60: POA\_OTH\_DIAG\_CODE\_13

Code identifying whether Oth\_Diag\_Code\_13 code was present at the time the patient was **Description:** 

admitted to the hospital

DSHS/THCIC DSHS Document # E25-14163 Page 20 Last Updated: October, 2018

**Beginning Position:** 255 **Data Source:** Claim

Length: Type: Alphanumeric

OTH\_DIAG\_CODE 14 Field 61:

**Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

**Beginning Position: Data Source:** Claim 256

Length: Alphanumeric Type:

Field 62: POA\_OTH\_DIAG\_CODE\_14

**Description:** Code identifying whether Oth\_Diag\_Code\_14 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:** 

**Beginning Position:** 263 **Data Source:** Claim

Length: Type: Alphanumeric

OTH DIAG CODE 15 Field 63:

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

implied following the third character.

**Beginning Position:** 264 **Data Source:** Claim

Length: Alphanumeric Type:

Field 64: POA OTH DIAG CODE 15

**Description:** Code identifying whether Oth\_Diag\_Code\_15 code was present at the time the patient was

admitted to the hospital

Same as Field POA\_PRINC\_DIAG\_CODE **Coding Scheme:** 

**Beginning Position:** 271 **Data Source:** Claim

Length: Type: Alphanumeric

Field 65: OTH\_DIAG\_CODE\_16

272

**Beginning Position:** 

**Beginning Position:** 

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

**Data Source:** 

Claim

Claim

implied following the third character.

Length:

Alphanumeric Type:

POA\_OTH\_DIAG\_CODE\_16 Field 66:

**Description:** Code identifying whether Oth\_Diag\_Code\_16 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:** 

**Data Source: Beginning Position:** 279 Claim

Length: Type: Alphanumeric

Field 67: OTH DIAG CODE 17

280

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

**Data Source:** 

implied following the third character.

Length: Alphanumeric Type:

Field 68: POA\_OTH\_DIAG\_CODE\_17

**Description:** Code identifying whether Oth\_Diag\_Code\_17 code was present at the time the patient was

admitted to the hospital

Same as Field POA\_PRINC\_DIAG\_CODE **Coding Scheme:** 

**Beginning Position:** 287 **Data Source:** Claim

Length: Type: Alphanumeric

Field 69: OTH DIAG CODE 18

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

implied following the third character.

**Beginning Position:** 288 **Data Source:** Claim

Type: Length: Alphanumeric

Field 70: POA\_OTH\_DIAG\_CODE\_18

**Description:** Code identifying whether Oth\_Diag\_Code\_18 code was present at the time the patient was

admitted to the hospital

DSHS/THCIC DSHS Document # E25-14163 Page 21 Last Updated: October, 2018

**Beginning Position:** 295 **Data Source:** Claim

Length: Type: Alphanumeric

Field 71: OTH DIAG CODE 19

**Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

**Beginning Position:** 296 **Data Source:** Claim

Length: Alphanumeric Type:

**Field 72:** POA\_OTH\_DIAG\_CODE\_19

**Description:** Code identifying whether Oth\_Diag\_Code\_19 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:** 

**Beginning Position:** 303 **Data Source:** Claim

Length: Type: Alphanumeric

OTH DIAG CODE 20 **Field 73:** 

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

implied following the third character.

304 **Beginning Position: Data Source:** Claim

Length: Alphanumeric Type:

**Field 74:** POA OTH DIAG CODE 20

**Description:** Code identifying whether Oth\_Diag\_Code\_20 code was present at the time the patient was

admitted to the hospital

Same as Field POA\_PRINC\_DIAG\_CODE **Coding Scheme:** 

**Beginning Position:** 311 **Data Source:** Claim

Length: Type: Alphanumeric

**Field 75:** OTH\_DIAG\_CODE\_21

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

Claim

Claim

implied following the third character.

**Beginning Position:** 312 **Data Source:** 

Length: Alphanumeric Type:

POA\_OTH\_DIAG\_CODE\_21 Field 76:

**Description:** Code identifying whether Oth\_Diag\_Code\_21 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:** 

**Data Source: Beginning Position:** 319 Claim

Length: Type: Alphanumeric

Field 77: OTH DIAG CODE 22

320

**Beginning Position:** 

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

**Data Source:** 

implied following the third character.

Length:

Alphanumeric Type:

Field 78: POA\_OTH\_DIAG\_CODE\_22

**Description:** Code identifying whether Oth\_Diag\_Code\_22 code was present at the time the patient was

admitted to the hospital

Same as Field POA\_PRINC\_DIAG\_CODE **Coding Scheme:** 

**Beginning Position:** 327 **Data Source:** Claim

Length: Type: Alphanumeric

Field 79: OTH DIAG CODE 23

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** 

implied following the third character.

**Beginning Position:** 328 **Data Source:** Claim

Length: Alphanumeric Type:

POA\_OTH\_DIAG\_CODE\_23 Field 80:

Code identifying whether Oth\_Diag\_Code\_23 code was present at the time the patient was **Description:** 

admitted to the hospital

DSHS/THCIC DSHS Document # E25-14163 Page 22 Last Updated: October, 2018

**Beginning Position:** 335 **Data Source:** Claim

Length: Type: Alphanumeric

OTH\_DIAG\_CODE 24 Field 81:

**Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

**Beginning Position: Data Source:** Claim 336

Length: Alphanumeric Type:

Field 82: POA\_OTH\_DIAG\_CODE\_24

**Description:** Code identifying whether Oth\_Diag\_Code\_24 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:** 

**Beginning Position:** 343 **Data Source:** Claim

Length: Type: Alphanumeric

E CODE 1 Field 83:

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of the **Description:** 

primary external cause of morbidity. A decimal is implied following the third character.

**Beginning Position: Data Source:** Claim 344

Length: Alphanumeric Type:

Field 84: POA E CODE 1

**Description:** Code identifying whether E\_Code\_1 code was present at the time the patient was admitted to

the hospital

**Coding Scheme:** Same as Field POA PRINC DIAG CODE

**Beginning Position:** 351 **Data Source:** Claim

Length: Type: Alphanumeric

Field 85: E CODE 2

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an **Description:** 

additional external cause of morbidity. Decimal is implied following the third character.

**Beginning Position:** 352 **Data Source:** Claim

Length: Alphanumeric Type:

POA\_E\_CODE\_2 Field 86:

**Description:** Code identifying whether E\_Code\_2 code was present at the time the patient was admitted to

the hospital

**Coding Scheme:** Same as Field POA PRINC DIAG CODE

**Beginning Position:** 359 **Data Source:** Claim

Length: Type: Alphanumeric

Field 87: E CODE 3

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an **Description:** 

additional external cause of morbidity. Decimal is implied following the third character.

**Beginning Position:** 360 **Data Source:** Claim

Length: Alphanumeric Type:

Field 88: POA\_E\_CODE\_3

**Description:** Code identifying whether E\_Code\_3 code was present at the time the patient was admitted to

the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:** 

**Beginning Position:** 367 **Data Source:** Claim

Length: Type: Alphanumeric

Field 89: E CODE 4

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an **Description:** 

additional external cause of morbidity. Decimal is implied following the third character.

**Beginning Position:** 368 **Data Source:** Claim

Length: Alphanumeric Type:

Field 90: POA\_E\_CODE\_4

Code identifying whether E\_Code\_4 code was present at the time the patient was admitted to **Description:** 

the hospital

DSHS/THCIC DSHS Document # E25-14163 Page 23 Last Updated: October, 2018

**Beginning Position:** 375 **Data Source:** Claim

Length: Type: Alphanumeric

E CODE 5 Field 91:

**Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

**Beginning Position: Data Source:** Claim 376

Length: Alphanumeric Type:

Field 92: POA\_E\_CODE\_5

**Description:** Code identifying whether E\_Code\_5 code was present at the time the patient was admitted to

the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:** 

**Beginning Position:** 383 **Data Source:** Claim

Length: Type: Alphanumeric

E CODE 6 Field 93:

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an **Description:** 

additional external cause of morbidity. Decimal is implied following the third character.

**Beginning Position: Data Source:** Claim 384

Length: Alphanumeric Type:

Field 94: POA E CODE 6

**Description:** Code identifying whether E\_Code\_6 code was present at the time the patient was admitted to

the hospital

Same as Field POA\_PRINC\_DIAG\_CODE **Coding Scheme:** 

**Beginning Position:** 391 **Data Source:** Claim

Length: Type: Alphanumeric

Field 95: E CODE 7

**Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

**Beginning Position:** 392 **Data Source:** Claim

Length: Alphanumeric Type:

POA\_E\_CODE\_7 Field 96:

**Description:** Code identifying whether E\_Code\_7 code was present at the time the patient was admitted to

the hospital

**Coding Scheme:** Same as Field POA PRINC DIAG CODE

**Beginning Position:** 399 **Data Source:** Claim

Length: Type: Alphanumeric

Field 97: E CODE 8

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an **Description:** 

additional external cause of morbidity. Decimal is implied following the third character.

**Beginning Position:** 400 **Data Source:** Claim

Length: Alphanumeric Type:

Field 98: POA\_E\_CODE\_8

**Description:** Code identifying whether E\_Code\_8 code was present at the time the patient was admitted to

the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:** 

**Beginning Position:** 407 **Data Source:** Claim

Length: Type: Alphanumeric

Field 99: E CODE 9

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an **Description:** 

additional external cause of morbidity. Decimal is implied following the third character.

**Beginning Position:** 408 **Data Source:** Claim

Length: Alphanumeric Type:

**Field 100:** POA E CODE 9

Code identifying whether E\_Code\_9 code was present at the time the patient was admitted to **Description:** 

the hospital

DSHS/THCIC DSHS Document # E25-14163 Page 24 Last Updated: October, 2018

**Beginning Position:** 415 **Data Source:** Claim

Length: Type: Alphanumeric

E CODE 10 **Field 101:** 

**Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

**Beginning Position: Data Source:** Claim 416

Length: Alphanumeric Type:

**Field 102:** POA\_E\_CODE\_10

**Description:** Code identifying whether E\_Code\_10 code was present at the time the patient was admitted to

the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:** 

**Beginning Position:** 423 **Data Source:** Claim

Length: Type: Alphanumeric

PRINC\_SURG\_PROC CODE **Field 103:** 

**Description:** Code for the principal surgical or other procedure performed during the period covered by the

bill. ICD-10-PCS code.

**Beginning Position:** 424 **Data Source:** Claim

Length: Alphanumeric Type:

**Field 104:** PRINC SURG PROC DAY

**Description:** Day of principal surgical or other procedure equals Principal Surgical Procedure Date minus

Admission/Start of Care Date

**Beginning Position:** 431 **Data Source:** Calculated Length: 4 Type: Alphanumeric

**Field 105:** OTH SURG PROC CODE 1

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

Claim **Beginning Position:** 435 **Data Source:** 

Length: Alphanumeric Type:

OTH SURG PROC DAY 1 **Field 106:** 

Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** 

Admission/Start of Care Date

**Beginning Position:** 442 **Data Source:** Calculated Length: Type: Alphanumeric

**Field 107:** OTH SURG PROC CODE 2

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code. 446 **Data Source:** Claim

Length:

**Beginning Position:** 

Alphanumeric Type:

**Field 108:** OTH SURG PROC DAY 2

Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** 

Admission/Start of Care Date

**Beginning Position:** 453 Data Source: Calculated Length: 4 Type: Alphanumeric

OTH SURG PROC CODE 3 **Field 109:** 

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 457 **Data Source:** Claim

Length: Alphanumeric Type:

OTH SURG PROC DAY 3 **Field 110:** 

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date

**Beginning Position:** 464 **Data Source:** Calculated Length: Alphanumeric Type:

Field  $\overline{111}$ : OTH\_SURG\_PROC\_CODE\_4

DSHS/THCIC DSHS Document # E25-14163 Page 25 Last Updated: October, 2018

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 468 **Data Source:** Claim

Length: 7 Alphanumeric Type:

**Field 112:** OTH SURG PROC DAY 4

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date

**Beginning Position:** Calculated 475 **Data Source:** Length: Type: Alphanumeric

**Field 113:** OTH\_SURG\_PROC\_CODE\_5

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 479 **Data Source:** Claim Length: Type: Alphanumeric

**Field 114:** OTH SURG PROC DAY 5

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date

**Beginning Position: Data Source:** Calculated 486 Length: Alphanumeric Type:

**Field 115:** OTH SURG PROC CODE 6

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 490 **Data Source:** Claim

Length: 7 Type: Alphanumeric

**Field 116:** OTH SURG PROC DAY 6

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date

**Beginning Position:** 497 **Data Source:** Calculated Length: Alphanumeric Type:

**Field 117:** OTH SURG PROC CODE 7

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

501 **Beginning Position: Data Source:** Claim Length: Type: Alphanumeric

**Field 118:** OTH SURG PROC DAY 7

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date

**Beginning Position:** 508 **Data Source:** Calculated Length: Alphanumeric Type:

OTH SURG PROC CODE 8 **Field 119:** 

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 512 **Data Source:** Claim

Length: Type: Alphanumeric

OTH SURG PROC DAY 8 **Field 120:** 

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date

**Beginning Position:** 519 **Data Source:** Calculated Length: Alphanumeric Type:

OTH SURG PROC CODE 9 **Field 121:** 

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 523 **Data Source:** Claim Length: Type: Alphanumeric

Field  $\overline{122}$ : OTH\_SURG\_PROC\_DAY\_9

DSHS/THCIC DSHS Document # E25-14163 Page 26 WWW.DSHS.TEXAS.GOV/THCIC Last Updated: October, 2018

**Description:** Day of other surgical or other procedure *equals* Other Surgical Procedure Date *minus* 

Admission/Start of Care Date.

**Beginning Position:** 530 **Data Source:** Calculated **Length:** 4 **Type:** Alphanumeric

Field 123: OTH\_SURG\_PROC\_CODE\_10

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 534 **Data Source:** Claim

**Length:** 7 **Type:** Alphanumeric

Field 124: OTH\_SURG\_PROC\_DAY\_10

**Description:** Day of other surgical or other procedure *equals* Other Surgical Procedure Date *minus* 

Admission/Start of Care Date.

**Beginning Position:** 541 **Data Source:** Calculated **Length:** 4 **Type:** Alphanumeric

Field 125: OTH\_SURG\_PROC\_CODE 11

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 545 **Data Source:** Claim **Length:** 7 **Type:** Alphanumeric

Field 126: OTH SURG PROC DAY 11

**Description:** Day of other surgical or other procedure *equals* Other Surgical Procedure Date *minus* 

Admission/Start of Care Date.

**Beginning Position:** 552 **Data Source:** Calculated **Length:** 4 **Type:** Alphanumeric

Field 127: OTH SURG PROC CODE 12

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 556 **Data Source:** Claim

**Length:** 7 **Type:** Alphanumeric

Field 128: OTH SURG PROC DAY 12

**Description:** Day of other surgical or other procedure *equals* Other Surgical Procedure Date *minus* 

Admission/Start of Care Date.

**Beginning Position:** 563 **Data Source:** Calculated **Length:** 4 **Type:** Alphanumeric

Field 129: OTH\_SURG\_PROC\_CODE\_13

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Alphanumeric

period covered by the bill. ICD-10-PCS code.

567 **Data Source:** Claim

Length: 7 Type:

**Beginning Position:** 

**Description:** 

Field 130: OTH SURG PROC DAY 13

Admission/Start of Care Date.

Beginning Position:574Data Source:CalculatedLength:4Type:Alphanumeric

Field 131: OTH SURG PROC CODE 14

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

Beginning Position:578Data Source:ClaimLength:7Type:Alphanumeric

Field 132: OTH SURG PROC DAY 14

**Description:** Day of other surgical or other procedure *equals* Other Surgical Procedure Date *minus* 

Admission/Start of Care Date.

Beginning Position:585Data Source:CalculatedLength:4Type:Alphanumeric

Field 133: OTH\_SURG\_PROC\_CODE\_15

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 27

DSHS Document # E25-14163

Last Updated: October, 2018

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 589 **Data Source:** Claim

Length: 7 Alphanumeric Type:

**Field 134:** OTH SURG PROC DAY 15

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position:** Calculated **Data Source:** Length: Type: Alphanumeric

**Field 135:** OTH\_SURG\_PROC\_CODE\_16

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 600 **Data Source:** Claim Length: Type: Alphanumeric

OTH\_SURG\_PROC DAY 16 **Field 136:** 

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position: Data Source:** Calculated 607 Length: Alphanumeric Type:

**Field 137:** OTH SURG PROC CODE 17

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 611 **Data Source:** Claim

Length: Type: Alphanumeric

**Field 138:** OTH SURG PROC DAY 17

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position:** 618 **Data Source:** Calculated Length: Alphanumeric Type:

**Field 139:** OTH SURG PROC CODE 18

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 622 **Data Source:** Claim Alphanumeric

Length: Type:

**Field 140:** OTH SURG PROC DAY 18

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position:** 629 **Data Source:** Calculated Length: Alphanumeric Type:

**Field 141:** OTH SURG PROC CODE 19

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 633 **Data Source:** Claim

Length: 7 Type: Alphanumeric

OTH SURG PROC DAY 19 **Field 142:** 

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position:** 640 **Data Source:** Calculated Length: Alphanumeric Type:

OTH SURG PROC CODE 20 **Field 143:** 

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 644 **Data Source:** Claim

Length: Type: Alphanumeric

Field  $\overline{144:}$ OTH\_SURG\_PROC\_DAY\_20

DSHS/THCIC DSHS Document # E25-14163 Page 28 WWW.DSHS.TEXAS.GOV/THCIC Last Updated: October, 2018

Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** 

Admission/Start of Care Date.

**Beginning Position:** 651 **Data Source:** Calculated Length: 4 Alphanumeric Type:

**Field 145:** OTH SURG PROC CODE 21

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 655 **Data Source:** Claim

Length: Type: Alphanumeric

OTH\_SURG\_PROC\_DAY 21 **Field 146:** 

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position:** 662 **Data Source:** Calculated Length: 4 Alphanumeric Type:

OTH\_SURG\_PROC CODE 22 **Field 147:** 

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position: Data Source:** Claim 666

Length: Alphanumeric Type:

**Field 148:** OTH SURG PROC DAY 22

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position:** 673 **Data Source:** Calculated Length: 4 Type: Alphanumeric

**Field 149:** OTH SURG PROC CODE 23

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 677 **Data Source:** Claim

Length: Alphanumeric Type:

**Field 150:** OTH SURG PROC DAY 23

Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** 

Admission/Start of Care Date.

**Beginning Position:** 684 **Data Source:** Calculated Length: Type: Alphanumeric

**Field 151:** OTH SURG PROC CODE 24

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code. 688 **Data Source:** Claim

Length:

Alphanumeric Type:

**Field 152:** OTH SURG PROC DAY 24

Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** 

Admission/Start of Care Date.

**Beginning Position:** 695 **Data Source:** Calculated Length: 4 Alphanumeric Type:

**Field 153:** MS MDC

**Beginning Position:** 

**Description:** Major Diagnostic Category (MDC) as assigned by Centers for Medicare and Medicaid Services

(CMS) (formerly Health Care Financing Administration (HCFA)) for hospital payment for

Medicare beneficiaries. First available 2004.

699 **Beginning Position: Data Source:** Assigned Length: Alphanumeric Type:

**Field 154:** MS DRG

**Description:** Centers for Medicare and Medicaid Services (CMS) Diagnosis Related Group (DRG), as

assigned for hospital payment for Medicare beneficiaries.

**Data Source: Beginning Position:** 701 Assigned Alphanumeric 3 Length: Type:

DSHS/THCIC DSHS Document # E25-14163 Page 29 WWW.DSHS.TEXAS.GOV/THCIC Last Updated: October, 2018

Field 155:	1.40	CDOUDED VEDCIC	M MDD		
		_GROUPER_VERSIC		Cas	upor (formarly CMS DDC Crowner and
<b>Description:</b>					uper (formerly CMS DRG Grouper and RSION_NBR) version used to assign MS DRG
		MS MDC codes	A_GROUPER_	V CI	(SION_NBR) version used to assign wis DRG
Beginning Position:	704		Data Source:	Δ	ssigned
Length:	5		Type:		Alphanumeric
Field 156:		_GROUPER_ERROR			
Description:				ı M	S DRG code assignment
Coding Scheme:	00	* *	1	19	DisableHac = 0 and at least one HAC POA is invalid or
couning sometimes	0.4	No errors. DRG successfull	-	• •	exempt
	01	Diagnosis code cannot be us diagnosis	sed as principal	20	DisableHac is invalid and at least one HAC POA is N or U
	02	Record does not meet criter	rio for any DPG	21	DisableHac is invalid and at least one HAC POA is
	02		•	22	invalid or exempt
	03 04	Invalid Age		22 23	DisableHac = 0 and at least one HAC POA is exempt DisableHac is invalid and at least one HAC POA is
	٠.	Invalid Sex	-		exempt
	05	Invalid Discharge Status	2	24	DisableHac = 0 and there are multiple HACs that have
	10	_		25	different HAC POA values that are not Y, W, N, U DisableHac is invalid and there are multiple HACs that
	10	Illogical Principal Diagnosi	is (CMS only)	-0	have different HAC POA values that are not Y or W
	11	Invalid Principal Diagnosis			
<b>Beginning Position:</b>	709		Data Source:		ssigned
Length:	2	- MDC	Type:	Α	lphanumeric
Field 157:		R_MDC	(MDC)i	1	L. 2MIM ADD DDC Comme
Description:	-	or Diagnostic Category	<b>Data Source:</b>		by 3M™ APR-DRG Grouper.
Beginning Position:	711 2				sssigned Aphanumeric
Length: Field 158:		R_DRG	Type:	Н	прианиненс
Description:			Diagnosis Relate	d G	roup (DRG) as assigned by 3M APR-DRG
Description.	Grou		Diagnosis Relate	u O	Toup (DNG) as assigned by SM At K-DNG
<b>Beginning Position:</b>	713		Data Source:	А	assigned
Length:	4				<u> </u>
			Type:	Α	Alphanumeric
Field 159:		K MORTALITY	Type:	Α	lphanumeric
Field 159: Description:	RIS	_			e All Patient Refined (APR) Diagnosis Related
	RIS Assi	ignment of a risk of mor	rtality score from	ı the	
	Assi Grou	ignment of a risk of mor up (DRG) from the 3M <sup>3</sup> Minor	rtality score from	ı the	e All Patient Refined (APR) Diagnosis Related
<b>Description:</b>	Assi Grou	ignment of a risk of mor up (DRG) from the 3M <sup>T</sup> Minor Moderate	rtality score from	ı the	e All Patient Refined (APR) Diagnosis Related
<b>Description:</b>	Assi Grou	ignment of a risk of mor up (DRG) from the 3M <sup>3</sup> Minor	rtality score from	ı the	e All Patient Refined (APR) Diagnosis Related
Description: Coding Scheme:	Assi Grou	ignment of a risk of mor up (DRG) from the 3M <sup>T</sup> Minor Moderate Major	rtality score from	the	e All Patient Refined (APR) Diagnosis Related
<b>Description:</b>	Assi Grou 1 2 3 4	ignment of a risk of mor up (DRG) from the 3M <sup>T</sup> Minor Moderate Major	rtality score from ™ APR-DRG Gr  Data Source:	n the	e All Patient Refined (APR) Diagnosis Related over. Indicates the likelihood of dying.
Description: Coding Scheme: Beginning Position:	Assi Grou 1 2 3 4 717 1	ignment of a risk of mor up (DRG) from the 3M <sup>T</sup> Minor Moderate Major	rtality score from ™ APR-DRG Gr	n the	e All Patient Refined (APR) Diagnosis Related over. Indicates the likelihood of dying.
Description: Coding Scheme: Beginning Position: Length:	RIS Assi Grou 1 2 3 4 717 1 ILL Assi	ignment of a risk of mor up (DRG) from the 3M <sup>T</sup> Minor Moderate Major Extreme	rtality score from  ™ APR-DRG Gr  Data Source: Type:	A A	e All Patient Refined (APR) Diagnosis Related ber. Indicates the likelihood of dying.  Assigned Alphanumeric he All Patient Refined (APR) Diagnosis Related
Description: Coding Scheme:  Beginning Position: Length: Field 160:	RIS Assi Grou 2 3 4 717 1 ILL Assi Grou	ignment of a risk of mor up (DRG) from the 3M <sup>T</sup> Minor Moderate Major Extreme  NESS_SEVERITY ignment of a severity of up (DRG) from the 3M <sup>T</sup>	rtality score from  ™ APR-DRG Gr  Data Source: Type:	A A	e All Patient Refined (APR) Diagnosis Related ber. Indicates the likelihood of dying.  Assigned Alphanumeric
Description: Coding Scheme: Beginning Position: Length: Field 160: Description:	RIS Assi Grou 2 3 4 717 1 ILL Assi Grou	ignment of a risk of mor up (DRG) from the 3M <sup>T</sup> Minor Moderate Major Extreme  NESS_SEVERITY ignment of a severity of up (DRG) from the 3M <sup>T</sup> ompensation.	rtality score from  ™ APR-DRG Gr  Data Source: Type:	A A	e All Patient Refined (APR) Diagnosis Related ber. Indicates the likelihood of dying.  Assigned Alphanumeric he All Patient Refined (APR) Diagnosis Related
Description: Coding Scheme:  Beginning Position: Length: Field 160:	Assi Grou  1 2 3 4 717 1 ILL Assi Grou deco	ignment of a risk of mor up (DRG) from the 3M <sup>TM</sup> Minor Moderate Major Extreme  NESS_SEVERITY ignment of a severity of up (DRG) from the 3M <sup>TM</sup> ompensation.	rtality score from  ™ APR-DRG Gr  Data Source: Type:	A A	e All Patient Refined (APR) Diagnosis Related ber. Indicates the likelihood of dying.  Assigned Alphanumeric he All Patient Refined (APR) Diagnosis Related
Description: Coding Scheme: Beginning Position: Length: Field 160: Description:	Assi Grou  1 2 3 4 717 1 ILL Assi Grou deco	ignment of a risk of mor up (DRG) from the 3M <sup>T</sup> Minor Moderate Major Extreme  NESS_SEVERITY ignment of a severity of up (DRG) from the 3M <sup>T</sup> ompensation. Minor Moderate	rtality score from  ™ APR-DRG Gr  Data Source: Type:	A A	e All Patient Refined (APR) Diagnosis Related ber. Indicates the likelihood of dying.  Assigned Alphanumeric he All Patient Refined (APR) Diagnosis Related
Description: Coding Scheme: Beginning Position: Length: Field 160: Description:	Assi Grou  1 2 3 4 717 1 ILL Assi Grou deco	ignment of a risk of mor up (DRG) from the 3M <sup>TM</sup> Minor Moderate Major Extreme  NESS_SEVERITY ignment of a severity of up (DRG) from the 3M <sup>TM</sup> ompensation.	rtality score from  ™ APR-DRG Gr  Data Source: Type:	A A	e All Patient Refined (APR) Diagnosis Related ber. Indicates the likelihood of dying.  Assigned Alphanumeric he All Patient Refined (APR) Diagnosis Related
Description: Coding Scheme: Beginning Position: Length: Field 160: Description:	Assi Grou  1 2 3 4 717 1 ILL Assi Grou deco	ignment of a risk of mor up (DRG) from the 3M <sup>T</sup> Minor Moderate Major Extreme  NESS_SEVERITY ignment of a severity of up (DRG) from the 3M <sup>T</sup> ompensation. Minor Moderate Major	rtality score from  ™ APR-DRG Gr  Data Source: Type:	A A	e All Patient Refined (APR) Diagnosis Related ber. Indicates the likelihood of dying.  Assigned Alphanumeric he All Patient Refined (APR) Diagnosis Related
Description: Coding Scheme:  Beginning Position: Length: Field 160: Description:  Coding Scheme:  Beginning Position:	RIS: Assi Grou  1 2 3 4 717 1 ILL Assi Grou deco	ignment of a risk of mor up (DRG) from the 3M <sup>T</sup> Minor Moderate Major Extreme  NESS_SEVERITY ignment of a severity of up (DRG) from the 3M <sup>T</sup> ompensation. Minor Moderate Major Extreme	rtality score from  ™ APR-DRG Gr  Data Source: Type:	A A A A A A A A A A A A A A A A A A A	e All Patient Refined (APR) Diagnosis Related ber. Indicates the likelihood of dying.  Assigned alphanumeric  The All Patient Refined (APR) Diagnosis Related ber. Indicates the extent of physiologic
Description: Coding Scheme:  Beginning Position: Length: Field 160: Description:  Coding Scheme:	RIS: Assi Grou  1 2 3 4 717 1 ILL Assi Grou decco 1 2 3 4 0 718 1	ignment of a risk of mor up (DRG) from the 3M <sup>T</sup> Minor Moderate Major Extreme  NESS_SEVERITY ignment of a severity of up (DRG) from the 3M <sup>T</sup> ompensation. Minor Moderate Major Extreme No class specified	rtality score from  APR-DRG Gr  Data Source: Type:  Tillness score from  APR-DRG Gr  Data Source: Type:	A A A A A A A A A A A A A A A A A A A	e All Patient Refined (APR) Diagnosis Related ber. Indicates the likelihood of dying.  Assigned alphanumeric  The All Patient Refined (APR) Diagnosis Related ber. Indicates the extent of physiologic
Description: Coding Scheme:  Beginning Position: Length: Field 160: Description:  Coding Scheme:  Beginning Position: Length: Field 161:	RIS: Assi Grou  1 2 3 4 717 1 ILL Assi Grou decco 1 2 3 4 0 718 1 APE	ignment of a risk of mor up (DRG) from the 3M Minor Moderate Major Extreme  NESS_SEVERITY ignment of a severity of up (DRG) from the 3M Ompensation. Minor Moderate Major Extreme No class specified  R_GROUPER_VERSI	Tality score from  APR-DRG Gr  Data Source: Type:  Fillness score from  APR-DRG Gr  MAPR-DRG Gr  Data Source: Type:  [ON_NBR]	A A A	e All Patient Refined (APR) Diagnosis Related ber. Indicates the likelihood of dying.  Assigned alphanumeric be All Patient Refined (APR) Diagnosis Related ber. Indicates the extent of physiologic bessigned alphanumeric bessigned alphanumeric
Description: Coding Scheme:  Beginning Position: Length: Field 160: Description:  Coding Scheme:  Beginning Position: Length:	RIS: Assi Grou  1 2 3 4 717 1 ILL Assi Grou decco 1 2 3 4 0 718 1 APF 3M	ignment of a risk of mor up (DRG) from the 3M Minor Moderate Major Extreme  NESS_SEVERITY ignment of a severity of up (DRG) from the 3M ompensation. Minor Moderate Major Extreme No class specified  R_GROUPER_VERSI TM All Patient Refined I	Data Source: Type:  Cillness score from APR-DRG Gr  Tim APR-DRG Gr  Data Source: Type:  CON_NBR  Diagnosis Relate	A A A A A A A A	e All Patient Refined (APR) Diagnosis Related ber. Indicates the likelihood of dying.  Assigned alphanumeric be All Patient Refined (APR) Diagnosis Related ber. Indicates the extent of physiologic bessigned alphanumeric ber. Indicates the extent of physiologic bessigned alphanumeric ber. Indicates the assign APR DRG codes,
Description: Coding Scheme:  Beginning Position: Length: Field 160: Description:  Coding Scheme:  Beginning Position: Length: Field 161: Description:	Assi Grou  1  2  3  4  717  1  ILL  Assi Grou deco 1  2  3  4  0  718  1  APE  3M  APR	ignment of a risk of mor up (DRG) from the 3M Minor Moderate Major Extreme  NESS_SEVERITY ignment of a severity of up (DRG) from the 3M ompensation. Minor Moderate Major Extreme No class specified  R_GROUPER_VERSI TM All Patient Refined I	Data Source: Type:  Sillness score from APR-DRG Gr  Type:  Type:  Data Source: Type:  ON_NBR  Diagnosis Relate Mortality ranking	A A A A A A A A A A A A A A A A A A A	e All Patient Refined (APR) Diagnosis Related ber. Indicates the likelihood of dying.  Assigned alphanumeric be All Patient Refined (APR) Diagnosis Related ber. Indicates the extent of physiologic bessigned alphanumeric ber. Indicates the extent of physiologic bessigned alphanumeric ber. Indicates to assign APR DRG codes, ad, Severity of Illness rankings
Description: Coding Scheme:  Beginning Position: Length: Field 160: Description:  Coding Scheme:  Beginning Position: Length: Field 161: Description: Beginning Position:	RIS: Assi Grou  1 2 3 4 717 1 ILL Assi Grou deco 1 2 3 4 0 718 1 APR 3M APR 719	ignment of a risk of mor up (DRG) from the 3M Minor Moderate Major Extreme  NESS_SEVERITY ignment of a severity of up (DRG) from the 3M ompensation. Minor Moderate Major Extreme No class specified  R_GROUPER_VERSI TM All Patient Refined I	Data Source: Type:  Tillness score from APR-DRG Gr  APR-DRG Gr  Type:  Tillness score from APR-DRG Gr  Data Source: Type:  Type:  ON_NBR  Diagnosis Relate  Mortality ranking Data Source:	A A A A A A A A A A A A A A A A A A A	e All Patient Refined (APR) Diagnosis Related ber. Indicates the likelihood of dying.  Assigned alphanumeric  The All Patient Refined (APR) Diagnosis Related ber. Indicates the extent of physiologic  Assigned alphanumeric  The assigned alphanumeric  The assigned alphanumeric  The assigned alphanumeric  The assigned assign APR DRG codes, and, Severity of Illness rankings assigned
Description: Coding Scheme:  Beginning Position: Length: Field 160: Description:  Coding Scheme:  Beginning Position: Length: Field 161: Description: Beginning Position: Length:	Assi Grou  1 2 3 4 717 1 ILL Assi Grou deco 1 2 3 4 0 718 1 APF 3M' APR 719 5	ignment of a risk of mor up (DRG) from the 3M Minor Moderate Major Extreme  NESS_SEVERITY ignment of a severity of up (DRG) from the 3M ompensation. Minor Moderate Major Extreme No class specified  R_GROUPER_VERSI TM All Patient Refined I R MDC codes, Risk of M	Data Source: Type:  Data Source: Type:  Tillness score from  APR-DRG Gr  APR-DRG Gr  Data Source: Type:  ON_NBR  Diagnosis Related  Mortality ranking  Data Source: Type:	A A A A A A A A A A A A A A A A A A A	e All Patient Refined (APR) Diagnosis Related ber. Indicates the likelihood of dying.  Assigned alphanumeric be All Patient Refined (APR) Diagnosis Related ber. Indicates the extent of physiologic bessigned alphanumeric ber. Indicates the extent of physiologic bessigned alphanumeric ber. Indicates to assign APR DRG codes, ad, Severity of Illness rankings
Description: Coding Scheme:  Beginning Position: Length: Field 160: Description:  Coding Scheme:  Beginning Position: Length: Field 161: Description: Beginning Position:	Assi Grou  1  2  3  4  717  1  ILL  Assi Grou deco  1  2  3  4  0  718  1  APF  3M'  APR  719  5	ignment of a risk of mor up (DRG) from the 3M Minor Moderate Major Extreme  NESS_SEVERITY ignment of a severity of up (DRG) from the 3M ompensation. Minor Moderate Major Extreme No class specified  R_GROUPER_VERSI TM All Patient Refined I	Data Source: Type:  Data Source: Type:  Tillness score from  APR-DRG Gr  APR-DRG Gr  Data Source: Type:  ON_NBR  Diagnosis Related  Mortality ranking  Data Source: Type:	A A A A A A A A A A A A A A A A A A A	e All Patient Refined (APR) Diagnosis Related ber. Indicates the likelihood of dying.  Assigned alphanumeric  The All Patient Refined (APR) Diagnosis Related ber. Indicates the extent of physiologic  Assigned alphanumeric  The assigned alphanumeric  The assigned alphanumeric  The assigned alphanumeric  The assigned assign APR DRG codes, and, Severity of Illness rankings assigned

<b>Description:</b>	Error codes identify noter	ntial variations with	APR DRG code assignment	
_	00 No errors. DRG successfu		Gestational age/birth weight conflict (APR only)	
Coding Scheme:	01 Diagnosis code cannot be		DisableHac = 0 and at least one HAC POA is invalid or	
	principal diagnosis		exempt	
	02 Record does not meet crit DRG	eria for any 20	DisableHac is invalid and at least one HAC POA is N or U	
	03 Invalid Age	21	DisableHac is invalid and at least one HAC POA is invalid	
	04 Invalid Sex	22	or exempt DisableHac = 0 and at least one HAC POA is exempt	
	05 Invalid Discharge Status	23	DisableHac is invalid and at least one HAC POA is exempt	
	06 Invalid birthweight (AP &	APR only) 24	DisableHac = 0 and there are multiple HACs that have	
	09 Invalid discharge age in d	ays (AP & 25	different HAC POA values that are not Y, W, N, U	
	09 Invalid discharge age in d APR only)	ays (AF & 23	DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W	
	11 Invalid Principal Diagnos			
<b>Beginning Position:</b>	724	Data Source:	Assigned	
Length:	2	Type:	Alphanumeric	
Field 163:	ATTENDING_PHYSIC			
<b>Description:</b>			que identifier assigned to the licensed physician	
			ces rendered, with primary responsibility for the	
			an is an individual licensed to practice medicine an individual other than a physician who admits	
			tic or therapeutic procedures to inpatients,	
			sts, nurse practitioners, nurse midwives, and	
	podiatrists authorized by t			
Suppression:			epresented in a DRG for a hospital is less than the	
Suppression.	minimum cell size of five.		epresented in a Bros for a nospital is less than the	
Coding Scheme:	999999998 Cell size less			
coung senemer	999999999 Temporary li	cense or license number	r could not be matched	
<b>Beginning Position:</b>	726	Data Source:	Assigned	
Length:	10	Type:	Alphanumeric	
E! 11474	OPERATING_PHYSICIAN_UNIF_ID			
Field 164:	OPERATING_PHYSIC	IAN_UNIF_ID		
Piela 164: Description:			fier (if applicable). Unique identifier assigned to	
	Operating or other Physici the operating physician or	an Uniform Identif physician other tha	an the attending physician. Physician is an	
	Operating or other Physician or individual licensed to practical or individual licensed to practical description.	ian Uniform Identification physician other that tice medicine under the control of the control o	an the attending physician. Physician is an er the Medical Practice Act. Can include an	
	Operating or other Physician or individual licensed to pracindividual other than a physician or individual other than a physician other t	ian Uniform Identification physician other that tice medicine under the sysician who admits	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or	
	Operating or other Physician or individual licensed to pracindividual other than a phytherapeutic procedures to	ian Uniform Identification physician other that the physician other that the physician who admits inpatients, including	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse	
	Operating or other Physician or individual licensed to practing individual other than a phytherapeutic procedures to practitioners, nurse midwi	ian Uniform Identification physician other that the physician other that the physician who admits inpatients, including	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or	
Description:	Operating or other Physician or individual licensed to practing individual other than a physician or practitioners, nurse midwipatients.	ian Uniform Identification physician other that the circe medicine under the circe medicine under the circe medicine under the circumstance which is the circumstance of the circumstance	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse s authorized by the hospital to admit or treat	
	Operating or other Physician or individual licensed to practing individual other than a phytherapeutic procedures to practitioners, nurse midwipatients.  Suppressed when the num	ian Uniform Identification physician other that the trice medicine under the sysician who admits inpatients, including ves, and podiatrists ber of physicians re-	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse	
Description: Suppression:	Operating or other Physician or individual licensed to practing individual other than a phytherapeutic procedures to practitioners, nurse midwipatients.  Suppressed when the numminimum cell size of five.	an Uniform Identification physician other that the efficient medicine under the eysician who admits inpatients, including ves, and podiatrists ber of physicians references.	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse s authorized by the hospital to admit or treat	
Description:	Operating or other Physician or individual licensed to practing individual other than a physician or practitioners, nurse midwin patients.  Suppressed when the num minimum cell size of five.	ian Uniform Identification physician other that the etice medicine under sysician who admits inpatients, including ves, and podiatrists ber of physicians retains 5	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse authorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the	
Description: Suppression: Coding Scheme:	Operating or other Physician or individual licensed to practing individual other than a physician or individual other than a physician or individual other than a physician practitioners, nurse midwing patients.  Suppressed when the num minimum cell size of five.  99999999999999999999999999999999999	ian Uniform Identification physician other that the etice medicine under sysician who admits inpatients, including ves, and podiatrists ber of physicians retains 5 cense or license number	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse authorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the	
Description:  Suppression:  Coding Scheme:  Beginning Position:	Operating or other Physician or individual licensed to practing individual other than a physician or practitioners, nurse midwin patients.  Suppressed when the num minimum cell size of five.	ian Uniform Identification physician other that the etice medicine under sysician who admits inpatients, including ves, and podiatrists ber of physicians reference or license number Data Source:	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse s authorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the r could not be matched Assigned	
Description: Suppression: Coding Scheme:	Operating or other Physician or individual licensed to practing individual other than a physician or practitioners, nurse midwing patients.  Suppressed when the num minimum cell size of five.  99999999999999999999999999999999999	ian Uniform Identification physician other that the etice medicine under sysician who admits inpatients, including ves, and podiatrists ber of physicians reference or license number Data Source:  Type:	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse authorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the	
Description:  Suppression:  Coding Scheme:  Beginning Position: Length: Field 165:	Operating or other Physici the operating physician or individual licensed to practing individual other than a physician or practitioners, nurse midwing patients.  Suppressed when the num minimum cell size of five. 999999999999999999999999999999999999	ian Uniform Identification physician other that the etice medicine under spician who admits inpatients, including ves, and podiatrists ber of physicians resultan 5 cense or license number Data Source:  Type:  TOR	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse s authorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the could not be matched Assigned Alphanumeric	
Description:  Suppression: Coding Scheme: Beginning Position: Length:	Operating or other Physician or individual licensed to practing individual other than a physician or practitioners, nurse midwing patients.  Suppressed when the num minimum cell size of five.  99999999999999999999999999999999999	ian Uniform Identification physician other that the etice medicine under spician who admits inpatients, including ves, and podiatrists ber of physicians resultan 5 cense or license number Data Source:  Type:  TOR	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse s authorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the could not be matched Assigned Alphanumeric	
Description:  Suppression:  Coding Scheme:  Beginning Position: Length:  Field 165: Description:	Operating or other Physici the operating physician or individual licensed to practing individual other than a physician or practitioners, nurse midwipatients.  Suppressed when the numminimum cell size of five. 999999999999999999999999999999999999	ian Uniform Identification physician other that the etice medicine under spician who admits inpatients, including ves, and podiatrists ber of physicians resultan 5 cense or license number Data Source:  Type:  TOR  aims used to create	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse sauthorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the could not be matched Assigned Alphanumeric the encounter	
Description:  Suppression:  Coding Scheme:  Beginning Position: Length:  Field 165: Description: Beginning Position:	Operating or other Physicisthe operating physician or individual licensed to practing individual other than a physician or individual other than a physician or individual other than a physician or practitioners, nurse midwipatients.  Suppressed when the numminimum cell size of five. 999999999999999999999999999999999999	ian Uniform Identification physician other that the extreme medicine under special who admits in patients, including ves, and podiatrists ber of physicians results of than 5 cense or license number Type:  TOR  aims used to create Data Source:  Data Source:	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse sauthorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the could not be matched Assigned Alphanumeric the encounter Calculated	
Suppression: Coding Scheme: Beginning Position: Length: Field 165: Description: Beginning Position: Length: Field 166: Description:	Operating or other Physici the operating physician or individual licensed to practing individual other than a physician or individual other than a physician other than a physician other than a phy	ian Uniform Identify physician other that the physician other that the physician other that the physician who admits inpatients, including the physicians results of the physicians of the physician	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse authorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the account of the encounter calculated Alphanumeric	
Suppression: Coding Scheme: Beginning Position: Length: Field 165: Description: Beginning Position: Length: Field 166:	Operating or other Physici the operating physician or individual licensed to practindividual other than a physician or individual other than a physician or individual other than a physician or individual other than a physician than the procedures to practitioners, nurse midwing patients.  Suppressed when the numminimum cell size of five. 1999999999999999999999999999999999999	ian Uniform Identify physician other that the etice medicine under the eticle under the etice medicine under the eticle under the eticl	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse sauthorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the could not be matched Assigned Alphanumeric the encounter Calculated Alphanumeric vider ID equals '999999') are assigned the name	
Suppression: Coding Scheme: Beginning Position: Length: Field 165: Description: Beginning Position: Length: Field 166: Description:	Operating or other Physicist the operating physician or individual licensed to practing individual other than a physician or individual other than a physician or individual other than a physician or individual other than a physician than the practitioners, nurse midwing patients.  Suppressed when the numminimum cell size of five.  9999999999 Cell size less 9999999999 Temporary lift 736  10  ENCOUNTER_INDICA Indicates the number of classician of the provided by Hospital name provided by Hospitals with fewer than 'Low Discharge Volume Individual or individual of the provided by Hospitals with fewer than 'Low Discharge Volume Individual other Physician or individual other physician ot	ian Uniform Identify physician other that the etice medicine under ysician who admits inpatients, including ves, and podiatrists ber of physicians resultan 5 cense or license number Data Source:  Type:  TOR aims used to create Data Source: Type:  y the hospital. 50 discharges (Pro-Hospital'. If a hospital	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse sauthorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the could not be matched Assigned Alphanumeric the encounter Calculated Alphanumeric evider ID equals '999999') are assigned the name ital has fewer than 5 discharges of a particular	
Suppression:  Coding Scheme:  Beginning Position: Length:  Field 165: Description: Beginning Position: Length:  Field 166: Description: Suppression:	Operating or other Physici the operating physician or individual licensed to practing individual other than a physician or individual other than a physician or individual other than a physician or individual other than a physician than a physician or individual other than a physician of the practitioners, nurse midwing patients.  Suppressed when the num minimum cell size of five. 100 100 100 100 100 100 100 100 100 10	ian Uniform Identify physician other that the etice medicine under ysician who admits inpatients, including ves, and podiatrists ber of physicians resultan 5 cense or license number Data Source: Type:  TOR aims used to create Data Source: Type:  y the hospital. 50 discharges (Prodospital', If a hospital Name	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse sauthorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the could not be matched Assigned Alphanumeric ethe encounter Calculated Alphanumeric vider ID equals '999999') are assigned the name ital has fewer than 5 discharges of a particular et is blank.	
Description:  Suppression:  Coding Scheme:  Beginning Position: Length:  Field 165: Description: Beginning Position: Length:  Field 166: Description: Suppression:  Beginning Position:	Operating or other Physici the operating physician or individual licensed to practing individual other than a physician or individual other than a physician or individual other than a physician or individual other than a physician than a physician or individual other than a physician or individual other than a physician or individual other than individual other than individual other individual	ian Uniform Identification physician other that the etice medicine under spician who admits inpatients, including ves, and podiatrists are than 5 cense or license number Data Source:  Type: TOR aims used to create Data Source: Type:  y the hospital. 50 discharges (Prodospital', If a hospital', Hospital Name Data Source:	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse sauthorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the could not be matched. Assigned Alphanumeric ethe encounter Calculated Alphanumeric vider ID equals '999999') are assigned the name ital has fewer than 5 discharges of a particular et is blank. Provider	
Suppression: Coding Scheme: Beginning Position: Length: Field 165: Description: Beginning Position: Length: Field 166: Description: Suppression: Beginning Position: Length:	Operating or other Physicisthe operating physician or individual licensed to practing individual licensed to practing physician or individual licensed to practitioners, nurse midwipatients.  Suppressed when the numminimum cell size of five. 999999999999999999999999999999999999	ian Uniform Identification physician other that the etice medicine under spician who admits inpatients, including ves, and podiatrists are than 5 cense or license number Data Source:  Type: TOR aims used to create Data Source: Type:  y the hospital. 50 discharges (Prodospital'. If a hospital', Hospital Name Data Source: Type:	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse sauthorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the could not be matched Assigned Alphanumeric ethe encounter Calculated Alphanumeric vider ID equals '999999') are assigned the name ital has fewer than 5 discharges of a particular et is blank.	
Suppression: Coding Scheme: Beginning Position: Length: Field 165: Description: Beginning Position: Length: Field 166: Description: Suppression: Beginning Position: Length: Field 167:	Operating or other Physicist the operating physician or individual licensed to practing individual other than a physician or individual other than a physician or individual other than a physician or practitioners, nurse midwipatients.  Suppressed when the numminimum cell size of five. 9999999999 Cell size less 999999999 Temporary li 736 10  ENCOUNTER_INDICA Indicates the number of cl 746 2  PROVIDER_NAME Hospital name provided by Hospitals with fewer than 'Low Discharge Volume In gender, including 'unknow 148 55  EMERGENCY_DEPT_I	ian Uniform Identification physician other that the efficient medicine under spician who admits inpatients, including ves, and podiatrists ber of physicians results from the spicial source:  Type:  TOR  aims used to create Data Source:  Type:  y the hospital.  50 discharges (Prodospital'. If a hospital', Hospital Name Data Source:  Type:  Type:  FLAG	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse sauthorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the could not be matched. Assigned Alphanumeric ethe encounter Calculated Alphanumeric vider ID equals '999999') are assigned the name ital has fewer than 5 discharges of a particular et is blank. Provider	
Suppression: Coding Scheme: Beginning Position: Length: Field 165: Description: Beginning Position: Length: Field 166: Description: Suppression: Beginning Position: Length:	Operating or other Physicisthe operating physician or individual licensed to practing individual licensed to practing physician or individual licensed to practitioners, nurse midwipatients.  Suppressed when the numminimum cell size of five. 999999999999999999999999999999999999	ian Uniform Identification physician other that the efficient medicine under spician who admits inpatients, including ves, and podiatrists ber of physicians results from the spicial source:  Type:  TOR  aims used to create Data Source:  Type:  y the hospital.  50 discharges (Prodospital'. If a hospital', Hospital Name Data Source:  Type:  Type:  FLAG	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse sauthorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the could not be matched. Assigned Alphanumeric ethe encounter Calculated Alphanumeric vider ID equals '999999') are assigned the name ital has fewer than 5 discharges of a particular et is blank. Provider	
Suppression: Coding Scheme: Beginning Position: Length: Field 165: Description: Beginning Position: Length: Field 166: Description: Suppression: Beginning Position: Length: Field 167:	Operating or other Physicist the operating physician or individual licensed to practing individual other than a physician or individual other than a physician or individual other than a physician or practitioners, nurse midwipatients.  Suppressed when the numminimum cell size of five. 9999999999 Cell size less 999999999 Temporary li 736 10  ENCOUNTER_INDICA Indicates the number of cl 746 2  PROVIDER_NAME Hospital name provided by Hospitals with fewer than 'Low Discharge Volume In gender, including 'unknow 148 55  EMERGENCY_DEPT_I	ian Uniform Identification physician other that the efficient medicine under spician who admits inpatients, including ves, and podiatrists ber of physicians results from the spicial source:  Type:  TOR  aims used to create Data Source:  Type:  y the hospital.  50 discharges (Prodospital'. If a hospital', Hospital Name Data Source:  Type:  Type:  FLAG	an the attending physician. Physician is an er the Medical Practice Act. Can include an patients to hospitals or who provides diagnostic or g psychologists, chiropractors, dentists, nurse sauthorized by the hospital to admit or treat epresented in a DRG for a hospital is less than the could not be matched. Assigned Alphanumeric ethe encounter Calculated Alphanumeric vider ID equals '999999') are assigned the name ital has fewer than 5 discharges of a particular et is blank. Provider	

WWW.DSHS.TEXAS.GOV/THCIC

- Page 31 -Last Updated: October, 2018 Coding Scheme: Y visit was emergency related N Visit was not emergency related

Beginning Position:803Data Source:AssignedLength:1Type:Alphanumeric

#### BASE DATA #2 FILE

Field 1:	RECORD_ID				
<b>Description:</b>	Record Identification Number. Unique number assigned to identify the record. First available 1 <sup>st</sup> quarter 2002. Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).				
<b>Beginning Position:</b>	1 Data Source: Assigned				
Length:	12	Type:	Alphanumeric		
Field 2:	PRIVATE_AMOUNT		•		
<b>Description:</b>		rivate Room Char	ge Amount. Calculated using MEDPAR		
•	algorithm. Sum of charges associated with revenue codes 0100-0219, revenue center 011X, 014X				
<b>Beginning Position:</b>	13	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 3:	SEMI_PRIVATE_AMOU				
Description:			n Charge Amount. Calculated using MEDPAR		
- ······			evenue codes 0100-0219, revenue center 010X,		
<b>Beginning Position:</b>	25	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 4:	WARD AMOUNT				
Description:	<del>_</del>	ard Charge Amo	unt. Calculated using MEDPAR algorithm. Sum of		
			·0219, revenue center 015X.		
<b>Beginning Position:</b>	37	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 5:	ICU_AMOUNT				
Description:		itensive Care Uni	t Charge Amount. Calculated using MEDPAR		
2 05011pt1011t			evenue codes 0100-0219, revenue center 020X.		
<b>Beginning Position:</b>	49	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 6:	CCU_AMOUNT				
Description:		oronary Care Uni	t Charge Amount. Calculated using MEDPAR		
<b>1</b>			evenue codes 0100-0219, revenue center 021X.		
<b>Beginning Position:</b>	61	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 7:	OTHER_AMOUNT	- <b>J P</b> • •			
Description:		Other Charge Am	ount. Calculated using MEDPAR algorithm. Sum		
2 colliption.	•	_	her than 0100-0219, revenue center 0002-0099,		
			X-070X, 076X-078X, 090X-095X, 099X.		
<b>Beginning Position:</b>	73	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 8:	PHARM_AMOUNT	JI			
Description:		Pharmacy Charge	Amount. Calculated using MEDPAR algorithm.		
2 colliption.			es other than 0100-0219, revenue center 025X,		
	026X, and 063X.				
<b>Beginning Position:</b>	85	<b>Data Source:</b>	Calculated		
Length:	12	Type:	Numeric		
Field 9:	MEDSURG AMOUNT				
Description:	Ancillary Service Charge, Medical/Surgical Supply Charge Amount. Calculated using				
_ 0301- <b>p</b> 010110	MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 027X, 062X.				
<b>Beginning Position:</b>	97	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 10:	DME_AMOUNT	Type.	1 (minority		
i idiu iv.	DIVID_INICOTT				

DSHS/THCIC Page 33 Page 33

<b>Description:</b>	Ancillary Service Charge, Durable Medical Equipment Charge Amount. Calculated using			
	MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219,			
D 1 1 D 1/1	revenue centers 0290-0292, 0294-0299.			
Beginning Position:	109 12	Data Source:	Calculated	
Length:		Type:	Numeric	
Field 11:	USED_DME_AMOUNT	Icad Dunahla Ma	dical Equipment Change Amount Calculated using	
<b>Description:</b>			dical Equipment Charge Amount. Calculated using	
	MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 0293.			
<b>Beginning Position:</b>	121	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 12:	PT AMOUNT	турс.	Transcrie	
Description:	_	hysical Therapy	Charge Amount. Calculated using MEDPAR	
<b>F</b>			evenue codes other than 0100-0219, revenue center	
	042X.			
<b>Beginning Position:</b>	133	<b>Data Source:</b>	Calculated	
Length:	12	Type:	Numeric	
Field 13:	OT_AMOUNT			
<b>Description:</b>			rapy Charge Amount. Calculated using MEDPAR	
		ssociated with re	evenue codes other than 0100-0219, revenue center	
D D	043X.	<b>7</b>		
Beginning Position:	145	Data Source:	Calculated	
Length: Field 14:	12 SPEECH AMOUNT	Type:	Numeric	
Description:	<del>_</del>	naach Pathology	Charge Amount. Calculated using MEDPAR	
Description.			evenue codes other than 0100-0219, revenue center	
	044X, 047X.	issociated with re	vende codes other than 0100 0219, revende center	
<b>Beginning Position:</b>	157	<b>Data Source:</b>	0.1. 1.7.1	
	137	Data Source:	Calculated	
Length:	12	Type:	Numeric	
	12 IT_AMOUNT	Type:	Numeric	
Length:	12 IT_AMOUNT Ancillary Service Charge, Ir	Type:  nhalation Therap	Numeric  y Charge Amount. Calculated using MEDPAR	
Length: Field 15:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a	Type:  nhalation Therap	Numeric	
Length: Field 15: Description:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X.	Type:  nhalation Therap associated with re	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center	
Length: Field 15: Description: Beginning Position:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X.	Type:  nhalation Therap associated with re  Data Source:	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated	
Length: Field 15: Description: Beginning Position: Length:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12	Type:  nhalation Therap associated with re	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center	
Length: Field 15: Description:  Beginning Position: Length: Field 16:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12 BLOOD_AMOUNT	Type:  nhalation Therap associated with re  Data Source: Type:	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric	
Length: Field 15: Description: Beginning Position: Length:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12  BLOOD_AMOUNT Ancillary Service Charge fo	Type:  The appearance of the a	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  during the patient's stay. Calculated using	
Length: Field 15: Description:  Beginning Position: Length: Field 16:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12 BLOOD_AMOUNT Ancillary Service Charge fo MEDPAR algorithm. Sum of charge should be should	Type:  The appearance of the a	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric	
Length: Field 15: Description:  Beginning Position: Length: Field 16: Description:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12  BLOOD_AMOUNT Ancillary Service Charge fo	Type:  The appearance of the a	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  during the patient's stay. Calculated using	
Length: Field 15: Description:  Beginning Position: Length: Field 16: Description:  Beginning Position:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12 BLOOD_AMOUNT Ancillary Service Charge fo MEDPAR algorithm. Sum of revenue center 038X.	Type:  nhalation Therap associated with re  Data Source: Type:  or blood provided of charges associa	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  during the patient's stay. Calculated using atted with revenue codes other than 0100-0219,	
Length: Field 15: Description:  Beginning Position: Length: Field 16: Description:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12  BLOOD_AMOUNT Ancillary Service Charge fo MEDPAR algorithm. Sum of revenue center 038X. 181	Type:  nhalation Therap associated with re  Data Source: Type:  or blood provided of charges associated  Data Source: Type:	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  during the patient's stay. Calculated using atted with revenue codes other than 0100-0219,  Calculated	
Length: Field 15: Description:  Beginning Position: Length: Field 16: Description:  Beginning Position: Length:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12  BLOOD_AMOUNT Ancillary Service Charge fo MEDPAR algorithm. Sum or revenue center 038X. 181 12  BLOOD_ADMIN_AMOU	Type:  phalation Theraphassociated with respect to blood provided of charges associated associated to blood provided to	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  during the patient's stay. Calculated using atted with revenue codes other than 0100-0219,  Calculated	
Length: Field 15: Description:  Beginning Position: Length: Field 16: Description:  Beginning Position: Length: Field 17:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12  BLOOD_AMOUNT Ancillary Service Charge fo MEDPAR algorithm. Sum of revenue center 038X. 181 12  BLOOD_ADMIN_AMOU Ancillary Service Charge fo Calculated using MEDPAR	Type:  Thata Source: Type:  Type:  To blood provided of charges associated with respect to the provided of the	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  during the patient's stay. Calculated using atted with revenue codes other than 0100-0219,  Calculated Numeric	
Length: Field 15: Description:  Beginning Position: Length: Field 16: Description:  Beginning Position: Length: Field 17: Description:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12 BLOOD_AMOUNT Ancillary Service Charge fo MEDPAR algorithm. Sum of revenue center 038X. 181 12 BLOOD_ADMIN_AMOUNT Ancillary Service Charge fo Calculated using MEDPAR than 0100-0219, revenue center	Type:  Thata Source: Type:  Ty	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  during the patient's stay. Calculated using atted with revenue codes other than 0100-0219,  Calculated Numeric  and processing related to the patient's stay. of charges associated with revenue codes other	
Length: Field 15: Description:  Beginning Position: Length: Field 16: Description:  Beginning Position: Length: Field 17: Description:  Beginning Position:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12 BLOOD_AMOUNT Ancillary Service Charge fo MEDPAR algorithm. Sum of revenue center 038X. 181 12 BLOOD_ADMIN_AMOUNT Ancillary Service Charge fo Calculated using MEDPAR than 0100-0219, revenue center 193	Type:  nhalation Therap associated with re  Data Source: Type:  or blood provided of charges associated  Data Source: Type:  INT or blood storage a algorithm. Sum nter 039X. Data Source:	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  during the patient's stay. Calculated using atted with revenue codes other than 0100-0219,  Calculated Numeric  nd processing related to the patient's stay. of charges associated with revenue codes other  Calculated  Calculated	
Length: Field 15: Description:  Beginning Position: Length: Field 16: Description:  Beginning Position: Length: Field 17: Description:  Beginning Position: Length: Field 17: Length:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12  BLOOD_AMOUNT Ancillary Service Charge fo MEDPAR algorithm. Sum of revenue center 038X. 181 12  BLOOD_ADMIN_AMOU Ancillary Service Charge fo Calculated using MEDPAR than 0100-0219, revenue center 193 12	Type:  Thata Source: Type:  Ty	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  during the patient's stay. Calculated using atted with revenue codes other than 0100-0219,  Calculated Numeric  and processing related to the patient's stay. of charges associated with revenue codes other	
Length: Field 15: Description:  Beginning Position: Length: Field 16: Description:  Beginning Position: Length: Field 17: Description:  Beginning Position: Length: Field 18:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12  BLOOD_AMOUNT Ancillary Service Charge fo MEDPAR algorithm. Sum or revenue center 038X. 181 12  BLOOD_ADMIN_AMOU Ancillary Service Charge fo Calculated using MEDPAR than 0100-0219, revenue center 193 12  OR_AMOUNT	Type:  nhalation Therap associated with re  Data Source: Type:  or blood provided of charges associated  Data Source: Type:  ONT or blood storage a algorithm. Sum nter 039X. Data Source: Type:	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  during the patient's stay. Calculated using atted with revenue codes other than 0100-0219,  Calculated Numeric  and processing related to the patient's stay.  of charges associated with revenue codes other  Calculated Numeric	
Length: Field 15: Description:  Beginning Position: Length: Field 16: Description:  Beginning Position: Length: Field 17: Description:  Beginning Position: Length: Field 17: Length:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12  BLOOD_AMOUNT Ancillary Service Charge fo MEDPAR algorithm. Sum or revenue center 038X. 181 12  BLOOD_ADMIN_AMOUNT Ancillary Service Charge fo Calculated using MEDPAR than 0100-0219, revenue center 193 12  OR_AMOUNT Ancillary Service Charge, O	Type:  nhalation Therap associated with re  Data Source: Type:  or blood provided of charges associa  Data Source: Type:  INT or blood storage a algorithm. Sum nter 039X. Data Source: Type:	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  during the patient's stay. Calculated using atted with revenue codes other than 0100-0219,  Calculated Numeric  nd processing related to the patient's stay. of charges associated with revenue codes other  Calculated Numeric  Charge amount. Calculated using MEDPAR	
Length: Field 15: Description:  Beginning Position: Length: Field 16: Description:  Beginning Position: Length: Field 17: Description:  Beginning Position: Length: Field 18:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12  BLOOD_AMOUNT Ancillary Service Charge fo MEDPAR algorithm. Sum or revenue center 038X. 181 12  BLOOD_ADMIN_AMOUNT Ancillary Service Charge fo Calculated using MEDPAR than 0100-0219, revenue center 193 12  OR_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a	Type:  nhalation Therap associated with re  Data Source: Type:  or blood provided of charges associa  Data Source: Type:  INT or blood storage a algorithm. Sum nter 039X. Data Source: Type:	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  during the patient's stay. Calculated using atted with revenue codes other than 0100-0219,  Calculated Numeric  and processing related to the patient's stay.  of charges associated with revenue codes other  Calculated Numeric	
Length: Field 15: Description:  Beginning Position: Length: Field 16: Description:  Beginning Position: Length: Field 17: Description:  Beginning Position: Length: Field 18: Description:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12  BLOOD_AMOUNT Ancillary Service Charge fo MEDPAR algorithm. Sum of revenue center 038X. 181 12  BLOOD_ADMIN_AMOUNT Ancillary Service Charge fo Calculated using MEDPAR than 0100-0219, revenue center 193 12  OR_AMOUNT Ancillary Service Charge, Of algorithm. Sum of charges a 036X, 071X-072X.	Type:  nhalation Theraphassociated with respect to blood provided of charges associated algorithm. Suminter 039X.  Data Source: Type:  Operating Room Consociated with respect to the provided of the provided	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  during the patient's stay. Calculated using atted with revenue codes other than 0100-0219,  Calculated Numeric  and processing related to the patient's stay. of charges associated with revenue codes other  Calculated Numeric  Calculated Numeric  Charge amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center	
Length: Field 15: Description:  Beginning Position: Length: Field 16: Description:  Beginning Position: Length: Field 17: Description:  Beginning Position: Length: Field 18: Description:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12  BLOOD_AMOUNT Ancillary Service Charge fo MEDPAR algorithm. Sum of revenue center 038X. 181 12  BLOOD_ADMIN_AMOU Ancillary Service Charge fo Calculated using MEDPAR than 0100-0219, revenue center 193 12  OR_AMOUNT Ancillary Service Charge, Of algorithm. Sum of charges a 036X, 071X-072X. 205	Type:  nhalation Theraphassociated with respect to blood provided of charges associated associated with respect to blood provided of charges associated with respect to blood storage and algorithm. Suminter 039X.  Data Source: Type:  Operating Room Consociated with respect to blood storage and algorithm. Suminter 039X.  Data Source:  Data Source:	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  during the patient's stay. Calculated using atted with revenue codes other than 0100-0219,  Calculated Numeric  and processing related to the patient's stay. of charges associated with revenue codes other  Calculated Numeric  Charge amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated	
Length: Field 15: Description:  Beginning Position: Length: Field 16: Description:  Beginning Position: Length: Field 17: Description:  Beginning Position: Length: Field 18: Description:	IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X. 169 12  BLOOD_AMOUNT Ancillary Service Charge fo MEDPAR algorithm. Sum of revenue center 038X. 181 12  BLOOD_ADMIN_AMOUNT Ancillary Service Charge fo Calculated using MEDPAR than 0100-0219, revenue center 193 12  OR_AMOUNT Ancillary Service Charge, Of algorithm. Sum of charges a 036X, 071X-072X.	Type:  nhalation Theraphassociated with respect to blood provided of charges associated algorithm. Suminter 039X.  Data Source: Type:  Operating Room Consociated with respect to the provided of the provided	Numeric  y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  during the patient's stay. Calculated using atted with revenue codes other than 0100-0219,  Calculated Numeric  and processing related to the patient's stay. of charges associated with revenue codes other  Calculated Numeric  Calculated Numeric  Charge amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center	

Description:	Ancillary Service Charge, L.	ithotripsy Charge	e Amount. Calculated using MEDPAR algorithm.	
Description			es other than 0100-0219, revenue center 079X.	
<b>Beginning Position:</b>	217	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 20:	CARD_AMOUNT	- J p 0 0		
Description:		ardiology Charge	e Amount. Calculated using MEDPAR algorithm.	
	Sum of charges associated with revenue codes other than 0100-0219, revenue center 048X,			
	073X.		, , , , , , , , , , , , , , , , , , ,	
<b>Beginning Position:</b>	229	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 21:	ANES_AMOUNT			
<b>Description:</b>	Ancillary Service Charge, Anesthesia Charge Amount. Calculated using MEDPAR algorithm.			
-	Sum of charges associated v	vith revenue code	es other than 0100-0219, revenue center 037X.	
<b>Beginning Position:</b>	241	<b>Data Source:</b>	Calculated	
Length:	12	Type:	Numeric	
Field 22:	LAB_AMOUNT			
Description:			e Amount. Calculated using MEDPAR algorithm.	
	Sum of charges associated w 031X, 074X-075X.	vith revenue code	es other than 0100-0219, revenue center 030X-	
<b>Beginning Position:</b>	253	<b>Data Source:</b>	Calculated	
Length:	12	Type:	Numeric	
Field 23:	RAD_AMOUNT			
<b>Description:</b>			Amount. Calculated using MEDPAR algorithm.	
	Sum of charges associated w 032X-035X, 040X.	vith revenue code	es other than 0100-0219, revenue center 028X,	
<b>Beginning Position:</b>	265	<b>Data Source:</b>	Calculated	
Length:	12	Type:	Numeric	
Field 24:	MRI_AMOUNT			
<b>Description:</b>	Ancillary Service Charge, M	IRI Charge Amo	unt. Calculated using MEDPAR algorithm. Sum of	
	_	enue codes other	than 0100-0219, revenue center 061X.	
<b>Beginning Position:</b>	277	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 25:	OP_AMOUNT			
<b>Description:</b>	•		es Charge Amount. Calculated using MEDPAR	
	algorithm. Sum of charges a 049X-050X.	ssociated with re	evenue codes other than 0100-0219, revenue center	
<b>Beginning Position:</b>	289	<b>Data Source:</b>	Calculated	
Length:	12	Type:	Numeric	
Field 26:	ER_AMOUNT			
<b>Description:</b>	Ancillary Service Charge, E		Charge Amount. Calculated using MEDPAR	
Description:	Ancillary Service Charge, E algorithm. Sum of charges a		Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center	
-	Ancillary Service Charge, E algorithm. Sum of charges a 045X.	ssociated with re	evenue codes other than 0100-0219, revenue center	
Beginning Position:	Ancillary Service Charge, E algorithm. Sum of charges a 045X.	ssociated with re  Data Source:	evenue codes other than 0100-0219, revenue center  Calculated	
Beginning Position: Length:	Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301	Sociated with re  Data Source: Type:	evenue codes other than 0100-0219, revenue center	
Beginning Position: Length: Field 27:	Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12  AMBULANCE_AMOUNT	SSOCIATED WITH TE  Data Source:  Type:  Γ	evenue codes other than 0100-0219, revenue center  Calculated  Numeric	
Beginning Position: Length:	Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12  AMBULANCE_AMOUNT Ancillary Service Charge, A	Data Source: Type:  Tubulance Charg	Calculated Numeric  e Amount. Calculated using MEDPAR algorithm.	
Beginning Position: Length: Field 27: Description:	Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12  AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w	Data Source: Type:  Tumbulance Chargoith revenue code	Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X.	
Beginning Position: Length: Field 27: Description: Beginning Position:	Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12  AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w 313	Data Source: Type: T mbulance Charg with revenue code Data Source:	Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X.  Calculated	
Beginning Position: Length: Field 27: Description: Beginning Position: Length:	Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12  AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w 313 12	Data Source: Type:  Tumbulance Chargoith revenue code	Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X.	
Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28:	Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12  AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w 313 12  PRO_FEE_AMOUNT	Data Source: Type:  Tumbulance Charg with revenue code Data Source: Type:	Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated Numeric	
Beginning Position: Length: Field 27: Description: Beginning Position: Length:	Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12  AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w 313 12  PRO_FEE_AMOUNT Ancillary Service Charge, P.	Data Source: Type:  Tumbulance Charg with revenue code Data Source: Type:	Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated Numeric  Charge Amount. Calculated using MEDPAR	
Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28:	Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12  AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w 313 12  PRO_FEE_AMOUNT Ancillary Service Charge, P algorithm. Sum of charges a	Data Source: Type:  Tumbulance Charg with revenue code Data Source: Type:	Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated Numeric	
Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28: Description:	Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12  AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w 313 12  PRO_FEE_AMOUNT Ancillary Service Charge, P algorithm. Sum of charges a 096X-098X.	Data Source: Type:  Tambulance Charg with revenue code Data Source: Type:  rofessional Fee Cassociated with re-	Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center	
Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28:	Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12  AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w 313 12  PRO_FEE_AMOUNT Ancillary Service Charge, P algorithm. Sum of charges a	Data Source: Type:  Tumbulance Charg with revenue code Data Source: Type:	Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated Numeric  Charge Amount. Calculated using MEDPAR	

Field 29:	ORGAN_AMOUNT					
Description:	Ancillary Service Charge, Organ Acquisition Charge Amount. Calculated using MEDPAR					
		algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 081X, 089X.				
<b>Beginning Position:</b>	337	., 089A. Data Soi	12001	Calculat	tad	
Length:	12	Type:	ii ce.	Numerio		
Field 30:		RD_AMOUNT				
Description:	Ancillary Service Charge, End Stage Renal Dialysis Charge Amount. Calculated using				harge Amount. Calculated using	
•	MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219,					
	revenue center 080X, 082X-085X, 088X					
<b>Beginning Position:</b>	349	Data Sou	arce:	Calculat		
Length:	12	V I			2	
Field 31:		NIC_AMOUNT	Classic		Coloulated using MEDDAD already	
<b>Description:</b>					t. Calculated using MEDPAR algorithm. an 0100-0219, revenue center 051X.	
<b>Beginning Position:</b>	361	of charges associated with revent Data Soi		Calculat		
Length:	12	Type:	ui cc.	Numerio		
Field 32:		UR_CODE_1		1 (dillett		
Description:		describing a significant event rel	ating to	the clain	m.	
Coding Scheme:	1	Auto accident	Ü	40	Scheduled date of admission	
	2	No Fault Insurance Involved - Including Accident/Other	g Auto	41	Date of first test of pre-admission testing	
	3	Accident/ Tort Liability		42	Date of discharge (hospice only)	
	4	Accident/ Employment Related		43	Scheduled date of canceled surgery	
	5 6	Other accident Crime Victim		44 45	Date treatment started - OT Date treatment started - ST	
	9	Start of Infertility Treatment Cycle		46	Date treatment started - Cardiac rehabilitation	
	10	Last Menstrual Period		47	Date cost outlier status begins	
	11	Onset of Symptoms/ Illness	14	A1	Birthdate - Insured A	
	12	Date of Onset for a Chronically Dependent Individual	ient	A2	Effective Date - Insured A Policy	
	16	Date of Last Therapy		A3	Payer A benefits exhausted	
	17	Date Outpatient OT Plan Established or Last		A4	Split Bill Date	
	18	Reviewed Date of Retirement - Patient/Beneficiary	y	B1	Birthdate - Insured B	
	19	Date of Retirement - Spouse	•	B2	Effective date - Insured B Policy	
	20	Date Guarantee of Payment Began		В3	Payer B benefits exhausted	
	21	Date UR Notice Received		C1	Birthdate - Insured C	
	22	Date Active Care Ended		C2	Effective date - Insured C Policy	
	24	Date Insurance Denied		C3	Payer C benefits exhausted	
	25	Date Benefits Terminated by Primary P	ayer	DR	Katrina disaster related	
	26	Date SNF Bed Became Available	T4	E1	Birthdate - Insured D	
	27	Date Home Health Plan Established or Last Reviewed		E2	Effective date - Insured D Policy	
	28	Date Comprehensive Outpatient Rehabi	ilitation	E3	Payer D benefits exhausted	
	29	Plan Established or Last Reviewed Date Outpatient PT Plan established or	last	F1	Birthdate - Insured E	
	27	reviewed	iust	11	Brundate Historia	
	30	Date Outpatient ST Plan established or reviewed	last	F2	Effective date - Insured E Policy	
	31	Date beneficiary notified of intent to bil	11	F3	Payer E benefits exhausted	
		(accommodations)			•	
	32	Date beneficiary notified of intent to bil (procedures or treatments)	ll .	G1	Birthdate - Insured F	
	37	Date of inpatient hospital discharge for covered transplant patients	non-	G2	Effective date - Insured F Policy	
	38	Date treatment started for home IV ther	apy	G3	Payer F benefits exhausted	
	39	Date discharged on a continuous course	if IV			
Roginning Desition	272	therapy Dota Sor	1800*	Claim		
Beginning Position: Length:	373 2	Data Sou Type:	ui CC:	Claim Alphant	ımeric	
Field 33:		UR_DAY_1		2 ripiiaiit	AITIOTIC .	
	500					
DSHS/THCIC					DSHS Document # E25-14163	

**Description:** Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:375Data Source:CalculatedLength:4Type:Alphanumeric

Field 34: OCCUR\_CODE\_2

**Description:** Code describing a significant event relating to the claim.

**Coding Scheme:** Same as Field OCCUR\_CODE\_1.

Beginning Position: 379 Data Source: Claim

Length: 2 Type: Alphanumeric

Field 35: OCCUR\_DAY\_2

**Description:** Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

**Beginning Position:** 381 **Data Source:** Calculated **Length:** 4 **Type:** Alphanumeric

Field 36: OCCUR\_CODE\_3

**Description:** Code describing a significant event relating to the claim.

**Coding Scheme:** Same as Field OCCUR\_CODE\_1.

**Beginning Position:** 385 **Data Source:** Claim **Length:** 2 **Type:** Alphanumeric

Field 37: OCCUR\_DAY\_3

**Description:** Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:387Data Source:CalculatedLength:4Type:Alphanumeric

Field 38: OCCUR CODE 4

**Description:** Code describing a significant event relating to the claim.

**Coding Scheme:** Same as Field OCCUR\_CODE\_1.

**Beginning Position:** 391 **Data Source:** Claim **Length:** 2 **Type:** Alphanumeric

Field 39: OCCUR\_DAY\_4

**Description:** Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:393Data Source:CalculatedLength:4Type:Alphanumeric

Field 40: OCCUR\_CODE\_5

**Description:** Code describing a significant event relating to the claim.

**Coding Scheme:** Same as Field OCCUR\_CODE\_1.

Beginning Position:397Data Source:ClaimLength:2Type:Alphanumeric

Field 41: OCCUR\_DAY\_5

**Description:** Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:399Data Source:CalculatedLength:4Type:Alphanumeric

Field 42: OCCUR\_CODE\_6

**Description:** Code describing a significant event relating to the claim.

**Coding Scheme:** Same as Field OCCUR\_CODE\_1.

Beginning Position:403Data Source:ClaimLength:2Type:Alphanumeric

Field 43: OCCUR DAY 6

**Description:** Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:405Data Source:CalculatedLength:4Type:Alphanumeric

Field 44: OCCUR\_CODE\_7

**Description:** Code describing a significant event relating to the claim.

**Coding Scheme:** Same as Field OCCUR\_CODE\_1.

Beginning Position:409Data Source:ClaimLength:2Type:Alphanumeric

Field 45: OCCUR DAY 7

**Description:** Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 37

DSHS Document # E25-14163

Last Updated: October, 2018

	44.4	<b>-</b>	a	
<b>Beginning Position:</b>	411	Data Source:	Calcula	
Length:	4	Type:	Alphanı	imeric
Field 46:	OCCUR_CODE_8		.1 1 .	
Description:	Code describing a significant		to the claim	m.
Coding Scheme:	Same as Field OCCUR_CC		aı :	
<b>Beginning Position:</b>	415	Data Source:	Claim	
Length:	2	Type:	Alphanı	imeric
Field 47:	OCCUR_DAY_8			
Description:	Occurrence Day equals Occ			
<b>Beginning Position:</b>	417	Data Source:	Calcula	
Length:	4	Type:	Alphanı	imeric
Field 48:	OCCUR_CODE_9			
Description:	Code describing a significant		to the clan	m.
Coding Scheme:	Same as Field OCCUR_CC		CI.	
<b>Beginning Position:</b>	421	Data Source:	Claim	
Length:	2	Type:	Alphanı	ımeric
Field 49:	OCCUR_DAY_9			
Description:	Occurrence Day equals Occ			
<b>Beginning Position:</b>	423	Data Source:	Calcula	
Length:	4	Type:	Alphanı	imeric
Field 50:	OCCUR_CODE_10			
Description:	Code describing a significant		to the clain	m.
<b>Coding Scheme:</b>	Same as Field OCCUR_CC			
<b>Beginning Position:</b>	427	Data Source:	Claim	
Length:	2	Type:	Alphanı	ımeric
Field 51:	OCCUR_DAY_10			
Description:	Occurrence Day equals Occ			
<b>Beginning Position:</b>	429	Data Source:	Calcula	
Length:	4	Type:	Alphanı	umeric
Field 52:	OCCUR_CODE_11			
Description:	Code describing a significant		to the clair	m.
<b>Coding Scheme:</b>	Same as Field OCCUR_CC			
<b>Beginning Position:</b>	433	Data Source:	Claim	
Length:	2	Type:	Alphanı	imeric
Field 53:	OCCUR_DAY_11			
Description:	Occurrence Day equals Occ			
<b>Beginning Position:</b>	435	Data Source:	Calcula	_
Length:	4	Type:	Alphanı	imeric
Field 54:	OCCUR_CODE_12			
Description:	Code describing a significant		to the clan	m.
Coding Scheme:	Same as Field OCCUR_CC	_	CI.	
<b>Beginning Position:</b>	439	Data Source:	Claim	
Length:	2	Type:	Alphanı	imeric
Field 55:	OCCUR_DAY_12	ъ.		
Description:	Occurrence Day equals Occ			
<b>Beginning Position:</b>	441	Data Source:	Calcula	
Length:	4	Type:	Alphanı	imeric
Field 56:	OCCUR_SPAN_CODE_1		.1 1 .	
Description:				m that may affect payer processing.
Coding Scheme:	<ul><li>Qualifying stay dates (for</li><li>Prior stay dates</li></ul>	SINF use only)	78 80	SNF prior stay dates Prior Same SNF prior stay dates for Payment
	That stay dates		00	Ban Purposes
	72 First/Last Visit		81	Antepartum Days at Reduced Level of Care
	73 Benefit eligibility period	T cove of -1	M0	QIO/UR approved stay dates
	<ul><li>74 Noncovered level of care/</li><li>75 SNF level of care</li></ul>	Leave of absence	M1 M2	Provider liability - no utilization Inpatient respite dates
	76 Patient Liability Period		M3	ICF level of care
	•			
DSHS/THCIC		— Page 38 —		DSHS Document # E25-14163
WWW DOUG TEVAS	COV/TUCIC	i age Jo		Last Undated: October 2018

WWW.DSHS.TEXAS.GOV/THCIC

DSHS Document # E25-14163 Last Updated: October, 2018

Page 38

	77 Provider Liability - Utilization Charged	M4 Residential level of care
<b>Beginning Position:</b>	445 Data Sou	
Length:	2 <b>Type:</b>	Alphanumeric
Field 57:	OCCUR_SPAN_FROM_1	
<b>Description:</b>	Occurrence Span From equals Beginni	ng Date of Event <i>minus</i> Admission/Start of Care Date.
<b>Beginning Position:</b>	447 Data Sou	rce: Calculated
Length:	6 <b>Type:</b>	Alphanumeric
Field 58:	OCCUR_SPAN_THRU_1	
<b>Description:</b>	Occurrence Span Thru equals Ending I	Date of Event <i>minus</i> Admission/Start of Care Date.
Beginning Position:	453 Data Sou	
Length:	<b>Type:</b>	Alphanumeric
Field 59:	OCCUR_SPAN_CODE_2	
<b>Description:</b>		ating to the claim that may affect payer processing.
Coding Scheme:	Same as Field OCCUR_SPAN_CODE	_1.
<b>Beginning Position:</b>	459 Data Sou	rce: Claim
Length:	<b>Type:</b>	Alphanumeric
Field 60:	OCCUR_SPAN_FROM_2	·
Description:		ng Date of Event <i>minus</i> Admission/Start of Care Date.
Beginning Position:	461 Data Sou	
Length:	6 Type:	Alphanumeric
Field 61:	OCCUR SPAN THRU 2	7 iipiidiidiierie
Description:		Date of Event <i>minus</i> Admission/Start of Care Date.
Beginning Position:	467 <b>Data Sou</b>	
Length:	6 <b>Type:</b>	Alphanumeric
Field 62:	OCCUR SPAN CODE 3	Aiphanumeric
Description:		ating to the claim that may affect payer processing.
	Same as Field OCCUR_SPAN_CODE	
Coding Scheme:		
Beginning Position:		
Length:	2 Type:	Alphanumeric
Field 63:	OCCUR_SPAN_FROM_3	- Data of Francisco Administra (Start of Company
Description: Beginning Position:		ng Date of Event <i>minus</i> Admission/Start of Care Date.
		rce: Calculated
	475 Data Sou	A 11
Length:	<b>Type:</b>	Alphanumeric
Length: Field 64:	6 Type: OCCUR_SPAN_THRU_3	•
Length: Field 64: Description:	6 Type: OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending I	Date of Event <i>minus</i> Admission/Start of Care Date.
Length: Field 64: Description: Beginning Position:	6 Type: OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending I 481 Data Sou	Date of Event <i>minus</i> Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length:	6 Type:  OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending I 481 Data Sou 6 Type:	Date of Event <i>minus</i> Admission/Start of Care Date.
Length: Field 64: Description: Beginning Position: Length: Field 65:	6 Type:  OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending I 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4	Date of Event <i>minus</i> Admission/Start of Care Date.  rce: Calculated Alphanumeric
Length: Field 64: Description: Beginning Position: Length: Field 65: Description:	6 Type:  OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending I 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event relationship.	Date of Event <i>minus</i> Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme:	6 Type:  OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending I 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event rela Same as Field OCCUR_SPAN_CODE	Date of Event <i>minus</i> Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position:	6 Type:  OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event relations as Field OCCUR_SPAN_CODE_4 487 Data Sou	Date of Event <i>minus</i> Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length:	6 Type:  OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event related Same as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:	Date of Event <i>minus</i> Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66:	6 Type:  OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event rela Same as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:  OCCUR_SPAN_FROM_4	Date of Event <i>minus</i> Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description:	6 Type:  OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event rela Same as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:  OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginni	Date of Event <i>minus</i> Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position:	6 Type:  OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event rela Same as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:  OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginni 489 Data Sou	Date of Event minus Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description:	6 Type:  OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event rela Same as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:  OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginni 489 Data Sou 6 Type:	Date of Event <i>minus</i> Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67:	6 Type:  OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event rela Same as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:  OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginni 489 Data Sou 6 Type:  OCCUR_SPAN_THRU_4	Date of Event minus Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length:	6 Type:  OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event rela Same as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:  OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginni 489 Data Sou 6 Type:  OCCUR_SPAN_THRU_4	Date of Event minus Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event rela Same as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:  OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginni 489 Data Sou 6 Type:  OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending II 495 Data Sou	Date of Event minus Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Length:	CCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event rela Same as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:  OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginni 489 Data Sou 6 Type:  OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending II 495 Data Sou 6 Type:	Date of Event minus Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event rela Same as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:  OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginni 489 Data Sou 6 Type:  OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending II 495 Data Sou 6 Type:  CONDITION_CODE_1	Date of Event minus Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Length:	CCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event rela Same as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:  OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginni 489 Data Sou 6 Type:  OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending II 495 Data Sou 6 Type:	Date of Event minus Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event rela Same as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:  OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginni 489 Data Sou 6 Type:  OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending II 495 Data Sou 6 Type:  CONDITION_CODE_1 Code describing a condition relating to 01 Military service related	Date of Event minus Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event rela Same as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:  OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginni 489 Data Sou 6 Type:  OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending II 495 Data Sou 6 Type:  CONDITION_CODE_1 Code describing a condition relating to 01 Military service related 02 Condition is employment related	Date of Event minus Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481	Date of Event minus Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event rela Same as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:  OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginni 489 Data Sou 6 Type:  OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending II 495 Data Sou 6 Type:  CONDITION_CODE_1 Code describing a condition relating to 01 Military service related 02 Condition is employment related	Date of Event minus Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description: Coding Scheme:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending II 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event related Same as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:  OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginnin 489 Data Sou 6 Type:  OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending II 495 Data Sou 6 Type:  CONDITION_CODE_1 Code describing a condition relating to 01 Military service related 02 Condition is employment related 03 Patient covered by insurance not reflected 04 Information only bill.	Date of Event minus Admission/Start of Care Date.  rce: Calculated
Length: Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending I 481 Data Sou 6 Type:  OCCUR_SPAN_CODE_4 Code describing a significant event relasame as Field OCCUR_SPAN_CODE 487 Data Sou 2 Type:  OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginni 489 Data Sou 6 Type:  OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending I 495 Data Sou 6 Type:  CONDITION_CODE_1 Code describing a condition relating to 01 Military service related 02 Condition is employment related 03 Patient covered by insurance not reflected 105 Lien has been filed	Date of Event minus Admission/Start of Care Date.  rce: Calculated

06	ESRD patient in first 18 months of entitlement covered by EGHP	A5	Disability
07	Treatment of non-terminal condition for hospice patient	A6	Vaccines/Medicare 100% payment
08	Beneficiary would not provide information concerning other insurance coverage	A9	Second opinion surgery
09	Neither patient or spouse is employed	AA	Abortion performed due to rape
10	Patient and/or spouse is employed but no EGHP exists	AB	Abortion performed due to incest
11	Disabled beneficiary but no LGHP coverage exists	AC	Abortion performed due to serious fatal genetic defect, deformity, or abnormality
17	Patient is homeless	AD	Abortion performed due to life endangering physical condition
18	Maiden name retained	AE	Abortion performed due to physical health of mother that is not life endangering
19	Child retains mother's name	AF	Abortion performed due to emotional/psychological health of mother
20	Beneficiary requested billing	AG	Abortion performed due to social or economic reasons
21	Billing for denial notice	AH	Elective abortion
22 23	Patient on multiple drug regimen Home care giver available	AI AJ	Sterilization
23	Home IV patient also receiving HHA services	AJ	Payer responsible for co-payment
25	Patient is non-US resident	AK	Air ambulance required
26	VA eligible patient chooses to receive services in	AL	Specialized treatment/bed unavailable
20	a Medicare certified facility	AL	1
27	Patient referred to a sole community hospital for a diagnostic laboratory test	AM	Non-emergency medically necessary stretcher transport required
28	Patient and/or spouse's EGHP is secondary to Medicare	AN	Pre-admission screening not required
29	Disabled beneficiary and/or family member's LGHP is secondary to Medicare	B0	Medicare coordinated care demonstration claim
30	Non-research services provided to patients enrolled in a qualified clinical trial	B1	Beneficiary is ineligible for demonstration program
31	Patient is student (full time - day)	B4	Admission unrelated to discharge on same day
32	Patient is student (cooperative/work study program)	BP	Gulf Oil Spill of 2010
33	Patient is student (full time - night)	C1	Approved as billed
34	Patient is student (part-time)	C2	Automatic approval as billed based on focused review
36	General care patient in a special unit	C3	Partial approval
37	Ward accommodation at patient request	C4	Admission/services denied
38	Semi-private room not available	C5	Postpayment review applicable
39	Private room medically necessary	C6	Admission Preauthorization
40	Same day transfer	C7	Extended Authorization
41	Partial hospitalization	D0	Changes to Service Dates
41	Continuing care not related to inpatient		•
42	admission Continuing care not provided within prescribed	D1	Changes to Charges
43	postdischarge window	D3	Second or Subsequent Interim PPS Bill Change in clinical codes (ICD) for diagnosis
44	Inpatient admission changed to outpatient	D4	and/or procedure codes.
45	Ambiguous Gender Category	D5	Cancel to correct Insured's ID or Provider ID
46	Non-availability statement on file	D6	Cancel Only to Repay a Duplicate or OIG Overpayment
47	Transfer from another Home Health Agency	D7	Change to Make Medicare the Secondary Payer
48	Psychiatric residential treatment centers for children and adolescents (RTCs)	D8	Change to Make Medicare the Primary Payer
49	Product replacement within product lifecycle	D9	Any Other Change
50	Product Replacement for Known Recall of a Product	DR	Disaster related
51	Attestation of Unrelated Outpatient Nondiagnostic Services	E0	Changes in Patient Status
52	Out of Hospice Service Area	G0	Distinct Medical Visit
53	Initial placement of a medical device provided as part of a clinical trial or a free sample	H0	Delayed Filing, Statement of Intent Submitted

		No Skilled Home Health V	isits in Billing Period	1.	
	54	Policy Exception Documer Health Agency		H2	Discharge by a Hospice Provider for Cause
	55	SNF bed not available		Н3	Reoccurrence of GI Bleed Comorbid Category
	56	Medical appropriateness		H4	Reoccurrence of Pneumonia Comorbid Category
	57	SNF readmission		H5	Reoccurrence of Pericarditis Comorbid Category
	58	Terminated Medicare+Choenrollee	oice organization	P1	Do not Resuscitate Order (DNR)
	59	Non-primary ESRD facility	y	P7	Direct Inpatient Admission from Emergency Room
	60	Day outlier		R1	Request for reopening Reason Code - Mathematical or Computational Mistake
	61	Cost outlier		R2	Request for reopening Reason Code -Inaccurate Data Entry
	66	Provider does not wish cos	t outlier payment	R3	Request for reopening Reason Code - Misapplication of a Fee Schedule
	67	Beneficiary elects not to us (LTR) days	se life time reserve	R4	Request for reopening Reason Code - Computer Errors
	68	Beneficiary elects to use lift days	fe time reserve (LTR)	R5	Request for reopening Reason Code - Incorrectly Identified Duplicate Claim
	69	IME/DGME/N&AH Paym	ent Only	R6	Request for reopening Reason Code - Other Clerical Errors or Minor Errors and Omissions not Specified in R1-R5 above
	70	Self-administered anemia r	nanagement drug	R7	Request for reopening Reason Code - Corrections other than clerical errors
	71	Full care in unit		R8	Request for reopening Reason Code - New and Material Evidence
	72	Self care in unit		R9	Request for reopening Reason Code - Faulty Evidence
	73	Self care training		WO	United Mine Workers of America (UMWA) Demonstration Indicator
	74	Home		W2	Duplicate of Original Bill
	75	Home - 100% reimburseme	ent	W3	Level I Appeal
	76	Back-up in facility dialysis		W4	Level II Appeal
		Provider accepts or is oblig		a	
	77	contractual arrangement or payment by a primary payer		W5	Level III Appeal
	78	New coverage not impleme	ented by HMO		
	79	CORF services provided of	ffsite		
	80	Home dialysis - nursing fac	•		
	81	C-section/Inductions <39 v	veeks-Medical		
	82	Necessity C-section/Inductions <39 v	voolse Elective		
	83				
	83 84	C-section/Inductions 39 we	•		
	04	Dialysis for Acute Kidney Delayed Recertification of			
	85	Illness	Hospice Terminar		
	86	Additional Hemodialysis T Justification		al	
<b>Beginning Position:</b>	501		Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 69:		DITION_CODE_2			
<b>Description:</b>		describing a condition		aim.	
Coding Scheme:		as Field CONDITION			
<b>Beginning Position:</b>	503		Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 70:	CON	DITION_CODE_3			
<b>Description:</b>	Code	describing a condition	relating to the cla	aim.	
Coding Scheme:	Same	as Field CONDITION	CODE_1.		
<b>Beginning Position:</b>	505		Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 71:	CON	DITION_CODE_4	* *		
Description:		describing a condition	relating to the cla	aim.	
DSHS/THCIC					DSHS Document # E25-14163
WWW.DSHS.TEXAS	COV	THCIC	— Page 41 —		Last Updated: October, 2018
" " " DOLLO, LEAAS	.UU V/	111010			Lasi Opuaicu. Ociobei, 2018

Coding Scheme:	Same	e as Field CONDITION	L CODE 1			
Beginning Position:	507	as ricia combillion	Data Source:	Claim		
Length:	2		Type:	Alphani	ımeric	
Field 72:		DITION_CODE_5		Ι		
<b>Description:</b>		Code describing a condition relating to the claim.				
Coding Scheme:		as Field CONDITION				
<b>Beginning Position:</b>	509		<b>Data Source:</b>	Claim		
Length:	2		Type:	Alphanı	umeric	
Field 73:	CON	DITION_CODE_6				
<b>Description:</b>	Code	describing a condition	relating to the cla	aim.		
Coding Scheme:	Same	as Field CONDITION	I_CODE_1.			
<b>Beginning Position:</b>	511		Data Source:	Claim		
Length:	2		Type:	Alphanı	ımeric	
Field 74:		DITION_CODE_7				
<b>Description:</b>		describing a condition		aim.		
Coding Scheme:		e as Field CONDITION				
<b>Beginning Position:</b>	513		Data Source:	Claim		
Length:	2		Type:	Alphanı	ımeric	
Field 75:		DITION_CODE_8				
<b>Description:</b>		describing a condition		aim.		
<b>Coding Scheme:</b>		as Field CONDITION				
<b>Beginning Position:</b>	515		Data Source:	Claim		
Length:	2		Type:	Alphanı	umeric	
Field 76:		UE_CODE_1				
<b>Description:</b>		describing information				
Coding Scheme:	01 02	Most common semi-privat Hospital has no semi-priva		58 59	Arterial blood gas Oxygen saturation	
	04	Inpatient professional com			HHA branch MSA	
		are combined billed				
	05	Professional component in		1 61	Place of Residence where service is furnished	
	06	also billed separately to car Blood deductible	rner	66	(HHA and hospice) Medicaid spend down amount	
	08	Life time reserve amount is	n the first calendar	67	Peritoneal dialysis	
	00	year	C* . 1 1	60	EDO 1	
	09 10	Coinsurance amount in the Lifetime reserve amount in	•	68 69	EPO-drug State charity care percentage	
	10	year	i die second calendar	0)	State charty care percentage	
	11	Coinsurance amount in the	•		Covered Days	
	12	Working aged beneficiary/ group health plan	spouse with employer	r 81	Non-covered Days	
	13	ESRD beneficiary in a Me	dicare coordination	82	Co-insurance Days	
		period with an employer gr	roup health plan		,	
	14	No fault, including auto/of	her	83	Lifetime Reserve Days	
	15	Worker's compensation		84	Shorter Duration Hemodialysis	
	16	Public health service (PHS agency	or other federal	A0	Special zip code reporting	
	21	Catastrophic		A1	Deductible payer A	
	22	Surplus		A2	Coinsurance payer A	
	23	Recurring monthly income	e	A3	Estimated responsibility payer A	
	24	Medicaid Rate Code		A4	Covered self-administrable drugs - emergency	
	25	Offset to the patient - payn	nent amount -	A5	Covered self-administrable drugs - administrable	
	2.5	prescription drugs			in form and situation furnished to patient	
	26	Offset to the patient - payn and ear services	nent amount - hearing	g A6	Covered self-administrable drugs - diagnostic study and other	
	27	Offset to the patient - payn	nent amount - vision	A7	Co-payment payer A	
		and eye services				
	28	Offset to the patient - payn	nent amount - dental	A8	Patient weight	
	29	services Offset to the patient - payn	nent amount -	A9	Patient height	
		chiropractic services			C	
	30	Preadmission testing		AA	Regulatory surcharges, assessments, allowances	
					or health care related taxes - payer A	

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC

	31	Patient Liability Amount		AB	Other assessments or allowances (e.g., medical
		****		D.4	education) - payer A
	32	Multiple patient ambulance	•	B1	Deductible payer B
	33	Offset to the patient - paym	ent amount - podiatri	c B2	Coinsurance payer B
	34	services Offset to the patient - paym	ent amount - other	В3	Estimated responsibility payer B
	35	medical services Offset to the patient - paym	ent amount - health	В7	Co-payment payer B
	37	insurance premiums Units of blood furnished		BA	Regulatory surcharges, assessments, allowances
	38	Blood deductible units		BB	or health care related taxes - payer B Other assessments or allowances (e.g., medical
	39	Units of blood replaced		C1	education) - payer B Deductible payer C
	40	New coverage not impleme	nted by HMO	C2	Coinsurance payer C
	41	Black lung	med by III.Io	C3	Estimated responsibility payer C
	42	VA		C7	Co-payment payer C
	43	Disabled beneficiary under	age 65 with LGHP	CA	Regulatory surcharges, assessments, allowances
		·			or health care related taxes - payer C
	44	Amount provider agreed to payer when this amount is 1 higher than payment received	ess than charges but	СВ	Other assessments or allowances (e.g., medical education) - payer C
	45	Accident hour		D3	Patient estimated responsibility
	46	Number of grace days		D4	Clinical Trial Number Assigned by NLM/NIH
	47	Any liability insurance		D5	Last Kt/V Reading
	48	Hemoglobin reading		FC	Patient Paid Amount
	49	Hematocrit reading		FD	Credit Received from the Manufacturer for a
	50	Physical Therapy visits		G8	Medical Device Facility where Inpatient Hospice Service is
	51	Occupational Therapy visits		Y1	Delivered Part A Demonstration Payment
	52	Speech Therapy visits	•	Y2	Part B Demonstration Payment
	53	Cardiac rehab visits		Y3	Part B Coinsurance
	54	Newborn birth weight in gra		Y4	Conventional Provider Payment
	55	Eligibility threshold for cha	•	Y5	Part B Deductible
	56	Skilled nurse - home visit h			
	57	Home health aide - home vi			
<b>Beginning Position:</b>	517		Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 77:	VAL	UE_AMOUNT_1			
<b>Description:</b>	Dolla	r amount that may be at	ffected.		
<b>Beginning Position:</b>	519		<b>Data Source:</b>	Claim	
Length:	9		Type:	Alphanu	meric
Field 78:	VAL	UE_CODE_2	V 1		
Description:		describing information	that may affect r	aver prod	cessing.
Coding Scheme:		as Field Value_CODE			6
Beginning Position:	528		Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 79:			I J PC.		
Description:		HE AMOUNT 2	•	тараша	
-	VAL	UE_AMOUNT_2	ffactad	- 11p114114	
Beginning Position:	VAL Dolla	UE_AMOUNT_2 or amount that may be at		•	
	VAL Dolla 530		Data Source:	Claim	
Length:	VAL Dolla			•	
	VAL Dolla 530 9		Data Source:	Claim	
Length:	VAL Dolla 530 9	r amount that may be at	Data Source: Type:	Claim Alphanu	meric
Length:  Field 80: Description:	VAL Dolla 530 9  VAL Code	UE_CODE_3 describing information	Data Source: Type:  that may affect p	Claim Alphanu	meric
Length:  Field 80: Description: Coding Scheme:	VAL Dolla 530 9 VAL Code Same	TE_CODE_3	Data Source: Type:  that may affect p _1.	Claim Alphanu payer proc	meric
Length:  Field 80: Description: Coding Scheme: Beginning Position:	VAL Dolla 530 9 VAL Code Same 539	UE_CODE_3 describing information	Data Source: Type:  that may affect p _1. Data Source:	Claim Alphanu payer proc	meric cessing.
Length:  Field 80: Description: Coding Scheme: Beginning Position: Length:	VAL Dolla 530 9 VAL Code Same 539 2	UE_CODE_3 describing information as Field Value_CODE_	Data Source: Type:  that may affect p _1.	Claim Alphanu payer proc	meric cessing.
Field 80: Description: Coding Scheme: Beginning Position: Length: Field 81:	VAL Dolla 530 9 VAL Code Same 539 2 VAL	UE_CODE_3 describing information as Field Value_CODE_ UE_AMOUNT_3	Data Source: Type:  that may affect p_1. Data Source: Type:	Claim Alphanu payer proc	meric cessing.
Length:  Field 80: Description: Coding Scheme: Beginning Position: Length:	VAL Dolla 530 9 VAL Code Same 539 2 VAL	UE_CODE_3 describing information as Field Value_CODE_	Data Source: Type:  that may affect p_1. Data Source: Type:	Claim Alphanu payer proc	meric cessing.
Field 80: Description: Coding Scheme: Beginning Position: Length: Field 81:	VAL Dolla 530 9 VAL Code Same 539 2 VAL	UE_CODE_3 describing information as Field Value_CODE_ UE_AMOUNT_3	Data Source: Type:  that may affect p_1. Data Source: Type:	Claim Alphanu payer proc	meric cessing.
Length:  Field 80: Description: Coding Scheme: Beginning Position: Length: Field 81: Description:	VAL Dolla 530 9 VAL Code Same 539 2 VAL Dolla	UE_CODE_3 describing information as Field Value_CODE_ UE_AMOUNT_3 ar amount that may be at	Data Source: Type:  that may affect p_1. Data Source: Type:	Claim Alphanu payer proc	meric cessing.

**Beginning Position:** 541 **Data Source:** Claim 9 Length: Type: Alphanumeric Field 82: VALUE CODE 4 Code describing information that may affect payer processing. **Description: Coding Scheme:** Same as Field Value CODE 1. **Beginning Position: Data Source:** 550 Claim Length: Alphanumeric Type: Field 83: VALUE\_AMOUNT\_4 Dollar amount that may be affected. **Description: Beginning Position:** 552 **Data Source:** Claim Length: Alphanumeric Type: VALUE CODE 5 Field 84: **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value\_CODE\_1. **Beginning Position:** 561 **Data Source:** Claim Length: Type: Alphanumeric Field 85: VALUE AMOUNT 5 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 563 Claim Length: Alphanumeric Type: Field 86: VALUE CODE 6 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 572 **Data Source:** Claim Length: Type: Alphanumeric **Field 87:** VALUE\_AMOUNT\_6 **Description:** Dollar amount that may be affected. **Beginning Position:** 574 **Data Source:** Claim Length: Type: Alphanumeric VALUE CODE 7 **Field 88:** Code describing information that may affect payer processing. **Description:** Same as Field Value CODE 1. **Coding Scheme: Beginning Position:** 583 **Data Source:** Claim Length: Type: Alphanumeric Field 89: VALUE AMOUNT 7 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 585 Claim Length: Alphanumeric Type: Field 90: VALUE CODE 8 Code describing information that may affect payer processing. **Description: Coding Scheme:** Same as Field Value\_CODE\_1. 594 **Beginning Position: Data Source:** Claim Length: Type: Alphanumeric VALUE\_AMOUNT\_8 Field 91: **Description:** Dollar amount that may be affected. **Beginning Position:** 596 **Data Source:** Claim Length: Alphanumeric Type: Field 92: VALUE CODE 9 Code describing information that may affect payer processing. **Description:** Same as Field Value CODE 1. **Coding Scheme: Beginning Position:** 605 **Data Source:** Claim Length: Alphanumeric Type: Field 93: VALUE AMOUNT 9 **Description:** Dollar amount that may be affected.

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC DSHS Document # E25-14163

Last Updated: October, 2018

**Beginning Position:** 607 **Data Source:** Claim Length: 9 Type: Alphanumeric Field 94: VALUE CODE 10 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position: Data Source:** Claim 616 Length: Alphanumeric Type: Field 95: VALUE\_AMOUNT\_10 **Description:** Dollar amount that may be affected. **Beginning Position:** 618 **Data Source:** Claim Length: 9 Type: Alphanumeric VALUE CODE 11 Field 96: **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value\_CODE\_1. **Beginning Position:** 627 **Data Source:** Claim Type: Length: Alphanumeric **Field 97:** VALUE\_AMOUNT\_11 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 629 Claim Length: 9 Type: Alphanumeric VALUE\_CODE\_12 Field 98: **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value\_CODE\_1. **Beginning Position:** 638 **Data Source:** Claim Length: Type: Alphanumeric Field 99: VALUE\_AMOUNT\_12 **Description:** Dollar amount that may be affected. **Beginning Position:** 640 **Data Source:** Claim Length: 9 Type: Alphanumeric

# CHARGES DATA FILE

Field 1:	RECO	RECORD_ID				
<b>Description:</b>		Record Identification Number. Unique number assigned to identify the record. First available				
•	1st qua	arter 2002. Does NOT match the RECOF	RD ID iı	n THCIC Research Data Files (RDF's).		
<b>Beginning Position:</b>	1	Data Source:	Assigne			
Length:	12 <b>Type:</b> Alphanumeric					
Field 2:	REVENUE_CODE			unicite		
		corresponding to each specific accommod	dation a	noillary corvice or billing calculation		
Description:			uation, a	ilentary service of offining calculation		
<b>Coding Scheme:</b>	0100	l to the services being billed. All-inclusive room charges plus ancillary	0527	Freestanding Clinic - Visiting Nurse Services(s) to a Member's Home when in a Home Health		
	0101	All-inclusive room charges	0528	Shortage Area Freestanding Clinic – Visit by RHC/FQHC Practitioner to Other non RHC/FQHC Site (e.g. Scene of Accident)		
	0110	Room charges for private rooms - general	0529	Freestanding Clinic - other		
	0111	Room charges for private rooms - medical/surgical/GYN	0530	Osteopathic service - general		
	0112	Room charges for private rooms - obstetrics	0531	Osteopathic service - therapy		
	0113	Room charges for private rooms - pediatric	0539	Osteopathic service - other		
	0114 0115	Room charges for private rooms - psychiatric Room charges for private rooms - hospice	0540 0541	Ambulance service - general Ambulance service - supplies		
	0115	Room charges for private rooms - detoxification	0542	Ambulance service - supplies  Ambulance service - medical transport		
	0117	Room charges for private rooms - oncology	0543	Ambulance service - heart mobile		
	0118	Room charges for private rooms - rehabilitation	0544	Ambulance service - oxygen		
	0119			Ambulance service - air ambulance		
	0120	Room charges for semi-private rooms - general	0546	Ambulance service - neonatal		
	0121	Room charges for semi-private rooms -	0547	Ambulance service - pharmacy		
	0122	medical/surgical/GYN Room charges for semi-private rooms - obstetrics	0548	Ambulance service - telephone transmission EKG		
	0123	Room charges for semi-private rooms - pediatric	0549	Ambulance service - other		
	0124	Room charges for semi-private rooms - psychiatric	0550	Skilled nursing - general		
	0125	Room charges for semi-private rooms - hospice	0551	Skilled nursing - visit charge		
	0126	Room charges for semi-private rooms - detoxification	0552	Skilled nursing - hourly charge		
	0127	Room charges for semi-private rooms - oncology	0559	Skilled nursing - other		
	0128	Room charges for semi-private rooms - rehabilitation	0560	Medical social services - general		
	0129	Room charges for semi-private rooms - other	0561	Medical social services - visit charge		
	0130	Room charges for semi-private - 3/4 beds - rooms - general	0562	Medical social services - hourly charge		
	0131	Room charges for semi-private - 3/4 beds - rooms - medical/surgical/GYN	0569	Medical social services - other		
	0132 0133	Room charges for semi-private - 3/4 beds - rooms - obstetrics	0570	Home health aide - general		
	0133	Room charges for semi-private - 3/4 beds - rooms - pediatric  Room charges for semi-private - 3/4 beds -	0571 0572	Home health aide - visit charge  Home health aide - hourly charge		
	0135	rooms - psychiatric Room charges for semi-private - 3/4 beds -	0572	Home health aide - other		
	0136	rooms - hospice Room charges for semi-private - 3/4 beds -	0580	Other visits (home health) - general		
	0137	rooms - detoxification Room charges for semi-private - 3/4 beds -	0581	Other visits (home health) - visit charge		
	0138	rooms - oncology Room charges for semi-private - 3/4 beds -	0582	Other visits (home health) - hourly charge		
	0139	rooms - rehabilitation Room charges for semi-private - 3/4 beds -	0583	Other visits (home health) - assessment		
	0140	rooms - other Room charges for private (deluxe) rooms - general	0589	Other visits (home health) - other		

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC DSHS Document # E25-14163 Last Updated: October, 2018

Page 46

0141	Room charges for private (deluxe) rooms - medical/surgical/GYN	0590	Units of service (home health) - general
0142	Room charges for private (deluxe) rooms - obstetrics	0600	Oxygen (home health) - general
0143	Room charges for private (deluxe) rooms - pediatric	0601	Oxygen (home health) - stat/equip/supply or contents
0144	Room charges for private (deluxe) rooms - psychiatric	0602	Oxygen (home health) - stat/equip/supply under 1 liter per minute
0145	Room charges for private (deluxe) rooms - hospice	0603	Oxygen (home health) - stat/equip/supply over 4 liters per minute
0146	Room charges for private (deluxe) rooms - detoxification	0604	Oxygen (home health) - portable add-in
0147	Room charges for private (deluxe) rooms - oncology	0609	Oxygen (home health) - other
0148	Room charges for private (deluxe) rooms - rehabilitation	0610	Magnetic Resonance Technology (MRT) - MRI - general
0149	Room charges for private (deluxe) rooms - other	0611	Magnetic Resonance Technology (MRT) - MRI - brain (including brain stem)
0150	Room charges for ward rooms - general	0612	Magnetic Resonance Technology (MRT) - MRI - spinal cord (including spine)
0151	Room charges for ward rooms - medical/surgical/GYN	0614	Magnetic Resonance Technology (MRT) - MRI - other
0152	Room charges for ward rooms - obstetrics	0615	Magnetic Resonance Technology (MRT) - MRA – head and neck
0153	Room charges for ward rooms - pediatric	0616	Magnetic Resonance Technology (MRT) - MRA – lower extremities
0154	Room charges for ward rooms - psychiatric	0618	Magnetic Resonance Technology (MRT) - MRA – other
0155	Room charges for ward rooms - hospice	0619	Magnetic Resonance Technology (MRT) - Other MRT
0156	Room charges for ward rooms - detoxification	0621	Medical/surgical supplies - incident to radiology
0157	Room charges for ward rooms - oncology	0622	Medical/surgical supplies - incident to other diagnostic services
04.50		0623	Medical/surgical supplies - surgical dressings
0158	Room charges for ward rooms - rehabilitation	0624	Medical/surgical supplies - FDA investigational devices
0159	Room charges for ward rooms - other	0631	Drugs requiring specific identification - single source
0160	Room charges for other rooms - general	0632	Drugs requiring specific identification - multiple source
0164	Room charges for other rooms – Sterile Environment	0633	Drugs requiring specific identification - restrictive prescription
0167	Room charges for other rooms – self care	0634	Drugs requiring specific identification - EPO, less than 10,000 units
0169	Room charges for other rooms - other	0635	Drugs requiring specific identification - EPO, 10,000 or more units
0170	Room charges for nursery - general	0636	Drugs requiring specific identification - requiring detailed coding
0171	Room charges for nursery - newborn level I	0637	Drugs requiring specific identification - self-administrable
0172	Room charges for nursery - newborn level II	0640	Home IV therapy services - general
0173	Room charges for nursery - newborn level III	0641	Home IV therapy services - nonroutine nursing, central line
0174	Room charges for nursery - newborn level IV	0642	Home IV therapy services - IV site care, central line
0179	Room charges for nursery - other	0643	Home IV therapy services - IV start/change, peripheral line
0180	Room charges for LOA - general	0644	Home IV therapy services - nonroutine nursing, peripheral line
0182	Room charges for LOA - patient convenience-charges billable	0645	Home IV therapy services - training patient/caregiver, central line
0183	Room charges for LOA - therapeutic leave	0646	Home IV therapy services - training, disabled patient, central line
0185	Room charges for LOA – nursing home (for hospitalization)	0647	Home IV therapy services - training, patient/caregiver, peripheral
0189	Room charges for LOA - other	0648	Home IV therapy services - training, disabled patient, peripheral
0190	Room charges for subacute care - general	0649	Home IV therapy services - other

0191	Room charges for subacute care - Level I (skilled care)	0650	Hospice services - general
0192	Room charges for subacute care - Level II (comprehensive care)	0651	Hospice services - routine home care
0193	Room charges for subacute care - Level III (complex care)	0652	Hospice services - continuous home care
0194	Room charges for subacute care - Level IV (intensive care)	0655	Hospice services - inpatient respite care
0199	Room charges for subacute care - other	0656	Hospice services - general inpatient care (nonrespite)
0200	Room charges for intensive care - general	0657	Hospice services - physician services
0201	Room charges for intensive care - surgical	0658	Hospice services - room and board - nursing
0202	Room charges for intensive care - medical	0659	facility Hospice services - other
0203	Room charges for intensive care - pediatric	0660	Respite care - general
0204	Room charges for intensive care - psychiatric	0661	Respite care - hourly charge/skilled nursing
0206	Room charges for intensive care - intermediate intensive care unit (ICU)	0662	Respite care - hourly charge/aide/homemaker/companion
0207	Room charges for intensive care - burn care	0663	Respite care - daily charge
0208	Room charges for intensive care - trauma	0669	Respite care - other
0209	Room charges for intensive care - other	0670	Outpatient special residence - general
0210	Room charges for coronary care - general	0671	Outpatient special residence - hospital based
0210	Room charges for coronary care - myocardial	0672	Outpatient special residence - nospital based  Outpatient special residence - contracted
	infarction		
0212	Room charges for coronary care - pulmonary care	0679	Outpatient special residence - other
0213	Room charges for coronary care - heart transplant	0681	Trauma response - level I
0214	Room charges for coronary care - intermediate coronary care unit (CCU)	0682	Trauma response - level II
0219	Room charges for coronary care - other	0683	Trauma response - level III
0220	Special charges - general	0684	Trauma response - level IV
0221	Special charges - admission charge	0689	Trauma response - other
0222	Special charges - technical support charge	0690	Pre-hospice/Palliative Care Services - general
0223	Special charges - UR service charge	0691	Pre-hospice/Palliative Care Services – visit charge
0224	Special charges - late discharge, medically necessary	0692	Pre-hospice/Palliative Care Services – hourly charge
0229	Special charges - other	0693	Pre-hospice/Palliative Care Services - evaluation
0230	Incremental nursing care - general	0694	Pre-hospice/Palliative Care Services – consultation and education
0231	Incremental nursing care - nursery	0695	Pre-hospice/Palliative Care Services – inpatient
0232	Incremental nursing care - OB	0696	care Pre-hospice/Palliative Care Services – physician services
0233	Incremental nursing care - ICU (includes transitional care)	0699	Pre-hospice/Palliative Care Services - other
0234	Incremental nursing care - CCU (includes transitional care)	0700	Cast Room services - general
0235	Incremental nursing care - hospice	0710	Recovery Room services - general
0239	Incremental nursing care - other	0720	Labor/Delivery Room services - general
0240	All-inclusive ancillary - general	0721	Labor/Delivery Room services - labor
0240	All-inclusive ancillary - basic	0721	Labor/Delivery Room services - delivery
0242	All-inclusive ancillary - comprehensive	0723	Labor/Delivery Room services - circumcision
0243	All-inclusive ancillary - specialty	0724	Labor/Delivery Room services - birthing center
0249	All-inclusive ancillary - other	0724	Labor/Delivery Room services - other
0249	Pharmacy - general	0729	EKG/ECG services - general
0250	Pharmacy - general Pharmacy - generic drugs	0730	EKG/ECG services - general  EKG/ECG services - holter monitor
0252	Pharmacy - nongeneric drugs	0732	EKG/ECG services - telemetry
0253 0254	Pharmacy - take-home drugs Pharmacy - drugs incident to other diagnostic	0739 0740	EKG/ECG services - other EEG services - general
0255	services		·
0233	Pharmacy - drugs incident to radiology	0750	Gastrointestinal services - general

0256	Pharmacy - experimental drugs	0760	Treatment or observation room services - general
0257	Pharmacy - nonprescription	0761	Specialty Room - Treatment/ Observation Room - Treatment Room
0258	Pharmacy - IV solutions	0762	Specialty Room - Treatment/ Observation Room - Observation Room
0259	Pharmacy - other	0769	Treatment or observation room services - other
0260	IV Therapy - general	0770	Preventive care services - general
0261	IV Therapy - infusion pump	0771	Preventive care services - vaccine
0262	IV Therapy - pharmacy services	0780	administration Telemedicine services - general
			Extra-corporeal shockwave therapy - general
0263	IV Therapy - drug/supply delivery	0790	1 17 6
0264	IV Therapy - supplies	0800	Inpatient renal dialysis services - general
0269	IV Therapy - other	0801	Inpatient renal dialysis services - hemodialysis
0270	Medical surgical supplies and devices - general	0802	Inpatient renal dialysis services - peritoneal (non-CAPD)
0271	Medical surgical supplies and devices - nonsterile	0803	Inpatient renal dialysis services - continuous ambulatory peritoneal dialysis (CAPD)
0272	Medical surgical supplies and devices - sterile	0804	Inpatient renal dialysis services - continuous cycling peritoneal dialysis (CAPD)
0273	Medical surgical supplies and devices - take- home	0809	Inpatient renal dialysis services - other
0274	Medical surgical supplies and devices - prosthetic/orthotic	0810	Acquisition of body components- general
0275	Medical surgical supplies and devices - pacemaker	0811	Acquisition of body components - living donor
0276	Medical surgical supplies and devices - intraocular lens (IOL)	0812	Acquisition of body components - cadaver donor
0277	Medical surgical supplies and devices - oxygen - take-home	0813	Acquisition of body components - unknown donor
0278	Medical surgical supplies and devices - other	0814	Acquisition of body components - unsuccessful organ search-donor bank charges
0279	implants Medical surgical supplies and devices - other	0815	Acquisition of body components – stem cells-
0280	Oncology - general	0819	allogeneic Acquisition of body components - other donor
0289	••	0820	• •
	Oncology - other		Hemodialysis - outpatient or home - general
0290	DME - general	0821	Hemodialysis - outpatient or home - composite or other rate
0291	DME - rental	0822	Hemodialysis - outpatient or home – home supplies
0292	DME - purchase of new	0823	Hemodialysis - outpatient or home – home equipment
0293	DME - purchase of used	0824	Hemodialysis - outpatient or home – maintenance 100%
0294	DME - supplies/drugs for DME effectiveness	0825	Hemodialysis - outpatient or home - support services
0299	DME - other equipment	0826	Hemodialysis - outpatient or home – shorter duration (effective 7/1/17)
0300	Laboratory - general	0829	Hemodialysis - outpatient or home - other
0301	Laboratory - chemistry	0830	Peritoneal dialysis - outpatient or home - general
0302	Laboratory - immunology	0831	Peritoneal dialysis - outpatient or home - composite or other rate
0303	Laboratory - renal patient (home)	0832	Peritoneal dialysis - outpatient or home – home supplies
0304	Laboratory - nonroutine dialysis	0833	Peritoneal dialysis - outpatient or home – home equipment
0305	Laboratory - hematology	0834	Peritoneal dialysis - outpatient or home – maintenance 100%
0306	Laboratory - bacteriology and microbiology	0835	Peritoneal dialysis - outpatient or home - support services
0307	Laboratory - urology	0839	Peritoneal dialysis - outpatient or home - other
0309	Laboratory - other	0840	CAPD - outpatient or home - general
0310	Laboratory pathological - general	0841	CAPD - outpatient or home - composite or other
0311	Laboratory pathological - cytology	0842	rate CAPD - outpatient or home – home supplies
0311	Laboratory pathological - cytology  Laboratory pathological - histology	0843	CAPD - outpatient or home – home equipment
0312	Laboratory pathological - Histology	0043	CALD - outpation of nome - nome equipment

0314	Laboratory pathological - biopsy	0844	CAPD - outpatient or home – maintenance 100%
0319	Laboratory pathological - other	0845	CAPD - outpatient or home - support services
0320	Radiology - diagnostic - general	0849	CAPD - outpatient or home - other
0321	Radiology - diagnostic - angiocardiography	0850	CCPD - outpatient or home - general
0322	Radiology - diagnostic - arthrography	0851	CCPD - outpatient or home - composite or other rate
0323	Radiology - diagnostic - arteriography	0852	CCPD - outpatient or home - home supplies
0324	Radiology - diagnostic - chest x-ray	0853	CCPD - outpatient or home - home equipment
0329	Radiology - diagnostic - other	0854	CCPD - outpatient or home - maintenance 100%
0330	Radiology - therapeutic and/or chemotherapy administration - general	0855	CCPD - outpatient or home - support services
0331	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - injected	0859	CCPD - outpatient or home - other
0332	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - oral	0860	Magnetoencephalography (MEG) - General
0333	Radiology - therapeutic and/or chemotherapy administration - radiation therapy	0861	Magnetoencephalography (MEG) - MEG
0335	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - IV	0880	Miscellaneous dialysis - general
0339	Radiology - therapeutic and/or chemotherapy administration - other	0881	Miscellaneous dialysis - ultrafiltration
0340	Nuclear medicine - general	0882	Miscellaneous dialysis - home aide visit
0341	Nuclear medicine - diagnostic procedures	0889	Miscellaneous dialysis - other
0342	Nuclear medicine - therapeutic procedures	0900	Behavior health treatments/services - general
0343	Nuclear medicine - diagnostic	0901	Behavior health treatments/services -
0343	radiopharmaceuticals	0701	electroshock
0344	Nuclear medicine - therapeutic	0902	Behavior health treatments/services - milieu
	radiopharmaceuticals		therapy
0349	Nuclear medicine - other	0903	Behavioral health treatments/services - play therapy
0350	CT scan - general	0904	Behavior health treatments/services - activity therapy
0351	CT scan - head	0905	Behavior health treatments/services - intensive outpatient services - psychiatric
0352	CT scan - body	0906	Behavior health treatments/services - intensive outpatient services - chemical dependency
0359	CT scan - other	0907	Behavior health treatments/services - community behavioral health program
0360	Operating room services - general	0911	Behavior health treatment/services - rehabilitation
0361	Operating room services - minor surgery	0912	Behavior health treatment/services - partial hospitalization - less intensive
0362	Operating room services - organ transplant other than kidney	0913	Behavior health treatment/services - partial hospitalization - intensive
0367	Operating room services - kidney transplant	0914	Behavior health treatment/services - individual therapy
0369	Operating room services - other	0915	Behavior health treatment/services - group therapy
0370	Anesthesia - general	0916	Behavior health treatment/services - family therapy
0371	Anesthesia - incident to radiology	0917	Behavior health treatment/services - biofeedback
0372	Anesthesia - incident to other diagnostic services	0918	Behavior health treatment/services - testing
0374	Anesthesia - acupuncture	0919	Behavior health treatment/services - other
0379	Anesthesia - other	0920	Other diagnostic services - general
0380	Blood - general	0921	Other diagnostic services - peripheral vascular lab
0381	Blood - packed red cells	0922	Other diagnostic services - electromyogram
0382	Blood - whole blood	0923	Other diagnostic services - pap smear
0383	Blood - plasma	0924	Other diagnostic services - allergy test
0384	Blood - platelets	0925	Other diagnostic services - pregnancy test
0385	Blood - leukocytes	0929	Other diagnostic services - pregnancy test
	•		-
0386	Blood - other components	0931	Medical rehabilitation day program - half day

0387	Blood - other derivatives (cryoprecipitate)	0932	Medical rehabilitation day program - full day
0389	Blood - other	0940	Other therapeutic services - general
0390	Blood and blood component administration, storage and processing - general	0941	Other therapeutic services - recreational therapy
0391	Blood and blood component administration, storage and processing - administration	0942	Other therapeutic services - education/training
0392	Blood and blood component administration, storage and processing – processing and storage	0943	Other therapeutic services - cardiac rehabilitation
0399	Blood and blood component administration, storage and processing - other	0944	Other therapeutic services - drug rehabilitation
0400	Other imaging services - general	0945	Other therapeutic services - alcohol rehabilitation
0401	Other imaging services - diagnostic mammography	0946	Other therapeutic services - complex medical equipment - routine
0402	Other imaging services - ultrasound	0947	Other therapeutic services - complex medical equipment - ancillary
0403	Other imaging services - screening mammography	0948	Other therapeutic services – pulmonary rehabilitation
0404	Other imaging services - PET	0949	Other therapeutic services - other
0409	Other imaging services - other	0951	Other therapeutic services – athletic training
0410	Respiratory services - general	0952	Other therapeutic services - kinesiotherapy
0412	Respiratory services - inhalation	0953	Other therapeutic services – chemical
0413	Respiratory services - hyperbaric oxygen	0960	dependency (drug and alcohol) Professional fees - general
0419	therapy Respiratory services - other	0961	Professional fees - psychiatric
0420	Physical therapy - general	0962	Professional fees - ophthalmology
0421	Physical therapy - visit charge	0963	Professional fees - anesthesiologist (MD)
0421	Physical therapy - hourly charge	0964	Professional fees - anesthetist (CRNA)
0422	Physical therapy - froury charge  Physical therapy - group rate	0969	Professional fees - other
0424	Physical therapy - evaluation or reevaluation	0971	Professional fees - laboratory
0429	Physical therapy - other	0972	Professional fees - radiology - diagnostic
0430	Occupational therapy - general	0973	Professional fees - radiology - therapeutic
0430	Occupational therapy - visit charge	0973	Professional fees - radiology - nuclear medicine
0431	Occupational therapy - visit charge	0975	Professional fees - operating room
0432	Occupational therapy - group rate	0975	Professional fees - respiratory therapy
0434	Occupational therapy - evaluation or reevaluation	0977	Professional fees - physical therapy
0439	Occupational therapy - other	0978	Professional fees - occupational therapy
0440	Speech-language pathology - general	0979	Professional fees - speech therapy
0441	Speech-language pathology - visit charge	0981	Professional fees - emergency room
0442	Speech-language pathology - hourly charge	0982	Professional fees - outpatient services
0443	Speech-language pathology - group rate	0983	Professional fees - clinic
0444	Speech-language pathology - evaluation or reevaluation	0984	Professional fees - medical social services
0449	Speech-language pathology - other	0985	Professional fees - EKG
0450	Emergency room - general	0986	Professional fees - EEG
0451	Emergency room - EMTALA emergency medical screening services	0987	Professional fees - hospital visit
0452	Emergency room - beyond EMTALA screening	0988	Professional fees - consultation
0456	Emergency room - urgent care	0989	Professional fees - private duty nurse
0459	Emergency room - other	0990	Patient convenience items - general
0460	Pulmonary function - general	0991	Patient convenience items - cafeteria/guest tray
0469	Pulmonary function - other	0992	Patient convenience items - private linen service
0470	Audiology - general	0993	Patient convenience items - telephone/telegraph
0471	Audiology - diagnostic	0994	Patient convenience items - TV/radio
0472	Audiology - treatment	0995	Patient convenience items - nonpatient room rentals
0479	Audiology - other	0996	Patient convenience items - late discharge charge
0480 0481	Cardiology - general Cardiology - cardiac cath lab	0997 0998	Patient convenience items - admission kits Patient convenience items - beauty shop/barber

		~ " '			
	0482	Cardiology - stress test	0999	Patient convenience items - other	
	0483	Cardiology - echocardiology	1000	Behavior health accommodations - general	
	0489	Cardiology - other	1001	Behavior health accommodations - residential treatment - psychiatric	
	0490	Ambulatory surgical care - general	1002	Behavior health accommodations - residential treatment - chemical dependency	
	0499	Ambulatory surgical care - other	1003	Behavior health accommodations - supervised living	
	0500	Outpatient services - general	1004	Behavior health accommodations - halfway house	
	0509	Outpatient services - other	1005	Behavior health accommodations - group home	
	0510	Clinic - general	2100	Alternative therapy services - general	
	0511	Clinic - chronic pain	2101	Alternative therapy services - acupuncture	
	0512	Clinic - dental	2102	Alternative therapy services - acupressure	
	0513	Clinic - psychiatric	2103	Alternative therapy services - massage	
	0514	Clinic - OB/GYN	2104	Alternative therapy services - reflexology	
	0515	Clinic - pediatric	2105	Alternative therapy services - biofeedback	
	0516	Clinic - urgent care	2106	Alternative therapy services - hypnosis	
	0517	Clinic - family practice	2109	Alternative therapy services - other	
	0519	Clinic - other	3101	Adult day care, medical and social - hourly	
	0520	Freestanding Clinic - general	3102	Adult day care, social - hourly	
	0521 0522	Freestanding Clinic - Clinic Visit by Member to RHC/FQHC Freestanding Clinic - Home Visit by	3103 3104	Adult day care, medical and social - daily  Adult day care, social - daily	
	0523	RHC/FQHC Practitioner		•	
		Freestanding Clinic - family practice	3105	Adult foster care - daily	
	0524	Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a Covered Part A Stay at SNF	3109	Adult foster care - other	
	0525 0526	Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a SNF (not Covered Part A Stay) or NF or ICF MR or Other Residential Facility Freestanding Clinic - urgent care			
Beginning Position:	13	Data Source:	Claim		
	4	Type:	Claim Alphanumeric		
			•		
Field 3:	НСРО	CS_QUALIFIER	.•		
Field 3:	HCP(	CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE	tive nun	nber used in	
Field 3: Description: Beginning Position:	HCPC Code i HCPC 17	identifying the type/source of the descrip	tive num Claim	iber used in	
Field 3: Description: Beginning Position:	HCPC Code i HCPC 17 2	identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source: Type:	Claim	nber used in	
Field 3: Description: Beginning Position: Length: Field 4	HCPC Code i HCPC 17 2 HCPC	identifying the type/source of the descrip CS_PROCEDURE_CODE  Data Source: Type:  CS_PROCEDURE_CODE	Claim Alphan	umeric	
Field 3: Description: Beginning Position: Length: Field 4	HCPC Code i HCPC 17 2 HCPC HCFA	identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source: Type:	Claim Alphan	umeric	
Field 3: Description: Beginning Position: Length: Field 4 Description:	HCPC Code i HCPC 17 2 HCPC HCFA accom	identifying the type/source of the descrip CS_PROCEDURE_CODE  Data Source: Type:  CS_PROCEDURE_CODE  A Common Procedure Coding System (Homodations.	Claim Alphan CPCS) c	ode applicable to ancillary services or	
Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme:	HCPC Code i HCPC 17 2 HCPC HCFA accom	identifying the type/source of the descript CS_PROCEDURE_CODE  Data Source: Type:  CS_PROCEDURE_CODE  A Common Procedure Coding System (Homodations.  http://www.cms.hhs.gov/HCPCSReleaseCode	Claim Alphan CPCS) codeSets/A	ode applicable to ancillary services or	
Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position:	HCPC Code i HCPC 17 2 HCPC HCFA accom See ht	identifying the type/source of the descript CS_PROCEDURE_CODE  Data Source: Type:  CS_PROCEDURE_CODE A Common Procedure Coding System (Homodations.  http://www.cms.hhs.gov/HCPCSReleaseColorate Source:	Claim Alphan CPCS) codeSets/A	ode applicable to ancillary services or ANHCPCS/list.asp for complete list.	
Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position: Length:	HCPC Code i HCPC 17 2 HCPC HCFA accom See ht 19 5	identifying the type/source of the descript CS_PROCEDURE_CODE  Data Source: Type:  CS_PROCEDURE_CODE  A Common Procedure Coding System (Homodations.  http://www.cms.hhs.gov/HCPCSReleaseColore Data Source: Type:	Claim Alphan CPCS) codeSets/A	ode applicable to ancillary services or	
Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position: Length: Field 5:	HCPC Code i HCPC 17 2 HCPC HCFA accom See ht 19 5	identifying the type/source of the descript CS_PROCEDURE_CODE  Data Source: Type:  CS_PROCEDURE_CODE  A Common Procedure Coding System (Homodations.  http://www.cms.hhs.gov/HCPCSReleaseColory Data Source: Type:  IFIER_1	Claim Alphan CPCS) c odeSets/A Claim Alphan	ode applicable to ancillary services or ANHCPCS/list.asp for complete list.	
Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position: Length: Field 5: Description:	HCPC Code i HCPC 17 2 HCPC HCFA accom See ht 19 5	identifying the type/source of the descript CS_PROCEDURE_CODE  Data Source: Type:  CS_PROCEDURE_CODE  A Common Procedure Coding System (Homodations.  http://www.cms.hhs.gov/HCPCSReleaseColory Data Source: Type:  IFIER_1  fies special circumstances related to the process.	Claim Alphan CPCS) c odeSets/A Claim Alphan	ode applicable to ancillary services or ANHCPCS/list.asp for complete list.	
Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position: Length: Field 5: Description:	HCPC Code i HCPC 17 2 HCPC HCFA accom See ht 19 5 MOD Identif	identifying the type/source of the descript CS_PROCEDURE_CODE  Data Source: Type:  CS_PROCEDURE_CODE  A Common Procedure Coding System (Homodations.  http://www.cms.hhs.gov/HCPCSReleaseColory Data Source: Type:  IFIER_1	Claim Alphan CPCS) codeSets/A Claim Alphan performa	ode applicable to ancillary services or  ANHCPCS/list.asp for complete list.  numeric  nce of the service  A patient with severe systemic disease that is a constant threat to life  A moribund patient who is not expected to	
Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position: Length: Field 5: Description:	HCPC Code i HCPC 17 2 HCPC HCFA accom See ht 19 5 MOD Identif	identifying the type/source of the descrip  CS_PROCEDURE_CODE  Data Source: Type:  CS_PROCEDURE_CODE  A Common Procedure Coding System (Homodations.  http://www.cms.hhs.gov/HCPCSReleaseColor  Data Source: Type:  IFIER_1  fies special circumstances related to the procedural services  Unusual Anesthesia  Unrelated Evaluation and Management Service by	Claim Alphan CPCS) codeSets/A Claim Alphan Derforma P4	ode applicable to ancillary services or  ANHCPCS/list.asp for complete list.  numeric  nce of the service  A patient with severe systemic disease that is a constant threat to life  A moribund patient who is not expected to survive without the operation  A declared brain-dead patient whose organs are	
Length: Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position: Length: Field 5: Description: Coding Scheme:	HCPC Code i HCPC 17 2 HCPC HCFA accom See ht 19 5 MOD Identif 22 23	identifying the type/source of the descrip CS_PROCEDURE_CODE  Data Source: Type:  CS_PROCEDURE_CODE A Common Procedure Coding System (Homodations.  http://www.cms.hhs.gov/HCPCSReleaseColory Data Source: Type:  IFIER_1 fies special circumstances related to the procedural services  Unusual Anesthesia  Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional during a Postoperative Period	Claim Alphan CPCS) condeSets/A Claim Alphan Performa P4 P5 P6	ode applicable to ancillary services or  ANHCPCS/list.asp for complete list.  numeric  nce of the service  A patient with severe systemic disease that is a constant threat to life  A moribund patient who is not expected to survive without the operation  A declared brain-dead patient whose organs are being removed for donor purposes	
Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position: Length: Field 5: Description:	HCPC Code i HCPC 17 2 HCPC HCFA accom See ht 19 5 MOD Identif 22	identifying the type/source of the descrip  CS_PROCEDURE_CODE  Data Source: Type:  CS_PROCEDURE_CODE  A Common Procedure Coding System (Homodations.  http://www.cms.hhs.gov/HCPCSReleaseColor  Data Source: Type:  IFIER_1  fies special circumstances related to the procedural services  Unusual Anesthesia  Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health	Claim Alphan CPCS) condeSets/A Claim Alphan Performa P4 P5 P6	ode applicable to ancillary services or ANHCPCS/list.asp for complete list.  numeric  nce of the service  A patient with severe systemic disease that is a constant threat to life  A moribund patient who is not expected to survive without the operation  A declared brain-dead patient whose organs are	

7 7 7 8 8 8 8	74	Administration of Anesthesia Discontinued Outpatient Hospital/Ambulatory Surgery Center (ASC) Procedure after Administration of Anesthesia Repeat Procedure by Same Physician or Other Qualified Health Care Professional Repeat Procedure by Another Physician or Other Qualified Health Care Professional Jiplanned Return to the Operating/Procedure Room by the Same Physician or Other Qualified Health Care Professional Following Initial Procedure for a Related Procedure During the	Q M QN RC RI	Ambulance service provided under arrangement by a provider of services  Ambulance service furnished directly by a provider of services Right coronary artery  Ramus intermedius coronary artery
7 7 7 8 8 8 8	A76 R Q 77 R Q 78 U R H P P P P	Administration of Anesthesia Repeat Procedure by Same Physician or Other Qualified Health Care Professional Repeat Procedure by Another Physician or Other Qualified Health Care Professional Juplanned Return to the Operating/Procedure Room by the Same Physician or Other Qualified Health Care Professional Following Initial Procedure for a Related Procedure During the	QN RC	Ambulance service furnished directly by a provider of services Right coronary artery
7 7 7 8 8 8 8	77 R Q 78 U R H P P P P 79 U	Qualified Health Care Professional Repeat Procedure by Another Physician or Other Qualified Health Care Professional Jinplanned Return to the Operating/Procedure Room by the Same Physician or Other Qualified Health Care Professional Following Initial Procedure for a Related Procedure During the	RC	provider of services Right coronary artery
7 7 8 8 8 8	78 U R H P P P 79 U	Qualified Health Care Professional Unplanned Return to the Operating/Procedure Room by the Same Physician or Other Qualified Health Care Professional Following Initial Procedure for a Related Procedure During the		
7 8 8 8 8	R H P P 79 U P	Room by the Same Physician or Other Qualified Health Care Professional Following Initial Procedure for a Related Procedure During the	KI	ramus mermeatus coronary artery
8 8 8 9	79 U P	Postoperative Period		
8 8 9		Unrelated Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period	RT	Right side of the body procedure
8		Assistant Surgeon	T1	Left foot, second digit
9		Minimum Assistant Surgeon	T2	Left foot, third digit
	82 R	Repeat procedure by same physician	T3	Left foot, fourth digit
0	90 R	Reference (Outside) Laboratory	T4	Left foot, fifth digit
9	91 R	Repeat Clinical Diagnostic Laboratory Test	T5	Right foot, great toe
9	92 A	Alternative Laboratory Platform Testing	T6	Right foot, second digit
9	a	Synchronous Telemedicine Service Rendered Via a Real-Time Interactive Audio and Video	T7	Right foot, third digit
9		Felecommunications System Multiple Modifiers	T8	Right foot, fourth digit
	1P P	Performance Measure Exclusion Modifier due to Medical Reasons	Т9	Right foot, fifth digit
2	2P P	Performance Measure Exclusion Modifier due to Patient Reasons	TA	Left foot, great toe
3		Performance Measure Exclusion Modifier due to System Reasons	XE	Separate Encounter
8	8P P	Performance Measure Reporting Modifier- Action not performed, reason not otherwise specified	XS	Separate Structure
P		A normal healthy patient	XP	Separate Practitioner
P	P2 A	A patient with mild systemic disease	XU	Unusual Non-Overlapping Service
		A patient with severe systemic disease		
	24		Claim	
0 0				yımaria
Length: 2 Field 6: N		Type: FIER_2	Aipnan	umeric

Coding Scheme:	Same as Field MODIFIER_	_1	
<b>Beginning Position:</b>	26	<b>Data Source:</b>	Claim
Length:	2	Type:	Alphanumeric
Field 7:	MODIFIER_3		
<b>Description:</b>	Identifies special circumstan	nces related to the	performance of the service.
Coding Scheme:	Same as Field MODIFIER_	_1	
<b>Beginning Position:</b>	28	<b>Data Source:</b>	Claim
Length:	2	Type:	Alphanumeric
Field 8:	MODIFIER_4		
<b>Description:</b>	Identifies special circumstan	nces related to the	performance of the service.
Coding Scheme:	Same as Field MODIFIER_	_1	
<b>Beginning Position:</b>	30	<b>Data Source:</b>	Claim
Length:	2	Type:	Alphanumeric
Field 9:	UNIT_MEASUREMENT	_CODE	
<b>Description:</b>	Code specifying the units in	which a value is	being expressed.
Coding Scheme:	DA Days		
	F2 International unit UN Unit		
<b>Beginning Position:</b>	32	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 10:	UNITS OF SERVICE	турс.	7 ii piidiidiilerie
Description:	Numeric value of quantity		
Beginning Position:	34	Data Source:	Claim
Length:	7	Type:	Numeric
Field 11:	UNIT RATE	-3 P**	
Description:	Rate per unit		
Beginning Position:	41	Data Source:	Claim
Length:	12	Type:	Numeric
Field 12:	CHRGS_LINE_ITEM	V 1	
<b>Description:</b>	Total amount of the charge		
Beginning Position:	53	Data Source:	Assigned
Length:	14	Type:	Numeric
Field 13:	CHRGS_NON_COV	<u> </u>	
Description:	Total non-covered amount of	of the charge	
Beginning Position:	67	Data Source:	Assigned
Length:	14	Type:	Numeric
		· •	

# FACILITY TYPE INDICATOR FILE

Facility type indicators provided by the facilities. Provide the data user with information on the type of facility providing the inpatient service.

Field 1:	THCIC_ID	
<b>Description:</b>	Provider ID. Unique identifier assigned to	the provider by DSHS.
<b>Beginning Position:</b>	1 Data Source:	Assigned
Length:	<b>Type:</b>	Alphanumeric
Field 2	PROVIDER_NAME	
<b>Description:</b>	Hospital name provided by the hospital.	
<b>Beginning Position:</b>	7 Data Source:	Provider
Length:	55 <b>Type:</b>	Alphanumeric
Field 3:	FAC_TEACHING_IND	•
<b>Description:</b>	Teaching Facility Indicator.	
Suppression:	Suppressed for hospitals with fewer than 50	0 discharges (Provider ID equals '999999').
<b>Coding Scheme:</b>	A Member, Council of Teaching Hospitals X Other teaching facility	1
<b>Beginning Position:</b>	62 Data Source:	Provider
Length:	1 <b>Type:</b>	Alphanumeric
Field 4:	FAC_PSYCH_IND	
<b>Description:</b>	Psychiatric Facility Indicator.	
Suppression:	Suppressed for hospitals with fewer than 50	O discharges (Provider ID equals '999999').
<b>Beginning Position:</b>	63 <b>Data Source:</b>	Provider
Length:	1 <b>Type:</b>	Alphanumeric
Field 5:	FAC_REHAB_IND	
<b>Description:</b>	Rehabilitation Facility Indicator.	
<b>Suppression:</b>	Suppressed for hospitals with fewer than 50	0 discharges (Provider ID equals '999999').
<b>Beginning Position:</b>	Data Source:	Provider
Length:	1 <b>Type:</b>	Alphanumeric
Field 6:	FAC_ACUTE_CARE_IND	
<b>Description:</b>	Acute Care Facility Indicator.	
Description: Suppression:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50	O discharges (Provider ID equals '999999').
		O discharges (Provider ID equals '999999'). Provider
<b>Suppression:</b>	Suppressed for hospitals with fewer than 50	<u> </u>
Suppression: Beginning Position:	Suppressed for hospitals with fewer than 50 <b>Data Source:</b>	Provider
Suppression: Beginning Position: Length:	Suppressed for hospitals with fewer than 50 65 Data Source: 1 Type: FAC_SNF_IND	Provider
Suppression: Beginning Position: Length: Field 7:	Suppressed for hospitals with fewer than 50 65 Data Source: 1 Type: FAC_SNF_IND	Provider Alphanumeric  I facility type indicator provided by the hospital.
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position:	Suppressed for hospitals with fewer than 50 65 Data Source:  1 Type:  FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital	Provider Alphanumeric  I facility type indicator provided by the hospital.
Suppression: Beginning Position: Length: Field 7: Description: Suppression:	Suppressed for hospitals with fewer than 50 65 Data Source:  1 Type:  FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999').
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position:	Suppressed for hospitals with fewer than 50 65 Data Source: 1 Type:  FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 66 Data Source:	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length:	Suppressed for hospitals with fewer than 50 65 Data Source:  1 Type:  FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 66 Data Source:  1 Type:  FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Indicator.	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider Alphanumeric
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8:	Suppressed for hospitals with fewer than 50   65	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider Alphanumeric
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description:	Suppressed for hospitals with fewer than 50 65 Data Source:  1 Type:  FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 66 Data Source:  1 Type:  FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Indicator.	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider Alphanumeric
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression:	Suppressed for hospitals with fewer than 50 65 Data Source:  1 Type:  FAC_SNF_IND  Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 66 Data Source:  1 Type:  FAC_LONG_TERM_AC_IND  Long Term Acute Care Facility Indicator.  Suppressed for hospitals with fewer than 50 councils.	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999').
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Suppression: Beginning Position:	Suppressed for hospitals with fewer than 50 65 Data Source:  1 Type:  FAC_SNF_IND  Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 66 Data Source:  1 Type:  FAC_LONG_TERM_AC_IND  Long Term Acute Care Facility Indicator.  Suppressed for hospitals with fewer than 50 67 Data Source:	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999'). Provider
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Length:	Suppressed for hospitals with fewer than 50 65 Data Source:  1 Type:  FAC_SNF_IND  Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 66 Data Source:  1 Type:  FAC_LONG_TERM_AC_IND  Long Term Acute Care Facility Indicator.  Suppressed for hospitals with fewer than 50 67 Data Source:  1 Type:	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999'). Provider
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9:	Suppressed for hospitals with fewer than 50   65	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999'). Provider Alphanumeric
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9: Description:	Suppressed for hospitals with fewer than 50   65	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999'). Provider Alphanumeric
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9: Description: Suppression: Suppression:	Suppressed for hospitals with fewer than 50 65 Data Source: 1 Type:  FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 66 Data Source: 1 Type:  FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 67 Data Source: 1 Type:  FAC_OTHER_LTC_IND Other Long Term Care Facility Indicator. Suppressed for hospitals with fewer than 50	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999'). Provider Alphanumeric
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9: Description: Suppression: Beginning Position: Beginning Position:	Suppressed for hospitals with fewer than 50   65	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999'). Provider Provider
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9: Description: Suppression: Beginning Position: Length: Field 9: Length: Length: Length: Length:	Suppressed for hospitals with fewer than 50   65	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999'). Provider Provider
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9: Description: Suppression: Beginning Position: Length: Field 9: Description: Suppression: Beginning Position: Length: Field 10:	Suppressed for hospitals with fewer than 50   65	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999'). Provider Provider
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9: Description: Suppression: Beginning Position: Length: Field 10: Description:	Suppressed for hospitals with fewer than 50 65 Data Source: 1 Type:  FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 66 Data Source: 1 Type:  FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 67 Data Source: 1 Type:  FAC_OTHER_LTC_IND Other Long Term Care Facility Indicator. Suppressed for hospitals with fewer than 50 68 Data Source: 1 Type:  FAC_PEDS_IND Pediatric Facility Indicator. Suppressed for hospitals with fewer than 50 C Member, National Association of Children's Hospitals C Member, National Association of Children's Hospitals	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999'). Provider Alphanumeric
Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9: Description: Suppression: Beginning Position: Length: Field 10: Description: Suppression: Length: Field 10: Description: Suppression:	Suppressed for hospitals with fewer than 50 65 Data Source: 1 Type:  FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 66 Data Source: 1 Type:  FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 67 Data Source: 1 Type:  FAC_OTHER_LTC_IND Other Long Term Care Facility Indicator. Suppressed for hospitals with fewer than 50 68 Data Source: 1 Type:  FAC_PEDS_IND Pediatric Facility Indicator. Suppressed for hospitals with fewer than 50 Control of the contr	Provider Alphanumeric  I facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999'). Provider Alphanumeric  O discharges (Provider ID equals '999999'). Provider Alphanumeric

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC

<b>Beginning Position:</b>	69 <b>Data Source:</b> Provider
Length:	1 <b>Type:</b> Alphanumeric
Field 11:	POA_PROVIDER_INDICATOR
Description:	Indicator identifying whether facility is required to submit Diagnosis Present on Admission
-	(POA) codes. 25 TAC §421.9(e) identifies the following facility types as exempt from
	reporting POA to the department: Critical Access Hospitals, Inpatient Rehabilitation
	Hospitals, Inpatient Psychiatric Hospitals, Cancer Hospitals, Children's or Pediatric Hospitals
	and Long Term Care Hospitals.
<b>Coding Scheme:</b>	M Mixed (Facility has sections that would be exempted from reporting POA for those patients)
coung seneme.	R Required
	X Exempt
	Invalid
<b>Beginning Position:</b>	70 Data Source: Assigned
Length:	1 Type: Alphanumeric
Field 12:	CERT_STATUS
Description:	Assignment of a code to indicate the certification of data and submission of comments by the
	hospital. First available 3 <sup>rd</sup> quarter 1999.
Coding Scheme:	1 Certified, without comment
	2 Certified, with comment
	3 Certified, with comment, comment not received by deadline
	<ul> <li>Hospital elected not to certify</li> <li>Hospital closed, data not certified</li> </ul>
	6 Hospital out of compliance, did not certify data
	7 Data not certified. Hospital affected by natural or man-made disaster (Starting 4Q2016)
D ' ' D ''	
Beginning Position:	71 Data Source: Assigned
Length:	1 Type: Alphanumeric

# Texas Department of State Health Services

# Texas Hospital Inpatient Discharge Public Use Data File DATA FIELDS

#### BASE DATA #1 FILE

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
1	RECORD_ID Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).	1	12	Alphanumeric
2	DISCHARGE	13	6	Alphanumeric
3	THCIC_ID	19	6	Alphanumeric
4	TYPE_OF_ADMISSION	25	1	Alphanumeric
5	SOURCE_OF_ADMISSION	26	1	Alphanumeric
6	SPEC_UNIT_1	27	1	Alphanumeric
7	SPEC_UNIT_2	28	1	Alphanumeric
8	SPEC_UNIT_3	29	1	Alphanumeric
9	SPEC_UNIT_4	30	1	Alphanumeric
10	SPEC_UNIT_5	31	1	Alphanumeric
11	PAT_STATE	32	2	Alphanumeric
12	PAT_ZIP	34	5	Alphanumeric
13	PAT_COUNTRY	39	2	Alphanumeric
14	PAT_COUNTY	41	3	Alphanumeric
15	PUBLIC_HEALTH_REGION	44	2	Alphanumeric
16	PAT_STATUS	46	2	Alphanumeric
17	SEX_CODE	48	1	Alphanumeric
18	RACE	49	1	Alphanumeric
19	ETHNICITY	50	1	Alphanumeric
20	ADMIT_WEEKDAY	51	1	Alphanumeric
21	LENGTH_OF_STAY	52	4	Alphanumeric
22	PAT_AGE	56	2	Alphanumeric
23	FIRST_PAYMENT_SRC	58	2	Alphanumeric
24	SECONDARY_PAYMENT_SRC	60	2	Alphanumeric
25	TYPE_OF_BILL	62	3	Alphanumeric
26	TOTAL_CHARGES	65	12	Numeric

DSHS Document # E25-14163 Last Updated: October, 2018

Page 57

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
27	TOTAL_NON_COV_CHARGES	77	12	Numeric
28	TOTAL_CHARGES_ACCOMM	89	12	Numeric
29	TOTAL_NON_COV_CHARGES_ACCOMM	101	12	Numeric
30	TOTAL_CHARGES_ANCIL	113	12	Numeric
31	TOTAL_NON_COV_CHARGES_ANCIL	125	12	Numeric
32	ADMITTING_DIAGNOSIS	137	7	Alphanumeric
33	PRINC_DIAG_CODE	144	7	Alphanumeric
34	POA_PRINC_DIAG_CODE	151	1	Alphanumeric
35	OTH_DIAG_CODE_1	152	7	Alphanumeric
36	POA_OTH_DIAG_CODE_1	159	1	Alphanumeric
37	OTH_DIAG_CODE_2	160	7	Alphanumeric
38	POA_OTH_DIAG_CODE_2	167	1	Alphanumeric
39	OTH_DIAG_CODE_3	168	7	Alphanumeric
40	POA_OTH_DIAG_CODE_3	175	1	Alphanumeric
41	OTH_DIAG_CODE_4	176	7	Alphanumeric
42	POA_OTH_DIAG_CODE_4	183	1	Alphanumeric
43	OTH_DIAG_CODE_5	184	7	Alphanumeric
44	POA_OTH_DIAG_CODE_5	191	1	Alphanumeric
45	OTH_DIAG_CODE_6	192	7	Alphanumeric
46	POA_OTH_DIAG_CODE_6	199	1	Alphanumeric
47	OTH_DIAG_CODE_7	200	7	Alphanumeric
48	POA_OTH_DIAG_CODE_7	207	1	Alphanumeric
49	OTH_DIAG_CODE_8	208	7	Alphanumeric
50	POA_OTH_DIAG_CODE_8	215	1	Alphanumeric
51	OTH_DIAG_CODE_9	216	7	Alphanumeric
52	POA_OTH_DIAG_CODE_9	223	1	Alphanumeric
53	OTH_DIAG_CODE_10	224	7	Alphanumeric
54	POA_OTH_DIAG_CODE_10	231	1	Alphanumeric
55	OTH_DIAG_CODE_11	232	7	Alphanumeric
56	POA_OTH_DIAG_CODE_11	239	1	Alphanumeric
57	OTH_DIAG_CODE_12	240	7	Alphanumeric
58	POA_OTH_DIAG_CODE_12	247	1	Alphanumeric
59	OTH_DIAG_CODE_13	248	7	Alphanumeric
60	POA_OTH_DIAG_CODE_13	255	1	Alphanumeric
61	OTH_DIAG_CODE_14	256	7	Alphanumeric
62	POA_OTH_DIAG_CODE_14	263	1	Alphanumeric
63	OTH_DIAG_CODE_15	264	7	Alphanumeric
64	POA_OTH_DIAG_CODE_15	271	1	Alphanumeric
65	OTH_DIAG_CODE_16	272	7	Alphanumeric
66	POA_OTH_DIAG_CODE_16	279	1	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
67	OTH_DIAG_CODE_17	280	7	Alphanumeric
68	POA_OTH_DIAG_CODE_17	287	1	Alphanumeric
69	OTH_DIAG_CODE_18	288	7	Alphanumeric
70	POA_OTH_DIAG_CODE_18	295	1	Alphanumeric
71	OTH_DIAG_CODE_19	296	7	Alphanumeric
72	POA_OTH_DIAG_CODE_19	303	1	Alphanumeric
73	OTH_DIAG_CODE_20	304	7	Alphanumeric
74	POA_OTH_DIAG_CODE_20	311	1	Alphanumeric
75	OTH_DIAG_CODE_21	312	7	Alphanumeric
76	POA_OTH_DIAG_CODE_21	319	1	Alphanumeric
77	OTH_DIAG_CODE_22	320	7	Alphanumeric
78	POA_OTH_DIAG_CODE_22	327	1	Alphanumeric
79	OTH_DIAG_CODE_23	328	7	Alphanumeric
80	POA_OTH_DIAG_CODE_23	335	1	Alphanumeric
81	OTH_DIAG_CODE_24	336	7	Alphanumeric
82	POA_OTH_DIAG_CODE_24	343	1	Alphanumeric
83	E_CODE_1	344	7	Alphanumeric
84	POA_E_CODE_1	351	1	Alphanumeric
85	E_CODE_2	352	7	Alphanumeric
86	POA_E_CODE_2	359	1	Alphanumeric
87	E_CODE_3	360	7	Alphanumeric
88	POA_E_CODE_3	367	1	Alphanumeric
89	E_CODE_4	368	7	Alphanumeric
90	POA_E_CODE_4	375	1	Alphanumeric
91	E_CODE_5	376	7	Alphanumeric
92	POA_E_CODE_5	383	1	Alphanumeric
93	E_CODE_6	384	7	Alphanumeric
94	POA_E_CODE_6	391	1	Alphanumeric
95	E_CODE_7	392	7	Alphanumeric
96	POA_E_CODE_7	399	1	Alphanumeric
97	E_CODE_8	400	7	Alphanumeric
98	POA_E_CODE_8	407	1	Alphanumeric
99	E_CODE_9	408	7	Alphanumeric
100	POA_E_CODE_9	415	1	Alphanumeric
101	E_CODE_10	416	7	Alphanumeric
102	POA_E_CODE_10	423	1	Alphanumeric
103	PRINC_SURG_PROC_CODE	424	7	Alphanumeric
104	PRINC_SURG_PROC_DAY	431	4	Alphanumeric
105	OTH_SURG_PROC_CODE_1	435	7	Alphanumeric
106	OTH_SURG_PROC_DAY_1	442	4	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
107	OTH_SURG_PROC_CODE_2	446	7	Alphanumeric
108	OTH_SURG_PROC_DAY_2	453	4	Alphanumeric
109	OTH_SURG_PROC_CODE_3	457	7	Alphanumeric
110	OTH_SURG_PROC_DAY_3	464	4	Alphanumeric
111	OTH_SURG_PROC_CODE_4	468	7	Alphanumeric
112	OTH_SURG_PROC_DAY_4	475	4	Alphanumeric
113	OTH_SURG_PROC_CODE_5	479	7	Alphanumeric
114	OTH_SURG_PROC_DAY_5	486	4	Alphanumeric
115	OTH_SURG_PROC_CODE_6	490	7	Alphanumeric
116	OTH_SURG_PROC_DAY_6	497	4	Alphanumeric
117	OTH_SURG_PROC_CODE_7	501	7	Alphanumeric
118	OTH_SURG_PROC_DAY_7	508	4	Alphanumeric
119	OTH_SURG_PROC_CODE_8	512	7	Alphanumeric
120	OTH_SURG_PROC_DAY_8	519	4	Alphanumeric
121	OTH_SURG_PROC_CODE_9	523	7	Alphanumeric
122	OTH_SURG_PROC_DAY_9	530	4	Alphanumeric
123	OTH_SURG_PROC_CODE_10	534	7	Alphanumeric
124	OTH_SURG_PROC_DAY_10	541	4	Alphanumeric
125	OTH_SURG_PROC_CODE_11	545	7	Alphanumeric
126	OTH_SURG_PROC_DAY_11	552	4	Alphanumeric
127	OTH_SURG_PROC_CODE_12	556	7	Alphanumeric
128	OTH_SURG_PROC_DAY_12	563	4	Alphanumeric
129	OTH_SURG_PROC_CODE_13	567	7	Alphanumeric
130	OTH_SURG_PROC_DAY_13	574	4	Alphanumeric
131	OTH_SURG_PROC_CODE_14	578	7	Alphanumeric
132	OTH_SURG_PROC_DAY_14	585	4	Alphanumeric
133	OTH_SURG_PROC_CODE_15	589	7	Alphanumeric
134	OTH_SURG_PROC_DAY_15	596	4	Alphanumeric
135	OTH_SURG_PROC_CODE_16	600	7	Alphanumeric
136	OTH_SURG_PROC_DAY_16	607	4	Alphanumeric
137	OTH_SURG_PROC_CODE_17	611	7	Alphanumeric
138	OTH_SURG_PROC_DAY_17	618	4	Alphanumeric
139	OTH_SURG_PROC_CODE_18	622	7	Alphanumeric
140	OTH_SURG_PROC_DAY_18	629	4	Alphanumeric
141	OTH_SURG_PROC_CODE_19	633	7	Alphanumeric
142	OTH_SURG_PROC_DAY_19	640	4	Alphanumeric
143	OTH_SURG_PROC_CODE_20	644	7	Alphanumeric
144	OTH_SURG_PROC_DAY_20	651	4	Alphanumeric
145	OTH_SURG_PROC_CODE_21	655	7	Alphanumeric
146	OTH_SURG_PROC_DAY_21	662	4	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
147	OTH_SURG_PROC_CODE_22	666	7	Alphanumeric
148	OTH_SURG_PROC_DAY_22	673	4	Alphanumeric
149	OTH_SURG_PROC_CODE_23	677	7	Alphanumeric
150	OTH_SURG_PROC_DAY_23	684	4	Alphanumeric
151	OTH_SURG_PROC_CODE_24	688	7	Alphanumeric
152	OTH_SURG_PROC_DAY_24	695	4	Alphanumeric
153	MS_MDC	699	2	Alphanumeric
154	MS_DRG	701	3	Alphanumeric
155	MS_GROUPER_VERSION_NBR	704	5	Alphanumeric
156	MS_GROUPER_ERROR_CODE	709	2	Alphanumeric
157	APR_MDC	711	2	Alphanumeric
158	APR_DRG	713	4	Alphanumeric
159	RISK_MORTALITY	717	1	Alphanumeric
160	ILLNESS_SEVERITY	718	1	Alphanumeric
161	APR_GROUPER_VERSION_NBR	719	5	Alphanumeric
162	APR_GROUPER_ERROR_CODE	724	2	Alphanumeric
163	ATTENDING_PHYSICIAN_UNIF_ID	726	10	Alphanumeric
164	OPERATING_PHYSICIAN_UNIF_ID	736	10	Alphanumeric
165	ENCOUNTER_INDICATOR	746	2	Alphanumeric
166	PROVIDER_NAME	748	55	Alphanumeric
167	EMERGENCY_DEPT_FLAG	803	1	Alphanumeric
	Record_Length		803	

#### BASE DATA #2 FILE

2 3	RECORD_ID Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).  PRIVATE_AMOUNT  SEMI_PRIVATE_AMOUNT  WARD_AMOUNT	1 13	12	Alphanumeric
3	PRIVATE_AMOUNT SEMI_PRIVATE_AMOUNT			Alphanumeric
3	SEMI_PRIVATE_AMOUNT	13		_
			12	Numeric
4	WARD AMOUNT	25	12	Numeric
		37	12	Numeric
5	ICU_AMOUNT	49	12	Numeric
6	CCU_AMOUNT	61	12	Numeric
7	OTHER_AMOUNT	73	12	Numeric
8	PHARM_AMOUNT	85	12	Numeric
9	MEDSURG_AMOUNT	97	12	Numeric
10	DME_AMOUNT	109	12	Numeric
11	USED_DME_AMOUNT	121	12	Numeric
12	PT_AMOUNT	133	12	Numeric
13	OT_AMOUNT	145	12	Numeric
14	SPEECH_AMOUNT	157	12	Numeric
15	IT_AMOUNT	169	12	Numeric
16	BLOOD_AMOUNT	181	12	Numeric
17	BLOOD_ADM_AMOUNT	193	12	Numeric
18	OR_AMOUNT	205	12	Numeric
19	LITH_AMOUNT	217	12	Numeric
20	CARD_AMOUNT	229	12	Numeric
21	ANES_AMOUNT	241	12	Numeric
22	LAB_AMOUNT	253	12	Numeric
23	RAD_AMOUNT	265	12	Numeric
24	MRI_AMOUNT	277	12	Numeric
25	OP_AMOUNT	289	12	Numeric
26	ER_AMOUNT	301	12	Numeric
27	AMBULANCE AMOUNT	313	12	Numeric
28	PRO_FEE_AMOUNT	325	12	Numeric
29	ORGAN_AMOUNT	337	12	Numeric
	ESRD AMOUNT	349	12	Numeric
	CLINIC_AMOUNT	361	12	Numeric
	OCCUR_CODE_1	373	2	Alphanumeric
	OCCUR_DAY_1	375	4	Alphanumeric
	OCCUR_CODE_2	379	2	Alphanumeric
	OCCUR_DAY_2	381	4	Alphanumeric
	OCCUR_CODE_3	385	2	Alphanumeric

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC

Number	Field Name(Base Data #2 File)	Position	Length	Field Type
37	OCCUR_DAY_3	387	4	Alphanumeric
38	OCCUR_CODE_4	391	2	Alphanumeric
39	OCCUR_DAY_4	393	4	Alphanumeric
40	OCCUR_CODE_5	397	2	Alphanumeric
41	OCCUR_DAY_5	399	4	Alphanumeric
42	OCCUR_CODE_6	403	2	Alphanumeric
43	OCCUR_DAY_6	405	4	Alphanumeric
44	OCCUR_CODE_7	409	2	Alphanumeric
45	OCCUR_DAY_7	411	4	Alphanumeric
46	OCCUR_CODE_8	415	2	Alphanumeric
47	OCCUR_DAY_8	417	4	Alphanumeric
48	OCCUR_CODE_9	421	2	Alphanumeric
49	OCCUR_DAY_9	423	4	Alphanumeric
50	OCCUR_CODE_10	427	2	Alphanumeric
51	OCCUR_DAY_10	429	4	Alphanumeric
52	OCCUR_CODE_11	433	2	Alphanumeric
53	OCCUR_DAY_11	435	4	Alphanumeric
54	OCCUR_CODE_12	439	2	Alphanumeric
55	OCCUR_DAY_12	441	4	Alphanumeric
56	OCCUR_SPAN_CODE_1	445	2	Alphanumeric
57	OCCUR_SPAN_FROM_1	447	6	Alphanumeric
58	OCCUR_SPAN_THRU_1	453	6	Alphanumeric
59	OCCUR_SPAN_CODE_2	459	2	Alphanumeric
60	OCCUR_SPAN_FROM_2	461	6	Alphanumeric
61	OCCUR_SPAN_THRU_2	467	6	Alphanumeric
62	OCCUR_SPAN_CODE_3	473	2	Alphanumeric
63	OCCUR_SPAN_FROM_3	475	6	Alphanumeric
64	OCCUR_SPAN_THRU_3	481	6	Alphanumeric
65	OCCUR_SPAN_CODE_4	487	2	Alphanumeric
66	OCCUR_SPAN_FROM_4	489	6	Alphanumeric
67	OCCUR_SPAN_THRU_4	495	6	Alphanumeric
68	CONDITION_CODE_1	501	2	Alphanumeric
69	CONDITION_CODE_2	503	2	Alphanumeric
70	CONDITION_CODE_3	505	2	Alphanumeric
71	CONDITION_CODE_4	507	2	Alphanumeric
72	CONDITION_CODE_5	509	2	Alphanumeric
73	CONDITION_CODE_6	511	2	Alphanumeric
74	CONDITION_CODE_7	513	2	Alphanumeric
75	CONDITION_CODE_8	515	2	Alphanumeric
76	VALUE_CODE_1	517	2	Alphanumeric

Number	Field Name(Base Data #2 File)	Position	Length	Field Type
77	VALUE_AMOUNT_1	519	9	Numeric
78	VALUE_CODE_2	528	2	Alphanumeric
79	VALUE_AMOUNT_2	530	9	Numeric
80	VALUE_CODE_3	539	2	Alphanumeric
81	VALUE_AMOUNT_3	541	9	Numeric
82	VALUE_CODE_4	550	2	Alphanumeric
83	VALUE_AMOUNT_4	552	9	Numeric
84	VALUE_CODE_5	561	2	Alphanumeric
85	VALUE_AMOUNT_5	563	9	Numeric
86	VALUE_CODE_6	572	2	Alphanumeric
87	VALUE_AMOUNT_6	574	9	Numeric
88	VALUE_CODE_7	583	2	Alphanumeric
89	VALUE_AMOUNT_7	585	9	Numeric
90	VALUE_CODE_8	594	2	Alphanumeric
91	VALUE_AMOUNT_8	596	9	Numeric
92	VALUE_CODE_9	605	2	Alphanumeric
93	VALUE_AMOUNT_9	607	9	Numeric
94	VALUE_CODE_10	616	2	Alphanumeric
95	VALUE_AMOUNT_10	618	9	Numeric
96	VALUE_CODE_11	627	2	Alphanumeric
97	VALUE_AMOUNT_11	629	9	Numeric
98	VALUE_CODE_12	638	2	Alphanumeric
99	VALUE_AMOUNT_12	640	9	Numeric
	Record_Length		648	

# CHARGES DATA FILE

Number	Field Name	Position	Length	Field Type
1	RECORD_ID	1	12	Alphanumeric
2	REVENUE_CODE	13	4	Alphanumeric
3	HCPCS_QUALIFIER	17	2	Alphanumeric
4	HCPCS_PROCEDURE_CODE	19	5	Alphanumeric
5	MODIFIER_1	24	2	Alphanumeric
6	MODIFIER_2	26	2	Alphanumeric
7	MODIFIER_3	28	2	Alphanumeric
8	MODIFIER_4	30	2	Alphanumeric
9	UNIT_MEASUREMENT_CODE	32	2	Alphanumeric
10	UNITS_OF_SERVICE	34	7	Numeric
11	UNIT_RATE	41	12	Numeric
12	CHRGS_LINE_ITEM	53	14	Numeric
13	CHRGS_NON_COV	67	14	Numeric
	Record_Length		80	

#### FACILITY TYPE INDICATOR FILE

Number	Field Name	Position	Length	Field Type
1	THCIC_ID	1	6	Alphanumeric
2	PROVIDER_NAME	7	55	Alphanumeric
3	FAC_TEACHING_IND	62	1	Alphanumeric
4	FAC_PSYCH_IND	63	1	Alphanumeric
5	FAC_REHAB_IND	64	1	Alphanumeric
6	FAC_ACUTE_CARE_IND	65	1	Alphanumeric
7	FAC_SNF_IND	66	1	Alphanumeric
8	FAC_LONG_TERM_AC_IND	67	1	Alphanumeric
9	FAC_OTHER_LTC_IND	68	1	Alphanumeric
10	FAC_PEDS_IND	69	1	Alphanumeric
11	POA_PROVIDER_INDICATOR	70	1	Alphanumeric
12	CERT_STATUS	71	1	Alphanumeric
	Record_Length		71	

DSHS Document # E25-14163 Last Updated: October, 2018

- Page 65 -