

Implementation of IT Audit, malware analysis and Vulnerability assessment and generate the report.

Step1:

Collection Information about Malware:

Malware can be downloaded from github.

Step2:

Basic Information about malware:

Name: file.exe

Media Type: application/x-msdownload

SHA-256:

d01d08621690c1a7a0f41bdd1bb02ec05d418ef68b06cd3cfd54fbb3f58ba80a

Report ID: 37cec6e6-0778-4c35-9cb3-d177c1e6e34a



Submission ID: 62c24f59783441cda10213de

Submission Date: 07/04/2022, 02:24:27

Step3:


Report from filescan.io

In filescan.io



Open NMAP


Run an intense scan on Ethernet IP Address



```
Initiating NSE at 12:39
Completed NSE at 12:39, 7.75s elapsed
Initiating NSE at 12:39
Completed NSE at 12:39, 0.06s elapsed
Initiating NSE at 12:39
Completed NSE at 12:39, 0.00s elapsed
Nmap scan report for 172.16.102.23
Host is up (0.00057s latency).
Not shown: 995 closed tcp ports (reset)
PORT      STATE SERVICE        VERSION
135/tcp    open  mstpc          Microsoft Windows RPC
139/tcp    open  netbios-ssn   Microsoft Windows netbios-ssn
445/tcp    open  microsoft-ds?
902/tcp    open  ssl/vmware-auth VMware Authentication Daemon 1.10 (Uses VNC, SOAP)
912/tcp    open  vmware-auth   VMware Authentication Daemon 1.0 (Uses VNC, SOAP)
Device type: general purpose
Running: Microsoft Windows 11
OS CPE: cpe:/o:microsoft:windows_11
OS details: Microsoft Windows 11 24H2 - 25H2
Uptime guess: 0.143 days (since Thu Sep 24 09:12:55 2026)
Network Distance: 0 hops
TCP Sequence Prediction: Difficulty=259 (Good luck!)
IP ID Sequence Generation: Incremental
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows

Host script results:
| smb2-security-mode:
|   3.1.1:
|_  Message signing enabled and required
| smb2-time:
|   date: 2026-09-24T07:09:23
```


Now open Kali OS



Open terminal check the IP address

```
kali@kali: ~  
$ ifconfig  
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500  
    inet 172.16.108.22 netmask 255.255.0.0 broadcast 172.16.255.255  
    inet6 fe80::94f4:faa2:f6f6:7d48 prefixlen 64 scopeid 0x20<link>  
    ether 00:0c:29:b6:dc:79 txqueuelen 1000 (Ethernet)  
    RX packets 46958 bytes 4725686 (4.5 MiB)  
    RX errors 0 dropped 165 overruns 0 frame 0  
    TX packets 1720 bytes 1112362 (1.0 MiB)  
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0  
  
lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536  
    inet 127.0.0.1 netmask 255.0.0.0  
    inet6 ::1 prefixlen 128 scopeid 0x10<host>  
    loop txqueuelen 1000 (Local Loopback)
```

Again open NMap tool and run the intense scan on inet address of kali



Final report.

IT Audit: After port scanning of the computer using nmap/zenmap to identify the open ports and see if services running on those ports are vulnerable or not.