



PRODUCT CATALOGUE









## OUR STORY

Drive was formed in January 2000 under the name Medical Depot, Inc. In 2015 DeVilbiss Healthcare was acquired by Drive and the company became known as Drive DeVilbiss Healthcare. The continuous growth and expansion throughout the years is supported by the best professionals in the business, state-of-the-art technology and a tenacious winning attitude. This culture and drive lead to the significant growth and formation of a multinational organization.



EXCELLENT QUALITY  
WORLD CLASS PRODUCT



MORE THAN 24  
LOCATIONS WORLDWIDE



OVER 150 HIGHLY MOTIVATED,  
KNOWLEDGEABLE EMPLOYEES



DRIVE DEVILBISS INTERNATIONAL  
SUPPLY MORE THAN 60 COUNTRIES  
WORLDWIDE



6



BATHROOM

38



MOBILITY

72



SCOOTER

82



HOMECARE

102



RESPIRATORY

116



DAILY LIVING AIDS

120



KIDS

126



MAXILINE





## BATHROOM

---

### BATH

BATH LIFTS.....	8
TRANSFER AIDS.....	12
BATH BENCHES.....	13
SWIVELING BATH SEATE .....	14
BATH SEATS .....	15

### SHOWER

SHOWER STOOLS .....	16
FOLDING SHOWER CHAIR.....	18
SHOWER CHAIRS.....	19
SHOWER WHEELCHAIRS .....	23

### TOILETS

RAISED TOILET SEATS .....	26
TOILET AID .....	29
COMMODES .....	32
WHEELED COMMODES.....	33

### SAFETY

RSUCTION CUP GRAB BARS.....	34
STAINLESS STEEL GRAB BARS.....	37

## Bath Lift Bellavita 2G

- New, unique 3D suction cups
- Service-friendly disassembly
- Maximum stability at highest position
- Wider side flaps available as accessories
- The lightest bath lift with a weight of just 9.3 kg
- Ergonomically shaped seat and back section
- Charge status is continuously indicated

- Front suction cups ventilate automatically on raising
- Tested for electromagnetic compatibility (EMC)
- No height adapters required (for bathtubs up to a depth of 48 cm)
- Five-year warranty for the bath lift, two-year warranty for the manual control and the battery (not including suction cups, covers, power supply unit, and parts subject to wear)



Application example



Hygiene opening Mountable manual control



Plug



Pivoting suction cup

**Technical Data**

Overall width	70 cm
Seat width	38 cm
Seat depth	42 cm
Seat height	6,5 - 48 cm
Seat plate overall length	57 cm
Backrest height	64 cm
Baseplate length	56 cm
Baseplate width	31 cm
Weight	9,3 kg
Max. Load	140 kg

**Product** **Bellavita 2G**

without cover	465100100

**Product** **Bellavita 2G**

with Classic white cover	465100252
with Classic blue cover	465100312

**Product** **Bellavita 2G**

with Comfort white cover	465200252
with Comfort blue cover	465200312

## Accessories for Bath Lift Bellavita 2G

 <table border="1"> <thead> <tr> <th>Product</th><th>Order number</th></tr> </thead> <tbody> <tr> <td>Cover set Bellavita Classic blue</td><td>460800312</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>• Comfortable and non-slip</li> <li>• Pleasant seating comfort</li> <li>• Easily cleaned surface</li> <li>• Covers machine-washable up to 30 °C</li> </ul>	Product	Order number	Cover set Bellavita Classic blue	460800312	 <table border="1"> <thead> <tr> <th>Product</th><th>Order number</th></tr> </thead> <tbody> <tr> <td>Bezugset Bellavita Classic gray</td><td>460800432</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>• Comfortable and non-slip</li> <li>• Pleasant seating comfort</li> <li>• Easily cleaned surface</li> <li>• Covers machine-washable up to 30 °C</li> </ul>	Product	Order number	Bezugset Bellavita Classic gray	460800432						
Product	Order number														
Cover set Bellavita Classic blue	460800312														
Product	Order number														
Bezugset Bellavita Classic gray	460800432														
 <table border="1"> <thead> <tr> <th>Product</th><th>Order number</th></tr> </thead> <tbody> <tr> <td>Cover set Bellavita Comfort blue</td><td>460900312</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>• Comfortable and non-slip</li> <li>• Pleasant seating comfort</li> <li>• Easily cleaned surface</li> <li>• Covers machine-washable up to 30 °C</li> </ul>	Product	Order number	Cover set Bellavita Comfort blue	460900312	 <table border="1"> <thead> <tr> <th>Product</th><th>Order number</th></tr> </thead> <tbody> <tr> <td>Cover set Bellavita Comfort white</td><td>460900252</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>• Comfortable and non-slip</li> <li>• Pleasant seating comfort</li> <li>• Easily cleaned surface</li> <li>• Covers machine-washable up to 30 °C</li> </ul>	Product	Order number	Cover set Bellavita Comfort white	460900252						
Product	Order number														
Cover set Bellavita Comfort blue	460900312														
Product	Order number														
Cover set Bellavita Comfort white	460900252														
 <table border="1"> <thead> <tr> <th>Product</th><th>Order number</th></tr> </thead> <tbody> <tr> <td>Cover set Bellavita Classic white</td><td>460800252</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>• Comfortable and non-slip</li> <li>• Pleasant seating comfort</li> <li>• Easily cleaned surface</li> <li>• Covers machine-washable up to 30 °C</li> </ul>	Product	Order number	Cover set Bellavita Classic white	460800252	 <table border="1"> <thead> <tr> <th>Produkt</th><th>Order number</th></tr> </thead> <tbody> <tr> <td>Suction cup set 4 x transparent</td><td>460900225</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>• Suction cup mount with venting tab</li> <li>• Automatic venting of the front suction cup on bending</li> <li>• Suction cup diameter 75 mm</li> </ul>	Produkt	Order number	Suction cup set 4 x transparent	460900225						
Product	Order number														
Cover set Bellavita Classic white	460800252														
Produkt	Order number														
Suction cup set 4 x transparent	460900225														
 <table border="1"> <thead> <tr> <th>Product</th><th>Order number</th></tr> </thead> <tbody> <tr> <td>Side flaps for Bellavita</td><td></td></tr> <tr> <td>Widening 5 cm</td><td>460900227</td></tr> <tr> <td>Widening 7.5 cm</td><td>460900228</td></tr> <tr> <td>Widening 10 cm</td><td>460900229</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>• For widening the seat and transfer surface</li> </ul>	Product	Order number	Side flaps for Bellavita		Widening 5 cm	460900227	Widening 7.5 cm	460900228	Widening 10 cm	460900229	 <table border="1"> <thead> <tr> <th>Product</th><th>Order number</th></tr> </thead> <tbody> <tr> <td>Side flap deflectors</td><td>400570</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>• For mounting on any grab bars already fitted in the bathtub</li> <li>• Prevent the bath lift side flaps from catching on the grab bars</li> </ul>	Product	Order number	Side flap deflectors	400570
Product	Order number														
Side flaps for Bellavita															
Widening 5 cm	460900227														
Widening 7.5 cm	460900228														
Widening 10 cm	460900229														
Product	Order number														
Side flap deflectors	400570														
 <table border="1"> <thead> <tr> <th>Product</th><th>Order number</th></tr> </thead> <tbody> <tr> <td>Swivel aid Vitaturn K</td><td>412100100</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>• Positioning and rotating made easy</li> <li>• Light and mobile seat surface provides comfort</li> <li>• Safety thanks to non-slip surface</li> <li>• The ultimate bath aid – thanks to the unparalleled height of just 15 mm</li> <li>• Can be cleaned in the dishwasher at up to 60 °C</li> </ul>	Product	Order number	Swivel aid Vitaturn K	412100100	 <table border="1"> <thead> <tr> <th>Product</th><th>Order number</th></tr> </thead> <tbody> <tr> <td>Swivel and transfer aid Vitaturn L</td><td>412100200</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>• Simplifies transfer, positioning, and rotating</li> <li>• Safety thanks to non-slip surface</li> <li>• The ultimate bath aid – thanks to the unparalleled height of just 19 mm</li> <li>• Can be cleaned in the dishwasher at up to 60 °C</li> </ul>	Product	Order number	Swivel and transfer aid Vitaturn L	412100200						
Product	Order number														
Swivel aid Vitaturn K	412100100														
Product	Order number														
Swivel and transfer aid Vitaturn L	412100200														
 <table border="1"> <thead> <tr> <th>Product</th><th>Order number</th></tr> </thead> <tbody> <tr> <td>Active foam cleaner</td><td>410900100</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>• Special plastic cleaner also suitable for all other Drive products</li> </ul>	Product	Order number	Active foam cleaner	410900100	 <table border="1"> <thead> <tr> <th>Product</th><th>Order number</th></tr> </thead> <tbody> <tr> <td>Belt system</td><td></td></tr> <tr> <td>4-point chest strap</td><td>460900150</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>• For safe and comfortable bathing</li> <li>• Plastic clip closures</li> <li>• Simple self-installation</li> </ul>	Product	Order number	Belt system		4-point chest strap	460900150				
Product	Order number														
Active foam cleaner	410900100														
Product	Order number														
Belt system															
4-point chest strap	460900150														
 <table border="1"> <thead> <tr> <th>Product</th><th>Order number</th></tr> </thead> <tbody> <tr> <td>Belt system</td><td></td></tr> <tr> <td>2-point chest strap</td><td>460900100</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>• For safe and comfortable bathing</li> <li>• Plastic clip closures</li> <li>• Simple self-installation</li> </ul>	Product	Order number	Belt system		2-point chest strap	460900100	 <p>More information about the Drive DeVilbiss bath lift Bellavita 2G can be found by scanning the QR code.</p>								
Product	Order number														
Belt system															
2-point chest strap	460900100														

BELLAVITA – THE LIGHTEST IN ITS CLASS - 2ND GENERATION

## Bath Lift Aquajoy

- Two-part, battery-powered bath lift with high backrest
- Stable, robust frame and base plate
- Very simple assembly
- Low weight, completely watertight
- Soft-grip, floating, and user-friendly manual control with suction cups
- Optionally available with white or gel-type seat and back cover
- Extensive accessories



Easy to clean

Easy to install

Easy to stow



Product	Bath lift Aquajoy
Order number	AQJA0001

### Technical Data

Overall width	68,6 cm
Seat width	39 cm
Seat depth	49 cm
Seat height	9 - 46,5 cm
Seat plate overall length	58 cm
Backrest height	60,4 cm
Baseplate length	59,2 cm
Baseplate width	30 cm
Weight	15,8 kg
Max. Load	170 kg

## Accessories for Bath Lift Aquajoy



More information about the Drive DeVilbiss bath lift Aquajoy can be found by scanning the QR code.

Product	Order number
Headrest	AQJA0007

Product	Order number
Knob	AQJA0021

Product	Order number
Middle suction cup set	AQJA0008
Rear suction cup set	AQJA0019
Front suction cup set	AQJA00010

- Secure adhesion to the bathtub

Product	Order number
Upper body wings	AQJA0009W

- For widening the backrest
- For additional support and safety

Product	Order number
Covers	
Back cover white	AQJA0005W
Seat cover white	AQJA0006W

- Comfortable and non-slip
- Pleasant seating comfort
- Easy to remove and clean

Product	Order number
Belt system	
Chest strap	AQJA0016C
Hip belt	AQJA0016L

- Gel-filled hip belt
- Comfortable and non-slip
- Easy to install

Product	Order number
Charger	AQJA0002

- For Aquajoy battery

## Bath Step Sky

- Small size, big impact: total versatility in the bath!
- Makes getting into and out of the bathtub easier
- Large, non-slip step surface guarantees absolute stability
- Safely and quickly stackable to raise the height by 5 cm in each case
- Easy to clean
- Height: 10 cm (each further increase adds an additional 5 cm)



Can be stacked quickly



Drainage holes



Individual adjustment



Product	Bath step Sky
Order number	RTL12068
<b>Technical Data</b>	
Overall width	50 cm
Overall length	40 cm
Overall height	10 cm
Total weight	400 g
Max. Load	140 kg

## LIGHTWEIGHT, SAFE AND COMFORTABLE

The right option for  
every bathroom



## Swivel cushion Viteturn K

- Positioning and rotating made easy
- Light and mobile seat surface provides comfort
- Safety thanks to non-slip surface
- The ultimate bath aid – thanks to the unparalleled height of just 15 mm
- Viteturn meets the highest quality standards
- The skin-friendly coating is easy to clean
- Can be cleaned in the dishwasher at up to 60 °C



Product	Viteturn K
Order number	412100100
Technical Data	
Seat plate diameter	32,2 cm
Overall height	1,5 cm
Base width x Base length	32,3 cm x 32,3 cm
Total weight	700 g
Max. Load	140 kg

## Swivel and Transfer Aid Viteturn L

- Simplifies transfer, positioning, and rotating
- Safety thanks to non-slip surface
- The ultimate bath aid – thanks to the unparalleled height of just 19 mm
- Viteturn meets the highest quality standards
- The skin-friendly coating is easy to clean
- Can be cleaned in the dishwasher at up to 60 °C



Product	Viteturn L
Order number	412100200
Technical Data	
Seat plate diameter	32,2 cm
Overall height	1,9 cm
Base width x Base length	30 cm x 52 cm
Total weight	1,2 kg
Max. Load	140 kg

## Bath Bench Benny

- Slip-resistant seat surface with drainage holes
- Makes getting into the bathtub easy and safe
- Easily adjustable to fit the bathtub width
- Incl. grab handle and integrated soap dish
- Simple and fast installation without tools
- Rubber feet ensure safety and protect against scratches
- Easy to clean
- Delivery in practical, customer-friendly take-away packaging



Integrated soap dish



Rubber base prevents scratches



## Bath Bench Benny XL

- Bathtub bench with maximum load capacity
- Slip-resistant seat surface with drainage holes
- Makes getting into the bathtub easy and safe
- Easily adjustable to fit the bathtub width
- Incl. grab handle and integrated soap dish
- Simple and fast installation without tools
- Rubber feet ensure safety and protect against scratches
- Easy to clean
- Delivery in practical, customer-friendly take-away packaging



for 68 cm length

for 73 cm length



Integrated soap dish



Rubber base prevents scratches



Product	Length 68 cm	Length 73 cm
Order number	550100100	550100200
<b>Technical Data</b>		
Overall width	35 cm	35 cm
Overall length	68 cm	73 cm
Adjustment (width of bathtub)	40 - 63 cm	43 - 68 cm
Total weight	2,1 kg	2,6 kg
Max. Load	150 kg	150 kg

Product	Length 68 cm	Length 73 cm
Order number	550100300	550100400
<b>Technical Data</b>		
Overall width	35 cm	35 cm
Overall length	68 cm	73 cm
Adjustment (width of bathtub)	40 - 63 cm	43 - 68 cm
Total weight	2,2 kg	2,7 kg
Max. Load	225 kg	210 kg

## Swiveling Bath Seat BES 120

- Makes getting in and out of the bath easier and safer
- Easily rotatable 360° in four steps
- Automatic locking at 90°
- Fits in all standard bathtubs
- Fixation using setscrews with end caps
- Comfortable, non-slip seat surface with hygienic cutaway
- Mounting arms with non-slip plastic sheathing
- Powder-coated aluminum frame
- Easy to clean



Hygiene opening  
Support brackets with two adjustments



Product	BES 120
Order number	550600200

### Technical Data

Overall width	79 cm
Overall height	59 cm
Seat width	40 cm
Seat depth	40 cm
Backrest height	46 cm
Adjustment (width of bathtub) / Tub edge width	58 - 63 cm / 79 or 74
Total weight	4,3 kg
Max. Load	120 kg

## Swiveling Bath Seat BEN

- The seat can be swiveled to the desired position in 90° steps
- Automatic locking at 90° ensures safety
- Drainage holes allow the shower water to flow away
- Mounting arms with non-slip rubber caps
- Powder-coated steel frame with stainless steel pivot pins



Set screw with end cap  
Can be rotated 90°  
Slip-resistant rubber caps



Product	BEN
Order number	550600100

### Technical Data

Overall width	72 cm
Overall height	52 cm
Seat width	46 cm
Seat depth	42 cm
Backrest height	42 cm
Adjustment (width of bathtub)	49 - 66 cm
Total weight	6,1 kg
Max. Load	120 kg

## Bath Seat Bob

- For placing on the edge of the bathtub
- Makes bathing safer and more comfortable
- Powder-coated aluminum frame
- Fits in all standard bathtubs
- Comfortable, non-slip seat surface with hygienic cutaway
- Mounting arms with non-slip rubber caps
- Easy to clean



Non-slip rubber caps



Adjustable width



## Bath Seat Boby

- Hook-in bath seat in narrow design
- Powder-coated aluminum frame
- Comfortable, non-slip seat surface with hygienic cutaway
- Mounting arms with non-slip rubber caps
- Available exclusively with backrest
- Easy to clean



Non-slip rubber caps



Adjustable width



Product	without backrest	with backrest
Order number	550400100	550400200

Technical Data		
----------------	--	--

Overall width	74 - 85 cm	74 - 85 cm
Overall depth	46 cm	46 cm
Seat width	41 cm	41 cm
Seat depth	41 cm	41 cm
Backrest height	-	36 cm
Adjustment (width of bathtub)	45,5 - 57,5 cm	45,5 - 57,5 cm
Total weight	2,4 kg	3,1 kg
Max. Load	120 kg	120 kg

Product	Boby
---------	------

Order number	12488KD
--------------	---------

Technical Data	
----------------	--

Overall width	67 - 78 cm
Overall depth	46 cm
Seat width	41 cm
Seat depth	41 cm
Backrest height	36 cm
Adjustment (width of bathtub)	45,5 - 57,5 cm
Total weight	3 kg
Max. Load	120 kg

## Shower Stool Delphi

- Safe, stable, and space-saving
- Seat surface with drainage slits
- Low weight
- Three-position seat height adjustment through telescopic legs
- Stable thanks to rubber feet
- Anodized aluminum tube legs
- Easy to clean
- Delivery in practical take-away packaging



Product	Delphi
Order number	540100000

Technical Data	
Overall width	48 cm
Overall length	48 cm
Overall height	55 cm
Seat height	45 - 55 cm
Seat plate diameter	38 cm
Total weight	1,6 kg
Max. Load	180 kg

## Shower Stool Delphi Plus

- The hygiene opening makes daily body care easier
- Safe, stable, and space-saving
- Seat surface with drainage slits
- Low weight
- Three-position seat height adjustment through telescopic legs
- Stable thanks to rubber feet
- Anodized aluminum tube legs
- Easy to clean
- Delivery in practical take-away packaging



Product	Delphi Plus
Order number	540200000

Technical Data	
Overall width	48 cm
Overall length	48 cm
Overall height	55 cm
Seat height	45 - 55 cm
Seat plate diameter	38 cm
Total weight	1,6 kg
Max. Load	180 kg

## Shower Stool Delphi 2 Plus

- With 2 hygiene openings for comfortable body care
- Safe, stable, and space-saving
- Seat surface with drainage slits
- Low weight
- Three-position seat height adjustment through telescopic legs
- Stable thanks to rubber feet
- Anodized aluminum tube legs
- Easy to clean
- Delivery in practical take-away packaging



Product	Delphi 2 Plus
Order number	540300000

Technical Data	
Overall width	48 cm
Overall length	48 cm
Overall height	55 cm
Seat height	45 - 55 cm
Seat plate diameter	38 cm
Total weight	1,6 kg
Max. Load	180 kg

## Shower Stool Delphi Turn

- Seat surface swivels easily
- Makes transfer and daily hygiene easier
- Skin-friendly coating
- Three-position seat height adjustment through telescopic legs
- Stable thanks to rubber feet
- Diameter of swiveling seat surface: 32.5 cm
- Anodized aluminum tube legs
- Easy to clean



Product	Delphi Turn
Order number	540400000
<b>Technical Data</b>	
Overall width	48 cm
Overall length	48 cm
Overall height	56,2 cm
Seat height	46,2 - 56,2 cm
Seat plate diameter	32,5 cm
Total weight	3,1 kg
Max. Load	140 kg

## Shower Stool Dino

- Safe, stable, and space-saving
- Simple, tool-free assembly
- Very light
- Structured surface ensures secure hold
- Eight-position seat height adjustment through telescopic legs
- Stable thanks to rubber feet
- Anodized aluminum tube legs
- Easy to clean



Product	Dino
Order number	550500100
<b>Technical Data</b>	
Overall width	45 cm
Overall length	48 cm
Overall height	52 cm
Seat height	34 - 52 cm
Seat plate diameter	32 cm
Total weight	1,6 kg
Max. Load	130 kg

## Shower Stool Delta 150

- Very light and space-saving
- Safe and stable
- Simple, tool-free assembly
- Structured surface ensures secure hold
- Seven-position seat height adjustment through telescopic legs
- Stable thanks to rubber feet
- Anodized aluminum profile legs
- Drainage openings
- Easy to clean



Product	Delta 150
Order number	550300100
<b>Technical Data</b>	
Overall width	44 cm
Overall length	44 cm
Overall height	59 cm
Seat height	44 - 59 cm
Seat plate diameter	37 cm
Total weight	1,7 kg
Max. Load	150 kg

## Shower Stool DS 130

- Comfortable, safe, and stable
- Large seat surface with drainage holes
- Hygienic cutaway simplifies personal hygiene
- Five-position seat height adjustment through telescopic legs
- Stable thanks to rubber feet
- Powder-coated aluminum frame
- Easy to clean



Hygiene opening Height-adjustable legs



Product		DS 130
Order number		550200200
<b>Technical Data</b>		
Overall width min. / max.		53 cm / 54 cm
Overall height min. / max.		63 cm / 72 cm
Overall depth min. / max.		55 cm / 57 cm
Seat width		41 cm
Seat depth		41 cm
Seat height		42 - 52 cm
Total weight		2,8 kg
Max. Load		130 kg

## Folding Shower Chair DKS 130

- Wall-mounted and folding
- Safe and stable - even with lateral movement
- Finely-adjustable feet ensure optimal stability
- Large seat surface with drainage slits
- Four-position seat height adjustment through telescopic legs
- Stable thanks to rubber feet
- Powder-coated aluminum frame
- Easy to clean



Hygiene opening Finely adjustable foot Foldaway



Product		DKS 130
Order number		550700100
<b>Technische Daten</b>		
Overall width		48 cm
Overall height		61 cm
Overall depth		50 cm
Seat width x Seat depth		41 cm x 41 cm
Seat height		46,5 - 54 cm
Wall distance / seat depth to wall		32 / 49 cm
Total weight		4,1 kg
Max. Load		130 kg

## Shower Chair DSR 130

- Comfortable, safe, and stable
- Large seat surface with drainage holes
- Hygienic cutaway simplifies personal hygiene
- With armrest and backrest
- Five-position seat height adjustment through telescopic legs
- Stable thanks to rubber feet
- Powder-coated aluminum frame
- Easy to clean



Hygiene opening



Height-adjustable legs



## Shower Chair DSF 130

- Easy to stow - folding
- Space-saving thanks to folding mechanism
- Large seat surface with drainage holes
- Hygienic cutaway simplifies personal hygiene
- Comfortable, safe, and stable
- Five-position seat height adjustment through telescopic legs



Hygiene opening



Height-adjustable legs



Collapsible



Product	DSR 130
Order number	550200300
<b>Technical Data</b>	
Overall width minimal / maximal	54 cm / 55 cm
Overall height minimal / maximal	86 cm / 96 cm
Overall depth minimal / maximal	55 cm / 57 cm
Seat width x Seat depth	41 cm x 41 cm
Seat height	42 - 52 cm
Backrest height	48 cm
Total weight	3,48 kg
Max. Load	130 kg

Product	DSF 130
Order number	550200100
<b>Technical Data</b>	
Overall width minimal / maximal	52 cm / 53 cm
Overall height minimal / maximal	90 cm / 100 cm
Overall depth minimal / maximal	56 cm / 58 cm
Seat width x Seat depth	41 cm x 41 cm
Seat height	42 - 52 cm
Backrest height	48 cm
Total weight	3,8 kg
Max. Load	130 kg

## Shower Chair DH 135

- The all-rounder in the bathroom
- Large seat surface with maximum possible hygienic cutaway
- Easy to transport and stow
- Stable seat in the bath and under the shower
- Comfortable, safe, and stable
- Simple design



Hygiene opening      Legs are detachable



Product	without backrest	with backrest
Order number	550800100	550800200
Technical Data		
Overall width	42,5 cm	42,5 cm
Overall height	53 cm	82 cm
Overall depth	47 cm	61 cm
Seat width	41 cm	41 cm
Seat depth	37 cm	37 cm
Seat height	43 - 53 cm	43 - 53 cm
Total weight	2 kg	3 kg
Max. Load	135 kg	135 kg

## Shower Chair Duro KD

- Comfortable, safe, stable, can be dismantled
- Large seat surface with drainage holes and carrying handles
- Low weight
- Available with and without backrest
- Five-position seat height adjustment through telescopic legs
- Anodized aluminum tube legs



Legs are detachable



Carrying handle in seat surface



## Shower Chair DS 250

- Available with and without backrest
- Comfortable, safe, and stable
- Large seat surface with drainage holes
- Cross strut ensures maximum stability
- Five-position seat height adjustment through telescopic legs
- Easy to clean



Height-adjustable legs



More stability thanks to cross strut



Product	without backrest	with backrest
Order number	550500900	550500950
<b>Technical Data</b>		
Overall width	53 cm	53 cm
Overall height	54 cm	81 cm
Overall depth	52 cm	56 cm
Seat width	50 cm	50 cm
Seat depth	30 cm	30 cm
Seat height	42 - 52 cm	42 - 52 cm
Total weight	2 kg	2,9 kg
Max. Load	130 kg	130 kg

Product	without backrest	with backrest
Order number	771100100	771100200
<b>Technical Data</b>		
Overall width max.	57 cm	57 cm
Overall width min.	53,5 cm	53,5 cm
Overall height	51 cm	83,5 cm
Seat width	43 cm	43 cm
Seat depth	41 cm	41 cm
Seat height	41 - 51 cm	41 - 51 cm
Total weight	3,6 kg	4,5 kg
Max. Load	250 kg	250 kg

## HELP WHEN TRANSFERRING TO AND FROM THE TOILET OR SHOWER

The shower/commode chair makes daily life easier for many people



## Mobile Shower Chair Uppingham Commode

This attendant-propelled commode shower chair features a durable footrest that can be set at two different heights and can be retracted easily when not in use.

- Very robust, stylish product
- Including cover for the hygienic cutaway
- Armrests tilt up
- Footrest simply clips to frame
- Supplied with a square commode bowl



Armrests tilt up



Product	Uppingham
Order number	172
<b>Technical Data</b>	
Overall length	64 cm
Overall depth	52 cm
Seat width	42 cm
Seat depth	42 cm
Seat height	50 cm
Width between arms	54 cm
Total weight	15 kg
Max. Load	160 kg

## Shower Wheelchair Aston

A versatile solution for showering and the toilet

- Soft seat opens at the front as standard
- Including cover for the hygienic cutaway
- Receptacle in commercially available design
- Folding armrests
- Swiveling and removable footrests



Armrests can be swiveled



Foot plate with adjustable angle



Height-adjustable footrests



## Shower Wheelchair Aston 24

A versatile solution for showering and the toilet

- All the advantages of the standard model
- With large 24" drive wheels with quick-release axles and hand rims
- Soft seat opens at the front as standard
- Including cover for the hygienic cutaway
- Folding armrests



Height-adjustable footrests



24" drive wheels



Foot plate with adjustable angle



Product	Aston
Order number	530400200
<b>Technical Data</b>	
Overall length x Overall width	90 cm / 56 cm
Overall height	99 - 103 cm
Seat width x Seat depth	46 cm x 42 cm
Seat height	51 / 56 cm
Footrest adjustment	32 - 50 cm
Clearance height	51 cm
Total weight	13,4 kg
Max. Load	160 kg

Product	Aston 24
Order number	530400100
<b>Technical Data</b>	
Overall length x Overall width	108 cm / 69 cm
Overall height	99 - 103 cm
Seat width x Seat depth	46 cm x 42 cm
Seat height	51 / 56 cm
Footrest adjustment	32 - 50 cm
Clearance height	51 cm
Total weight	19,4 kg
Max. Load	160 kg

## Shower Wheelchair DuoMotion

The universal and high-quality companion in the bathroom

- Soft seat opens at the front as standard
- Including cover for the hygienic cutaway
- Standard receptacle in commercially available design
- Folding armrests
- 24" drive wheels with quick-release axles and brakes can be easily and quickly retrofitted



Height-adjustable footrests



Headrest available as an accessory



Product	DuoMotion
Order number	530500200

### Technical Data

Overall length x Overall width	98 cm / 56,5 cm
Overall length without footrests	68 cm
Overall height	95,5 - 103 cm
Seat width x Seat depth	44 cm x 41 cm
Seat height	50 - 57,5 cm
Footrest adjustment	39 - 49 cm
Clearance height	40,5 cm - 48 cm
Backrest height	43 cm
Total weight	14 kg
Max. Load	130 kg

## Shower Wheelchair DuoMotion 24

Multitalent with full equipment

- All the advantages of the standard model
- Increased mobility and independence
- With large 24" drive wheels and hand rims
- Including 4 x 5" wheels
- Soft seat opens at the front as standard serienmäßig



Height-adjustable footrests



24" drive wheels



Headrest available as an accessory



Product	DuoMotion 24
Order number	530500100

### Technical Data

Overall length x Overall width	115 cm / 71 cm
Overall length without footrests	85 cm
Overall height	95,5 - 103 cm
Seat width x Seat depth	44 cm x 41 cm
Seat height	50 - 57,5 cm
Footrest adjustment	39 - 49 cm
Clearance height	40,5 cm - 48 cm
Backrest height	43 cm
Total weight	20 kg
Max. Load	130 kg

## Shower Wheelchair DuoMotion XL

XL version with 200 kg carrying capacity

- Additional cross strut ensures maximum stability
- Standard soft seat opens at the front
- Including cover for the hygienic cutaway
- Standard receptacle in commercially available design
- Four-position adjustable seat height



Security due to cross brace



Height-adjustable footrests



Headrest available as an accessory



## Shower Wheelchair DuoMotion 24 XL

XL version with 200 kg carrying capacity

- All the advantages of the standard model
- With large 24" drive wheels and hand rims
- Increased mobility and independence
- Standard soft seat opens at the front
- Including cover for the hygienic cutaway



Security due to cross brace



Height-adjustable footrests



24" drive wheels



Headrest available as an accessory



Product	DuoMotion XL
Order number	530500500

**Technical Data**

Overall length x Overall width	102 cm / 67,5 cm
Overall length without footrests	74 cm
Overall height	95 - 102,5 cm
Seat width x Seat depth	56 cm x 45 cm
Seat height	50 - 57,5 cm
Footrest adjustment	39 - 49 cm
Clearance height	40,5 cm - 48 cm
Backrest height	36,5 cm
Total weight	16,8 kg
Max. Load	200 kg

Product	DuoMotion 24 XL
Order number	530500400

**Technical Data**

Overall length x Overall width	109 cm / 73 cm
Overall length without footrests	79,5 cm
Overall height	95 - 102,5 cm
Seat width x Seat depth	56 cm x 45 cm
Seat height	51 - 58,5 cm
Footrest adjustment	32 - 42 cm
Clearance height	40,5 cm - 48 cm
Backrest height	36,5 cm
Total weight	22,8 kg
Max. Load	200 kg

## Raised toilet seat Ticco 2G/5

- Raises the toilet seat by 5 cm
- Ergonomic shape
- Maximum opening with two hygienic cutaways
- Recessed grip on the lid makes it easy to open
- Simple, tool-free assembly
- Fixation clamps enable perfect hold
- Smooth surfaces for optimal cleaning and disinfection
- Lightweight with maximum load capacity
- Delivery in practical take-away packaging



Two hygiene openings

Fixing screw for easy assembly

also available with a lid



Product	with lid	without lid
Order number	523600200	523600100

### Technical Data

Overall width	39 cm	39 cm
Overall length	39 cm	39 cm
Height front	5,5 cm	4,1 cm
Height rear	7,1 cm	5,6 cm
Opening length	27,3 cm	27,3 cm
Opening width	20,3 cm	20,3 cm
Total weight	1,11 kg	820 g
Max. Load	225 kg	225 kg

## Raised Toilet Seat Ticco 2G/10

- Raises the toilet seat by 10 cm
- Ergonomic shape
- Maximum opening with two hygienic cutaways
- Recessed grip on the lid makes it easy to open
- Simple, tool-free assembly
- Fixation clamps enable perfect hold
- Smooth surfaces for optimal cleaning and disinfection
- Lightweight with maximum load capacity
- Delivery in practical take-away packaging



Two hygiene openings

Fixing screw for easy assembly

also available with a lid



Product	with lid	without lid
Order number	523400000	523300000

### Technical Data

Overall width	39 cm	39 cm
Overall length	39 cm	39 cm
Height front	10 cm	8,6 cm
Height rear	14,6 cm	12 cm
Opening length	28,5 cm	28,5 cm
Opening width	21,5 cm	21,5 cm
Total weight	1,35 kg	1,05 kg
Max. Load	225 kg	225 kg

## Raised toilet seat Ticco 2G/15

- Raises the toilet seat by 15 cm
- Ergonomic shape
- Maximum opening with two hygienic cutaways
- Recessed grip on the lid makes it easy to open
- Simple, tool-free assembly
- Fixation clamps enable perfect hold
- Smooth surfaces for optimal cleaning and disinfection
- Lightweight with maximum load capacity
- Delivery in practical take-away packaging



Two hygiene openings



Fixing screw for easy assembly



also available with a lid



Product	with lid	without lid
Order number	523600400	523600300
<b>Technical Data</b>		
Overall width	39 cm	39 cm
Overall length	39 cm	39 cm
Height front	15,3 cm	13,6 cm
Height rear	16,6 cm	15,1 cm
Opening length	27,3 cm	27,3 cm
Opening width	20,3 cm	20,3 cm
Total weight	1,71 kg	1,44 kg
Max. Load	225 kg	225 kg

## Raised Toilet Seat TSE 100S

- Maximum opening with two hygienic cutaways
- Simple, tool-free assembly
- Fixation clamps enable a secure hold
- Skin-friendly PU plastic for comfortable, soft seating
- Smooth surfaces simplify cleaning
- Ergonomically tapered seating surface provides comfort



Stable plastic fixation clamp



Tool-free assembly



30 mm overhang



Product	TSE 100S
Order number	523500000
<b>Technical Data</b>	
Overall width	37 cm
Overall length	38,5 cm
Overall height	11 cm
Opening length	25,5 cm
Opening width	22,5 cm
Opening height	12,5 cm (5")
Total weight	2,1 kg
Max. Load	250 kg

## Raised Toilet Seat TSE 120

- Two hygienic cutaways and integrated seat
- Recessed grip on the lid makes it easy to open
- Folding, non-slip armrests
- Simple, tool-free assembly
- Three-position height adjustment
- Smooth surfaces simplify cleaning
- Delivery includes assembly gloves
- Delivery in practical take-away packaging



Recessed grip on the lid

Three positions for height adjustment

Non-slip armrest



## Raised Toilet Seat TSE 120 Plus

- NEW: with innovative top mounting
- Two hygienic cutaways and integrated seat
- Recessed grip on the lid makes it easy to open
- Folding, non-slip armrests
- Simple, tool-free assembly
- Three-position height adjustment
- Smooth surfaces simplify cleaning
- Delivery includes assembly gloves
- Delivery in practical take-away packaging



Recessed grip on the lid

Three positions for height adjustment



Product	without armrests	with armrests
Order number	520500300	520500400
<b>Technical Data</b>		
Overall width	46 cm	55 cm
Overall length	49 cm	49 cm
Height adjustment	8,5 / 12 / 15,5 cm	8,5 / 12 / 15,5 cm
Width between armrest	-	46 cm
Opening length	27 cm	27 cm
Opening width	20,5 cm	20,5 cm
Total weight	2,6 kg	4,1 kg
Max. Load	120 kg	120 kg

Product	TSE 120 Plus
Order number	520500500
<b>Technical Data</b>	
Overall width	55 cm
Overall length	49 cm
Height adjustment	8,5 / 12 / 15,5 cm
Width between armrest	46 cm
Opening length	27 cm
Opening width	20,5 cm
Total weight	4,1 kg
Max. Load	120 kg

## Raised Toilet Seat TSE 150

- Two hygienic cutaways and integrated seat
- Recessed grip on the lid makes it easy to open
- Folding, non-slip armrests
- Simple, tool-free assembly
- Three-position height adjustment
- Smooth surfaces simplify cleaning
- Delivery includes assembly gloves
- Delivery in practical take-away packaging



Recessed grip  
on the lid



Three positions  
for height adjust-  
ment



Non-slip armrest



## Toilet Lift Solo


The Solo Toilet Lift replicates natural standing movement at the touch of a button, assisting users to help themselves get up into a standing position.

- Battery powered device to get on and off toilet
- Helps reduce manual handling risks for carers
- Powered lifting replicates body's natural movement
- Seat can be stopped at any position to suit user



Product	without armrests	with armrests
Order number	5200500	5201000
<b>Technical Data</b>		
Overall width	46 cm	56 cm
Overall length	48,5 cm	48,5 cm
Height adjustment	6,5 / 10 / 13,5 cm	6,5 / 10 / 13,5 cm
Width between armrest	-	48 cm
Opening length	25 cm	25 cm
Opening width	23 cm	23 cm
Total weight	3,7 kg	5,7 kg
Max. Load	150 kg	150 kg

Order number	Product		
MS0HSUK/EU	without arms		
MS2LSUK/EU		with 2 arms - left operating switch	
MS2RSUK/EU		with 2 arms - right operating switch	
-			
Technical Data	without arms	left switch	right switch
Overall width	61 cm	71 cm	71 cm
Overall length	54 cm	54 cm	54 cm
Seat width	55 cm	55 cm	55 cm
Total weight	18 kg	18 kg	20 kg
Max. Load	160 kg	160 kg	160 kg



**SECURE, STABLE AND  
STRONG – DRIVE DEVILBISS  
COMMODE CHAIRS**

## Commode Deluxe Drop Arm

With a 453 kg (1000 lbs) weight capacity, the Deluxe Drop Arm Commode features an easy-to-release arm mechanism, which allows for safe lateral user transfers to and from commode. In addition, the large, durable snap-on seat can be removed for easy cleaning, and the covered, 10-liter bucket helps to prevent spills and confine odors.

- Large backrest for added user comfort and support
- Durable, heavy duty, white powder coated steel tubing
- Padded armrests for additional comfort and support
- Bucket easily slides in and out for emptying and cleaning



Easily release arm rests mechanism



Product	Deluxe Drop Arm
Order number	11135-1
<b>Technical Data</b>	
Overall width	71 cm
Overall length	47 cm
Seat width	58 cm
Seat depth	47 cm
Seat height	48 - 58 cm
Total weight	10 kg
Max. Load	453 kg
-	-

## Commode TSG 130

- Mobile raised toilet seat
- Comfortable, safe, and particularly stable
- Fast assembly
- Seven-position seat height adjustment through telescopic legs
- Stable thanks to rubber feet



Toilet seat can be folded up



Height-adjustable legs



Bucket with odor trap



Product	TSG 130
Order number	500800100
<b>Technical Data</b>	
Overall width	67 cm
Overall length	52 cm
Overall height	60 - 75 cm
Seat width x Seat depth	44,5 cm x 45 cm
Seat height	40 - 55,5 cm
Frame height	35 - 50 cm
Total weight	5,7 kg
Max. Load	130 kg

## Commode TS 130

- Comfortable, safe, and particularly stable
- Large, soft seat surface and backrest for increased comfort
- Seat and cover can be folded up and removed
- Standard receptacle in commercially available design
- Six-position seat height adjustment through telescopic legs
- Stable thanks to rubber feet
- Upholstery seams sealed underneath
- Padded armrests
- Easy to clean

Toilet seat,  
paddedToilet seat can  
be folded upHeight-  
adjustable legs

## Wheeled Commode TRS 130

- Comfortable, safe, and particularly stable
- Parking brake on the rear casters
- Fold-down armrests simplify transfer
- Stable, folding, and removable footrests
- Receptacle with odor trap as standard
- Can be positioned over the toilet bowl without receptacle
- Continuously adjustable footrests
- Simple, tool-free assembly
- Calf strap. Easy to clean

Toilet seat,  
removableAdjustable  
footrestBucket with  
odor trap

Product	TS 130
Order number	530100100
<b>Technical Data</b>	
Overall width minimal / maximal	58 / 62 cm
Overall length	50 - 57 cm
Overall height	83,5 - 98,5 cm
Seat width x Seat depth	43 cm x 46 cm
Seat height	50 - 64 cm
Backrest height	36 cm
Frame height	35 - 50 cm
Total weight	8,5 kg
Max. Load	130 kg

Product	TRS 130
Order number	530100000
<b>Technical Data</b>	
Overall width	56 cm
Overall length	95 cm
Overall height	97 cm
Seat width x Seat depth	44 cm x 42,5 cm
Seat height	52 cm
Footrest adjustment	42 - 50 cm
Clearance height	43 cm
Total weight	14,4 kg
Max. Load	130 kg

## Wheeled Commode TRS 200 XXL

- Wide and stable wheeled commode for maximum requirements
- Parking brake on the rear casters
- Fold-down armrests simplify transfer
- Stable, folding, and removable footrests
- With receptacle as standard



With integrated cover plate



Adjustable footrest



Bucket with odor trap



Product	TRS 200 XXL
Order number	530200000
<b>Technical Data</b>	
Overall width	72 cm
Overall length	96 cm
Overall height	98 cm
Seat width x Seat depth	56 cm x 42 cm
Seat height	52 cm
Footrest adjustment	42 - 57 cm
Clearance height	44 cm
Total weight	15,3 kg
Max. Load	200 kg

## Toilet Accessories



Product	Order number
Bucket with Lid grey	530100090
Bucket with lid grey beige*	500800170
<ul style="list-style-type: none"> <li>• Perfect addition for the shower chairs and commodes</li> <li>• Has a lid including water groove and odor trap</li> <li>• With practical handle</li> <li>• Capacity: approx. 5 liters</li> <li>• Suitable for DuoMotion, white TSG 130, TS 130, TRS 130, and TRS 200 XXL</li> </ul>	



Product	Order number
Seat for TS 130	530100112
<ul style="list-style-type: none"> <li>• Seat can be folded up and removed</li> <li>• Large, soft seat for extra comfort</li> <li>• Hygiene opening (LxW): 26 x 20.5 cm</li> </ul>	



Product	Order number
Seat cover for TS 130	530100120
<ul style="list-style-type: none"> <li>• Seat cover can be folded up and removed</li> <li>• Large, soft seat cover for extra comfort</li> </ul>	



Product	Order number
Seat for TRS 130 (SN 2F)	530100001
Overseat for TRS 130 (SN 7K)	530100006
<ul style="list-style-type: none"> <li>• Easily cleaned surface</li> <li>• Hygiene opening (LxW): 26 x 22 cm</li> </ul>	



Product	Order number
Seat cover for TRS 130	530100020
<ul style="list-style-type: none"> <li>• Seat cover can be folded up and removed</li> <li>• Large, soft seat cover for extra comfort</li> </ul>	



Product	Order number
Accessories for TRS 200 XXL	
Seat cover	530200026
Seat with cover	530200021
<ul style="list-style-type: none"> <li>• Suitable for TRS 200 XXL</li> <li>• Seat can be folded up and removed</li> <li>• Hygiene opening (LxW): 24 x 22 cm</li> </ul>	

## Suction Cup Grab Bar Solido

- The mobile all-rounder for use at home or on the go
- Makes it easier to hold on and stand up in the bathtub or shower
- Versatile and quickly ready to use on all smooth surfaces
- Vacuum rocker lever generates extra-strong suction with a tensile force of 70 kg
- Available in three lengths: 32.5, 58, and 88 cm
- Delivered as complete unit ready for use



Vacuum rocker lever

Solido, short



Product	Length 32.5 cm	Length 58 cm	Length 88 cm
Order number	660100100	660100200	660100300

**Technical Data**

Overall length	32,5 cm	58 cm	88 cm
Gripping surface	10 cm	32 cm	62 cm
Wall clearance	3,5 cm	3,5 cm	3,5 cm
Suction cup Ø	12 cm	12 cm	12 cm
Total weight	600 g	1 kg	1,3 kg
Max. Load	70 kg	70 kg	70 kg

## Suction Cup Grab Bar Solido T

- The mobile, telescopic grab bar Solido T fits anywhere
- Makes it easier to hold on and stand up in the bathtub or shower
- Versatile and quickly ready to use on all smooth surfaces
- No screwing or drilling
- Vacuum rocker lever generates extra-strong suction with a tensile force of 70 kg
- High-quality finish and materials
- Articulated adapter available as an accessory
- Delivery in practical take-away packaging



Easily adjustable length

Vacuum rocker lever mounting



Product	short	medium
Order number	660100400	660100500

**Technical Data**

Overall length	44 - 57 cm	56 - 69 cm
Gripping surface	34 cm	46 cm
Wall clearance	3,5 cm	3,5 cm
Suction cup Ø	12 cm	12 cm
Total weight	800 g	900 g
Max. Load	70 kg	70 kg

## Grab Bar Safe

- Modernes Design, höchste Sicherheit
- Antirutschbeschichtung
- Ergonomischer, ovaler Greifbereich
- Kern durch ein 20-mm-Aluminiumrohr verstärkt
- Vier Anschraubpunkte mit Abdeckkappen
- Ovale Form mit einer Breite von 4 cm
- Lieferung ohne Befestigungsmaterial
- Einfach zu reinigen



Reinforced  
aluminum core



Product	Order number	Weight
Length 30 cm	650100100	240 g
Length 41 cm	650100200	300 g
Length 61 cm	650100300	500 g
Length 40 cm, angled 45°	650100500	360 g

Technical Data		
Dimensions mounting plate (WxH)		6 x 7 cm
Wall clearance		4 cm
Max. Load		160 kg

## LIGHTWEIGHT, SAFE AND COMFORTABLE

The right option for  
every bathroom



# QUICK AND EASY TO FIT

Added safety in every bathroom



## Stainless Steel Grab Bars

- Unobtrusive design in various lengths
- Makes it easier to hold on and stand up in the bathroom and toilet
- Ergonomic shape with finger grip grooves
- Easy and quick installation
- Delivery including mounting materials
- Easy to clean
- Retail box/foil packaging



Recessed finger grips



Product	Retail packaging	Foil packaging
Length 30 cm	630500300	630600300
Length 40 cm	630500400	630600400
Length 50 cm	630500500	630600500
Length 60 cm	630500600	630600600

Technical Data	
Wall clearance	7 cm
Tube diameter	3 cm
Max. Load	120 kg

## Tub rail

- Tub rail made of extremely high-quality, mirror polished stainless steel
- Easy adjustment to the bathtub edge width
- Mounting arms with non-slip rubber caps
- Surface guarantees maximum possible freedom from germs and bacteria



Application example



Product	Tub rail
Order number	10590-10
<b>Technical Data</b>	
Overall width	32 cm
Overall height	41 cm
Handle height	13 cm
Total weight	1,5 kg
Max. Load	100 kg

## Folding Safety with fall protection

- Made of mirror polished stainless steel
- For fastening on both sides of the toilet
- Can be folded up
- Recessed grip grooves ensure a secure hold
- Including fall protection and tile protection stop
- Surface guarantees maximum possible freedom from germs and bacteria
- Mounting plate (LxW) 27.5 x 10 cm
- Delivery including mounting materials



Assembly:  
right or left



Product	Outreach 60 cm	Outreach 85 cm
Order number	10495-30	10495-20
<b>Technical Data</b>		
Overall length	60 cm	85 cm
Tube diameter	3,2 cm	3,2 cm
Mounting plate (LxW)	27 x 10 cm	27 x 10 cm
Total weight	2,9 kg	3,4 kg
Max. Load	120 kg	120 kg





## MOBILITY

---

ROLLATORS .....	40
ACCESSORIES ROLLATORS .....	49
WHEELCHAIRS .....	53
COMPATIBILITY ACCESSORIES .....	58
WHEELCHAIRS ACCESSORIES .....	60
MULTIFUNCTIONAL WHEELCHAIR .....	62
ACCESSORIES .....	63
WHEELCHAIR PUSHING AID .....	65
WHEELCHAIRS XXL .....	66
TRANSPORT CHAIRS .....	68
CANES .....	70

## Standard Rollator Migo 2G

- The classic now even more flexible
- Dual-function brake (for braking and parking)
- Easy to transport – ideal for trips
- Anatomically shaped, non-slip hand grips
- Protection against folding through engaged seat
- Max. load of basket and tray 5 kg each
- Supplied as standard with basket, tray, and cane holder

 130 kg



Seat surface with integrated handle



Wide wheels with closed rim



Trolley function



Product	Migo 2G
Order number	723600000

### Technical Data

Overall length x Overall width	61 cm x 58 cm
Handle height	80 - 100 cm
Seat width x Seat depth	36 cm x 23,5 cm
Seat height	60 cm
Width between handles	44,5 cm
Folding Dimensions	23 x 58 x 74 cm
Weight	8,3 kg
Max. Load	130 kg

## Standard Rollator Road

- Mobility, plain and simple
- Easy to fold by pulling the cord beneath the seat surface
- Dual-function brake (for braking and parking)
- Easy to transport – ideal for trips
- Handles can be adjusted to any height

 120 kg



Hanging basket and tray



Double-function brake



Cane holder



Product	Road
Order number	721100100

### Technical Data

Overall length x Overall width	61 cm x 59 cm
Handle height	81,5 - 91,5 cm
Seat width x Seat depth	39 cm x 23 cm
Seat height	60 cm
Width between handles	40,5 cm
Folding Dimensions	25 x 61 x 80 cm
Weight	7,9 kg
Max. Load	120 kg

## Standard Rollator Cristallo

- The robust companion for daily use
- Automatic lock to prevent folding
- The folding mechanism in signal color ensures safe and comfortable folding
- The brake can be applied easily and is simple to readjust
- The height of the ergonomic handles is freely adjustable
- Supplied as standard with basket, tray, and cane holder

130 kg



Folding guard  
in red



Double-function  
brake



Product	Cristallo
Order number	722100000
<b>Technical Data</b>	
Overall length x Overall width	67 cm x 61 cm
Handle height	79 - 100 cm
Seat width x Seat depth	38 cm x 16 cm
Seat height	61 cm
Width between handles	43 cm
Folding Dimensions	26 x 61 x 86 cm
Weight	8,8 kg
Max. Load	130 kg

## Rollator Cristallo<sup>2</sup>

- For rheumatism and arthritis patients
- Cushioned and individually adjustable forearm supports
- Automatic lock to prevent folding
- Multiple reflectors ensure safety
- Supplied as standard with basket, tray, and cane holder

120 kg



Forearm support,  
padded



Forearm support with  
adjustable length



Product	Cristallo <sup>2</sup>
Order number	722500000
<b>Technical Data</b>	
Overall length x Overall width	67 cm x 65 cm
Armrest height	102 - 118 cm
Seat width x Seat depth	38 cm x 16 cm
Seat height	61 cm
Width between handles	38 cm
Folding Dimensions	23 x 58 x 74 cm
Weight	12,3 kg
Max. Load	120 kg

## Umbrella Standard / Reverse

- Robust glass fiber frame & water-repellent covering (pongée)
- All-round reflector strip
- Automatic opening
- Including protective sleeve
- Including universal mounting for all common rollator models with round / oval tube push handles
- Umbrella diameter approx. 1,000 mm
- Reverse: thanks to the innovative reverse folding mechanism, the umbrella can be closed easily while standing without the user getting wet



Color	Standard	Color	Reverse
black	700900017	black/black	700900020
dark blue	700900018	dark blue/black	700900022
dark red	700900019	dark red/black	700900021
		dark blue/orange	700900025
<b>Technical Data</b>		<b>Standard</b>	<b>Reverse</b>
Weight		430 g	520 g

## Lightweight Rollator Gigo 2G

- Particularly light and attractive aluminum rollator
- One-hand folding mechanism ensures safe and comfortable folding
- Ergonomic handles can be adjusted to 6 height positions
- Max. load of basket and tray 5 kg each
- Supplied as standard with basket, tray, backrest, and cane holder
- Removable & foldable backrest
- Curb climber as standard



Double-function  
brake      Backrest



Product	Gigo 2G
Order number	735100200
<b>Technical Data</b>	
Overall length x Overall width	61 cm x 61,5 cm
Handle height	87 - 96 cm
Seat width x Seat depth	34 cm x 33,5 cm
Seat height	54 cm
Width between handles	40,5 cm
Folding Dimensions	28 x 61,5 x 100 cm
Weight	6,6 kg
Max. Load	120 kg

## Rollator Tri Walker

- Can be used indoors and outdoors
- Easy to transport
- Ergonomic, height-adjustable handles
- Passive lighting at the rear and front
- Supplied as standard with basket and tray



Roomy bag



Mountable basket with tray



Double-function brake



## Indoor-Rollator Roomba

- The sporty companion for use at home
- Designed specifically for use indoors
- Can be used anywhere thanks to its narrow design, even when space is limited
- Soft hand grips with end-to-end brake lever
- Brake can be operated and locked with one hand
- Supplied as standard with basket and large tray with round depression




Large tray



Versatile mesh bag for personal items



Safety latch



Product	Tri Walker
Order number	TW011R
<b>Technical Data</b>	
Overall length	60 cm
Overall width	61 cm
Handle height	84,5 - 94,5 cm
Width between rear wheels	51 cm
Width between handles	37 cm
Folding Dimensions	65 x 25 x 82,5 cm
Weight	6,2 kg
Max. Load	130 kg

Product	Roomba
Order number	730200100
<b>Technical Data</b>	
Overall length x Overall width	51,5 cm x 57 cm
Handle height	81,4 - 94,1 cm
Tray width	45 cm
Tray depth	30 cm
Width between rear wheels	44 cm
Folding Dimensions	29 x 55 x 83 cm
Weight	5,6 kg
Max. Load	100 kg


## Rollator Torró

- Safety and mobility even with heavy loads
- Large and soft seat surface provides comfort
- The cushioned back support can be removed
- Ergonomic, height-adjustable handles
- Max. load of the bag 5 kg
- Supplied as standard with bag, back support, and cane holder

Double-function  
brake

Back support

Cloth bag



Product	red	anthracite
Order number	740500100	740500500
Technical Data		

Overall length x Overall width	68 cm x 61,5 cm
Handle height	78 - 94,5 cm
Seat width x Seat depth	42 cm x 22,5 cm
Seat height	59 cm
Width between handles	44,5 cm
Folding Dimensions	68 x 22 x 78 cm
Weight	6,9 kg
Max. Load	150 kg

## Rollator Nitro Carbon Twist

- Extra-large 25 cm steering wheels for optimal steering and pushing comfort
- Passive lighting as standard
- Leather-effect bag, quilted
- Cane holder included in delivery
- Unique design

Extra-large steer-  
ing wheels

Cane holder

Collapsible



Product	Size M	Size L
Order number	724500100	724500300
Technical Data		

Overall length x Overall width	70,5 cm x 59 cm	70,5 cm x 59 cm
Handle height	84,5 - 97 cm	93 - 105 cm
Seat width x Seat depth	44 cm x 22 cm	44 cm x 22 cm
Seat height	53 cm	61 cm
Width between handles	44 cm	44 cm
Folded width	24 cm	24 cm
Weight	5,8 kg	6,2 kg
Max. Load	150 kg	150 kg

# HIGH QUALITY CARBON TECHNOLOGY

The highest comfort and quality of an extra class

Carbon technology impresses with its performance and durability. Known for its dynamic power and unparalleled elegance, carbon is often used in luxury jets and sports cars. The carbon frame gives the Nitro rollator its flexibility, lightness and durability.



## UNIQUE AND INNOVATIVE TWIST BRAKE

The easiest way to brake without effort. Intelligent, safe and effortless.



- A very smooth and effortless rotary movement releases the brake and thus guarantees safety in an intelligent way
- Minimal force required
- Hands do not have to be taken off the handles for braking and locking
- Adjustment options of the brake lever to support the thumb or hand ball
- Adjustment of the direction of rotation: the twist brake can be used either from inside to outside or the other way round
- Brake cables are inside the frame for added safety

## Rollator Nitro Twist

- With twist brake: the simplest way of braking enables safety without exertion
- A very smooth and effortless rotational movement ensures that the brake is applied and therefore guarantees safety in an intelligent manner
- Minimal force required
- Simple handle height adjustment
- Cane holder included as standard



Extra-large steering wheels

Cane holder

Collapsible



Product	Nitro Twist Size M
Order number	724200300
<b>Technical Data</b>	
Overall length x Overall width	70,5 cm x 61 cm
Handle height	84 - 96,5 cm
Seat width x Seat depth	44,5 cm x 22 cm
Seat height	57 cm
Width between handles	45 cm
Folding Dimensions	70,5 x 25 x 84 cm
Weight	7,2 kg
Max. Load	130 kg

# Rollator Nitro Carbon

- Carbon frame
- Extra-large 25 cm steering wheels for optimal steering and pushing comfort
- Passive lighting as standard
- Cushioned back support with practical length adjustment as standard
- High-quality leather-effect seat
- Leather-effect bag, quilted
- Cane holder supplied as standard
- Unique design

- Max. load of the bag 5 kg
- Ergonomic, height-adjustable handles
- Dual-function brake (for braking and parking)
- One-hand folding mechanism ensures safe and comfortable folding
- Increased stability and safety thanks to double cross struts
- Cane holder included as standard
- Can be used indoors and outdoors
- Anti-tilt aid as standard on the left and right



Extra-large steering wheels

Cane holder

Collapsible



Product	Size M	Size L
Order number	724500000	724500200
<b>Technical Data</b>		
Overall length x Overall width	70,5 cm x 59 cm	70,5 cm x 59 cm
Handle height	84,5 - 97 cm	93 - 105 cm
Seat width x Seat depth	44 cm x 22 cm	44 cm x 22 cm
Seat height	53 cm	61 cm
Width between handles	44 cm	44 cm
Folded width	24 cm	24 cm
Total weight	7,1 kg	7,2 kg
Max. Load	150 kg	150 kg

# Rollator Nitro

- Can be used indoors and outdoors
- Increased stability and safety thanks to double cross struts
- Extra-large 25 cm steering wheels for optimal steering and pushing comfort
- Passive lighting at the rear, front, and sides as standard
- Cushioned seat surface and backrest as standard
- Simple handle height adjustment
- Cane holder included as standard
- Ergonomic, height-adjustable handles
- Dual-function brake (for braking and parking)



**SIZE M  
ALSO IN  
RED**



**THE NITRO FAMILY AVAILABLE  
IN 4 COLOURS AND 4 SIZES**



Product	Size XLS	Size S	Size M	Size L
champagner	724100300	724100000	724200000	724300000
white	-	-	724200100	724300100
black	-	-	724200200	-
red			724200400	

Technical Data				
Overall length x Overall width	70,5 cm x 52 cm	70,5 cm x 61 cm	70,5 cm x 61 cm	70,5 cm x 61 cm
Handle height	71,8 - 77 cm	79 - 91 cm	84 - 96,5 cm	89 - 101 cm
Seat width x Seat depth	37 cm x 20 cm	44,5 cm x 22 cm	44,5 cm x 22 cm	44,5 cm x 22 cm
Seat height	45 cm	52 cm	57 cm	62 cm
Width between handles	34,5 cm	45 cm	45 cm	45 cm
Folding Dimensions	70,5 x 25 x 71,8 cm	70,5 x 25 x 82 cm	70,5 x 25 x 86 cm	70,5 x 25 x 92 cm
Total weight	6,7 kg	7,1 kg	7,2 kg	7,3 kg
Max. Load	130 kg	130 kg	130 kg	130 kg

## Rollator Diamond Deluxe

- Rollator and transport wheelchair in one
- Individual and attractive aluminum rollator
- From rollator to transport wheelchair in just a few steps
- The removable cloth bag provides extra space for personal items
- Easy folding using strap on seat surface
- Space-saving storage and easy transport



Simply attach  
wheel



Collapsible



Product	Diamond Deluxe
Order number	745R
Technical Data	
Overall length x Overall width	104,2 cm x 64 cm
Handle height	77 - 94,5 cm
Seat width x Seat depth	40 cm x 19 cm
Seat height	54 cm
Width between handles	46 cm
Folding Dimensions	63 x 28 x 100 cm
Weight	10,3 kg
Max. Load	136 kg

## Rollator GoLite 200 XXL

- Safety and mobility even with heavy loads
- Wide and stable rollator for maximum requirements
- Extra-large and soft seat surface offers comfort
- Cushioned, removable back support bar
- Dual-function brake (for braking and parking)
- Ergonomic, height-adjustable handles



Large seat surfa-  
ce with backrest



Mountable  
basket with tray



Product	GoLite 200 XXL
Order number	770100100
Technical Data	
Overall length x Overall width	71 cm x 78 cm
Handle height	88 - 99,5 cm
Seat width x Seat depth	46 cm x 35 cm
Seat height	57 cm
Width between handles	56 cm
Folding Dimensions	22 x 78 x 90 cm
Weight	12,7 kg
Max. Load	200 kg

# Accessories Rollators



Product	Order number
Basket	710500007
Tray	710500006
Bag	710500005

Passend für Tri Walker  
Max. Belastung Korb, Tablett und Tasche: 5 kg



Product	Order number
Basket	710000001

- Suitable for the following rollators:
  - Migo
  - Cristallo
  - Cristallo<sup>2</sup>
  - Gigo
- Farbe: Schwarz



Product	Order number
Basket	727100152
Cane holder	721100101

Passend für Rollator Road  
Farbe: Schwarz



Product	Order number
Basket	727100147

- Suitable for the rollator GoLite XXL
- Color: black



Product	Order number
Rollator garage blue	710000083
Rollator garage gray	710000084

- Dimensions: 34 x 36 cm
- Rollator cover, suitable for all conventional rollators
- The seams and the extremely tear-resistant material ensure good durability
- The water-repellent outer coating protects against environmental influences



Product	Order number
One-hand brake	710000081

- Suitable for rollators Migo, Cristallo, Gigo, Road, Tri Walker, and GoLite 200 (factory fitting possible for Cristallo<sup>2</sup>)
- One-hand brake system, particularly easy for the active side of the body to operate
- Anatomically shaped grips
- One-hand brake enables simultaneous braking and locking with minimal exertion



Product	Order number
Rollator bag red	710000075
Rollator bag blue	710000076
Rollator bag black	710000077

- This bag is the ideal companion for rollators and wheelchairs
- Easy to fasten
- Offers sufficient storage space



Product	Order number
Cane holder	710000012

- Easy assembly
- Suitable for the following rollators:
  - Migo
  - Cristallo
  - Cristallo<sup>2</sup>
  - GoLite XXL



Product	Order number
Tilt aid retrofit set	
for Migo 2G / Cristallo	710100300
for Gigo	710100301

- Suitable for Gigo
- Makes going over curbs and small steps easier



Product	Order number
Cane holder	724400040
Bag black and white	724400015
Bag black-checkered	724400019

- Appropriate for rollator Nitro
- Tasche schwarz/weiß für Nitro in Farbe weiß und schwarz
- Tasche schwarz/kariert für Nitro in Farbe champagner



Product	Order number
Tray	710000002

Passend für folgende Rollatoren:

- Migo
- Cristallo
- Cristallo<sup>2</sup>
- Gigo
- Road

Max. Belastung: 5 kg



Product	Order number
Backrest	710100500

- Suitable for rollators Migo, Road, and Cristallo

## One button folding Walker

- Lightweight walking frame
- Made from sturdy yet lightweight aluminium
- Vinyl contoured hand grips for added comfort
- Offers maximum stability and light weight at the same time
- Can be used indoors and outdoors
- Height adjustable to suit user requirements



move along  
with the user

Collapsible



### Product One button folding Walker

Order number	WA014-30
--------------	----------

### Technical Data

Overall width	50 cm
Overall depth	50 cm
Overall height	81 - 99 cm
Total weight	3 kg
Max. Load	180 kg

## Walker Grand XL

- Rigid walking frame for maximum requirements
- The unique U-shape of the design enables greater mobility
- Wide, robust frame made of 2.5 cm anodized aluminum tube
- Offers maximum stability and light weight at the same time
- Can be used indoors and outdoors
- Space-saving folding by releasing the two locks



Height-adjusta-  
ble legs

Secure locking  
mechanism



### Product Grand XL

Order number	10220HD
--------------	---------

### Technical Data

Overall length x Overall width x Overall height	52,5 x 62 x 82 - 100 cm
Width between handles	52,5 cm
Folding Dimensions	62 x 19 x 82 cm
Total weight	3,5 kg
Max. Load	245 kg

## Travel Walker Ready Set Go

- The ideal travel companion for car, plane, and train
- Designed specifically for use indoors
- Stable, comfortable, and fits through any door
- Immediately ready to use and accompanies you wherever you want
- The enclosed handy carrying bag offers sufficient space
- With a total weight of just 3.6 kg, ideal as hand baggage
- Folded in just a few easy steps
- Ensures maximum mobility



Folds to ¼ of its size



With practical carrying bag



Product	Ready Set Go
Order number	10263KDR

Technical Data	
Overall length	38 cm
Overall width	68 cm
Overall height	74 - 94 cm
Width between support legs	54 cm
Folding Dimensions	55 x 43 x 12 cm
Total weight	3,6 kg
Max. Load	100 kg

## Walker Gecko rigid

- Rigid, stable aluminum walking frame
- Ideal for safe walking
- Space-saving folding at the touch of a button
- Height adjustment enables optimal adaptation to the user
- No slipping thanks to rubber caps on the legs
- Low weight
- Can be used over the toilet bowl



Height-adjustable legs



Collapsible



Product	Gecko rigid
Order number	700100100

Technical Data	
Overall length	47 cm
Overall width	58 cm
Overall height	81 - 98,5 cm
Width between handles	42,5 cm
Folding Dimensions	52 x 12 x 84 cm
Total weight	2,4 kg
Max. Load	120 kg

## Walker Gecko reciprocal

- Reciprocal aluminum walking frame
- Thanks to joints, the walking frame is flexible and offers the user two supporting legs
- Ideal for safe walking training
- Space-saving folding at the touch of a button
- Height adjustment enables optimal adaptation to the user
- No slipping thanks to rubber caps on the legs
- Low weight
- Can be used over the toilet bowl



Height-adjustable legs



Collapsible



Product	Gecko reciprocal
Order number	700100200

Technical Data	
Overall length	45,5 cm
Overall width	52 cm
Overall height	79,5 - 97 cm
Width between handles	43 cm
Folding Dimensions	54 x 12 x 83 cm
Total weight	2,7 kg
Max. Load	100 kg

## Folding Walking Frame

- The ideal travel companion for car, plane, and train
- Designed specifically for use indoors
- Stable, comfortable, and fits through any door
- Immediately ready to use and accompanies you wherever you want
- The enclosed handy carrying bag offers sufficient space
- With a total weight of just 3.6 kg, ideal as hand baggage
- Folded in just a few easy steps
- Ensures maximum mobility



Product		Walking Frame
Order number		WA008
Technical Data		
Overall width		56 cm
Overall depth		43 cm
Overall height		81 - 99 cm
Total weight		3 kg
Max. Load		180 kg

## Folding Walking Frame

- Rigid, stable aluminum walking frame
- Ideal for safe walking
- Space-saving folding at the touch of a button
- Height adjustment enables optimal adaptation to the user
- No slipping thanks to rubber caps on the legs
- Low weight
- Can be used over the toilet bowl



Product		with wheels
Order number		WA009
Technical Data		
Overall width		65 cm
Overall depth		46 cm
Overall height		80 - 98 cm
Total weight		3 kg
Max. Load		180 kg



## WATCH OUT FOR THIS NEW ICON!

Did you know that the wheelchairs all incorporate **compatible Carry-Over Spare Parts** allowing our partners flexible, profitable, efficient and economical warehousing.



# Lightweight wheelchair Freetec


- Simple and continuous adjustment from short to long armrests
- Front fork camber adjustment
- Footrests adjustable in five steps from 0 to 32 degrees
- Wheelbase extension possible
- Handle height continuously adjustable
- Back cover depth and height adjustable
- 200 x 50 mm PU steering wheels and 24" x 1 3/8" full-rubber drive wheels

- Extra-reinforced front wheel forks
- Quick-release axles as standard for fast wheel installation or removal
- Optionally available with drum brake for escort
- Crash test according to ISO 7176-19: approved for passenger transport in vehicles in combination with all approved passenger and wheelchair restraint systems



## FLEXIBILITY TO SUIT INDIVIDUAL REQUIREMENTS

Adjustment of the armrest covers



Adjustable backrest



Adjustment of seat height and depth



Product	Lightweight wheelchair Freetec							
Seat width	38 cm	41 cm	43 cm	45 cm	48 cm	50 cm	52 cm	54 cm
with drum brake	900550100	900550200	900550300	900550400	900550500	900550600	900550700	900550800
Overall width	58,5 cm	61,5 cm	63,5 cm	65,5 cm	68,5 cm	70,5 cm	72,5 cm	75,5 cm
Width folded	30,5 cm	30,5 cm	30,5 cm	30,5 cm	30,5 cm	30,5 cm	30,5 cm	30,5 cm
Weight	18 kg	18,3 kg	18,4 kg	18,5 kg	18,6 kg	18,8 kg	19 kg	19,2 kg

Product	Lightweight wheelchair Freetec							
Seat width	38 cm	41 cm	43 cm	45 cm	48 cm	50 cm	52 cm	54 cm
without drum brake	900500100	900500200	900500300	900500400	900500500	900500600	900500700	900500800
Overall width	56 cm	59 cm	61 cm	63 cm	66 cm	68 cm	70 cm	73 cm
Width folded	28 cm	28 cm	28 cm	28 cm	28 cm	28 cm	28 cm	28 cm
Weight	16 kg	16,3 kg	16,4 kg	16,5 kg	16,6 kg	16,8 kg	17 kg	17,2 kg

Technical Data	Lightweight wheelchair Freetec							
Overall length with / without Footrests								103 cm / 80 cm
Overall height								92 - 99,5 cm (additional 11 cm stepless adjustment)
Seat depth								43 - 50 cm
Seat height								45 - 50 cm
Backrest height								38,5 - 46 cm
Footrest adjustment								34,5 - 48,5 cm
Max. Load								125 kg

## Lightweight wheelchair Litec 2G

- Very light and versatile wheelchair
- Armrests can be swiveled away
- Adjustable-angle (0° - 30°) and folding footrests as standard
- Leg support height adjustable to six positions
- Upholstered seat back and seat cushion
- Reinforced aluminum frame for optimal stability
- Height of aluminum wheel forks can be adjusted to three positions

- Three-position seat height adjustment from 46 to 52 cm
- Wheelbase extension possible
- 175 x 45 mm PU steering wheels and 24" full rubber drive wheels
- Quick-release axles as standard for fast wheel installation or removal
- Crash test according to ISO 7176-19: approved for passenger transport in vehicles in combination with all approved passenger and wheelchair restraint systems



**A WHOLE RANGE  
OF OPTIONS FOR  
INDIVIDUAL  
ADJUSTMENT**

Armrest can be swiveled



Wheel fork



Foot plate with heel strap



Product	Lightweight wheelchair Litec 2G			
Seat width	38 cm	42 cm	46 cm	50 cm
without drum brake	910500100	910500200	910500300	910500400
with drum brake	910550100	910550200	910550300	910550400
Overall width without / with DB	56 cm / 58 cm	60 cm / 62 cm	64 cm / 66 cm	68 cm / 70 cm
Width folded without / with DB	30 cm / 32 cm	30 cm / 32 cm	30 cm / 32 cm	30 cm / 32 cm
Weight without / with DB	13,6 kg / 14,9 kg	14 kg / 15,3 kg	14,4 kg / 15,7 kg	14,7 kg / 16 kg

### Technical Data

Overall length	104 cm
Overall height	87 - 92 cm
Seat depth	42 cm
Seat height	47 - 52 cm
Backrest height	42 cm
Footrest adjustment	36 - 44 cm
Max. Load	125 kg

# Lightweight wheelchair Litec 2G Plus


- Very light and versatile wheelchair
- Armrests can be swiveled away
- Adjustable-angle (0° - 30°) and folding footrests as standard
- Leg support height adjustable to five positions
- Upholstered seat back and seat cushion
- Reinforced aluminum frame for optimal stability
- Height of aluminum wheel forks can be adjusted to three positions
- Three-position seat height adjustment from 45 to 51 cm

- Wheelbase extension possible
- 175 x 45 mm PU steering wheels and 24" full rubber drive wheels
- Quick-release axles as standard for fast wheel installation or removal
- With premium equipment, including: seat cushion, height- and length-adjustable armrests, cane holder, lap belt & anti-tilt support
- Extensive adjustment options thanks to flexible, adaptable backrest, variable seat depths and push handle heights



## WITH PREMIUM FEATURES

Armrest can be swiveled      Adjustable backrest      Foot plate with adjustable angle



Product	Lightweight wheelchair Litec 2G Plus			
Seat width	38 cm	42 cm	46 cm	50 cm
without drum brake	910600100	910600200	910600300	910600400
with drum brake	910650100	910650200	910650300	910650400
Overall width without / with DB	56 cm / 58 cm	60 cm / 62 cm	64 cm / 66 cm	68 cm / 70 cm
Width folded without / with DB	30 cm / 32 cm	30 cm / 32 cm	30 cm / 32 cm	30 cm / 32 cm
Weight without / with DB	16,1 kg / 17,3 kg	16,2 kg / 17,5 kg	16,3 kg / 17,6 kg	16,4 kg / 17,7 kg

Technical Data	
Overall length	106,5 cm
Overall height	89,5 - 98,5 cm
Seat depth	42 - 54,5 cm
Seat height	46 - 51 cm
Backrest height	42 - 46 cm
Footrest adjustment	43 - 51 cm
Max. Load	125 kg

## Standard wheelchair Rotec

- Simple adjustment from short to long armrests
- Footrests adjustable in five steps
- Wheelbase extension possible
- Back cover height-adjustable for optimal sitting position
- Handle height adjustable in four steps
- Powder-coated surfaces
- Removable and swiveling leg supports


- 200 x 50 mm PU steering wheels and 24" x 1 3/8" full-rubber drive wheels
- Extra-reinforced front wheel forks
- Quick-release axles as standard for fast wheel installation or removal
- Optionally available with drum brake for escort
- Crash test according to ISO 7176-19: approved for passenger transport in vehicles in combination with all approved passenger and wheelchair restraint systems



## FULLY-FITTED ALL-ROUNDER



Adjustment of the armrest covers



Height-adjustable handles



Seat height adjustment



Standard wheelchair Rotec								
Product	38 cm	41 cm	43 cm	45 cm	48 cm	50 cm	52 cm	54 cm
Seat width	38 cm	41 cm	43 cm	45 cm	48 cm	50 cm	52 cm	54 cm
without drum brake	900100100	900100200	900100300	900100400	900100500	900100600	900100700	900100800
Overall width	57 cm	60 cm	62 cm	65 cm	68 cm	70 cm	72 cm	75 cm
Width folded	28 cm							
Weight	20,2 kg	20,4 kg	20,5 kg	20,6 kg	20,7 kg	20,8 kg	20,9 kg	21 kg

Standard wheelchair Rotec								
Product	38 cm	41 cm	43 cm	45 cm	48 cm	50 cm	52 cm	54 cm
Seat width	38 cm	41 cm	43 cm	45 cm	48 cm	50 cm	52 cm	54 cm
with drum brake	900150100	900150200	900150300	900150400	900150500	900150600	900150700	900150800
Overall width	59,5 cm	62,5 cm	64,5 cm	67,5 cm	70,5 cm	72,5 cm	74,5 cm	77,5 cm
Width folded	30,5 cm							
Weight	22,2 kg	22,4 kg	22,5 kg	22,6 kg	22,7 kg	22,8 kg	22,9 kg	23 kg

Technical Data Allgemein								
Overall length wo. / w. DB	106 cm / 81 cm							
Overall height	95 - 108 cm (additional 11 cm stepless adjustment)							
Seat depth	43 cm							
Seat height	50 - 50 cm							
Backrest height	42,5 - 50 cm							
Footrest adjustment	39 - 50 cm							
Max. Load	125 kg							

# Standard wheelchair Ecotec 2G

- Very light and versatile wheelchair
- Armrests can be swiveled away
- Folding footrests with heel straps
- Upholstered seat back and seat cushion
- Height of aluminum wheel forks can be adjusted to three positions
- Powder-coated steel hand rims
- Seat height adjustment of 46 and 51 cm

- Quick-release axles as standard for fast wheel installation or removal
- 175 x 45 mm PU steering wheels and 24" full rubber drive wheels
- Integrated brake lever extension can be extended and folded over
- Crash test according to ISO 7176-19: approved for passenger transport in vehicles in combination with all approved passenger and wheelchair restraint systems



**WITH Refined  
IDEAS**



Wheel fork



Seat height  
adjustment



Product	Standard wheelchair Ecotec 2G			
Seat width	38 cm	42 cm	46 cm	50 cm
without drum brake	910300100	910300200	910300300	910300400
with drum brake	910350100	910350200	910350300	910350400
Overall width without / with DB	56,5 cm / 59 cm	60,5 cm / 63 cm	64,5 cm / 67 cm	68,5 cm / 71 cm
Width folded without / with DB	30 cm / 32 cm	30 cm / 32 cm	30 cm / 32 cm	30 cm / 32 cm
Weight without / with DB	18,6 kg / 19,6 kg	18,8 kg / 19,8 kg	19 kg / 20 kg	19,2 kg / 20,2 kg

#### Technical Data Allgemein

Overall length wo. / w. DB	92 cm / 107 cm
Overall height	90 - 95 cm
Seat depth	42 cm
Seat height	49 / 54 cm
Backrest height	39 cm
Footrest adjustment	36 - 47 cm
Max. Load	130 kg

# Compatibility wheelchair accessories

Litec 2G / Litec 2G Plus / Ecotec 2G / Rotec / Freetec / Multitec



optional

Serie

Order number	Description	Litec 2G	Ecotec 2G	Litec 2G Plus	Rotec	Freetec	Multitec
900100778	Wheelchair one-hand drive for Rotec and Freetec						
900300190	Stump support right						
900300180	Stump support left						
900300100	Height- and length-adjustable armrest			•			
900300330	Headrest for wheelchairs						
900300121	Anti-tilt aid Piece		•			•	
900300120	Anti-tilt aid Pair		•			•	
900500767	One-hand brake for escort						
900300321	Lap belt XL			•			
900300311	Cane holder for wheelchairs			•			
900500750	One-hand parking brake for wheelchairs left						
900500751	One-hand parking brake for wheelchairs right						
900300360	Wheelbase extension adapter block Freetec	•		•	•		
900300312	Handle extension 40 mm lang, Außendurchmesser 22 mm						
900700777	Brake lever extension	•	•	•			
900300110	Brake lever extension						
900300307	Wheelchair tray universal (Seat width 38 - 43 cm)						
900300308	Wheelchair tray universal Seat width 43 - 48 cm						
900300309	Wheelchair tray universal Seat width 48 - 56 cm						
900300300	Wheelchair tray for Rotec/Freetec Seat width 45 - 50 cm						
900300306	Wheelchair tray for Rotec/Freetec Seat width 52 - 54 cm						
900600901	Wheelchair tray for Multitec						
900300340	PU wheel 150 x 35 mm with wheel fork						
910350441	Wheel fork left + right with PU wheel 150 mm and ball bearing Fork suspension						
STDS820	Infusion holder for wheelchairs						
900300350	Oxygen bottle holder for wheelchairs						
900100779	Hand rim cover 24						

# Compatibility wheelchair accessories

Litec 2G / Litec 2G Plus / Ecotec 2G / Rotec / Freetec / Multitec

  
not possible


  
optional


  
Serie

Artikelnummer	Description	Litec 2G	Ecotec 2G	Litec 2G Plus	Rotec	Freetec	Multitec
RT-CU009	Thermal wheelchair cushion						
RT-CU014	Wheelchair seat cushion						
900300270	Seat cushion* 40 x 40 x 5 cm						
900300271	Seat cushion* 43 x 43 x 5 cm						
900300272	Seat cushion* 48 x 45 x 5 cm						
710000084	Rollator garage gray						
RT-Handmuff	Handmuff						
STD1097	Wheelchair / scooter ramp						
RTL6045	Wooden transfer board						
RTL6046	Plastic transfer board						
710000075	Drive“ bag for wheelchairs + walkers in red						
710000076	Drive“ bag for wheelchairs + walkers in blue						
710000077	Drive“ bag for wheelchairs + walkers in black						
700900001	Eyeglasses storage compartment						
700900002	Reflectors, pack of 2						
700900003	Reflectors, pack of 6						
700900004	Rear-view mirror						
700900006	Smartphone holder with splash guard enclosure						
700900007	Key safe						
700900008	Smartphone holder with cable-tie fastener						
700900009	Smartphone holder with self-adhesive fastener						
700900010	Thermometer						
700900011	Bell black						
700900012	Bell silver						
700900013	Bell blue						
700900014	Front light, black						
700900015	Cup holder universal						
700900016	Lock						

# Accessories for Rotec / Freetec / Litec 2G / Ecotec 2G / Litec 2G Plus / Multitec

Product	Order number
Headrest for wheelchairs	900300330
<ul style="list-style-type: none"> <li>Soft, padded headrest</li> <li>Laterally adjustable</li> <li>Height-adjustable</li> <li>Can be used for all seat widths except Maxiline</li> </ul>	

Product	Order number
Brake lever extension	900300110
<ul style="list-style-type: none"> <li>Additional extension of the parking brake by 2.5 cm</li> <li>1 pair</li> </ul>	

Product	Order number
Height- and length-adjustable armrest	900300100
<ul style="list-style-type: none"> <li>7 height adjustment positions</li> <li>2 length adjustment positions</li> <li>Adjustable at the push of a button</li> </ul>	

Product	Order number
Anti-tilt aid Pair	900300120
Anti-tilt aid Piece	900300121
<ul style="list-style-type: none"> <li>Prevents the wheelchair from tilting</li> <li>Helps when driving over obstacles</li> <li>Height-adjustable</li> </ul>	

Product	Order number
Stump support left	900300180
Stump support right	900300190
<ul style="list-style-type: none"> <li>Height-adjustable</li> <li>Support can be folded up</li> <li>Support can be swiveled</li> </ul>	

Product	Order number
Folding and lockable leg supports	
Pair	900300170
left	900300171
right	900300172
<ul style="list-style-type: none"> <li>Continuously adjustable</li> </ul>	

Product	Order number
PU wheel 150 x 35 mm with wheel fork	900300340
Ball bearing for wheel PU for Ecotec	DIN6001
<ul style="list-style-type: none"> <li>3 adjustment positions</li> <li>Aluminum wheel fork and PU wheel</li> </ul>	

Product	Order number
Wheelbase extension adapter block Freetec	900300360
<ul style="list-style-type: none"> <li>Enables individual adjustment of the seat height as well as extension of the wheelbase</li> </ul>	

Product	Order number
Cane holder for wheelchairs	900300311
<ul style="list-style-type: none"> <li>Easy to install</li> <li>Suitable for canes and forearm crutches</li> </ul>	

Product	Order number
Handle extension	900300312
<ul style="list-style-type: none"> <li>Extension by 4 cm</li> <li>Tube diameter 2.2 cm</li> </ul>	

Product	Order number
Einhandbremse für Begleitperson	900500767
<ul style="list-style-type: none"> <li>Complete retrofit set for escort</li> <li>Suitable for wheelchairs: Rotec, Freetec, Ecotec, and Litec</li> </ul>	

Product	Order number
Wheelchair tray for Rotec/Freetec	
Seat width 45 - 50 cm	900300300
Seat width 52 - 54 cm	900300306
<ul style="list-style-type: none"> <li>Easy to clean</li> </ul>	

Product	Order number
Rollstuhl Einhandantrieb	900100778
<ul style="list-style-type: none"> <li>Retrofit set for one-hand operation</li> <li>Color: silver</li> <li>Can be used on both sides</li> <li>Not in combination with drum brake</li> </ul>	

Product	Order number
One-hand brake for escort	900500767
One-hand parking brake for wheelchairs (left)	900500750
One-hand parking brake for wheelchairs (right)	900500751
<p>Not suitable for Multitec and Rotec XL</p>	

Product	Order number
Length 185 cm Lap belt XL	900300321
<ul style="list-style-type: none"> <li>Simple installation</li> <li>For additional security</li> </ul>	

Product	Order number
Wheelchair Scale Bamboo	900400100
<ul style="list-style-type: none"> <li>Quick and simple weight measurement</li> <li>The weight can be stored in the display</li> <li>Extremely durable real bamboo wood surface</li> <li>Scale is calibrated</li> <li>Max Load 300 kg</li> </ul>	

# Accessories for Wheelchairs



Product	Order number
Thermal wheelchair cushion	RT-CU009

- Dimensions (W x L): 128 x 130 cm
- Provides more comfort and warmth when sitting in the wheelchair for longer periods of time
- Cover made of polyester



Product	Order number
Handmuff	RT-Handmuff

- Dimensions (L x W): 43 x 10 cm
- Perfect for cold seasons
- Provides comfort and warmth when sitting in the cold for long periods of time



Product	Order number
Tasche für Rollstühle und Rollatoren	
red	710000075
blue	710000076
black	710000077

- Easy to attach and with zip



Product	Order number
Wheelchair / scooter ramp	STDS1097

- Including carrying bag
- Sturdy and stable wheelchair ramp for overcoming stairs or obstacles. Also suitable for loading the wheelchair into a vehicle
- Dimensions (LxW): 183 x 76 cm / folded: 38 cm



Product	Order number
Wooden transfer board	RTL6045

- For easy transfer from the wheelchair
- Lightweight and easy to stow



Product	Order number
Infusion holder for wheelchairs	STDS820

- Easy installation
- Suitable for the mobile use of infusions



Product	Order number
Oxygen bottle holder for wheelchairs	900300350

- Easy installation
- For the mobile use of oxygen bottles
- Material: aluminum



Product	Order number
Seat cushion	
40 x 40 x 5 cm	900300270
43 x 43 x 5 cm	900300271
48 x 45 x 5 cm	900300272

- Light and water-repellent with non-slip coating
- Removable cover with zipper



Product	Order number
Wooden transfer board	RTL6045
Plastic transfer board	RTL6046

- For easy transfer from the wheelchair
- Lightweight and easy to stow



Product	Order number
Wheelchair tray universal	
Seat width 38 - 43 cm	900300307
Seat width 43 - 48 cm	900300308
Seat width 48 - 56 cm	900300309

- Easy to clean

## Power Knot System Prosafe

- Installation with heavy-duty eyelet
- The adapters ensure quick anchoring of a wheelchair in a motor vehicle
- The power knot critically stabilizes the wheelchair design, e.g. in rear-end collisions
- Operator errors when anchoring the wheelchair are impossible
- The lap belt is firmly attached to the adapter and is thus already anatomically correctly worn before setting off
- A diagonal shoulder belt can be worn
- A wheelchair headrest is possible
- Advantages of installation with a heavy-duty eyelet include the increased power reserve upwards and greater flexibility in using various belt systems



Product	Order number
for Rotec	900100781
for Freetec	900100783
for Litec 2G	900700735
for Multitec	900900954
for Ecotec 2G	910350432

# Multifunctional wheelchair Multitec

- Adjustable-angle seat unit continuously supported by gas pressure damper
- Adjustable-angle, ergonomically shaped backrest continuously supported by gas pressure damper independently of the seat unit
- Specially shaped surface structure, optimal pressure distribution, and stable positioning of the user
- Height-adjustable push handles
- Folding leg supports with knee and calf cushions (height and depth adjustable)
- Anti-tilt supports (height-adjustable) and headrest (optimally adjustable height and inclination) fitted as standard
- Puncture-proof 24" PU drive wheels with quick-release axles and chrome-plated hand rims
- Accessories: abductor wedge, side supports, wheelchair tray, adapter plates to widen seat, and adapter set for pushing aid PowerStroll
- Care aid number: 50,45,07,2033
- Crash test according to ISO 7176-19: approved for passenger transport in vehicles in combination with all approved passenger and wheelchair restraint systems



Adjustable head-rest



Height-adjustable push handles




Height-adjustable tilt aid



Product	Multifunctional wheelchair Multitec		
Seat width	39 cm	44 cm	49 cm
without drum brake	900950100	900950200	900950300
with drum brake	900900100	900900200	900900300
Overall width without / with DB	60 cm / 65 cm	65 cm / 70 cm	70 cm / 80 cm
Weight without / with DB	31 kg / 32,5 kg	32 kg / 33,5 kg	34,5 kg / 13 kg

Technical Data	
Overall length	112 - 152 cm
Overall height	97 - 114 cm
Seat depth	42 - 48 cm
Seat height	45 cm
Seat angle from	-1° bis 19°
Backrest height	51 - 65 cm
Backrest angle	-3° bis 36°
Footrest adjustment	40 - 60 cm
Max. Load	135 kg

# Accessories for Multifunctional wheelchair Multitec

	<b>Product</b>	<b>Order number</b>		<b>Product</b>	<b>Order number</b>
	Multitec accessory package	900600903		Adapter set for PowerStroll	900600910
	<ul style="list-style-type: none"> <li>Easy to install and adjust</li> <li>Included in delivery: wheelchair tray (pc.) and side supports (pair) incl. mounting material</li> <li>The wheelchair tray and side supports are also available as individual accessories</li> </ul>			<ul style="list-style-type: none"> <li>Retrofit set</li> <li>Enables the PowerStroll pushing aid to be fitted</li> <li>PowerStroll not included</li> </ul>	
	<b>Product</b>	<b>Order number</b>		<b>Product</b>	<b>Order number</b>
	Abductor wedge	900600902		Lap belt XL	900300321
	<ul style="list-style-type: none"> <li>Prevents slipping off the seat</li> <li>Easy to install and adjust</li> </ul>			<ul style="list-style-type: none"> <li>Simple installation</li> <li>For additional security</li> </ul>	
	<b>Product</b>	<b>Order number</b>		<b>Product</b>	<b>Order number</b>
	Side supports (pair)	900600900		Adapter plate for armrest widening	900900901
	<ul style="list-style-type: none"> <li>Support upper body stability</li> <li>Easy to install and adjust</li> </ul>			<ul style="list-style-type: none"> <li>Pre-assembled</li> <li>Widens the distance between the armrests by 1 cm on each side</li> <li>Set consisting of 2 pcs.</li> </ul>	
	<b>Product</b>	<b>Order number</b>		More information about the Drive DeVilbiss Multitec accessories can be found by scanning the QR code.	
	Wheelchair tray	900600901			
	<ul style="list-style-type: none"> <li>Practical and comfortable</li> <li>Simplifies eating and drinking</li> <li>Easy to clean</li> <li>Easy to install</li> </ul>				

## VERSATILE AND MULTIFUNCTIONAL – THE MULTITEC CARE WHEELCHAIR



# Accessories for Rollators, Wheelchairs and Scooter

	<b>Product</b> Eyeglasses storage compartment*  <ul style="list-style-type: none"><li>Ensures secure and practical storage</li><li>Cellular rubber cushion protects against scratching and ensures an even better grip</li><li>Quick and easy installation with self-adhesive fastener</li></ul>		<b>Product</b> Reflectors, pack of 2*  <ul style="list-style-type: none"><li>Reflects light up to 300 m</li><li>Weather-resistant</li><li>Quick and easy installation with self-adhesive fastener</li></ul>
	<b>Product</b> Reflectors, pack of 6*  <ul style="list-style-type: none"><li>Reflects light up to 300 m</li><li>Weather-resistant</li><li>Quick and easy installation with self-adhesive fastener</li></ul>		<b>Product</b> Rear-view mirror*  <ul style="list-style-type: none"><li>Easily adjustable viewing angle thanks to the flexible swan's neck</li><li>Extended field of vision due to the convex mirror glass</li><li>Enclosed rubber insert protects against scratching</li></ul>
	<b>Product</b> Tire pressure gauge*  <ul style="list-style-type: none"><li>Display from 0 to 4 bar (red) and from 0 to 55 PSI (black)</li><li>Red button mounted at the side to zero the display</li><li>Valve at 45° angle for convenient measurement of tire pressure</li></ul>		<b>Product</b> Key safe*  <ul style="list-style-type: none"><li>Useful as a hiding place for keys - also in residential, garden, and other settings</li><li>Foam insert protects against scratching and rattling noises</li><li>Mounted using magnet on rear side</li></ul>
	<b>Product</b> Smartphone holder with splash guard enclosure*  <ul style="list-style-type: none"><li>Suitable for all handlebars with a diameter of 18 mm to 32 mm</li><li>Splash-water protection tested to <b>IPX 4 (DIN EN 60529)</b></li><li>Optimal operation of the smartphone thanks to the touch-sensitive high-tech film</li></ul>		<b>Product</b> Smartphone holder with cable-tie fastener*  <ul style="list-style-type: none"><li>Reclosable cable ties enable reuse</li><li>„Push &amp; slide in“ - simple &amp; fast device insertion with one hand</li><li>Clamps to perfectly secure the device in place</li></ul>
	<b>Product</b> Smartphone holder with self-adhesive fastener selbstklebend  <ul style="list-style-type: none"><li>Guarantees a secure hold, one-time installation</li><li>Optimal viewing angle thanks to revolving 360° ball joint</li><li>Including mounting materials</li></ul>		<b>Product</b> Thermometer*  <ul style="list-style-type: none"><li>Display from -15° C to +55° C, with „frost range“ indicator marked in red as of +3° C</li><li>Clearly legible typeface</li><li>Quick and easy installation thanks to self-adhesive fastener</li></ul>
	<b>Produkt</b> Bell black Bell silver Bell blue  <ul style="list-style-type: none"><li>Bell with screw fastening</li><li>Suitable for diameters from 22 to 31.8 mm</li><li>Including mounting materials</li></ul>		<b>Product</b> Front light, black*  <ul style="list-style-type: none"><li>Front light with universal mounting</li><li>6 different lighting modes</li><li>Splash water protection to IPX4</li><li>With state of charge indicator</li></ul>
	<b>Product</b> Cup holder universal*  <ul style="list-style-type: none"><li>Quick and easy installation</li><li>Simple transportation of drinks</li><li>Suitable for drinks with a diameter of up to 8 cm</li><li>Suitable for tube diameters from 16 to 26 mm</li></ul>		<b>Product</b> Lock*  <ul style="list-style-type: none"><li>Quick and easy installation</li><li>Overall length 1.20 m</li><li>Including two keys</li><li>Suitable for all Drive DeVilbiss rollators and wheelchairs</li></ul>
	<b>Product</b> Cup holder for Nitro / Nitro Carbon*  <ul style="list-style-type: none"><li>Suitable for Nitro / Nitro Carbon rollators</li><li>Quick and easy installation</li><li>Simple transportation of drinks</li></ul>		<b>Product</b> Tray for Nitro / Nitro Carbon / Torro / Diamond DeLuxe*  <ul style="list-style-type: none"><li>Simple installation by placing on the seat</li><li>Easy to handle</li><li>Max. load: 5 kg</li></ul>

## Wheelchair Pushing Aid PowerStroll Standard

- Puncture-proof drive wheels
- Can be installed in just a few steps
- Suitable for almost all standard wheelchairs
- The charging time is eight hours with no risk of overcharging
- Clear and easy-to-use control
- Suitable for wheelchairs with a seat width of 42 to 52 cm
- Available as accessories: telescopic bar (Item No., 960000043) suitable for wheelchairs with a seat width of 52 to 70 cm



135 kg



Scope of delivery

Clearly arranged  
control panel

## Wheelchair Pushing Aid PowerStroll HD

- Puncture-proof drive wheels
- Can be installed in just a few steps
- Suitable for almost all standard wheelchairs
- The charging time is eight hours with no risk of overcharging
- Clear and easy-to-use control
- Including telescopic bar (Item No., 960000043) suitable for wheelchairs with a seat width of 51 to 70 cm



180 kg



Product	PowerStroll Standard	Product	PowerStroll HD
Order number	PWCPP011	Order number	PWCPP011HD
<b>Technical Data</b>			
Overall length	41 cm	Overall length	41 cm
Overall width	25 cm	Overall width	25 cm
Speed	6 km/h	Speed	6 km/h
Range	16 km	Range	16 km
Battery capacity 2x	12 Ah	Battery capacity 2x	12 Ah
Motor capacity	150 W	Motor capacity	200 W
Gradeability	8 %	Gradeability	8 %
Weight battery	9,7 kg	Weight battery	9,7 kg
Weight without battery	10,2 kg	Weight without battery	10,2 kg
Max. Load	135 kg	Max. Load	180 kg

## Standard-Rollstuhl Rotec XL

- Simple and continuous adjustment from short to long armrests
- Footrests adjustable in five steps
- Wheelbase extension possible
- Back cover height-adjustable for optimal sitting position
- Hand grips for the escort are height-adjustable
- With double cross strut for increased safety
- Optionally available with drum brake



Tool-free adjustment



Height-adjustable handles



Seat can be adjusted in three heights



## Wheelchair Sentra XXL

- Removable and swiveling leg supports
- Folding aluminum footrests with heel straps
- PU steering wheels, 200 x 50 mm
- Reinforced 24" PU drive wheels
- Removable armrests
- Seat surface and back made of easy-care nylon
- Optionally available with disc brake for escort



Reinforced cross brace



Reinforced front wheel bracket



Chrome-plated components



Product	Rotex XL		
Seat width	51 cm	56 cm	61 cm
without drum brake	900100850	900100900	900100950
with drum brake	900150850	900150900	900150950
Overall width wo. / w. DB	71 / 73 cm	76 / 78 cm	81 / 80 cm
Total weight	22,2 kg	23 kg	23,5 kg

### Technical Data Allgemein

Overall length	107 cm
Overall height	95 - 107,5 cm
Seat depth	47 cm
Seat height	51 - 56 cm
Backrest height	43,5 - 50 cm
Footrest adjustment	39 - 48 cm
Folded width	30 cm
Max. Load	190 kg

Product	Sentra XXL	
Seat width	71 cm	76 cm
with disc brake	STD28DDA-DB	STD30DDA-DB
with disc brake	STD28DDA-SF	STD30DDA-SF
Overall width	94 cm	99 cm
Total weight	46 kg	46,5 kg

### Technical Data Allgemein

Overall length	119 cm
Overall height	99 cm
Seat depth	50 cm
Seat height	48 - 50 cm
Backrest height	46 cm
Footrest adjustment	40 - 48 cm
Folded width	33 cm
Max. Load	320 kg

# Heavy-Duty Wheelchair Bariatric Sentra EC

- Carbon Steel frame with triple-coated chrome for an attractive, chip-proof, maintainable finish
- Double embossed vinyl upholstery is durable, lightweight, attractive and easy-to-clean
- Standard dual axle provides easy transition of seat to hemi-level
- Urethane tires mounted on composite wheels provide durability and low maintenance

- Chrome hand rims standard
- 8" front casters, adjustable in three positions
- Padded armrests provide additional comfort
- Comes with swing-away footrests or elevating leg rests with tool-free adjustable length riggings
- Aluminum foot plates
- Comes with push-to-lock wheel locks



**DESIGNED TO  
PROVIDE A  
COMFORTABLE,  
MOBILITY  
EXPERIENCE FOR  
THE BARIATRIC  
USER**



Reinforced cross brace



Reinforced front  
wheel bracket



folded



Product	Bariatric Sentra EC		
Seat width	51 cm	56 cm	61 cm
with Detachable Desk Arm and ELR	STD20ECDDAHD-ELR	STD22ECDDA-ELR	STD24ECDDA-ELR
with Detachable Desk Arm and Swing Away Footrest	STD20ECDDA-SF	STD22ECDDA-SF	STD24ECDDA-SF
Technical Data	Seat 51 cm	Seat 56 cm	Seat 61 cm
Overall length	107 cm	107 cm	107 cm
Overall width	71 cm	76 cm	81 cm
Overall height	91 cm	91 cm	91 cm
Seat depth	46 cm	46 cm	46 cm
Seat height	44,5 - 50 cm	44,5 - 50 cm	44,5 - 50 cm
Backrest height	40 cm / 46 cm	40 cm / 46 cm	40 cm / 46 cm
Width Closed	32 cm	32 cm	32 cm
Total weight	25,4 kg	25,8 kg	26,3 kg
Max. Load	204 kg	204 kg	204 kg

## Transport Chair Travelite

- The ideal travel companion for car, plane, and train
- Stable, comfortable, and fits through any door
- Immediately ready to use and accompanies you wherever you want
- The soft seat surface and backrest offer comfort
- Including carrying bag for easy transport
- With a total weight of just 9.3 kg, ideal as hand baggage
- Folded in just a few easy steps
- Ensures maximum mobility



Praktische Tragetasche



Carrying bag with transport



Collapsible



## Transport Chair Expedition Plus

- The ideal travel companion for outdoors or at home
- Light, versatile, and folding
- Dual-function brake (for braking and parking)
- Cushioned backrest and seat surface made of washable nylon
- Leg supports can be swiveled aside and removed
- Including lap belt



Backrest can be folded away



Leg supports can be swiveled



Collapsible



Product	Travelite
Order number	TC005
<b>Technical Data</b>	
Overall length	84 cm
Overall width	57 cm
Overall height	95 cm
Seat width x Seat depth	45 cm x 45 cm
Seat height	48 cm
Folded width	29 cm
Total weight	9,3 kg
Max. Load	115 kg

Product	Expedition Plus
Order number	EXP002BL
<b>Technical Data</b>	
Overall length	93 cm
Overall width	56 cm
Overall height	96 cm
Seat width x Seat depth	42 cm x 42 cm
Seat height	49 cm
Folded width	25 cm
Total weight	12 kg
Max. Load	130 kg

## Transportstuhl D-Lite 12,5

- Lightweight aluminum frame
- Fold-down backrest
- 12.5" wheels
- Height-adjustable armrests
- Removable and swiveling leg supports
- Available in two seat widths
- Including brake for escort



Backrest can be folded away



Leg supports can be swiveled



Height-adjustable push handle



Product	Seat width 45 cm	Seat width 50 cm
Order number	900800100	900800200
<b>Technical Data</b>		
Overall length	89 cm	89 cm
Overall width	61 cm	66 cm
Overall height	92,5 - 98 cm	92,5 - 98 cm
Seat width x Seat depth	45 cm x 39,5 cm	50 cm x 39,5 cm
Seat height	49 cm	49 cm
Folded width	28 cm	28 cm
Total weight	13,2 kg	13,3 kg
Max. Load	125 kg	125 kg

## Transportstuhl D-Lite 24

- Lightweight aluminum frame
- Fold-down backrest
- 24" wheels
- Height-adjustable armrests
- Removable and swiveling leg supports
- Available in two seat widths



Backrest can be folded away



Leg supports can be swiveled



Height-adjustable push handle



Product	Seat width 45 cm	Seat width 50 cm
Order number	900800300	900800400
<b>Technical Data</b>		
Overall length	101 cm	101 cm
Overall width	67 cm	72 cm
Overall height	93 - 98,5 cm	93 - 98,5 cm
Seat width x Seat depth	45 cm x 39,5 cm	50 cm x 39,5 cm
Seat height	49 cm	49 cm
Folded width	32 cm	32 cm
Total weight	14,4 kg	14,7 kg
Max. Load	125 kg	125 kg

## Quad Cane M

- The quad cane offers maximum safety and ensures optimal stability
- The ergonomic hand grip sits comfortably and securely in the hand
- The height can be individually adjusted to the user
- The grip thrills with its high-quality finish

 115 kg



Secure and optimal footing



Product	Quad cane M
Order number	WS016
<b>Technical Data</b>	
Handle height	66 - 92 cm
Total weight	750 g
Max. Load	115 kg

## Quad Cane L

- The quad cane offers maximum safety and ensures optimal stability
- The ergonomic hand grip sits comfortably and securely in the hand
- The height can be individually adjusted to 11 positions to suit the user
- The grip thrills with its high-quality finish

 115 kg



Secure and optimal footing



Product	Quad cane L
Order number	WS016L
<b>Technical Data</b>	
Handle height	75 - 100 cm
Total weight	1,3 kg
Max. Load	115 kg

## Quad Cane XL

- The quad cane offers maximum safety and ensures optimal stability
- The ergonomic hand grip sits comfortably and securely in the hand
- The height can be individually adjusted to the user
- Extra-reinforced base plate

 225 kg



Secure and optimal footing



Product	Quad cane XL
Order number	10316-4
<b>Technical Data</b>	
Handle height	75 - 100 cm
Total weight	1,2 kg
Max. Load	225 kg

## Walking Cane HurryCane<sup>®</sup> Freedom Edition™

The HurryCane<sup>®</sup> Freedom Edition™ is designed from top to bottom to give you more support and confidence with every step.

- 8 convenient height adjustments
- 360 degree pivoting head
- Freestanding design
- Anodized aluminum shaft
- Easily folds down for storage
- Wrist strap and travel bag included



159 kg



With a wider base

folded

pivoting base gives you more stability



Floordisplay



Counterdisplay

## Double Adjustable Crutch

- Lightweight aluminium
- Crutch height adjusts
- Latex free
- Slip resistant, grey rubber ferrules



127 kg



Product	black	blue	purple	red
Order number	HCANE-BK	HCANE-BL	HCANE-PR	HCANE-RD

### Technical Data

Handle height	77 - 95 cm
Total weight	0,3 kg
Max. Load	159 kg

Product	Quad cane L
Order number	10452-30

### Technical Data

Handle height	65 - 91 cm
Cuff to Handgripp	22 - 28 cm
Max. Load	127 kg






## SCOOTER

---

PREMIUM LINE.....	74
NEW LINE .....	75
BASIC LINE .....	78
WIRELESS DIAGNOSTIC TOOL .....	79
SCOOTER ACCESSORIES.....	80
COMPATIBILITY SCOOTER ACCESSORIES.....	81

# STYLISH, STRONG, COMFORTABLE



## Scooter ST6

PREMIUM LINE



- Simple and intuitive operation of the multifunction display
- Charger (12 Ah) with readout function
- Powerful 800 W motor
- Volume adjustment of the acoustic signals via key combination on the display
- Individually adjustable deluxe captain's seat
- Full suspension of all wheels for optimal ride comfort and safety when driving over obstacles
- Supplied as standard with bumper



Multifunction display



Deluxe captain's seat



Product	without battery	with 80 Ah batteries
anthracite	950100810	950100820
red	950100910	950100920

### Technical Data

Speed	15 km/h
Battery capacity 2x	80 Ah
Motor capacity / Peak power	800 W / 1600 W
Turning radius	186 cm
Gradeability	16 %
Clearance	11 cm
Front tires / hinten	3,5 - 8
Dimensions (LxWxH)	160 x 72 x 136 cm
Seat width x Seat depth	58 cm x 56 cm
Width between armrest	55 cm
Weight without battery	120 kg
Max. Load	180 kg

# Scooter ST5D Plus

NEW LINE



- Intuitive digital display
- Innovative LED technology
- 8 Ah charger with readout function
- 13" tires on aluminum designer wheels
- Acoustic signal volume can be adjusted using a key combination on the display
- Continuous adjustment of the steering column
- Captain's seat and basket as standard
- Speed reduction on cornering
- Including 2 rear-view mirrors



Modern LED display



Full suspension of all wheels



Height-adjustable armrests



# Scooter ST5D

NEW LINE



- Simple and intuitive operation
- 8 Ah charger with readout function
- Acoustic signal volume can be adjusted using a key combination on the display
- Speed reduction on cornering
- Continuous adjustment of the steering column
- Independent front wheel suspension with adjustable suspension hardness
- 8" aluminum wheels with 13" low-profile tires
- Captain's seat and front basket as standard




Simple control panel



Full suspension of all wheels



Height-adjustable armrests



## Product

## without battery

## with 80 Ah batteries

## anthracite

950100415

## 950100425

## Technical Data

## Product

## without battery

## with 80 Ah batteries

## anthracite

950100410

950100420

## Technical Data

## Speed

15 km/h

## Battery capacity 2x

80 Ah

## Motor capacity / Peak power

850 W / 1300 W

## Turning radius

160 cm

## Gradeability

18 %

## Clearance

10 cm

## Front tires / hinten

100/60 - 8

## Dimensions (LxWxH)

144 x 68 x 136 cm

## Seat width x Seat depth

51 cm x 47 cm

## Width between armrest

62 cm

## Total weight

93 kg

## Max. Load

160 kg

## Scooter ST4D 2G Plus

NEW LINE



- Latest LED light technology reduces battery consumption
- Simple and intuitive operation of the display
- Simple backrest inclination adjustment
- Comfortable captain's seat
- Large front basket as standard
- Continuous adjustment of the steering column
- Including speed reduction on cornering



Simple control panel



Full suspension of all wheels



Also available in red



Product	without battery	with 50 Ah batteries
anthracite	950100315	950100325
red	950100316	950100326

**Technical Data**

Speed	12 km/h
Battery capacity 2x	50 Ah
Motor capacity	700 W
Turning radius	140 cm
Gradeability	17 %
Clearance	8 cm
Front tires / hinten	11"
Dimensions (LxWxH)	120 x 64 x 115,5 cm
Seat width x Seat depth	46,5 cm x 49 cm
Width between armrest	55 cm
Weight without battery	71,2 kg
Max. Load	136 kg

## Scooter ST4D 2G

BASIC LINE



- Latest LED light technology reduces battery consumption
- Simple and intuitive operation of the display
- Simple backrest inclination adjustment
- Comfortable captain's seat
- Large front basket as standard
- Continuous adjustment of the steering column
- Including speed reduction on cornering



Simple control panel



Full suspension of all wheels



Also available in red



Product	without battery	with 50 Ah batteries
anthracite	950100351	950100356
red	950100361	950100366

**Technical Data**

Speed	6 km/h
Battery capacity 2x	50 Ah
Motor capacity	500 W
Turning radius	140 cm
Gradeability	17 %
Clearance	8 cm
Front tires / hinten	11"
Dimensions (LxWxH)	120 x 64 x 115,5 cm
Seat width x Seat depth	46,5 cm x 49 cm
Width between armrest	55 cm
Weight without battery	70,5 kg
Max. Load	136 kg

# Scooter BL350 Envoy

BASIC LINE



- Reliable and individual
- Full suspension for optimal ride comfort
- Modern design
- Simple and clear operation
- Supplied as standard with a front basket and cane holder
- With pneumatic tires



Simple control panel



Full suspension of all wheels



PU-tires	without battery	36 Ah batteries	50 Ah batteries
gray metallic	950200150-0	950200150-36	950200150-50

pneumatic tires	without battery	36 Ah batteries	50 Ah batteries
gray metallic	950200100-0	950200100-36	950200100-50
cherry-red	950200200-0	950200200-36	950200200-50

**Technical Data**

Speed	6 km/h
Battery capacity 2x	36/50 Ah
Motor capacity / Peak power	400 W / 500 W
Turning radius	135 cm
Gradeability	9° / 16 %
Clearance	8 cm
Front tires / hinten	10" (260 mm)
Dimensions (LxWxH)	119 x 58 x 103 cm
Seat width x Seat depth	46 cm x 39 cm
Width between armrest	67 cm
Weight without battery	76 kg
Max. Load	160 kg

# COMPACT, RELIABLE, MANOEUVRABLE



SCOOTER

## Scooter BL270 Scout Air

BASIC LINE



- Versatile and zippy
- Simple and clear operation
- Low weight
- Small turning circle
- Practical for carrying along
- New: with pneumatic tires



Einfaches Bedienteil



Luftbereifung



Can be disassembled easily



Product	BL270 Scout Air
red	MS025RD-G-AIR

## Technical Data

Speed	6 km/h
Battery capacity 2x	20 Ah
Motor capacity / Peak power	270 W / 500 W
Turning radius	99 cm
Gradeability	14 %
Clearance	6 cm
Front tires / hinten	200 x 50 mm
Dimensions (LxWxH)	108 x 48 x 91 cm
Seat width x Seat depth	43 cm x 36 cm
Width between armrest	50 cm
Weight without battery	34 kg
Max. Load	130 kg

## Scooter BL270 Brio

BASIC LINE



- Simple and clear operation
- No disassembly needed
- Very light at 24 kg
- Small turning circle
- Can be folded quickly and easily without tools
- Can be pulled in compact format when folded (trolley format)



Simple control panel



Short turning radius



Can be folded up easily



Product	BL270 Brio
bronze	HW005BR-G

## Technical Data

Speed	6 km/h
Battery capacity 2x	11,5 Ah
Motor capacity / Peak power	270 W / 500 W
Turning radius	82 cm
Gradeability	11 %
Clearance	6 cm
Front tires / hinten	180 x 40
Dimensions (LxWxH)	93 x 48,5 x 94,5 cm
Seat width	39 cm
Seat depth	33 cm
Weight without battery	23 kg
Max. Load	115 kg

# WIRELESS DIAGNOSTIC TOOL



The simplest way to analyse the battery

Innovative, simple and modern!



When you rely on the service of a scooter, the power supply from the battery must be guaranteed.

In practice, if the battery is not handled correctly, it may not provide its optimum performance or may fail completely.

But in most cases, the battery is not the problem, it has more to do with the way the battery is handled, the charging behaviour or the charger.

Using the Wireless Diagnostic Tool (WDT), the cause of an apparently defective battery can be accurately diagnosed and the fault can be actively resolved.

The WDT can read and analyse all the data from the charger on the usage, condition and capacity of the battery: Simply connect it to the charger using the USB and then read the data to a PC, laptop, Smartphone or tablet using a WiFi connection.

## READ OUT:

- Number of activated charging procedures
- Completed charges
- Interrupted charges
- Deep discharges
- Number of stand-by hours
- Charging hours
- Charging data such as, for example, charged Ah
- Charging time
- Charging voltage
- Error messages and current measurement data (Current and voltage)












### Suitable for the following scooters

Scooter ST6	
Scooter ST5D	
Scooter ST4D 2G Plus	
Scooter ST4D 2G	
Scooter BL350 Envoy PU-tires	
Scooter BL350 Envoy pneumatic tires	
order number	950600310

### Technical Data

Devices to be read	c-Go charger, Impuls-S charger
Internal Li-Ion battery:	3,6 V - 2,9 Ah - 10 Wh
Charging time for internal Li-Ion battery	Max. 7 hours
Overall width	9,2 cm
Overall depth	8,2 cm
Overall height	2,8 cm
Status display:	LED

# Accessories for Scooter

	<b>Product</b>	<b>Order number</b>
	Top case compact	
	Square tube mounting	950500100
	Armrest mounting	950500500
	• Capacity: approx. 30 litres	
	<b>Product</b>	<b>Order number</b>
	Top case, large	950100101
	• Capacity: approx. 47 liters	
	• Support surface (WxL) approx. 37 x 28.5 cm	
	• Perfect transport aid for your scooter	
	• Quickly removable without tools	
	<b>Product</b>	<b>Order number</b>
	Walking aid/rollator holder	
	Armrest mounting	950000365
	Square tube mounting	950000089
	• Easy to install	
	<b>Product</b>	<b>Order number</b>
	Cane holder	
	Armrest mounting	950000028
	Square tube mounting	950000029
	• Easy to install	
	<b>Product</b>	<b>Order number</b>
	Oxygen bottle holder	950500113
	• Easy to install	
	<b>Product</b>	<b>Order number</b>
	Basket, rear	950000090
	• Easy to install	
	<b>Product</b>	<b>Order number</b>
	Front basket (picture varies depending on model)	
	Scooter Envoy / Scout	950000775
	Scooter ST4D / Plus / ST5D	950001404
	-	
	<b>Product</b>	<b>Order number</b>
	Scooter bag for the backrest	RT-5026
	• Dimensions: (LxWxD) 40 x 43 x 24 cm	
	<b>Product</b>	<b>Order number</b>
	Scooter saddle bag	RT-5022
	• Dimensions: (LxWxD) 43 x 32 x 8 cm	
	<b>Product</b>	<b>Order number</b>
	Wheelchair / scooter ramp	STDS1097
	• Dimensions: (LxW) 183 x 76 cm / Folded 38 cm	
	• Weight ca. 15 kg	
	• Transport bag included	
	More info on our website	
	<b>Product</b>	<b>Order number</b>
	Rain poncho	
	blue	RT-SC001
	red	RT-SC004
	• Ideal protection in the rain	
	<b>Product</b>	<b>Order number</b>
	Rain jacket	319
	• Ideal protection in the rain	
	<b>Product</b>	<b>Order number</b>
	Scooter garage	
	Size M	RT-2993
	Size L	RT-4443
	Size XL	RT-4444
	<b>Product</b>	<b>Order number</b>
	Scooter garage, folding	SCGARAGE
	• Simple and quick to fold	
	• Protection from dirt and rain	
	<b>Product</b>	<b>Order number</b>
	Cane holder with bag	
	for Scooter ST6, ST5D & ST4D	950001282
	• Dimensions: (LxWxH) 37 x 22 x 41 cm	
	• 10 kg Loading	
	<b>Product</b>	<b>Order number</b>
	Seat suspension (48 mm increase)	
	for Scooter ST4D / Plus	950001460
	• Only available in the Scooter Accessory Package	
	for Scooter ST5D	950001283
	• Attaches to the armrest	
	for Scooter ST6	950001603
	• Ideal for shopping and small items	
	<b>Scooter accessory package</b>	<b>RT-SCPACK</b>
	<b>Scooter shopping bag</b>	
	• Only available in the Scooter Accessory Package	
	• Attaches to the armrest	
	<b>Backpack with cane holder</b>	
	• Only available in the Scooter Accessory Package	
	• Attaches to the backrest	
	• Incl. stick holder	
	• Ideal for shopping and small items	
	<b>Shooping bag / Rain Cover for front basket</b>	
	• Only available in the Scooter Accessory Package	
	<b>Shopping bag</b>	
	• Only available in the Scooter Accessory Package	
	• Attaches to the armrests	
	<b>Scooter garage</b>	
	• Only available in the Scooter Accessory Package	
	• Protection from dirt and rain	

# Compatibility

## Scooter accessories

SCOOTER

Nr.	Order number	Produkt (Beschreibung)	ST6	ST5D / Plus	ST4D 2G / Plus	Envoy	Scout	Brio
1	950500100	Top case compact, (ca. 30L) L: 36 x B:44 x H:29 cm						
2	950100101	Top case, large, (ca. 47 L) L:45 x B:35 x H:30 cm						
3	950000089	Walking aid/rollator holder, Square tube mounting						
4	950000028	Cane holder, Armrest mounting						
4	950000029	Cane holder, Square tube mounting			• <sup>1</sup>	•		
5	950500113	Oxygen bottle holder						
6	950000090	Basket, rear (L: 44 x B: 44 x H: 23 cm)						
7	-	Front basket (picture varies depending on model)	•	•	•	•		
8	RT-5026	Scooter bag for the backrest (B: 40 x H: 43 x T: 24 cm)						
9	RT-5022	Scooter saddle bag (L: 43 x B: 32 x T: 8 cm)						
10	STD1097	Wheelchair / scooter ramp	•					
11	RT-SC001	Rain poncho blue						
11	RT-SC004	Rain poncho red						
12	319	Rain jacket (Körpergröße 190 / Konfektionsgröße bis 54   XXL)						
13	RT-2993	Scooter garage M, (L: 120 x B: 65 x H: 95 cm)						
13	RT-4443	Scooter garage L, (L: 140 x B: 71 x H: 100 cm)						
13	RT-4444	Scooter garage XL, (L: 155 x B: 80 x H: 125 cm)						
14	SCGARAGE	Scooter garage, folding, L: 198 x B: 98 x H: 133 cm						
15	950001282	Cane holder with bag for Scooter ST4D, ST5D & ST6						
16	950001603	Seat suspension (48 mm increase) for ST6	•					
16	950001283	Seat suspension (48 mm increase) for ST5D	•	•				
16	950001460	Seat suspension (48 mm increase) for ST4D / Plus	•	•				
17	RT-SCPACK	Scooter accessory package	•	•	•	•	•	•

The compatibility list only shows which accessories match which scooters, it does not show how many accessory items can be fitted onto a scooter at the same time.

**Please check whether the combination of accessories is technically viable!**

**If you have any questions, please contact Customer Service.**



not possible



optional



Serie

<sup>1</sup> Serie nur ST4D

### Accessories for scooters discontinued models

o.	950500300	Holder for Royale golf bag (support surface: 37 x 28,5 cm)	Only for Royale
1	950500500	Top case, large (ca. 30L) L: 36 x W:44 x H:29 cm	Only for Royale, Cobra, Santis
3	950000365	Holder for walker and rollator (armrest mounting)	Only Royale, Cobra, Santis und Supreme





## HOME CARE

---

### MOVING/HANDLING, PATIENT ROOM

TRANSFER AID.....	84
OVERBED TABLE .....	86
PATIENT LIFT .....	87
SLINGS.....	90
SLINGS COMPATIBILITY.....	92
SLINGS SIZING GUIDE.....	93

### PRESSURE CARE ..... 96

## TRANSFER AIDS

Transfer aid  
Abiturn

- Adjustable leg pads
- With smooth-running wheels
- With two parking brakes
- Handle with integrated transfer sling receiver
- Low footplate enables the device to be moved beneath a bed, chair, wheelchair or toilet
- Simple assembly and disassembly
- Transfer sling for additional comfort available as an accessory



Tool-free adjustment of the leg pads



Low standing surface



Product	Ambiturn
Order number	PT001
Technical Data	
Overall width	57,5 cm
Overall depth	63 cm
Overall height	118 cm
Base width x Base length	63 cm x 57,5 cm
Legrest height adjustment	30 - 47 cm
Total weight	18,4 kg
Max. Load	150 kg

Patient turner  
Ablestand

- Adjustable leg pads
- Height-adjustable handle
- Handle with integrated transfer sling receiver
- With wheels to simplify transporting the patient turner (without patient)
- Transfer sling for additional comfort available as an accessory



Tool-free adjustment of the leg pads



Easily transportable



Product	Ablestand
Order number	PT002
Technical Data	
Overall width	49 cm
Overall depth	63 cm
Overall height	126 cm
Base plate dimensions (Ø)	41 cm
Legrest height adjustment	16 - 18 cm
Total weight	16,5 kg
Max. Load	150 kg

## Accessories

# Deluxe Feeder Sling

- For an additional sense of security
- Ideal support and relief for the caregiver to help the patient stand up from the sitting position
- Can carry up to 400 kg (note carrying capacity of the transfer aid and patient turner used!)
- Available in 3 sizes: small, medium, and large



## SAFE AND COMFORTABLE

Reliable aid which will support you and your patient when standing up, moving and transferring.

## Accessories

# Scale for patient lift

- Easy to handle
- Including fastening kit for Samsoft 175 & Hermes
- Adjustable automatic switch-off
- Battery-powered (3 x AA - included on delivery)



Includes installation kit



Suitable for Samsoft 175 or Hermes



Product	Scale for Patient Lift
Scale for Patient lift Samsoft 175	SR2820400
Patientenwaage für Hermes	SR2321000
Technical Data	
Gesamtbreite	81 mm
Gesamt Tiefe	46 mm
Gesamthöhe	265 mm
Ziffernschritt	100 g
Gesamtgewicht	620 g
Max. Belastung	300 kg

Product	Size S	Size M	Size L
Order number	4401BE	4402BE	4403BE

## OVERBED TABLE

Overbed table  
SuppliTo

The SuppliTo continuous height-adjustable overbed table is intended for use in the home environment and is designed to provide support for homecare.

- Continuous height adjustment
- Virtually tool-free disassembly
- 4 smooth-running rollers, 2 with brakes
- Flexible use in the patient room
- Individual inclination adjustment of the table top with inclination fixation



Special angle fixation



Tool-free height adjustment



Product	white-grey	wood optic
Order number	860000001	860000003
-		

## Technical Data

Overall height	71 - 116 cm
Length tabletop	60 cm
Width tabletop	40 cm
tilt adjustment	0 - 90 °
Total weight	8 kg
Max. Load	10 kg

Overbed table  
SuppliTo twinTop

The SuppliTo twinTop overbed table consists of a tilt-adjustable and a fixed tabletop. A special inclination fixation ensures maximum safety. It supports both the user and the patient, e.g., during homecare activities or food intake in bed.

- Easy to fold up
- Tool-free assembly and disassembly
- 4 smooth-running rollers, 2 with brakes
- Additional table top
- Flexible use in the patient room



Angle of the table top



Additional table top



Angle adjustment in 7 positions



Product	white-grey	wood optic
Order number	860000002	860000004
-		

## Technical Data

Overall height	71 - 93 cm
Maße Tischplatte (LxB) groß	60 x 40 cm
Maße Tischplatte (LxB) klein	20 x 40 cm
tilt adjustment	0 - 50° in 7 Schritten
Total weight	9 kg
Max. Load	10 kg

## Lift aid Novaltis

- Very compact and handy device for sit/stand transfer
- Ergonomic handle allowing an optimal position of the hands for pushing, whatever the size of the user
- Very smooth-running double ball bearing wheels Ø 75 mm
- Adjustable rubber heel straps
- High and thick double gutter leg rest cushion, adapting without adjustment to all patient profiles and absorbing movements during transfer



Product	Novaltis
Order number	SR2910000-EU
Handle height	79 - 101 cm
Overall chassis width	61 cm
Overall chassis length	94 cm
Base height	90 cm
Internal leg spacing	54 - 81 cm
Total weight	39 kg
Max. Load	175 kg

## Standard Lumbar Strap for Novaltis

- Ergonomic and comfortable strap specially designed for standing transfer with NOVALTIS
- It is available in 2 sizes
- Max. load: 200 kg



Product	Standard Lumbar Strap
Medium	SR3701000
Large	SR3702000

## Lumbar strap with high backrest for Novaltis

- Ergonomic and comfortable strap specially designed for standing transfer with NOVALTIS
- Has a back support for the transfer of patients with a lack of back tone.



Product	Lumbar Strap with high backrest
Medium	SR3703000
Large	SR3703001

## Patient Lift Samsoft 175

- Versatile and powerful
- Can be broken down into two sections for easy transport and handling without tools
- Reinforced steel frame for maximum safety
- Large adjustment range of the chassis spread
- Easy and quick battery charging
- Supplied with a sling as standard, optionally in size M or L



Reinforced steel frame



includes a standard sling



Lock for chassis expansion



Product	Samsoft 175
Order number	SR2870000

**Technical Data**

Dimensions (LxW)	173 x 63 cm
Height difference	55 cm - 173 cm
Expansion area	54 cm - 83 cm
Clearance	9 cm
Turning radius	144 cm
Total weight	38,4 kg
Max. Load	175 kg

## Patient Lift Hermes


- Heavy-duty patient lifter, lifting capacity up to 250 kg
- Extra-reinforced steel frame
- Electric chassis spreading for effortless maneuvering
- Low base frame height for easy movement beneath furnishings
- Four-point transport frame with protective covering
- Manual emergency lowering
- Double, full-rubber casters, diameter 100 mm



Reinforced steel frame



Spreader bar for slings



Product	Hermes
Order number	SR2310000

**Technical Data**

Dimensions (LxW)	136 x 74 cm
Height difference	51 cm - 177 cm
Expansion area	60 cm - 110 cm
Clearance	11,4 cm
Turning radius	300 cm
Total weight	57 kg
Max. Load	250 kg

## Patient Lift Casa Hoist

- The Casa Hoist is a lightweight and versatile lifting device for use when transferring individuals
- Easy manoeuvrability and access
- Lightweight frame is easy to move into position
- High lifting range and safe working load
- Ergonomic, user friendly handset



## VERSATILE LIFTING DEVICE

for use when transferring individuals



Product	UK Plug	EU Plug
Order number	18001BE	18001EUROBE
<b>Technical Data</b>		
Length		115 cm
Height		183 cm
Closed width		59 cm
Open width		116 cm
Lifting range		47 - 183 cm
Total weight		35 kg
Max. Load		180 kg

## SAFE AND COMFORTABLE

Our high-quality range of slings offers a multitude of versions, which enable comfortable transfers.



### Universal sling Comfort

- The universal sling
- Quick to put on
- Good support in the back and pelvis area
- Made of polyester
- Max. load: 200 kg



Product	Universal sling Comfort
Small	610000011
Medium	610000012
Large	610000013
Extra Large	610000014

### Universal sling Comfort with head support

- Ideal for patients who require head support
- Good support in the back and pelvis area
- Cushioned leg support for additional comfort during transfers
- Made of polyester



Product	Polyester	Mesh
Small	610000021	610000031
Medium	610000022	610000032
Large	610000023	610000033
Extra Large	610000024	610000034

## Toilet sling with head support

- The toilet sling enables effortless transfer for patients with good upper body control
- Offers extensive freedom of movement in the shoulder and arm area
- With wide body belt, reinforced back, extension straps at the side, and low hip area



200 kg

Product	Toilet sling with head support
Small	610000001
Medium	610000002
Large	610000003
Extra Large	610000004

## Full body Comfort with head support

- The Hammock full body sling offers optimal support in the sacral and thigh area
- Also suitable for leg amputees
- Sling made of polyester or breathable mesh material available



200 kg

Product	Polyester	Mesh
Small	610000041	610000051
Medium	610000042	610000052
Large	610000043	610000053
Extra Large	610000044	610000054

## Sling In Chair Hammock Comfort

- Ideal for decubitus and pain patients or for long periods of sitting
- Optimal patient comfort thanks to seamless bottom area and thinner quilting of the leg strap
- Reduces pressure and shear force thanks to the three-dimensional, multi-elastic 'spacer' knitted fabric
- Max. load: 300 kg



300 kg

Small	Medium	Large
4101BE	4102BE	4103BE

## Hebetuch Split Leg in Chair Hammock

- Ideal for decubitus and pain patients or for long periods of sitting
- Seamless bottom area and thinner quilting of the leg strap
- Reduces pressure and shear force thanks to the three-dimensional, multi-elastic 'spacer' knitted fabric
- Max. load: 300 kg



300 kg

Small	Medium	Large
4001BE	4002BE	4003BE

# SLINGS

## Declaration of compatibility




Drive Medical GmbH & Co. KG hereby confirms that slings from Drive DeVilbiss are compatible with mobile patient lifts and fixed ceiling lifts which are equipped with a suspended system with open or closed hooks. To do this, the hooks must be able to take a strap loop which is 25 - 40 mm wide and keep it under tension. The compatible patient lifts and ceiling lifts must be equipped with a 2, 4 or 6 point spreader bar.

### THE FOLLOWING SPREADER BARS ARE COMPATIBLE WITH DRIVE DEVILBISS SLINGS





**Plastic loops and perforated metal eyelets are not compatible!**

2, 4, 6 point spreader bar,  
double and/or single hooks



Double 4-point spreader bar,  
double and/or single hooks



### THE FOLLOWING HOOKS ARE COMPATIBLE WITH DRIVE DEVILBISS SLINGS

**Hook mounted vertically:**  
curved without closing clip



**Hook mounted in the longitudinal axis:**  
curved/spiral shape with or without closing clip



**Hook mounted vertically and in the longitudinal axis:** curved/spiral shape



The list of spreader bar shapes with the corresponding hook is not exhaustive, if the spreader bar shape with the corresponding hook used is not listed here, please contact us and we will check the compatibility.

## SLING SIZING GUIDE

For a transfer with a stationary or mobile lift to be as safe and comfortable as possible, it is very important that the lifting sling is the right size and that the model is appropriate for the particular user and lifting situation. To determine which model, size and material are most suitable for the individual user, individual trial fitting is always necessary.

This guide aims to give you an idea of the size you require.  
A full evaluation and risk assessment should be carried out by a qualified person.

Once you have decided on a sling model, the next step is to select the size of the sling. To do this it is useful to consider the height of the patient, and in addition, the chest or waist size, as shown in the following table:

GIRTH	HEIGHT	SLING SIZE	COLOR
68 - 91 cm	129 - 150 cm	SMALL	RED
79 - 104 cm	147 - 168 cm	MEDIUM	YELLOW
102 - 129 cm	165 - 178 cm	LARGE	GREEN
124 - 150 cm	170 - 183 cm	EXTRA LARGE	BLUE

### TAKING THE MEASUREMENTS

Using a soft measuring tape take and record the measurements as below.

#### GIRTH

For men and children this is the measurement around the chest measured just under the arms or for women around the hips, this measurement can be done lying down or in a seated position.


#### HEIGHT

For accuracy this is best carried out with the patient in a lying position, if measured in sections i.e. nape of neck to coccyx and coccyx to back of knee etc, the resulting measurements almost always end up with the patient being taller than they actually are.

Once the girth and height is known look to the chart for the sling size that closely matches the measurement taken. If in doubt seek advice from your clinician or call our customer services team.

**Please Note: This is a guide only**

#### Measurements







## HOME CARE

---

### MOVING/HANDLING, PATIENT ROOM ..... 84

### PRESSURE CARE

ALTERNATING PRESSURE SYSTEM.....	96
STATIC FOAM MATTRESS .....	98
SEAT CUSHION.....	100

## Alternating pressure system MED AIRE FlexWave

This mattress replacement system combines flexible user settings with maximum comfort,

- Sitting & care function plus static pressure-relief positioning
- Automatic cell pressure adjustment in case of patient position change
- Manual weight adjustment possible
- With intelligent, automatic start/stop
- Recommend as therapeutic support for all decubitus categories (1 to 4) and for prophylaxis in patients up to a very high-decubitus risk

\*For people who can change their lying position regularly themselves or with help



Product	MED AIRE FlexWave
Order number	820000300

### Technical Data

#### Pump

Dimensions (WxDxH)	36 x 13,5 x 25 cm
Total weight	3,9 kg
Power Supply	230 V, 50 Hz
Input	25 W
Pressure range	10 - 50 mbar

#### Mattress

Dimensions (LxWxH)	200 x 88 x 20 cm
User weight	20 kg - 200 kg

## Alternating pressure system MED AIRE DuoWave

- Individual adjustment of the cell pressure to the weight of the patient, both lying and sitting
- Individually usable thanks to possible static pressure-relief positioning
- Continuous, manual cell pressure adjustment based on a weight scale
- Bi-elastic, quilted, and breathable cover
- Fast repair of the overlay is possible thanks to individual air cell exchange
- Recommend as therapeutic support for all decubitus categories (1 to 4) and for prophylaxis in patients up to high-decubitus risk

\*For people who can change their lying position regularly themselves or with help



Product	MED AIRE DuoWave
Order number	820000200

### Technical Data

#### Pump

Dimensions (WxDxH)	28 x 10 x 20 cm
Total weight	2,2 kg
Power Supply	230 V, 50 Hz
Input	12 W
Pressure range	30 - 60 mbar

#### Mattress

Dimensions (LxWxH)	200 x 90 x 14 cm
User weight	36 kg - 150 kg

## Alternating pressure system MED AIRE Wave

The MED AIRE Wave alternating pressure overlay system is easy to operate and extremely powerful,

- Individual adjustment of the cell pressure to the weight of the patient thanks to simple, continuous adjustment on the unit
- Visual indication of normal pressure and pressure loss through two LED control displays
- Fast repair of the overlay is possible thanks to individual air cell exchange
- Recommend as therapeutic support for all decubitus categories (1 to 4) and for prophylaxis in patients up to middle-decubitus risk

\*For people who can change their lying position regularly themselves or with help



Simple operation



9 air flow cells



CPR function



### Product MED AIRE Wave

Order number	820000100
--------------	-----------

### Technical Data

#### Pump

Dimensions (WxDxH)	13 x 8,5 x 28 cm
--------------------	------------------

Total weight	1,1 kg
--------------	--------

Power Supply	230 V, 50 Hz
--------------	--------------

Input	12 W
-------	------

Pressure range	30 - 80 mbar
----------------	--------------

#### Mattress

Dimensions (LxWxH)	200 x 88 x 12 cm
--------------------	------------------

User weight	30 kg - 140 kg
-------------	----------------

## Hybrid mattress system

- The Hybrid-Power mattress combines the pressure redistribution properties of high specification foam, with alternating pressure relief.
- Cover can withstand a higher concentration of cleaning substances and offers greater resistance to abrasion
- High frequency welded seams protect against fluid ingress
- 360° zip to prolong longevity
- High specification foam combined with alternating cells
- Zonal mattress surface gives additional support to vulnerable
- NEW full width heel zone areas
- Recommend as therapeutic support for all decubitus categories (1 to 4) and for prophylaxis in patients up to a very high-decubitus risk

\*For people who can change their lying position regularly themselves or with help



Designated full width heel zone



Turning pillow



White inner substrate



### Product Hybrid Power

Order number	HYB/POWER
--------------	-----------

### Technical Data

#### Pump

Dimensions (WxDxH)	25,4 x 13 x 9,5 cm
--------------------	--------------------

Total weight	2,5 kg
--------------	--------

Power Supply	220 - 240 V, 50 - 60 Hz, 0,25 A
--------------	---------------------------------

Input	16 W
-------	------

Operating cycle	10 mins
-----------------	---------

#### Mattress

Dimensions (LxWxH)	198 x 88 x 16 cm
--------------------	------------------

User weight	max. 254 kg
-------------	-------------

## Static foam mattress GRAVIMED Multiflexx

- Special, very soft foam top layer
- Middle layer consisting of passively acting, viscoelastic special foam
- Stabilizing HR foam base
- Also suitable for cachectic patients
- Recommend as therapeutic support for all decubitus categories (1 to 4) and for prophylaxis in patients up to a very high- decubitus risk

\*For people who can change their lying position regularly themselves or with help



3-layer foam construction



Product	GRAVIMED Multiflexx
190 x 90 cm	820100300
200 x 90 cm	820100310
200 x 100 cm	820100320
<b>Technical Data</b>	
Overall height	16 cm
Density	RG: 40 50 50 kg <sup>3</sup>
Total weight	13 kg
User weight	20 kg - 135 kg

## Static foam mattress GRAVIMED Protexx

- Highly-elastic HR foam surface for increased lying comfort
- Stabilizing PU foam base with intelligent cutting technology ensures improved breathability and a pleasanter bed climate
- With heel comfort zone for specific pressure distribution in the heel area
- Recommend as therapeutic support for all decubitus categories (1 to 4) and for prophylaxis in patients up to a high- decubitus risk

\*For people who can change their lying position regularly themselves or with help



2-layer mattress with intelligent cutting technology




Product	GRAVIMED Protexx
190 x 90 cm	820100200
200 x 90 cm	820100210
200 x 100 cm	820100220
<b>Technical Data</b>	
Overall height	14 cm
Density	RG: 35 35 kg <sup>3</sup>
Total weight	11 kg
User weight	30 kg - 140 kg


## Static foam mattress **GRAVIMED Simplexx**

- High-quality HR foam with special multi-zone, cube-shaped cutting ensures ergonomic body adaptation, increased flexibility, and a pleasant bed climate
- With heel comfort zone for specific pressure distribution in the heel area
- Recommend as therapeutic support for all decubitus categories (1 to 4) and for prophylaxis in patients up to medium- decubitus risk

\*For people who can change their lying position regularly themselves or with help



Heel comfort zone



Cube-shaped cutting



Product	GRAVIMED Simplexx
190 x 90 cm	820100100
200 x 90 cm	820100110
200 x 100 cm	820100120

### Technical Data

Overall height	12 cm
Density	RG: 40 kg <sup>3</sup>
Total weight	10 kg
User weight	0 - 135 kg


## Static foam mattress **GRAVIMED Baritexx**

- Lying area made of viscoelastic foam adapts to the body contour and weight; for optimal pressure relief and distribution with low temperature dependency
- Base and middle layer made of stabilizing HR foam
- Integrated cutting technology for increased lying comfort
- Recommend as therapeutic support for all decubitus categories (1 to 4) and for prophylaxis in patients up to a very high- decubitus risk


\*For people who can change their lying position regularly themselves or with help



Viscoelastic bed surface



3-layer mattress



Product	GRAVIMED Baritexx
200 x 90 cm	820100410
200 x 100 cm	820100420
200 x 120 cm	820100430
Other sizes on request	

### Technical Data

Overall height	16 cm
Density	RG: 50/60/60 kg <sup>3</sup>
Total weight	13 kg
User weight	80 kg - 250 kg

## Seat cushion D-Q-SiT Contour

- Prophylaxis to low decubitus risk
- Pressure relief positioning for the patient
- Unique molded foam design for optimal stabilization
- Best adhesion to the wheelchair due to anti-slip pads on the underside
- Removable, washable, and flame-retardant standard decubitus cover



Product	Seat cushion D-Q-SiT Contour
40 x 40 cm	14880
45 x 40 cm	14887
45 x 45 cm	14908
50 x 40 cm	14881
50 x 45 cm	14909

Technical Data	
Overall height	5 cm
Weight	300 g
Max. Load	115 kg

## Seat cushion D-Q-SiT Duo

- Recommend as therapeutic support for all decubitus categories (1 to 4) and for prophylaxis in patients up to a high-decubitus risk
- Outstanding pressure distribution thanks to specially coordinated HR foam layers with a density of 50/60 kg3
- Special D-Q SiT protect cover - for incontinence protection, reduced shear force, and optimal breathability
- Stabilization of the sitting position thanks to a specially integrated cold foam base
- Fits on virtually all standard, lightweight, and multi-function wheelchairs as well as care chairs

\*For people who can change their lying position regularly themselves or with help



Product	Seat cushion D-Q-SiT Duo
40 x 35 cm	820200100
40 x 40 cm	820200110
40 x 45 cm	820200120
45 x 45 cm	820200130
45 x 50 cm	820200140

Technical Data	
Overall height	8 cm
Weight	1 kg
Max. Load	130 kg

## Seat cushion D-Q-SiT Gel

- Optimal adaptation to the ischial tuberosity thanks to visco foam with integrated silicone gel
- Reduction of contact pressure through specific pressure distribution
- Recommend as therapeutic support for all decubitus categories (1 to 4) and for prophylaxis in patients up to a medium- decubitus risk
- Special D-Q SiT protect cover - for incontinence protection, reduced shear force, and optimal breathability
- Fits on virtually all standard, lightweight, and multi-function wheelchairs as well as care chairs

\*For people who can change their lying position regularly themselves or with help



silicon gel plate inside



Product	Seat cushion D-Q-SiT Gel
40 x 35 cm	820200200
40 x 40 cm	820200210
40 x 45 cm	820200220
45 x 45 cm	820200230
45 x 50 cm	820200240

Technical Data	
Overall height	7 cm
Weight	1 kg
Max. Load	120 kg

## Seat cushion D-Q-SiT Air 6 / 10

- Individually adjustable, therefore also suitable as a positioning seat cushion
- Recommend as therapeutic support for all decubitus categories (1 to 4) and for prophylaxis in patients up to a very high- decubitus risk
- Special D-Q SiT protect cover - for incontinence protection, reduced shear force, and optimal breathability
- Versatile seat cushion, available in 2 heights, optionally with 1 or 2 Valve
- Fits on virtually all standard, lightweight, and multi-function wheelchairs as well as care chairs

\*For people who can change their lying position regularly themselves or with help



Air 6      Air 10



D-Q-SiT Air 6	1 Chamber	2 Chamber
40 x 40 cm	820200310	820200510
40 x 45 cm	820200320	820200520
45 x 45 cm	820200330	820200530
45 x 50 cm	820200340	820200540

D-Q-SiT Air 10	1 Chamber	2 Chamber
40 x 40 cm	820200410	820200610
40 x 45 cm	820200420	820200620
45 x 45 cm	820200430	820200630
45 x 50 cm	820200440	820200640
-		

Technical Data	D-Q-SiT Air 6	D-Q-SiT Air 10
Overall height	6 cm	10 cm
Weight	1,5 kg	1,5 kg
Max. Load	150 kg	200 kg





## RESPIRATORY

---

OXYGEN CONCENTRATOR .....	104
OXYGEN FILLING STATION .....	107
OXYGEN CONSERVER .....	108
SUCTION THERAPY .....	109
AEROSOL THERAPY .....	110
CPAP THERAPY.....	111
DIAGNOSTICS .....	115

## 5L Oxygen Concentrator Compact 525

- Stationary 5-litre oxygen concentrator
- Increases patient comfort while simultaneously reducing operating costs
- Integrated OSD® sensor for continuous oxygen concentration measurement
- The 525KS is very easy to move thanks to the attached casters and its integrated handle
- Oxygen outlet equipped with fire protection adapter
- Assembled in the USA



Control panel      Humidifier optional      Flowmeter

Product	Compact 525 5-liter
Order number	525KS
Variants	order number
Compact 525 incl. starter kit	525KS-KIT
Compact 525 with 5 year warranty	525KS-5
Compact 525 with 5-year warranty and starter kit	525KS-KIT-5
Technical Data	
Dimensions (WxDxH)	34,2 cm x 30,4 cm x 62,2 cm
Flow rate	0,5 l/min - 5 l/min
Oxygen concentration	93 % ± 3 %
Power Supply	230 V, 50 Hz
Total weight	16,3 kg

## 10L Oxygen Concentrator Compact 1025

- Stationary 10-litre oxygen concentrator
- Integrated OSD® sensor for continuous oxygen concentration measurement
- Front label with universal icon symbols and LED lights
- Additional auxiliary oxygen outlet on the rear side of device enables user to fill oxygen cylinders associated with transfilling devices
- Oxygen outlet equipped with fire protection adapter
- Assembled in the USA



Control panel      Flowmeter      Humidifier optional

Product	Compact 1025
Order number	1025KS
Variants	order number
Compact 1025 incl. starter kit	1025KS-KIT
Compact 1025 with 5 year warranty	1025KS-5
Compact 1025 with 5-year warranty and starter kit	1025KS-KIT-5
Technical Data	
Dimensions (WxDxH)	34,2 cm x 30,4 cm x 62,2 cm
Flow rate	2 l/min - 10 l/min
Oxygen concentration	87% - 96%
Power Supply	230 V ~50 Hz
Total weight	19 kg

## Portable Oxygen Concentrator iGo


- Oxygen supply for on the go
- Integrated OSD® sensor for continuous oxygen concentration measurement
- Visual and acoustic alarm for insufficient oxygen concentration, power failure, blocked oxygen outlet or device malfunction
- Ideal for travel - the iGo is approved by the FAA for use onboard an aircraft
- Detachable accessory bag for storing patient consumables, spare batteries, and power cables
- Assembled in the USA



Control panel

Battery

Power supply unit



Product	iGo with trolley
Order number	306DS-C
<b>Technical Data</b>	
Dimensions (WxDxH)	27,9 cm x 20,3 cm x 38,1 cm
Flow rate (Continuous Flow)	1 l/min - 3 l/min
Flowrate (Pulse Dose)	1 - 6
Oxygen concentration	91% ± 3 %
Power Supply	100 - 250 V, 50/60 Hz
Total weight	8,6 kg

## Portable Oxygen Concentrator iGo2

- Patented SmartDose™ technology
- Extremely sensitive respiration detection (trigger)
- Approved for use on aircraft
- Including practical carrying bag
- Small, light, and handy
- Integrated OSD® sensor for continuous oxygen concentration measurement
- Assembled in the USA



Application example



Scan QR Code for more info



Control panel      Battery      Scope of delivery



Product	iGo2
Order number	125K
<b>Technical Data</b>	
Dimensions (WxDxH)	8,9 cm x 21,8 cm x 21,3 cm
Sound level	37 dBA
Oxygen concentration	90% +4/-3
Maximum O2 Production	1014 ml
Power Supply	100-240 V 50/60 Hz
Total weight	2,2 kg

## Oxygen Analyzer UltraMaxO<sub>2</sub>

The UltraMaxO<sub>2</sub> analyzer was developed to check the oxygen concentration at a glance, including the flow and output pressure of oxygen concentrators. Its advanced design offers high performance and reliability. The UltraMaxO<sub>2</sub> oxygen analyzer offers the following advantageous characteristics:

- Precise measurement of the O<sub>2</sub> flow and pressure
- Integrated oxygen sensor; no replacement of the oxygen sensor necessary
- No calibration on site
- Self-diagnosis
- Shielded and reinforced sample gas inlet
- Including silicone sleeve for increased durability
- 36-month warranty
- Maintenance-free
- Assembled in the USA



Product	UltraMaxO <sub>2</sub>
Order number	R221P11-001
<b>Technical Data</b>	
Dimensions (WxDxH)	8,6 cm x 2,5 cm x 12,9 cm
Oxygen Measurement Range	20,9% - 96 %
Flow Measurement Range	0 - 10 l/min
Pressure Measurement Range	0,5 - 50 PSI
Total weight	181 g

## Carrying Bag for Cylinder (1.2 & 1.8L)

- Ideal for mobile use
- The internal belt system ensures that the oxygen bottle is secured in place
- Can be used as a shoulder bag and backpack
- Fits the Drive Trolley



For various bottle sizes



Mounting for trolley



Can be used as a backpack



Product	Bag for oxygen bottle
Order number	EX3000D-651DE

## Oxygen Filling Station iFill

- The iFill oxygen filling station ensures an unlimited supply of refillable oxygen
- The user-friendly device is simple to use and operates reliably
- The filling station can be positioned anywhere in the home
- Various cylinders sizes available for all requirements
- Bottles can be filled as often as required by the user

- No more waiting for your cylinders to be delivered
- iFill kit consisting of iFill, power cord, 2 oxygen bottles (type depending on configuration), a carrying bag, and instructions for use
- Assembled in the USA



Control panel



Filling connection



Product	iFill (Device only)	iFill met 2 x PD cylinder	iFill met 2 x CF cylinder
Order number	535I	535I-PD-KIT X,X	535I-CF-KIT X,X
<b>Technical Data</b>			
Dimensions (LxWxH)	31,3 x 57 x 72,5 cm		
Average Filling Pressure	2000 ± 200 psi		
Energy consumption	400 W		
Oxygen concentration	93 % ± 3 %		
Power Supply	230 V, 50/60 Hz		
Total weight	30 kg		
Type	ML6	C	D
Content	1,2 l	1,8 l	2,9 l
Weight	2,18 kg	2,54 kg	3,27 kg
Filling time	90 min	130 min	215 min
<b>Usage time (2 l/min)</b>			
PD1000A	4,3 Std.	6,1 Std.	10,5 Std.
CF	1,4 Std.	2,0 Std.	3,5 Std.

## Electronic Oxygen Conserver Evolution



- Sensitive respiration detection
- Light and compact
- Inexpensive and efficient
- Responds to both weak and strong inhalation, making it suitable for a broad range of patients
- Automatic shutoff when not in use, thus extending the battery life

Product	Evolution
Order number	OM-924
<b>Technical Data</b>	
Dimensions (LxWxH)	14 x 7,9 x 6,4 cm
Connector type	G3/4, DIN ISO 477 Nr. 9
Operation temperature	-10°C bis 40°C
Storage temperature	-40°C bis 70°C
Trigger rate	max. 40 Atemzüge pro min
Total weight	600 g

## Pneumatic Oxygen Conserver Bonsai



- Robust and maintenance-free
- Potential saving ratio of up to 6:1
- 7 settings in pulsed mode
- Maintenance-free
- Light and compact

Product	Bonsai
Order number	OM-824
<b>Technical Data</b>	
Dimensions (LxØ)	13,5 / 6,5 cm
Connector type	G3/4, DIN ISO 477 Nr. 9
Operation temperature	-10°C bis 40°C
Storage temperature	-40°C bis 70°C
Trigger rate	max. 40 Atemzüge pro min
Total weight	300 g

## Disposable Oxygen Conserver Oxymizer

- Comfortable alternative to an oxygen mask
- Compatible with compressed gas cylinders, oxygen concentrators, and liquid oxygen systems
- Clinically proven efficiency when resting, sleeping, and during physical activity
- Oxygen saving ratio up to 4:1
- Lower flow rates reducing common side affects
- Reduces cost of providing oxygen therapy



Collection container wearable under clothing



Product	Oxymizer
Order number	P-224
<b>Technical Data</b>	
Max. Inlet pressure	345 kPa (3.45 bar, 50 psi)
Operation temperature	5°C bis 40°C
Storage temperature	-25°C bis 70°C
Max. Flow	15 l/min.
Operational humidity	-25°C to 70°C
Total weight	85 g

## Suction unit VacuAide 7305

- Efficient suction therapy made easy
- Thanks to continuous vacuum regulation, the VacuAide can be adapted to any aspiration situation – both at home and in hospital use
- Operation both via the integrated battery (P version) and directly using a power cord (D version)
- 800 ml single-use container included as standard
- Autoclavable 1,200 ml receptacle optionally available
- Automatic float shut-off to prevent overflow into the unit
- High performance capabilities with a vacuum range of 80-550 mmHg and a flow range of 0-27 l/min
- Assembled in the USA



Carrying bag for easy transport



Optional container 1200 ml, autoclavable



Product	without battery	with internal battery
Order number	7305D-G	7305P-G

**Technical Data**

Overall length	20,3 cm
Overall width	17,8 cm
Overall height	22,9 cm
Vacuum range	80 mmHg -550 mmHg
Air Flow	27 l/min
Battery Runtime	60 min
Power Supply	100 - 240 V, 50/60 Hz
Total weight	2,9 kg

## Suction unit VacuAide QSU 7314

- Noise-optimized operation with high aspiration power at the same time
- Can be used anywhere as a portable battery-powered version (P version) or operated at home (D version)
- Simple operation through on/off switch and vacuum indicator with integrated rotary controller for continuous adjustment of aspiration power
- Available with 800 ml single-use container or autoclavable 1,200 ml container
- Continuous vacuum regulation from 50 to 550 mmHg and a 27l/min flow rate
- The QSU and its accessories sit neatly in the personal carry bag allowing you to take and use the unit at all times
- Assembled in the USA



Carrying bag for easy transport



Optional container 1200 ml, autoclavable



Optional Flovac Liner System 1000 ml



Product	without battery	with internal battery
Order number	7314D-NE	7314P-NE

**Technical Data**

Overall length	21,6 cm
Overall width	20,3 cm
Overall height	21,1 cm
Vacuum range	50 mmHg -550 mmHg
Air Flow	27 l/min
Battery Runtime	60 min
Power Supply	100 -200 V, 50/60 Hz
Total weight	3 kg

## Compressor Nebulizer AirForce One

- The AirForce One compressor nebulizer is a cost effective and reliable device for aerosol therapy at home or in hospitals
- Compact compressor nebulizer for reliable and inexpensive aerosol therapy
- Ready to Use! Comes complete with accessories and carry bag
- Easy to set up and easy to use
- Reliable and inexpensive therapy device
- Durable design for everyday use
- Quiet operation



Optional Year-pack



Storage bag



Product	AirForce One
Order number	MQ5890-EU
Technical Data	
Overall length	19 cm
Overall width	14 cm
Overall height	9 cm
Aerosol output	0,45 ml
Nebulization Rate	0,3 ml/min
Power Supply	230 V, 50 Hz
Particle size MMAD	< 5 µm
Total weight	1,5 kg

## Compact Compressor Nebulizer AirForce Mini

- The AirForce Mini from DriveDeVilbiss Healthcare is a battery-operated portable inhalation therapy system. Whether in the office, at school or on the road, the AirForce Mini gives the user complete independence
- Integrated battery with LED status indicators
- Lightweight and low noise
- Simple handling and cleaning
- Low operating noise
- One of the smallest inhalation devices on the market



Standard Scope of delivery



LED status display



Air outlet with filter cap



Product	AirForce Mini
Order number	MQ6010
Technical Data	
Overall length	11,1 cm
Overall width	6,8 cm
Overall height	4,5 cm
Aerosol output	0,15 l/min
Nebulization Rate	0,25 ml/min
Power Supply	230 V, 50 Hz
Particle size MMAD	4,12 µm
Total weight	217 g

Product	AirForce Mini
Order number	MQ6010
Technical Data	
Overall length	11,1 cm
Overall width	6,8 cm
Overall height	4,5 cm
Aerosol output	0,15 l/min
Nebulization Rate	0,25 ml/min
Power Supply	230 V, 50 Hz
Particle size MMAD	4,12 µm
Total weight	217 g

# CPAP / AutoAdjust SleepCube AutoPlus

- DV5 SleepCube Series
- Compact and light
- Simple operation with illuminated buttons and LCD display
- Visual Mask Off alert
- SmartCode therapy monitoring
- Simple humidifier installation without additional tubes or cables



Optional Heated Humidifier



Optional Smart-Link Software Package



Product	AutoPlus
Order number	DV54NE-P
<b>Technical Data</b>	
Dimensions (LxWxH)	17,5 x 16,5 x 10,7 cm
Pressure range	3 - 20 cmH <sub>2</sub> O
Operating altitude	bis 2750 m/NN
Sound level	26 dBA
Power consumption	65 W
Average with / without Humidifier	28 W / 12 W
Power Supply	120 - 240 V, 50/60 Hz
Total weight	1,2 kg

## CPAP/S/AutoBiLevel SleepCube AutoBiLevel

- DV5 SleepCube Series
- Compact and light
- Simple operation with illuminated buttons and LCD display
- Visual Mask Off alert
- SmartCode therapy monitoring
- Simple humidifier installation without additional tubes or cables
- The SleepCube AutoBiLevel CPAP device analyzes respiratory events and intelligently adjusts the pressures to the patient's needs
- The AutoBiLevel offers the user an increased level of comfort by combining two successful forms of therapy



Optional Heated Humidifier



Optional Smart-Link Software Package



Product	AutoBiLevel
Order number	DV57NE

**Technical Data**

Dimensions (LxWxH)	17,5 x 16,5 x 10,7 cm
Pressure range	3 - 25 cmH <sub>2</sub> O
Operating altitude	bis 2750 m/NN
Sound level	26 dBA
Maximum Power Consumption	65 W
Average with / without Humidifier	28 W / 12 W
Power Supply	120 - 240 V, 50/60 Hz
Total weight	1,2 kg

## CPAP/S/ST/T SleepCube BiLevel ST

- DV5 SleepCube Series
- Compact and light
- Simple operation with illuminated buttons and LCD display
- Visual Mask Off alert
- SmartCode therapy monitoring
- Simple humidifier installation without additional tubes or cables
- The SleepCube BiLevel ST CPAP device is designed to support the patient's spontaneous respiration
- Differentiated monitoring in real time provides detailed information about the respiratory frequency, minute volume, tidal volume, and the I/E ratio



Optional Heated Humidifier



Optional Smart-Link Software Package



Product	BiLevel ST
Order number	DV56NE

**Technical Data**

Dimensions (LxWxH)	17,5 x 16,5 x 10,7 cm
Pressure range	3 - 25 cmH <sub>2</sub> O
Operating altitude	bis 2750 m/NN
Sound level	26 dBA
Maximum Power Consumption	65 W
Average with / without Humidifier	28 W / 12 W
Power Supply	120 - 240 V, 50/60 Hz
Total weight	1,2 kg

# CPAP

## DeVilbiss Blue series

- With its highly-evolved algorithm, the DeVilbiss Blue StandardPlus CPAP device is able to recognize a wide range of patient events
- Algorithm with improved event recognition and data recording
- Simple menu guidance with adaptable display brightness
- 19 languages
- Approved for airline transport
- Maintenance-free
- Automatic altitude compensation up to 3,000 m
- Mask check

- Including Slimfit 15 mm tube (numerous tube variants available)
- Optional clock and alarm clock function
- Encrypted remote therapy data transfer by means of SmartCode
- SmartCode Rx for remote prescription changes
- Integrated data memory for recording compliance and high-resolution data
- Assembled in USA



Optional Standard /  
PulseDose Heated  
Humidification



DeVilbiss Blue StandardPLus	Order number
Germany	DV63E-G
Northern Europe	DV63E-NE

Technical Data	
Overall length	15 cm
Overall width	15,5 cm
Overall height	9,4 cm
Dimensions CPAP & Humidifier (LxWxH)	16,1 cm x 15,5 cm x 19,3 cm
Pressure range	3 - 20 cmH <sub>2</sub> O
Power Supply	120 - 240 V, 50/60 Hz
Total weight	900 g

DeVilbiss Blue AutoPLus	Order number
Germany	DV64E-G
Northern Europe	DV64E-NE

Product	Order number
Heated Humidifier	DV6HH
Heated Humidifier with PulseDose	DV6HHPD
<ul style="list-style-type: none"> <li>Supplies the airways with warm moisture for increased patient comfort</li> </ul>	

## Nasal Mask D100N

- The D100N mask is cost-effective, flexible and easy to maintain
- Available in three sizes: S, M, L
- 3 different sized forehead pads for individual comfort
- 360° swivel for optimum tubing positioning
- Simple to fit, adjustable headgear with quick release fasteners
- Easy to clean and maintain
- Latex-free
- Mask cushions and forehead pads made of silicone



Mask cushion



Forehead pads



Product	Size S	Size M	Size L
Order number	D100N-S	D100N-M	D100N-L

**Technical Data**

Storage temperature	-18°C bis 50°C
Relative humidity	< 85%
Resistance to 50 lpm	0,47 cmH <sub>2</sub> O
Resistance to 100 lpm	2,24 cmH <sub>2</sub> O
Total weight	88 g

## Full face Mask D150F

- The D150 Full Face mask combines comfort, durability, easy handling and cost efficiency
- Available in three sizes: S, M, L
- Adjustable forehead support for different facial profiles
- 360° swivel for optimum tubing positioning
- Simple to fit, adjustable headgear with quick release fasteners
- Easy to clean and maintain
- Latex-free
- Mask cushions and forehead pads made of silicone



Mask cushion



Forehead pads



Product	Size S	Size M	Size L
Order number	D150F-S	D150F-M	D150F-L

**Technical Data**

Storage temperature	-18°C bis 50°C
Relative humidity	< 85%
Resistance to 50 lpm	0,29 cmH <sub>2</sub> O
Resistance to 100 lpm	0,86 cmH <sub>2</sub> O
Total weight	120 g






# Fingertip Pulse Oximeter

## HbO-Smart

The new HbO-Smart device is the latest finger tip pulse oximeter from Drive DeVilbiss International intended for use in homes or hospitals for non-invasive measurement of oxygen saturation, pulse rate and perfusion index.

Including adjustable settings for user alerts and four optional screen displays this new stylish device has everything you would expect from a modern day spot checking oximeter which can be used for both children and adults.

- OLED display includes heart rate bar and plethysmography waveform
- Four different directional screen settings
- Features battery low alert and automatic power off after 8 seconds without detecting a signal
- Low power consumption (2 AAA batteries for 25 hours of operation)



SpO<sub>2</sub>, Pulse Rate and Pulse Rate Bar, Plethysmograph Waveform, Perfusion Index and Battery Status Indicator

Application example



Product	HbO-Smart
Order number	HBO-SMART
<b>Technical Data</b>	
Dimensions (LxWxH)	6,5 x 3,5 x 3 cm
Oxygen Saturation Range	70% bis 99% SpO <sub>2</sub>
Oxygen Saturation Accuracy	80% bis 99% ±2%
Pulse Rate Range	30 bis 240 BPM
Pulse Rate Accuracy	± 2%





## DAILY LIVING AIDS

---

REACHER .....	118
BATH STEP SKY .....	119

# EASY TO CARRY WITH YOU

Für den täglichen  
Bedarf



## Reacher

- This reacher is your extended arm and assists you every day
- Special rubber lips enable you to grab even the smallest objects
- The reacher comfortably extends down to the floor
- Pleasantly light in your hand but nevertheless robust and durable
- Länge: 70 cm



Produkt	Reacher
Order number	PC23583-1

## Bath step Sky

- Small size, big impact: total versatility in the bath!
- Makes getting into and out of the bathtub easier
- Large, non-slip step surface guarantees absolute stability
- Safely and quickly stackable to raise the height by 5 cm in each case
- Easy to clean
- Height: 10 cm (each further increase adds an additional 5 cm)



Produkt  
Order number

Bath step Sky  
RTL12068

# BUY IT, CARRY IT WITH YOU!

That's how easy it is!







## KIDS

---

KIDSBADELIEGEN .....	122
KIDSGEHHILFEN .....	124
KIDSROLLSTUHL.....	125

## Child Bathing System Otter

- Plastic frame with removable, water-permeable vinyl cover
- Seat surface and backrest can be adjusted to four positions (inclination from 0° to 90°)
- Safety straps for body and legs
- Head/neck support height- and width-adjustable; also suitable as side protection
- Can be stowed compactly when folded

- With stand or rolling frame, extensible for many everyday situations
- Head support, chest strap, and 2 leg straps are included in delivery



Product	Size S	Size M	Size L
Order number	555100100	555100200	555100300
<b>Technical Data</b>			
Body size	90 cm	80 cm - 130 cm	110 cm - 170 cm
Seat width x Seat depth	41 cm x 30 cm	41 cm x 35 cm	41 cm x 40 cm
Seat height	14 - 26 cm	14 - 26 cm	14 - 26 cm
Backrest (WxH)	41 cm x 40 cm	41 cm x 56 cm	41 cm x 75 cm
Backrest angle	0 - 90 °	0 - 90 °	0 - 90 °
Folding Dimensions	90 x 42,5 x 15 cm	105 x 42,5 x 15 cm	122 x 42,5 x 15 cm
Total weight	4 kg	4,5 kg	5 kg
Max. Load	30 kg	60 kg	80 kg

## Underframe Shower support

- Quickly transforms the Otter bath support into a shower support
- Base frame with casters for increased flexibility
- Pleasant height for the supervising person
- Suitable for all three sizes
- Robust aluminum frame
- Parking brake for the casters
- Click system enables easy set-up and dismantling



Easy assembly  
and disassembly



Wheels can  
be individually  
locked



### Product Shower support

Order number	555200200
--------------	-----------

### Technical Data

Overall width	69 cm
Overall length	95 cm
Overall height	52,5 cm
Total weight	7 kg
Max. Load	85 kg

## Underframe Bath support

- Height adjustment for a comfortable position in the bathtub that is easy on the back
- Suitable for all three sizes
- Adjustable to two height positions (12.5 cm and 27 cm)
- Easy-care plastic
- Low weight
- Space-saving stowage thanks to folding legs
- Click system enables easy set-up and dismantling



2 positions for  
height adjust-  
ment



### Product Bath support


Order number	555200100
--------------	-----------

### Technical Data

Overall width	44 cm
Overall length	78 - 98,5 cm
Overall height	15,8 - 28,8 cm
Total weight	4,1 kg
Max. Load	85 kg

## Children Walking Aid Nimbo

- Height-adjustable legs
- Soft rubber wheels provide stability and prevent lateral slippage
- Engageable backstops on the rear wheels prevent rolling backwards
- Front swivel wheels make turning and maneuvering easier
- Front wheels can be locked in one direction
- Latex-free grips with flanged ends
- Easily folded for transport and storage



60 kg



60 kg

## Accessories for Nimbo

Product	Order number
Forearm supports for Nimbo S and M	705300200
for Nimbo L and XL	705300250

Product	Order number
Hip / pelvis support for Nimbo S, M, L, and XL	705300100

Product	Order number
Seat harness for Nimbo S, M, and L	705300300
for Nimbo XL	705300350

Product	Order number
Seat plate for Nimbo S	705200100
Seat plate for Nimbo M	705200200
Seat plate for Nimbo L	705200300
Seat plate for Nimbo XL	705200400


60 kg



60 kg

60 kg

60 kg



60 kg



60 kg

Product	Size S	Size M	Size L	Size XL
Order number	705100100	705100200	705100300	705100400
Colour	yellow	green	blue	midnight blue

Technical Data				
Body size	114 cm	122 cm	155 cm	160 cm
Overall width x Overall length	59 cm x 54 cm	61 cm x 74 cm	67 cm x 85 cm	69 cm x 95 cm
Overall height	39 - 49 cm	49 - 66 cm	58 - 77 cm	76 - 95,5 cm
Width between handles	34,5 cm	34,5 cm	38,5 cm	43 cm
Width between rear wheels	41 cm	42,5 cm	48 cm	48 cm
Folding Dimensions	75 cm x 59 cm x 14 cm	77 cm x 60 cm x 14 cm	87 cm x 65 cm x 15 cm	113 cm x 68 cm x 17 cm
Total weight	3,8 kg	4,3 kg	5,4 kg	6 kg
Max. Load	30 kg	50 kg	70 kg	90 kg

# Child's wheelchair

## Viper

- Activity and mobility are improved
- Ideal for short-term use
- Light, narrow, and maneuverable
- Available in 2 seat widths: 30.5 cm and 35.5 cm
- Numerous adjustment options

- Both footrests can be swiveled away or removed in a single step
- The armrests are softly cushioned and can be swiveled away backwards
- The Viper can be folded in just a few steps and easily stowed in the car



Armrests can be swiveled away



Height-adjustable footrests



Parking brake



Product	Size S	Size M
Order number	L412DDA-ELR	L414DDA-ELR
<b>Technical Data</b>		
Overall width	50 cm	55 cm
Overall length	94,5 cm	94,5 cm
Overall height	80,5 cm	85,5 cm
Seat width x Seat depth	30,5 cm x 30,5 cm	35,5 x 30,5 cm
Seat height	39,5 cm	39,5 cm
Overall length without footrests	65 cm	65 cm
Total weight	13 kg	15 kg
Max. Load	90 kg	90 kg





## MAXILINE

---

BATH.....	128
SHOWER .....	129
TOILETS .....	132
MOBILITY .....	133
SCOOTER.....	139
HOME CARE.....	141

## Bath Lifts Aquajoy

- Two-part, battery-powered bath lift with high backrest
- Stable, robust frame and base plate
- Very simple assembly
- Low weight, completely watertight
- Soft-grip, floating, and user-friendly manual control with suction cups
- Optionally available with white or gel-type seat and back cover
- Extensive accessories



Easy to clean



Easy to install



Easy to stow



Product	Bath lift Aquajoy
Order number	AQJA0001

Technical Data	
Overall width	68,6 cm
Seat width	39 cm
Seat depth	49 cm
Seat height	9 - 46,5 cm
Seat plate overall length	58 cm
Backrest height	60,4 cm
Baseplate length	59,2 cm
Baseplate width	30 cm
Weight	15,8 kg
Max. Load	170 kg

## Bath Bench Benny XL

- Bathtub bench with maximum load capacity
- Slip-resistant seat surface with drainage holes
- Makes getting into the bathtub easy and safe
- Easily adjustable to fit the bathtub width
- Incl. grab handle and integrated soap dish
- Simple and fast installation without tools
- Rubber feet ensure safety and protect against scratches
- Easy to clean
- Delivery in practical, customer-friendly take-away packaging

für 68 cm  
Längefür 73 cm  
LängeIntegrated soap  
dishRubber base pre-  
vents scratches

Product	Length 68 cm	Length 73 cm
Order number	550100300	550100400
Technical Data		
Overall width	35 cm	35 cm
Overall length	68 cm	73 cm
Adjustment (width of bathtub)	40 - 63 cm	43 - 68 cm
Total weight	2,2 kg	2,7 kg
Max. Load	225 kg	210 kg

## Shower Stool Delphi

- Safe, stable, and space-saving
- Seat surface with drainage slits
- Low weight
- Three-position seat height adjustment through telescopic legs
- Stable thanks to rubber feet
- Anodized aluminum tube legs
- Easy to clean
- Delivery in practical take-away packaging



Product	Delphi
Order number	540100000

Technical Data	
Overall width	48 cm
Overall length	48 cm
Overall height	55 cm
Seat height	45 - 55 cm
Seat plate diameter	38 cm
Total weight	1,6 kg
Max. Load	180 kg

## Shower Stool Delphi Plus

- The hygiene opening makes daily body care easier
- Safe, stable, and space-saving
- Seat surface with drainage slits
- Low weight
- Three-position seat height adjustment through telescopic legs
- Stable thanks to rubber feet
- Anodized aluminum tube legs
- Easy to clean
- Delivery in practical take-away packaging



Product	Delphi Plus
Order number	540200000

Technical Data	
Overall width	48 cm
Overall length	48 cm
Overall height	55 cm
Seat height	45 - 55 cm
Seat plate diameter	38 cm
Total weight	1,6 kg
Max. Load	180 kg

## Shower Stool Delphi 2 Plus

- With 2 hygiene openings for comfortable body care
- Safe, stable, and space-saving
- Seat surface with drainage slits
- Low weight
- Three-position seat height adjustment through telescopic legs
- Stable thanks to rubber feet
- Anodized aluminum tube legs
- Easy to clean
- Delivery in practical take-away packaging



Product	Delphi 2 Plus
Order number	540300000

Technical Data	
Overall width	48 cm
Overall length	48 cm
Overall height	55 cm
Seat height	45 - 55 cm
Seat plate diameter	38 cm
Total weight	1,6 kg
Max. Load	180 kg

## Shower Chair DS 250

- Available with and without backrest
- Comfortable, safe, and stable
- Large seat surface with drainage holes
- Cross strut ensures maximum stability
- Five-position seat height adjustment through telescopic legs
- Easy to clean



Height-adjustable legs



More stability thanks to cross strut



Product	without backrest	with backrest
Order number	771100100	und 771100200
<b>Technical Data</b>		
Overall width max.	57 cm	57 cm
Overall width min.	53,5 cm	53,5 cm
Overall height	51 cm	83,5 cm
Seat width	43 cm	43 cm
Seat depth	41 cm	41 cm
Seat height	41 - 51 cm	41 - 51 cm
Total weight	3,6 kg	4,5 kg
Max. Load	250 kg	250 kg

## Shower Wheelchair DuoMotion XL

- XL version with 200 kg carrying capacity
- Additional cross strut ensures maximum stability
  - Standard soft seat opens at the front
  - Including cover for the hygienic cutaway
  - Standard receptacle in commercially available design
  - Four-position adjustable seat height



Security due to cross brace



Height-adjustable footrests



Headrest available as an accessory



Product	DuoMotion XL
Order number	530500500
<b>Technical Data</b>	
Overall length x Overall width	102 cm / 67,5 cm
Overall length without footrests	74 cm
Overall height	95 - 102,5 cm
Seat width x Seat depth	56 cm x 45 cm
Seat height	50 - 57,5 cm
Footrest adjustment	39 - 49 cm
Clearance height	40,5 cm - 48 cm
Backrest height	36,5 cm
Total weight	16,8 kg
Max. Load	200 kg

## Shower Wheelchair DuoMotion 24 XL

XL version with 200 kg carrying capacity

- All the advantages of the standard model
- With large 24" drive wheels and hand rims
- Increased mobility and independence
- Standard soft seat opens at the front
- Including cover for the hygienic cutaway



Security due to cross brace



Height-adjustable footrests



24" drive wheels



Headrest available as an accessory



## Raised Toilet Seat TSE 100S

- Maximum opening with two hygienic cutaways
- Simple, tool-free assembly
- Fixation clamps enable a secure hold
- Skin-friendly PU plastic for comfortable, soft seating
- Smooth surfaces simplify cleaning
- Ergonomically tapered seating surface provides comfort



Stable plastic fixation clamp



Tool-free assembly



30 mm overhang



Product	DuoMotion 24 XL
Order number	530500400
<b>Technical Data</b>	
Overall length x Overall width	109 cm / 73 cm
Overall length without footrests	79,5 cm
Overall height	95 - 102,5 cm
Seat width x Seat depth	56 cm x 45 cm
Seat height	51 - 58,5 cm
Footrest adjustment	32 - 42 cm
Clearance height	40,5 cm - 48 cm
Backrest height	36,5 cm
Total weight	22,8 kg
Max. Load	200 kg

Product	TSE 100S
Order number	523500000
<b>Technical Data</b>	
Overall width	37 cm
Overall length	38,5 cm
Overall height	11 cm
Opening length	25,5 cm
Opening width	22,5 cm
Öffnungshöhe	12,5 cm
Total weight	2,1 kg
Max. Load	250 kg

## Raised toilet seat Ticco 2G/5

- Raises the toilet seat by 5 cm
- Ergonomic shape
- Maximum opening with two hygienic cutaways
- Recessed grip on the lid makes it easy to open
- Simple, tool-free assembly
- Fixation clamps enable perfect hold
- Smooth surfaces for optimal cleaning and disinfection
- Lightweight with maximum load capacity
- Delivery in practical take-away packaging



Fixing screw for easy assembly

also available with a lid



Product	with lid	without lid
Order number	523600200	523600100

**Technical Data**

Overall width	39 cm	39 cm
Overall length	39 cm	39 cm
Height front	5,5 cm	4,1 cm
Height rear	7,1 cm	5,6 cm
Opening length	27,3 cm	27,3 cm
Opening width	20,3 cm	20,3 cm
Total weight	1,11 kg	820 g
Max. Load	225 kg	225 kg

## Raised Toilet Seat Ticco 2G/10

- Raises the toilet seat by 10 cm
- Ergonomic shape
- Maximum opening with two hygienic cutaways
- Recessed grip on the lid makes it easy to open
- Simple, tool-free assembly
- Fixation clamps enable perfect hold
- Smooth surfaces for optimal cleaning and disinfection
- Lightweight with maximum load capacity
- Delivery in practical take-away packaging



Fixing screw for easy assembly

also available with a lid



Product	with lid	without lid
Order number	523400000	523300000

**Technical Data**

Overall width	39 cm	39 cm
Overall length	39 cm	39 cm
Height front	10 cm	8,6 cm
Height rear	14,6 cm	12 cm
Opening length	28,5 cm	28,5 cm
Opening width	21,5 cm	21,5 cm
Total weight	1,35 kg	1,05 kg
Max. Load	225 kg	225 kg

## Raised toilet seat Ticco 2G/15

- Raises the toilet seat by 15 cm
- Ergonomic shape
- Maximum opening with two hygienic cutaways
- Recessed grip on the lid makes it easy to open
- Simple, tool-free assembly
- Fixation clamps enable perfect hold
- Smooth surfaces for optimal cleaning and disinfection
- Lightweight with maximum load capacity
- Delivery in practical take-away packaging



Fixing screw for easy assembly

also available with a lid



Product	without lid	with lid
Order number	523600300	523600400

**Technical Data**

Overall width	39 cm	39 cm
Overall length	39 cm	39 cm
Height front	13,6 cm	15,3 cm
Height rear	15,1 cm	16,6 cm
Opening length	27,3 cm	27,3 cm
Opening width	20,3 cm	20,3 cm
Total weight	1,44 kg	1,71 kg
Max. Load	225 kg	225 kg

## Wheeled commode TRS 200 XXL

- Wide and stable wheeled commode for maximum requirements
- Parking brake on the rear casters
- Fold-down armrests simplify transfer
- Stable, folding, and removable footrests
- With receptacle as standard



With integrated cover plate



Adjustable footrest



Bucket with odor trap



## Rollator GoLite 200 XXL

Safety and mobility even with heavy loads

- Wide and stable rollator for maximum requirements
- Extra-large and soft seat surface offers comfort
- Cushioned, removable back support bar
- Dual-function brake (for braking and parking)
- Ergonomic, height-adjustable handles



Large seat surface with backrest



Mountable basket with tray



Product	TRS 200 XXL
Order number	530200000
<b>Technical Data</b>	
Overall width	72 cm
Overall length	96 cm
Overall height	98 cm
Seat width x Seat depth	56 cm x 42 cm
Seat height	52 cm
Footrest adjustment	42 - 57 cm
Clearance height	44 cm
Total weight	15,3 kg
Max. Load	200 kg

Product	GoLite 200 XXL
Order number	770100100
<b>Technical Data</b>	
Overall length x Overall width	71 cm x 78 cm
Handle height	88 - 99,5 cm
Seat width x Seat depth	46 cm x 35 cm
Seat height	57 cm
Width between handles	56 cm
Folding Dimensions	22 x 78 x 90 cm
Weight	12,7 kg
Max. Load	200 kg

## Standard-Rollstuhl Rotec XL

- Simple and continuous adjustment from short to long armrests
- Footrests adjustable in five steps
- Wheelbase extension possible
- Back cover height-adjustable for optimal sitting position
- Hand grips for the escort are height-adjustable
- With double cross strut for increased safety
- Optionally available with drum brake



Tool-free adjustment



Height-adjustable handles



Seat can be adjusted in three heights



Product	Rotec XL		
Seat width	51 cm	56 cm	61 cm
without drum brake	900100850	900100900	900100950
with drum brake	900150850	900150900	900150950
Overall width wo. / w. DB	71 / 73 cm	76 / 78 cm	81 / 80 cm
Total weight	22,2 kg	23 kg	23,5 kg

### Technical Data Allgemein

Overall length	107 cm
Overall height	95 - 107,5 cm
Seat depth	47 cm
Seat height	51 - 56 cm
Backrest height	43,5 - 50 cm
Footrest adjustment	39 - 48 cm
Folded width	30 cm
Max. Load	190 kg

## Wheelchair Senta XXL

- Abnehmbare und schwenkbare Beinstützen
- Hochschwenkbare Aluminium- Fußplatten mit Fersenbändern
- PU- Lenkrad, 200 x 50 mm
- Verstärkte 24“ PU-Antriebsräder
- Abnehmbare Armlehnen
- Sitzfläche und Rücken aus pflegeleichtem Nylon
- Optional mit Scheibenbremse für Begleitperson erhältlich



Reinforced cross brace



Reinforced front wheel bracket



Chrome-plated components



Product	Senta XXL	
Seat width	71 cm	76 cm
with disc brake	STD28DDA-DB	STD30DDA-DB
with disc brake	STD28DDA-SF	STD30DDA-SF
Overall width	94 cm	99 cm
Total weight	46 kg	46,5 kg

### Technical Data Allgemein

Overall length	119 cm
Overall height	99 cm
Seat depth	50 cm
Seat height	48 - 50 cm
Backrest height	46 cm
Footrest adjustment	40 - 48 cm
Folded width	33 cm
Max. Load	320 kg

# Heavy-Duty Wheelchair

## Bariatric Sentra EC

- Carbon Steel frame with triple-coated chrome for an attractive, chip-proof, maintainable finish
- Double embossed vinyl upholstery is durable, lightweight, attractive and easy-to-clean
- Standard dual axle provides easy transition of seat to hemi-level
- Urethane tires mounted on composite wheels provide durability and low maintenance

- Chrome hand rims standard
- 8" front casters, adjustable in three positions
- Padded armrests provide additional comfort
- Comes with swing-away footrests or elevating leg rests with tool-free adjustable length riggings
- Aluminum foot plates
- Comes with push-to-lock wheel locks



**DESIGNED TO  
PROVIDE A  
COMFORTABLE,  
MOBILITY  
EXPERIENCE FOR  
THE BARIATRIC  
USER**



Reinforced cross brace



Reinforced front wheel bracket folded



Product	Bariatric Sentra EC		
Seat width	51 cm	56 cm	61 cm
with Detachable Desk Arm and ELR	STD20ECDDAHD-ELR	STD22ECDDA-ELR	STD24ECDDA-ELR
with Detachable Desk Arm and Swing Away Footrest	STD20ECDDA-SF	STD22ECDDA-SF	STD24ECDDA-SF

Technical Data	Seat 51 cm	Seat 56 cm	Seat 61 cm
Overall length	107 cm	107 cm	107 cm
Overall width	71 cm	76 cm	81 cm
Overall height	91 cm	91 cm	91 cm
Seat depth	46 cm	46 cm	46 cm
Seat height	44,5 - 50 cm	44,5 - 50 cm	44,5 - 50 cm
Backrest height	40 cm / 46 cm	40 cm / 46 cm	40 cm / 46 cm
Width Closed	32 cm	32 cm	32 cm
Total weight	25,4 kg	25,8 kg	26,3 kg
Max. Load	204 kg	204 kg	204 kg

## One button folding Walker

- Lightweight walking frame
- Made from sturdy yet lightweight aluminium
- Vinyl contoured hand grips for added comfort
- Offers maximum stability and light weight at the same time
- Can be used indoors and outdoors
- Height adjustable to suit user requirements



move along  
with the user

Collapsible



Product	One button folding Walker
Order number	WA014-30
Technical Data	
Overall width	50 cm
Overall depth	50 cm
Overall height	81 - 99 cm
Total weight	3 kg
Max. Load	180 kg

## Walker Grand XL

- Rigid walking frame for maximum requirements
- The unique U-shape of the design enables greater mobility
- Wide, robust frame made of 2.5 cm anodized aluminum tube
- Offers maximum stability and light weight at the same time
- Can be used indoors and outdoors
- Space-saving folding by releasing the two locks



Height-adjusta-  
ble legs      Secure locking  
mechanism



Product	Grand XL
Order number	10220HD
Technical Data	
Overall length x Overall width x Overall height	52,5 x 62 x 82 - 100 cm
Width between handles	52,5 cm
Folding Dimensions	62 x 19 x 82 cm
Total weight	3,5 kg
Max. Load	245 kg

## Folding Walking Frame

- The ideal travel companion for car, plane, and train
- Designed specifically for use indoors
- Stable, comfortable, and fits through any door
- Immediately ready to use and accompanies you wherever you want
- The enclosed handy carrying bag offers sufficient space
- With a total weight of just 3.6 kg, ideal as hand baggage
- Folded in just a few easy steps
- Ensures maximum mobility



## Folding Walking Frame

- Rigid, stable aluminum walking frame
- Ideal for safe walking
- Space-saving folding at the touch of a button
- Height adjustment enables optimal adaptation to the user
- No slipping thanks to rubber caps on the legs
- Low weight
- Can be used over the toilet bowl



Product	Walking Frame
---------	---------------

Order number	WA008
--------------	-------

**Technical Data**

Overall width	56 cm
Overall depth	43 cm
Overall height	81 - 99 cm
Total weight	3 kg
Max. Load	180 kg

Product	with wheels
---------	-------------

Order number	WA009
--------------	-------

**Technical Data**

Overall width	65 cm
Overall depth	46 cm
Overall height	80 - 98 cm
Total weight	3 kg
Max. Load	180 kg

## Walker Grand XL

- Rigid walking frame for maximum requirements
- The unique U-shape of the design enables greater mobility
- Wide, robust frame made of 2.5 cm anodized aluminum tube
- Offers maximum stability and light weight at the same time
- Can be used indoors and outdoors
- Space-saving folding by releasing the two locks



Height-adjustable legs



Safety latch



Product	Grand XL
Order number	10220HD
Technical Data	

Overall length	52,5 cm
Overall width	62 cm
Overall height	82 - 100 cm
Width between handles	52,5 cm
Folding Dimensions	62 x 19 x 82 cm
Total weight	3,5 kg
Max. Load	245 kg

## Quad Cane XL

- The quad cane offers maximum safety and ensures optimal stability
- The ergonomic hand grip sits comfortably and securely in the hand
- The height can be individually adjusted to the user
- Extra-reinforced base plate



Secure and optimal footing



Product	Quad cane XL
Order number	10316-4
Technical Data	
Handle height	76 - 100 cm
Total weight	1,2 kg
Max. Load	225 kg

## Wheelchair Pushing Aid PowerStroll HD

- Puncture-proof drive wheels
- Can be installed in just a few steps
- Suitable for almost all standard wheelchairs
- The charging time is eight hours with no risk of overcharging
- Clear and easy-to-use control
- Including telescopic bar (Item No. 960000043) suitable for wheelchairs with a seat width of 51 to 70 cm



## Scooter ST6

PREMIUM LINE



- Simple and intuitive operation of the multifunction display
- Charger (12 Ah) with readout function
- Powerful 800 W motor
- Volume adjustment of the acoustic signals via key combination on the display
- Individually adjustable deluxe captain's seat
- Full suspension of all wheels for optimal ride comfort and safety when driving over obstacles
- Supplied as standard with bumper



Multifunction display



Deluxe captain's seat

Product	without battery	with 80 Ah battery
anthracite	950100810	950100820
red	950100910	950100920

## Technical Data

Speed	15 km/h
Battery capacity 2x	80 Ah
Motor capacity / Peak power	800 W / 1600 W
Turning radius	186 cm
Gradeability	16 %
Clearance	11 cm
Front tires / hinten	3,5 - 8
Dimensions (LxBxH)	160 x 72 x 136 cm
Seat width x Seat depth	58 cm x 56 cm
Width between armrest	55 cm
Weight without battery	120 kg
Max. Load	180 kg

Product	PowerStroll
Order number	PWCPP011HD
<b>Technical Data</b>	
Overall length	41 cm
Overall width	25 cm
Speed	6 km/h
Range	16 km
Battery capacity 2x	12 Ah
Motor capacity	200 W
Gradeability	8 %
Weight battery	9,7 kg
Weight without battery	10,2 kg
Max. Load	180 kg

## Lift aid Novaltis

- Very compact and handy device for sit/stand transfer
- Ergonomic handle allowing an optimal position of the hands for pushing, whatever the size of the user
- Very smooth-running double ball bearing wheels Ø 75 mm
- Adjustable rubber heel straps
- High and thick double gutter leg rest cushion, adapting without adjustment to all patient profiles and absorbing movements during transfer



Product	Novaltis
Order number	SR2910000-EU
<hr/>	
Handle height	79 - 101 cm
Overall chassis width	61 cm
Overall chassis length	94 cm
Base height	90 cm
Internal leg spacing	54 - 81 cm
Total weight	39 kg
Max. Load	175 kg

## Patient Lift Casa Hoist

- The Casa Hoist is a lightweight and versatile lifting device for use when transferring individuals
- Easy manoeuvrability and access
- Lightweight frame is easy to move into position
- High lifting range and safe working load
- Ergonomic, user friendly handset



Product	UK Plug	EU Plug
Order number	18001BE	18001EUROBE
<hr/>		
Technical Data		
Length		115 cm
Height		183 cm
Closed width		59 cm
Open width		116 cm
Lifting range		47 - 183 cm
Total weight		35 kg
Max. Load		180 kg

## Patientenlifter Samsoft 175

- Versatile and powerful
- Can be broken down into two sections for easy transport and handling without tools
- Reinforced steel frame for maximum safety
- Large adjustment range of the chassis spread
- Easy and quick battery charging
- Supplied with a sling as standard, optionally in size M or L



Reinforced steel frame



Comes standard with a sling



Lock for chassis expansion



Product	Samsoft 175
Order number	SR2870000

### Technical Data

Abmessung (LxB)	133 x 63 cm
Height difference	55 cm - 173 cm
Expansion area	54 cm - 83 cm
Clearance	9 cm
Turning radius	144 cm
Total weight	38,4 kg
Max. Load	175 kg

## Patient Lifter Hermes

- Heavy-duty patient lifter, lifting capacity up to 250 kg
- Extra-reinforced steel frame
- Electric chassis spreading for effortless maneuvering
- Low base frame height for easy movement beneath furnishings
- Four-point transport frame with protective covering
- Manual emergency lowering
- Double, full-rubber casters, diameter 100 mm



Reinforced steel frame



Spreader bar for slings



Product	Hermes
Order number	SR2310000

### Technical Data

Abmessung (LxB)	136 x 74 cm
Height difference	51 cm - 177 cm
Expansion area	60 cm - 110 cm
Clearance	11,4 cm
Turning radius	300 cm
Total weight	57 kg
Max. Load	250 kg

## Alternating pressure system MED AIRE FlexWave

This mattress replacement system combines flexible user settings with maximum comfort,

- Sitting & care function plus static pressure-relief positioning
- Automatic cell pressure adjustment in case of patient position change
- Manual weight adjustment possible
- With intelligent, automatic start/stop
- Recommend as therapeutic support for all decubitus categories (1 to 4) and for prophylaxis in patients up to a very high-decubitus risk

\*For people who can change their lying position regularly themselves or with help



Cell-on-Cell



Comfort cover



CPR function



Product	MED AIRE FlexWave
Order number	8200000300

### Technical Data

#### Pump

Dimensions (WxDxH)	36 x 13,5 x 25 cm
Total weight	3,9 kg
Power Supply	230 V, 50 Hz
Input	25 W
Pressure range	10 - 50 mbar

#### Mattress

Dimensions (LxWxH)	200 x 88 x 20 cm
User weight	20 kg - 200 kg

## Hybrid mattress system

- The Hybrid-Power mattress combines the pressure redistribution properties of high specification foam, with alternating pressure relief.
- Cover can withstand a higher concentration of cleaning substances and offers greater resistance to abrasion
- High frequency welded seams protect against fluid ingress
- 360° zip to prolong longevity
- High specification foam combined with alternating cells
- Zonal mattress surface gives additional support to vulnerable
- NEW full width heel zone areas
- Recommend as therapeutic support for all decubitus categories (1 to 4) and for prophylaxis in patients up to a very high-decubitus risk

\*For people who can change their lying position regularly themselves or with help



Designated full width heel zone



Turning pillow



White inner substrate



Product	Hybrid Power
Order number	HYB/POWER

### Technical Data

#### Pump

Dimensions (WxDxH)	25,4 x 13 x 9,5 cm
Total weight	2,5 kg
Power Supply	220 - 240 V, 50 - 60 Hz, 0,25 A
Input	16 W
Operating cycle	10 mins

#### Mattress

Dimensions (LxWxH)	198 x 88 x 16 cm
User weight	max. 254 kg


## Static foam mattress **GRAVIMED Baritexx**

- Lying area made of viscoelastic foam adapts to the body contour and weight; for optimal pressure relief and distribution with low temperature dependency
- Base and middle layer made of stabilizing HR foam
- Integrated cutting technology for increased lying comfort
- Recommend as therapeutic support for all decubitus categories (1 to 4) and for prophylaxis in patients up to a very high-decubitus risk


\*For people who can change their lying position regularly themselves or with help



Viscoelastic bed surface



3-layer mattress



Product	GRAVIMED Baritexx
200 x 90 cm	820100410
200 x 100 cm	820100420
200 x 120 cm	820100430
Other sizes on request	

Technical Data	
Overall height	16 cm
Density	RG: 50/60/60 kg <sup>3</sup>
Total weight	13 kg
User weight	80 kg - 250 kg

## Seat cushion **D-Q-SiT Air 10**


- Individually adjustable, therefore also suitable as a positioning seat cushion
- Recommend as therapeutic support for all decubitus categories (1 to 4) and for prophylaxis in patients up to a very high-decubitus risk
- Special D-Q SiT protect cover - for incontinence protection, reduced shear force, and optimal breathability
- Versatile seat cushion, available in 2 heights, optionally with 1 or 2 Valve
- Fits on virtually all standard, lightweight, and multi-function wheelchairs as well as care chairs

\*For people who can change their lying position regularly themselves or with help



D-Q-SiT Air 10	1 Chamber	2 Chamber
40 x 40 cm	820200410	820200610
40 x 45 cm	820200420	820200620
45 x 45 cm	820200430	820200630
45 x 50 cm	820200440	820200640
-		
Technical Data		D-Q-SiT Air 10
Overall height		10 cm
Weight		1,5 kg
Max. Load		200 kg

COME **TOGETHER**  
**DRIVE** TOGETHER



**DRIVE DEVILBISS / Bistrita – Romania**



**DDI / Mannheim – Germany**



**DDI / Tipton – UK**



**DDG / Isny/Allgäu – Germany**



**DRIVE DEVILBISS / Mumbai – India**



**DRIVE DEVILBISS / Castle Hill – Australia**



**LOCATIONS OF OUR SALES STAFF**



## **WE ARE HERE FOR YOU!**

Do you have any further questions  
or are interested in our products?

Just contact our

## **CUSTOMER SERVICE**



**Reha-Products Europe**  
[info@drivemedical.de](mailto:info@drivemedical.de)

**Respiratory Europe**  
[kontakt@devilbisshc.com](mailto:kontakt@devilbisshc.com)

**Export**  
[export@devilbisshc.com](mailto:export@devilbisshc.com)



## QUALITY ASSURANCE

### ONLY THE BEST FOR YOU

We do everything to make you feel safe. DRIVE DEVILBISS INTERNATIONAL guarantees that every one of its products has been tested and complies with the statutory regulations.

Excellent quality is based on many years of experience. Since the foundation of DRIVE DEVILBISS INTERNATIONAL, we have strived to continually further develop and improve our very high standard. We are constantly improving our methods of working and our products. And it shows. DRIVE DEVILBISS INTERNATIONAL has been tested and certified by independent inspectors.

We want to know that you are satisfied, because your trust is our most valuable commodity. At DRIVE MEDICAL you can experience quality at first hand.

### CERTIFICATION TO ISO 13485



Certifications create trust – and this is essential for medical products. The international standard EN ISO 13485 is the standard for quality management systems for medical products.

### QVH SEAL OF APPROVAL



Quality for you – inspected and approved. The QVH seal of approval is the visible sign that the defined requirements have been checked, verified and therefore also observed. You can rely on us. Those who wish to offer real quality must not make any compromises.

DRIVE DEVILBISS – Because your safety is paramount.

## INDEX

10L oxygen concentrator Compact	1025	104	Folding Walking Frame with wheels.	52
5L oxygen concentrator Compact	525	104	Full face Mask D150F	114
Accessories for Bath Lift Aquajoy		10	Full body comfort with head support	91
Accessories for Bath Lift Bellavita 2G		9	Grab Bar Safe	34
Accessories for Multitec		63	Heavy-Duty Wheelchair Bariatric Senta EC	67
Accessories for Nimbo		124	Hybrid Power	97
Accessories for Rollators, Wheelchairs and Scooter		64	Indoor-Rollator Roomba	43
Accessories for wheelchairs		60	Lightweight Rollator Gigo 2G	42
Accessories Rollators		49	Lightweight wheelchair Freetec	53
Accessories Scale for patient lift		85	Lightweight wheelchair Litec 2G	54
Accessories Transfer sling		85	Lightweight wheelchair Litec 2G Plus	55
Alternating pressure system MED AIRE DuoWave		96	Lumbar strap with high backrest for Novaltis	87
Alternating pressure system MED AIRE FlexWave		96	Mobile Shower Chair Uppingham Commode	22
Alternating pressure system MED AIRE Wave		97	Multifunctional wheelchair Multitec	62
Bath Bench Benny		13	Nasal Mask D100N	114
Bath Bench Benny XL		13	One button folding Walker	50
Bath Lift Aquajoy		10	Overbed table SuppliTo	86
Bath Lift Bellavita 2G		8	Overbed table SuppliTo twinTop	86
Bath Seat Bob		15	Oxygen Analyzer UltraMaxO2	106
Bath Seat Boby		15	Oxygen Filling Station iFill	107
Bath Step Sky		11	Patient Lift Hermes	88
Carrying Bag for Cylinder		107	Patient lift Novaltis	87
Child Bathing System Otter		122	Patient Lift Samsoft 175	88
Child's wheelchair Viper		125	Patient Lift Casa Hoist	89
Children Walking Aid Nimbo		124	Patient turner Ablestand	84
Commode Deluxe Drop Arm		31	Pneumatic Oxygen Conserver Bonsai	108
Commode TS 130		32	Portable Oxygen Concentrator iGo	105
Commode TSG 130		31	Portable Oxygen Concentrator iGo2	105
Compact Compressor Nebulizer AirForce Mini		110	Power Knot System Prosafe	61
Compatibility wheelchair accessories		58	Quad Cane L	70
Compressor Nebulizer AirForce One		110	Quad Cane M	70
CPAP / AutoAdjust SleepCube AutoPlus		111	Quad Cane XL	70
CPAP DeVilbiss Blue series		113	Raised Toilet Seat Ticco 2G/5	26
CPAP/S/AutoBiLevel SleepCube AutoBiLevel		112	Raised Toilet Seat Ticco 2G/10	26
CPAP/S/ST/T SleepCube BiLevel ST		112	Raised toilet seat Ticco 2G/15	27
Disposable Oxygen Conserver Oxymizer		108	Raised Toilet Seat TSE 100S	27
Double Adjustable Crutch		71	Raised Toilet Seat TSE 120	28
Electronic Oxygen Conserver Evolution		108	Raised Toilet Seat TSE 120 Plus	28
Fingertip Pulse Oximeter HbO-Smart		115	Raised Toilet Seat TSE 150	29
Folding Safety with fall protection		37	Reacher	118
Folding Shower Chair DKS 130		18	Rollator Cristallo <sup>2</sup>	41
Folding Walking Frame		52	Rollator Diamond Deluxe	48

# INDEX

Rollator GoLite 200 XXL .....	48	Standard Rollator Road .....	40
Rollator Nitro.....	47	Standard wheelchair Ecotec 2G .....	57
Rollator Nitro Carbon .....	46	Standard wheelchair Rotec .....	56
Rollator Nitro Carbon Twist.....	44	Standard-Rollstuhl Rotec XL .....	66
Rollator Nitro Twist .....	45	Static foam mattress GRAVIMED Baritexx.....	99
Rollator Torro .....	44	Static foam mattress GRAVIMED Multiflexx.....	98
Rollator Tri Walker.....	43	Static foam mattress GRAVIMED Protexx.....	98
Scooter BL270 Brio .....	78	Static foam mattress GRAVIMED Simplexx .....	99
Scooter BL270 Scout Air.....	78	Suction Cup Grab Bar Solido .....	34
Scooter BL350 Envoy.....	77	Suction Cup Grab Bar Solido T .....	34
Scooter ST4D 2G.....	76	Suction unit VacuAide 7305 .....	109
Scooter ST4D 2G Plus .....	76	Suction unit VacuAide QSU 7314.....	109
Scooter ST5D.....	75	Swivel and Transfer Aid Vitaturn L .....	12
Scooter ST5D Plus.....	75	Swivel cushion Vitaturn K.....	12
Scooter ST6 .....	74	Swiveling Bath Seat BEN.....	14
Seat cushion D-Q-SiT Air 6 / 10 .....	101	Swiveling Bath Seat BES 120 .....	14
Seat cushion D-Q-SiT Contour .....	100	Toilet Accessories .....	33
Seat cushion D-Q-SiT Duo .....	100	Toilet Lift Solo .....	29
Seat cushion D-Q-SiT Gel.....	101	Toilet sling with head support .....	91
Shower Chair DH 135 .....	20	Transfer aid and patient turner Ambiturn.....	84
Shower Chair DS 250.....	21	Transport Chair Expedition Plus.....	68
Shower Chair DSF 130 .....	19	Transport Chair Travelite .....	68
Shower Chair DSR 130.....	19	Transportstuhl D-Lite 12,5 .....	69
Shower Chair Duro KD .....	21	Transportstuhl D-Lite 24 .....	69
Shower Stool Delphi .....	16	Travel Walker Ready Set Go .....	51
Shower Stool Delphi 2 Plus.....	16	Tub rail.....	36
Shower Stool Delphi Plus.....	16	Umbrella Standard / Reverse .....	42
Shower Stool Delphi Turn .....	17	Underframe Bath support .....	123
Shower Stool Delta 150.....	17	Underframe Shower support .....	123
Shower Stool Dino .....	17	Universal sling comfort .....	90
Shower Stool DS 130.....	18	Universal sling comfort with head support .....	90
Shower Wheelchair Aston .....	23	Walker Gecko reciprocal .....	51
Shower Wheelchair Aston 24 .....	23	Walker Gecko rigid .....	51
Shower Wheelchair DuoMotion .....	24	Walker Grand XL .....	50
Shower Wheelchair DuoMotion 24 .....	24	Walking Cane HurryCane® .....	71
Shower Wheelchair DuoMotion 24 XL .....	25	Wheelchair Pushing Aid PowerStroll HD .....	65
Shower Wheelchair DuoMotion XL .....	25	Wheelchair Pushing Aid PowerStroll Standard .....	65
Sling In Chair Hammock Comfort .....	91	Wheelchair Sentra XXL.....	66
Sling Split Leg in Chair Hammock .....	91	Wheeled Commodes TRS 130 .....	32
Standard Lumbar Strap for Novaltis.....	87	Wheeled Commode TRS 200 XXL .....	33
Standard Rollator Cristallo .....	41		
Standard Rollator Migo 2G .....	40		



## DRIVE DEVILBISS INTERNATIONAL

---

### Drive Medical GmbH & Co. KG

Leutkircher Straße 44 • 88316 Isny / Allgäu  
T +49 7562 9724-0 • F +49 7562 9724-25  
info@drivedevilbiss.de  
[www.drivedevilbiss.de](http://www.drivedevilbiss.de)

### DeVilbiss Healthcare GmbH

Kamenzer Straße 3 • 68309 Mannheim • Germany  
T +49 621 178 98 0 • F +49 621 178 98 111  
kontakt@devilbisshc.com  
[www.drivedevilbiss-int.com](http://www.drivedevilbiss-int.com)



General Terms & Conditions apply and can be downloaded under [www.drivedevilbiss.de](http://www.drivedevilbiss.de).

Februar 2021 / Errors and alterations excepted  
WKAT2009EXP