

FastAPI Student Management System

1. What is CRUD in FastAPI?

CRUD in FastAPI stands for Create, Read, Update, and Delete operations.

It is used in web applications to manage data.

2. Why do we use the POST method for inserting data?

We use the POST method in FastAPI and other web APIs to insert or create new data on the server.

3. Difference between PUT and PATCH ?

PUT updates/replaces the entire resource, while PATCH updates only specific fields of the resource.

4. What is the path parameter?

A path parameter is a variable value passed inside the URL path to identify a specific resource.

5. What is the request body in FastAPI?

A request body in FastAPI is the data sent by the client to the server, usually in JSON format, to create or update resources.

6. Why do we use Pydantic models?

We use Pydantic models in FastAPI for data validation, type checking, and automatic JSON conversion.

7. What status code is returned for successful deletion?

The HTTP status code commonly returned for a successful deletion is 204 No Content.

8. How can we check whether a student exists before updating?

We can check whether a student exists by verifying the student ID before updating.

9. What happens if duplicate IDs are inserted?

If duplicate IDs are inserted, it can cause data conflicts, overwrite existing records, or make it difficult to uniquely identify students in FastAPI applications.

10. How does FastAPI automatically generate Swagger UI?

FastAPI automatically generates Swagger UI using the OpenAPI specification from your API routes and models. It provides interactive API documentation at /docs.

