

JHA / JSA Cover Sheet
Civil_Vendor

CIVIL VENDOR: Ericsson
PACE NUMBER: WSSFR0030924
FA LOCATION CODE: 10130083
USID: 99463

By uploading the attached JHA(s) / JSA(s) we are attesting the information to be truthful and accurate. The Tower Crew meets or exceeds all requirements of OSHA, EPA and other federal, state and local requirements for environmental, public health and safety as well as those stated in the contract.

GENERAL INFORMATION

SITE ID	CVL06326
ACTIVITY TYPE	JOB HAZARD ANALYSIS
ADDRESS	1010 MAIN STREET, SUSANVILLE, CA, 96130
LAT/LONG	40.417056 / -120.657611
CODE	
KEY LOCATION	<p>SPECIAL KEY NEEDED FOR AFTER HOURS<LF>ARRANGE FOR KEY PICK UP WITH RON MCDOLE 5305181277.</p> <p>SITE DIRECTIONS--SHARED FIXED GEN ON SITE. DO NOT DEPLOY PORTABLE GENERATOR THIS IS A FRONTIER CO<LF>CALL THE CONTRACTOR HELP DESK BEFORE ENTERING SITE @ 866-539-1483<LF>THE ADDRESS IS 1010 MAIN STREET. SUSANVILLE CA 96130.<LF>THE SITE IS LOCATED IN THE FRONTIER TELEPHONE C/O NEXT TO HIGH SCHOOL ON HWY 36. SITE LOCATED ON THE BOTTOM FLOOR OF FRONTIERS CO YOU ENTER FROM THE REAR PARKING AREA<LF>RX8030 5-16<LF><LF><LF><LF>NOTE: DO NOT ALLOW GATE TO FACILITY OR ANY BUILDING TO REMAIN UNLOCKED WHEN ACCESSING ACCESS CAUTION--SHARED FIXED GEN ON SITE. DO NOT DEPLOY PORTABLE GENERATOR THIS IS A FRONTIER CO<LF>SITE IS IN BASEMENT OF LOCAL TELEPHONE COMPANY FRONTIER CENTRAL OFFICE<LF><LF>ACCESS: RON,MITCH, STEVE HAVE 24 X 7 ACCESS THEY HAVE KEY (OPS/EMERGENCIES ONLY). <LF><LF>CONTRACTOR ACCESS TO SITE REQUIRES ADVANCE COORDINATION, 24-48 HRS NOTICE. CONTRACTORS ACCESS IS LIMITED TO SITE'S OPERATING HOURS. OPS TECHS ARE NOT AVAILABLE TO ESCORT NIGHT ACCESS. LEASE GUARANTEES "REASONABLE" ACCESS NOT 24/7. <LF><LF>CONTRACTORS/VENDORS SHOULD ALSO CALL TIM WATTS 530-251-4330 / TIM.WATTS@FTR.COM TO LET HIM KNOW ABOUT ACCESS (PER LEASE WE SHOULD NOTIFY LL IN ADVANCE).. AFTERHOURS ACCESS: <LF>CALL THE FRONTIER NOC AT 1-888-608-8029 (OPTION 4 FOR 'WEST' REGION; ZONE: 22).<LF><LF>THE FRONTIER LEASING CONTACT IS:<LF>MARY ANNE KOLB<LF>REAL ESTATE TRANSACTION SPECIALIST<LF>OFFICE (585) 777-7859 <LF>CELL (585) 978-6888<LF>FAX (585) 352-7222 <LF>MARYANNE.KOLB@FTR.COM<LF><LF>(UPDATED 11/8/17, AW8294) ACCESS DETAILS--SHARED FIXED GEN ON SITE. DO NOT DEPLOY PORTABLE GENERATOR THIS IS A FRONTIER CO<LF>***ANY WORK AT THIS SITE MUST BE PRE-ARRANGED ***ACCESS RON,MITCH HAVE 24 X 7 ACCESS THEY HAVE KEY (OPS WILL NOT ESCORT NIGHT ACCESS UNLESS SITE BONAFIDE EMERGENCY). CONTRACTOR ACCESS TO SITE REQUIRES 24 HRS NOTICE, ESCORT MAY BE REQUIRED. CONTRACTORS CALL TIM WATTS 530-251-4330 FOR ACCESS KEY COMMENTS--SPECIAL KEY NEEDED FOR AFTER HOURS<LF>ARRANGE FOR KEY PICK UP WITH RON MCDOLE 5305181277. PGDB KEY COMMENTS--ERICSSON</p>
SPECIAL INSTRUCTIONS	

RAN - EXTERNAL ALARM PORT INFO ON
CNU6326<CR><LF>HEALTH CHECK RUN ON 04/05/2017 AT
11:21:AM PDT

DRIVING DIRECTIONS

CHECK IN/OUT PROCESS

ACCESS NOTIFICATION / LANDLORD DETAILS

SHARED FIXED GEN ON SITE. DO NOT DEPLOY PORTABLE
GENERATOR THIS IS A FRONTIER CO***ANY WORK AT THIS
SITE MUST BE PRE-ARRANGED ***ACCESS RON,MITCH
HAVE 24 X 7 ACCESS THEY HAVE KEY (OPS WILL NOT
ESCORT NIGHT ACCESS UNLESS SITE BONAFIDE
EMERGENCY). CONTRACTOR ACCESS TO SITE REQUIRES
24 HRS NOTICE, ESCORT MAY BE REQUIRED.
CONTRACTORS CALL TIM WATTS 530-251-4330 FOR ACCESS

DATE SUBMITTED

2025-01-27 10:35:02

Ericsson Helpline (1-877-723-3576), Please use for any Health & Safety issues

HEALTH AND WELLBEING

IS A VSS SESSION PLANNED FOR TODAY OR HAS ONE
OCCURRED ALREADY FOR THE SITE? N/A

DO ALL MEMBERS OF THE TEAM APPEAR FIT TO
COMPLETE THE DAYS SCOPE OF WORK. YES

IS THERE SUFFICIENT HYDRATION SOURCES AVAILABLE?
(WATER, ELECTROLYTE POWDERS, ETC.) YES

DO YOU HAVE THE PPE REQUIRED FOR THE DAYS SCOPE? YES

JOB SPECIFICS

OFF-SITE EMERGENCY CONTACT SHAHROOZ TAEBIN

OFF-SITE EMERGENCY CONTACT PHONE +1 (949) 243-5510

EMERGENCY SERVICES (FD OR POLICE) PHONE (IF JOB
DOES NOT HAVE LOCAL 911 SERVICES) 911

IS THE SITE NAME, ADDRESS, LAT/LON AND ACCESS
INFORMATION CORRECT? (IF NO, PLEASE FIX UNDER SITE
INFORMATION) YES

NOC NOTIFIED YES

SITE STRUCTURE TYPE SELF SUPPORT TOWER

I CERTIFY NO PERSONS WILL BE WORKING AT HEIGHTS (6
ABOVE THE GROUND) ☒

FOR AT&T/TMO SA'S, ARE YOU MEETING THE MINIMUM
NWSA COMPLIANCE REQUIREMENTS FOR WORK YES

AT-HEIGHTS?

DESCRIBE YOUR SCOPE OF WORK FOR THE DAY AND HOW YOU WILL MITIGATE. PREP

ASSIGNED COMPANY (DO NOT EDIT HERE - WILL CAUSE SYNC ERROR) SENIORS AND JUNIORS

ARE YOU A SUBCONTRACTOR OF THE ABOVE COMPANY? NO

JOB SITE WORK / HAZARD IDENTIFICATION AND CONTROLS

WORKING AT HEIGHTS	<input type="checkbox"/>
NIGHT WORK	<input type="checkbox"/>
COLD STRESS	<input type="checkbox"/>
CONFINED SPACE	<input type="checkbox"/>
CUTTING DEVICES	<input type="checkbox"/>
ELECTRICAL	<input type="checkbox"/>
EME/RF	<input checked="" type="checkbox"/>
-HAZARD MITIGATED BY	RF MONITOR;PROCEDURE
FIBER OPTICS	<input type="checkbox"/>
FIRE HAZARD	<input checked="" type="checkbox"/>
-HAZARD MITIGATED BY	FIRE WATCH;FIRE EXTINGUISHER
CONSTRUCTION ZONE IDENTIFIED	<input type="checkbox"/>
GRINDING	<input type="checkbox"/>
HAZARDOUS MATERIALS	<input type="checkbox"/>
HEAT STRESS	<input type="checkbox"/>
HOIST / MATERIAL HANDLING	<input type="checkbox"/>
LADDERS	<input type="checkbox"/>
LOOSE OR CUT CABLING	<input type="checkbox"/>
MANUAL LIFTING	<input type="checkbox"/>
MOBILE CRANES	<input type="checkbox"/>
NOISE	<input type="checkbox"/>
OVERHEAD POWER LINES	<input type="checkbox"/>
OVERHEAD WORK	<input type="checkbox"/>
POWER / HAND TOOLS	<input type="checkbox"/>

RIGGING	<input type="checkbox"/>
SLIPS; TRIPS AND FALLS	<input type="checkbox"/>
SPECIAL OBSTRUCTIONS IN CLIMBING PATH	<input type="checkbox"/>
VEGETATION	<input type="checkbox"/>
VEHICLE TRAFFIC	<input type="checkbox"/>
WEATHER	<input type="checkbox"/>
WILDLIFE (TO INCLUDE EXCREMENT)	<input type="checkbox"/>
WORKING ON ROOF TOPS	<input type="checkbox"/>
ADEQUATE LIGHTING	<input type="checkbox"/>
SCAFFOLDS	<input type="checkbox"/>
EXCAVATION OR TRENCHING	<input type="checkbox"/>
HOT AND WARM SWAPS	<input type="checkbox"/>

ADDITIONAL HAZARDS

ADDITIONAL HAZARDS

TRAUMA CENTERS

HOSPITAL NAME	BANNER LASSEN MEDICAL CENTER
HOSPITAL ADDRESS	1800 SPRING RIDGE DRIVE, SUSANVILLE, CA 96130
DIRECTIONS TO HOSPITAL	DISTANCE: 2.8 MI DURATION: 7 MINS HEAD SOUTHWEST TOWARD S WEATHERLOW ST TURN RIGHT ONTO S WEATHERLOW ST TURN RIGHT ONTO MAIN ST PASS BY NAPA AUTO PARTS - LASSEN MOTOR PARTS (ON THE LEFT IN 0.2 MI) TURN LEFT ONTO CA-139 N/ASH ST CONTINUE TO FOLLOW CA-139 N TURN RIGHT ONTO SPRING RIDGE DR TURN RIGHT
-	

PRE-JOB CHECKLIST

ARE SAFETY AND WARNING SIGNS POSTED ON SITE?	YES
ARE THE APPROPRIATE FIRST AID INDIVIDUALS ON SITE WITH A VALID FIRST-AID KIT? (AT LEAST ONE CPR/FIRST AID/BBP)	YES
HAS THE CREW COMPLETED A STRETCH AND FLEX EXERCISE(S)?	YES
MINIMUM 5 LBS ABC FIRE EXTINGUISHERS ON SITE FOR THE WORK BEING COMPLETED ALONG WITH MONTHLY	YES

AND ANNUAL INSPECTION.

ALL HAND AND POWER TOOLS HAVE BEEN INSPECTED BY
A COMPETENT PERSON AND ARE IN GOOD WORKING
CONDITION? YES

ARE TOOL TETHERS AVAILABLE AND IN PLACE FOR ALL
EMPLOYEES PRIOR TO WORKING AT HEIGHTS? YES

NOTES / GENERAL COMMENTS:

ATTACHMENT(S): ☐

MEWP/AWP CHECKLIST

GIN POLE CHECKLIST

ROOF TOP CHECKLIST

IS ANY WORK BEING PERFORMED ON A ROOFTOP? NO

STRUCTURAL CHECK

FALL PROTECTION

SITE SPECIFIC RESCUE PLAN

WORK IS TAKING PLACE AT AN ELEVATED LOCATION? NO

THE APPROPRIATE RESCUE INDIVIDUALS ARE ON SITE? YES

DOES THE EQUIPMENT ONSITE ALIGN WITH YOUR RESCUE
PROCESS AND WRITTEN PLAN? YES

THE RESCUE EQUIPMENT HAS BEEN INSPECTED TO
CONFIRM PROPER WORKING CONDITION. YES

THE RESCUE PLAN IS GOOD FOR THE COMPLETE JOB?
YOUR DETAILED RESCUE PLAN IS REQUIRED IN THE
COMMENTS BOX OF THIS SECTION. YES

METHOD & EQUIPMENT USED OTHER;EMERGENCY SERVICES

PROVIDE DETAILED SPECIFICS OF YOUR RESCUE OR
EMERGENCY PLAN HERE (NAME OF CLIMBER, POSITION
WHERE THEY WILL BE IN RELATION TO VICTIM?, WHENRE
WILL THEY TIE OFF TO IN RELATION TO THE VICTIM? HOW
ILL THEY REACH THE VICTIM?, HOW WILL THEY SECURE
THE VICTIM?. LOCAL FIRE DEPARTMENT

RIGGING

ARE YOU PERFORMING ANY RIGGING TODAY? NO

ELD (Roosterhead) CHECKLIST

WORK SITE WEATHER CONDITIONS

WEATHER BUTTON

CURRENT TEMPERATURE F° 16

FORECAST HI TEMPERATURE F° 45

FORECAST LOW TEMPERATURE F° 16

CURRENT WIND SPEED(MPH) 2

MAX WIND SPEED PREDICTED(MPH) 4

CHANCE OF PRECIPITATION NO

APPLICATION USED FOR FORECAST WEATHERSTACK

NOTES (TIMES ARE IN 24HR FORMAT) UV INDEX: 0% - LOW EXPOSURE. WEATHERSTACK
SUPPLIED LOCATION: SUSANVILLE, CALIFORNIA
CONDITIONS: SUNNY TIME OF GREATEST SUSTAINED WIND:
1500 WITH WIND GUSTS UP TO 7 MPH.

ON SITE PERSONS

JHA_TOWER_CLIMB__C

NAME KADLEC, STEPHEN (SENIORS AND JUNIORS)

ASSIGNMENT NON-CLIMBER - GROUND/CIVILS

NWSA CERT# (IF CERTIFIED)

CHECK ALL THAT APPLIES PPE;SAFETY BRIEFING;NO CLIMBING;BUCKET TRUCK
OPERATOR;FIRST AID CURRENT

SIGNATURE

DATE 2025-01-27 10:34:59

NAME SAMIMI, SHERVIN (S&J)

ASSIGNMENT NON-CLIMBER - GROUND/CIVILS

NWSA CERT# (IF CERTIFIED)

CHECK ALL THAT APPLIES PPE;SAFETY BRIEFING;NO CLIMBING;BUCKET TRUCK
OPERATOR;FIRST AID CURRENT

SIGNATURE

DATE

2025-01-27 10:34:02

NAME

GONZALES, MARCOS - ZROGAMN (SENIORS AND JUNIORS)

ASSIGNMENT

NON-CLIMBER - GROUND/CIVILS

NWSA CERT# (IF CERTIFIED)

CHECK ALL THAT APPLIES

PPE;SAFETY BRIEFING;NO CLIMBING;BUCKET TRUCK
OPERATOR;FIRST AID CURRENT

SIGNATURE

DATE

2025-01-27 10:34:30