

JHA / JSA Cover Sheet
Civil_Vendor

CIVIL VENDOR: Ericsson
PACE NUMBER: WSSFR0030924
FA LOCATION CODE: 10130083
USID: 99463

By uploading the attached JHA(s) / JSA(s) we are attesting the information to be truthful and accurate. The Tower Crew meets or exceeds all requirements of OSHA, EPA and other federal, state and local requirements for environmental, public health and safety as well as those stated in the contract.

GENERAL INFORMATION

SITE ID	CVL06326
ACTIVITY TYPE	JOB HAZARD ANALYSIS
ADDRESS	1010 MAIN STREET, SUSANVILLE, CA, 96130
LAT/LONG	40.417056 / -120.657611
CODE	
KEY LOCATION	SPECIAL KEY NEEDED FOR AFTER HOURS<LF>ARRANGE FOR KEY PICK UP WITH RON MCDOLE 5305181277. SITE DIRECTIONS--SHARED FIXED GEN ON SITE. DO NOT DEPLOY PORTABLE GENERATOR THIS IS A FRONTIER CO<LF>CALL THE CONTRACTOR HELP DESK BEFORE ENTERING SITE @ 866-539-1483<LF>THE ADDRESS IS 1010 MAIN STREET. SUSANVILLE CA 96130.<LF>THE SITE IS LOCATED IN THE FRONTIER TELEPHONE C/O NEXT TO HIGH SCHOOL ON HWY 36. SITE LOCATED ON THE BOTTOM FLOOR OF FRONTIERS CO YOU ENTER FROM THE REAR PARKING AREA<LF>RX8030 5-16<LF><LF><LF><LF>NOTE: DO NOT ALLOW GATE TO FACILITY OR ANY BUILDING TO REMAIN UNLOCKED WHEN ACCESSING ACCESS CAUTION--SHARED FIXED GEN ON SITE. DO NOT DEPLOY PORTABLE GENERATOR THIS IS A FRONTIER CO<LF>SITE IS IN BASEMENT OF LOCAL TELEPHONE COMPANY FRONTIER CENTRAL OFFICE<LF><LF>ACCESS: RON,MITCH, STEVE HAVE 24 X 7 ACCESS THEY HAVE KEY (OPS/EMERGENCIES ONLY). <LF><LF>CONTRACTOR ACCESS TO SITE REQUIRES ADVANCE COORDINATION, 24-48 HRS NOTICE. CONTRACTORS ACCESS IS LIMITED TO SITE'S OPERATING HOURS. OPS TECHS ARE NOT AVAILABLE TO ESCORT NIGHT ACCESS. LEASE GUARANTEES "REASONABLE" ACCESS NOT 24/7. <LF><LF>CONTRACTORS/VENDORS SHOULD ALSO CALL TIM WATTS 530-251-4330 / TIM.WATTS@FTR.COM TO LET HIM KNOW ABOUT ACCESS (PER LEASE WE SHOULD NOTIFY LL IN ADVANCE).. AFTERHOURS ACCESS: <LF>CALL THE FRONTIER NOC AT 1-888-608-8029 (OPTION 4 FOR 'WEST' REGION; ZONE: 22).<LF><LF>THE FRONTIER LEASING CONTACT IS:<LF>MARY ANNE KOLB<LF>REAL ESTATE TRANSACTION SPECIALIST<LF>OFFICE (585) 777-7859 <LF>CELL (585) 978-6888<LF>FAX (585) 352-7222 <LF>MARYANNE.KOLB@FTR.COM<LF><LF>(UPDATED 11/8/17, AW8294) ACCESS DETAILS--SHARED FIXED GEN ON SITE. DO NOT DEPLOY PORTABLE GENERATOR THIS IS A FRONTIER CO<LF>***ANY WORK AT THIS SITE MUST BE PRE-ARRANGED ***ACCESS RON,MITCH HAVE 24 X 7 ACCESS THEY HAVE KEY (OPS WILL NOT ESCORT NIGHT ACCESS UNLESS SITE BONAFIDE EMERGENCY). CONTRACTOR ACCESS TO SITE REQUIRES 24 HRS NOTICE, ESCORT MAY BE REQUIRED. CONTRACTORS CALL TIM WATTS 530-251-4330 FOR ACCESS KEY COMMENTS--SPECIAL KEY NEEDED FOR AFTER HOURS<LF>ARRANGE FOR KEY PICK UP WITH RON MCDOLE 5305181277. PGDB KEY COMMENTS--ERICSSON
SPECIAL INSTRUCTIONS	

RAN - EXTERNAL ALARM PORT INFO ON
CNU6326<CR><LF>HEALTH CHECK RUN ON 04/05/2017 AT
11:21:AM PDT

DRIVING DIRECTIONS

CHECK IN/OUT PROCESS

ACCESS NOTIFICATION / LANDLORD DETAILS

SHARED FIXED GEN ON SITE. DO NOT DEPLOY PORTABLE
GENERATOR THIS IS A FRONTIER CO***ANY WORK AT THIS
SITE MUST BE PRE-ARRANGED ***ACCESS RON,MITCH
HAVE 24 X 7 ACCESS THEY HAVE KEY (OPS WILL NOT
ESCORT NIGHT ACCESS UNLESS SITE BONAFIDE
EMERGENCY). CONTRACTOR ACCESS TO SITE REQUIRES
24 HRS NOTICE, ESCORT MAY BE REQUIRED.
CONTRACTORS CALL TIM WATTS 530-251-4330 FOR ACCESS

DATE SUBMITTED

2025-03-23 08:10:04

Ericsson Helpline (1-877-723-3576), Please use for any Health & Safety issues

HEALTH AND WELLBEING

IS A VSS SESSION PLANNED FOR TODAY OR HAS ONE
OCCURRED ALREADY FOR THE SITE?

N/A

DO ALL MEMBERS OF THE TEAM APPEAR FIT TO
COMPLETE THE DAYS SCOPE OF WORK.

YES

IS THERE SUFFICIENT HYDRATION SOURCES AVAILABLE?
(WATER, ELECTROLYTE POWDERS, ETC.)

YES

DO YOU HAVE THE PPE REQUIRED FOR THE DAYS SCOPE? YES

JOB SPECIFICS

OFF-SITE EMERGENCY CONTACT

SHAHROOZ TAEBIN

OFF-SITE EMERGENCY CONTACT PHONE

+1 (949) 243-5510

EMERGENCY SERVICES (FD OR POLICE) PHONE (IF JOB
DOES NOT HAVE LOCAL 911 SERVICES)

911

IS THE SITE NAME, ADDRESS, LAT/LON AND ACCESS
INFORMATION CORRECT? (IF NO, PLEASE FIX UNDER SITE
INFORMATION)

YES

NOC NOTIFIED

YES

SITE STRUCTURE TYPE

SELF SUPPORT TOWER

I CERTIFY NO PERSONS WILL BE WORKING AT HEIGHTS (6
ABOVE THE GROUND) ☐

FOR AT&T/TMO SA'S, ARE YOU MEETING THE MINIMUM
NWSA COMPLIANCE REQUIREMENTS FOR WORK

YES

AT-HEIGHTS?

-USING AN MEWP	NO
-USING A GINPOLE / ELD	NO

DESCRIBE YOUR SCOPE OF WORK FOR THE DAY AND HOW YOU WILL MITIGATE.

INSTALL NEW RAYCAP AND POWER TRUNKS

ASSIGNED COMPANY (DO NOT EDIT HERE - WILL CAUSE SYNC ERROR)

SENIORS AND JUNIORS

ARE YOU A SUBCONTRACTOR OF THE ABOVE COMPANY?	NO
---	----

JOB SITE WORK / HAZARD IDENTIFICATION AND CONTROLS**WORKING AT HEIGHTS**

-HAZARD REMOVED BY:

FP EQUIPMENT

NIGHT WORK**COLD STRESS****CONFINED SPACE****CUTTING DEVICES**

-HAZARD MITIGATED BY

GLOVES;PROPER TOOL

ELECTRICAL**EME/RF**

-HAZARD MITIGATED BY

RF MONITOR

FIBER OPTICS**FIRE HAZARD****CONSTRUCTION ZONE IDENTIFIED****GRINDING****HAZARDOUS MATERIALS****HEAT STRESS****HOIST / MATERIAL HANDLING**

-HAZARD MITIGATED BY

LOAD SECURED

LADDERS**LOOSE OR CUT CABLING**

-HAZARD MITIGATED BY

REMOVED;SECURED TO PREVENT FALLING

MANUAL LIFTING

-HAZARD MITIGATED BY

ASSISTANCE;BODY POSITIONING

MOBILE CRANES**NOISE**

OVERHEAD POWER LINES	☐
OVERHEAD WORK -HAZARD MITIGATED BY	☒ HARD HATS;SIGNAGE;DROP ZONE IDENTIFIED
POWER / HAND TOOLS -HAZARD MITIGATED BY	☒ HAND PROTECTION;INSPECTION
RIGGING	☐
SLIPS; TRIPS AND FALLS -HAZARD MITIGATED BY	☒ HOUSEKEEPING
SPECIAL OBSTRUCTIONS IN CLIMBING PATH	☐
VEGETATION	☐
VEHICLE TRAFFIC	☐
WEATHER	☐
WILDLIFE (TO INCLUDE EXCREMENT)	☐
WORKING ON ROOF TOPS	☐
ADEQUATE LIGHTING	☐
SCAFFOLDS	☐
EXCAVATION OR TRENCHING	☐
HOT AND WARM SWAPS	☐

ADDITIONAL HAZARDS

ADDITIONAL HAZARDS

TRAUMA CENTERS

HOSPITAL NAME	BANNER LASSEN MEDICAL CENTER
HOSPITAL ADDRESS	1800 SPRING RIDGE DRIVE, SUSANVILLE, CA 96130
DIRECTIONS TO HOSPITAL	DISTANCE: 2.8 MI DURATION: 7 MINS HEAD SOUTHWEST TOWARD S WEATHERLOW ST TURN RIGHT ONTO S WEATHERLOW ST TURN RIGHT ONTO MAIN ST PASS BY NAPA AUTO PARTS - LASSEN MOTOR PARTS (ON THE LEFT IN 0.2 MI) TURN LEFT ONTO CA-139 N/ASH ST CONTINUE TO FOLLOW CA-139 N TURN RIGHT ONTO SPRING RIDGE DR TURN RIGHT
-	

PRE-JOB CHECKLIST

ARE SAFETY AND WARNING SIGNS POSTED ON SITE?	YES
ARE THE APPROPRIATE FIRST AID INDIVIDUALS ON SITE WITH A VALID FIRST-AID KIT? (AT LEAST ONE CPR/FIRST AID/BBP)	YES
HAS THE CREW COMPLETED A STRETCH AND FLEX EXERCISE(S)?	YES
MINIMUM 5 LBS ABC FIRE EXTINGUISHERS ON SITE FOR THE WORK BEING COMPLETED ALONG WITH MONTHLY AND ANNUAL INSPECTION.	YES
ALL HAND AND POWER TOOLS HAVE BEEN INSPECTED BY A COMPETENT PERSON AND ARE IN GOOD WORKING CONDITION?	YES
ARE TOOL TETHERS AVAILABLE AND IN PLACE FOR ALL EMPLOYEES PRIOR TO WORKING AT HEIGHTS?	YES
NOTES / GENERAL COMMENTS:	
ATTACHMENT(S):	☐

MEWP/AWP CHECKLIST

GIN POLE CHECKLIST

ROOF TOP CHECKLIST

IS ANY WORK BEING PERFORMED ON A ROOFTOP?	NO
---	----

STRUCTURAL CHECK

DOES THE STRUCTURE APPEAR TO BE SOUND AND IT IS SAFE TO CONTINUE WORK?	YES
IF STRUCTURE HAS GUY WIRES, WERE THE GUY WIRES AND ANCHORS, ALONG WITH PLUMB VISUALLY INSPECTED?	N/A
VISUALLY INSPECT THE INTEGRITY OF THE CLIMBING LADDER?	YES
ALL SECTOR FRAMES, ANTENNA BOOMS, OR EQUIPMENT MOUNTS HAVE BEEN ASSEMBLED AS PER THE MANUFACTURER'S INSTRUCTIONS OR APPROVED?	YES
VISUALLY INSPECT THE FIXED SAFETY CLIMB SYSTEM? (IF IT IS A CABLE, MANUALLY LOAD TEST BEFORE USING)	YES
-BOTTOM ANCHORAGE INSPECTED	YES
-CABLE INSPECTED	YES
-CABLE TENSION INSPECTED	YES
-TOP ANCHORAGE INSPECTED (VISUAL INSPECTION FROM	

GROUND)	YES
-NAME OF PERSON INSPECTING THE SAFETY CABLE	SERGIO MALDONADO

FALL PROTECTION

ALL FALL HAZARDS THAT HAVE BEEN IDENTIFIED HAVE CONTROLS IN PLACE PRIOR TO STARTING WORK?	YES
---	-----

HAS EACH EMPLOYEE INSPECTED HIS OR HER FALL PROTECTION EQUIPMENT?	YES
---	-----

IF USING CONTROLLED DESCENT SYSTEM, HAVE ALL COMPONENTS BEEN INSPECTED? (MAKE SURE TO CHECK THEM OFF BELOW)	N/A
---	-----

COMPONENTS BEEN INSPECTED? (MAKE SURE TO CHECK THEM OFF BELOW)	YES
--	-----

PLEASE LIST THE ANCHOR POINTS	TOWER LEG OR CROSS MEMBER
-------------------------------	---------------------------

HAVE DROP ZONES BEEN ADDRESSED AND A PLAN IN PLACE TO PREVENT DROPPED OBJECTS?	N/A
--	-----

DEVICE - SYSTEM USED & INSPECTED	HARNESS;Y-LANYARD
----------------------------------	-------------------

SITE SPECIFIC RESCUE PLAN

WORK IS TAKING PLACE AT AN ELEVATED LOCATION?	YES
---	-----

THE APPROPRIATE RESCUE INDIVIDUALS ARE ON SITE?	YES
---	-----

DOES THE EQUIPMENT ONSITE ALIGN WITH YOUR RESCUE PROCESS AND WRITTEN PLAN?	YES
--	-----

THE RESCUE EQUIPMENT HAS BEEN INSPECTED TO CONFIRM PROPER WORKING CONDITION.	YES
--	-----

THE RESCUE PLAN IS GOOD FOR THE COMPLETE JOB? YOUR DETAILED RESCUE PLAN IS REQUIRED IN THE COMMENTS BOX OF THIS SECTION.	YES
--	-----

METHOD & EQUIPMENT USED	MANUAL ROPE SYSTEM
-------------------------	--------------------

PROVIDE DETAILED SPECIFICS OF YOUR RESCUE OR EMERGENCY PLAN HERE (NAME OF CLIMBER, POSITION WHERE THEY WILL BE IN RELATION TO VICTIM?, WHENRE WILL THEY TIE OFF TO IN RELATION TO THE VICTIM? HOW ILL THEY REACH THE VICTIM?, HOW WILL THEY SECURE THE VICTIM?.	CALL 911 TAKE RESCUE EQUIPMENT UP BRING THE INJURED PERSON DOWN PROVIDE FIRST AID IF NEEDED WAIT FOR HELP
---	---

RIGGING

ARE YOU PERFORMING ANY RIGGING TODAY?	NO
---------------------------------------	----

ELD (Roosterhead) CHECKLIST

WORK SITE WEATHER CONDITIONS

WEATHER BUTTON	
CURRENT TEMPERATURE F°	34
FORECAST HI TEMPERATURE F°	63
FORECAST LOW TEMPERATURE F°	25
CURRENT WIND SPEED(MPH)	2
MAX WIND SPEED PREDICTED(MPH)	3
CHANCE OF PRECIPITATION	NO
APPLICATION USED FOR FORECAST	WEATHERSTACK
NOTES (TIMES ARE IN 24HR FORMAT)	UV INDEX: 0% - LOW EXPOSURE. WEATHERSTACK SUPPLIED LOCATION: SUSANVILLE, CALIFORNIA CONDITIONS: SUNNY TIME OF GREATEST SUSTAINED WIND: 1300 WITH WIND GUSTS UP TO 3 MPH.

ON SITE PERSONS

JHA_TOWER_CLIMB__C	
NAME	MALDONADO, SERGIO - ZRAMLSE (SENIORS AND JUNIORS)
ASSIGNMENT	CLIMBER
NWSA CERT# (IF CERTIFIED)	
CHECK ALL THAT APPLIES	INSPECT FALL PROTECTION EQUIPMENT;RESCUE TRAINED;FIRST AID CURRENT;INSPECT PPE BEFORE USE;PPE;SAFETY BRIEFING COMPLETED
SIGNATURE	
DATE	2025-03-23 08:09:36
NAME	MARTINEZ VEGA - INACTIVE, LUIS ANGEL (SENIORS AND JUNIORS)
ASSIGNMENT	NON-CLIMBER - GROUND/CIVILS
NWSA CERT# (IF CERTIFIED)	2320005771
CHECK ALL THAT APPLIES	PPE;SAFETY BRIEFING;NO CLIMBING;FIRST AID CURRENT
SIGNATURE	
DATE	2025-03-23 08:08:33
NAME	BAUTISTA, ABELINO (SENIORS AND JUNIORS)

ASSIGNMENT

NWSA CERT# (IF CERTIFIED)

CHECK ALL THAT APPLIES

SIGNATURE

DATE

RESCUER

INSPECT FALL PROTECTION EQUIPMENT;RESCUE
TRAINED;FIRST AID CURRENT;INSPECT PPE BEFORE
USE;PPE;SAFETY BRIEFING COMPLETED

2025-03-23 08:09:59