

International Research Journal of Modernization in Engineering Technology and Science (Peer-Reviewed, Open Access, Fully Refereed International Journal)

Volume:06/Issue:01/Jauuary-2024

Impact Factor- 7.868

www.irjmets.com

SYNERGISTIC INTEGRATION OF MACHINE LEARNING AND DEEP LEARNING TECHNIQUES FOR CROP YIELD PREDICTION AND DISEASE MANAGEMENT

Mrs. Ramyavathsala CV*1, P. Ramanjaneyulu*2, V. Abhichandra*3, V. Nikhil Koushik*4, C. Bhanu Prakash Reddy*5, Y. Pavan Kumar*6

*1 Assistant Professor(G1) Presidency University, India.

*2,3,4,5,6CST, Presidency University, India.

ABSTRACT

The Crop Recommendation and Protection Management System detailed in this research introduces a cutting-edge approach to agricultural decision-making, leveraging advanced Machine Learning (ML) and Deep Learning (DL) methodologies. The system, divided into two key modules, prioritizes unbiased crop selection and efficient disease identification for optimal agricultural outcomes.

In the Crop Recommendation Module, a meticulously curated dataset obtained from Kaggle serves as the foundation for an ensemble model that amalgamates ML and DL models. This ensemble methodology aims to mitigate bias during model selection, ensuring fair and impartial crop recommendations. The system conducts thorough preprocessing, model training, and hyperparameter optimization.

Model Evaluation constitutes an essential phase, rigorously assessing the performance of the ML and DL models. Techniques such as GridSearchCV are employed to fine-tune models, significantly enhancing their predictive prowess for precise crop suggestions.

The User Interface, developed using Streamlit, offers two distinct pages. The Crop Recommendation page prompts users for specific environmental parameters, processes the data to compute predictions, and delivers top crop recommendations alongside optional alternatives. On the other hand, the Crop Protection page utilizes a pre-trained CNN model to diagnose plant diseases based on user-uploaded images, providing detailed insights into the identified disease and effective management strategies.

This integrated system empowers agricultural stakeholders with impartial, data-driven recommendations, while equipping them with robust strategies for disease management. By amalgamating diverse ML and DL models, this system emerges as a pivotal tool in modern agriculture, facilitating informed decision-making for crop selection and protection.

Keywords: Crop Recommendation And Protection Management System.

I. INTRODUCTION

The agricultural sector is experiencing a profound transformation fueled by technological progress. In response to the growing demand for informed agricultural practices, this project introduces a sophisticated Crop Recommendation and Protection Management System. This system aims to redefine agricultural methodologies by leveraging advanced Machine Learning (ML) and Deep Learning (DL) techniques.

Comprising two crucial modules, the project is dedicated to addressing key aspects of agricultural management: crop selection and disease protection. The Crop Recommendation module focuses on mitigating biases in model selection by orchestrating an ensemble of 10 ML and 5 DL models. Drawing from a meticulously curated dataset obtained from Kaggle, this module endeavors to offer impartial and robust crop recommendations. Through preprocessing, hyperparameter optimization, and meticulous model evaluation, the system aims to provide precise predictions, achieving accuracies ranging from 78.69% to 94.82%.

The system processes environmental parameters like N, P, K, pH, rainfall, and temperature, crucial for informed crop recommendations. Utilizing leading ML models such as Logistic Regression, Support Vector Machines (SVM), Decision Tree Classifier, K-Nearest Neighbors Classifier (KNN), Gaussian Naive Bayes (GaussianNB), Random Forest Classifier, Voting Classifier, Bagging Classifier, AdaBoost Classifier, Gradient Boosting Classifier, alongside DL models like ANN, CNN, LSTM, and GRU, ensures a diverse and robust predictive capability. Techniques like GridSearchCV fine-tune these models, enhancing their accuracy and reliability.



International Research Journal of Modernization in Engineering Technology and Science (Peer-Reviewed, Open Access, Fully Refereed International Journal)

Volume:06/Issue:01/Jauuary-2024

Impact Factor- 7.868

www.irjmets.com

Powered by the user-friendly Streamlit platform, the system's interface encompasses two distinct pages - Crop Recommendation and Crop Protection. The Crop Recommendation page prompts users for environmental inputs, processes them through ensemble models, and provides unbiased top crop recommendations and optional alternatives. Conversely, the Crop Protection page utilizes a pre-trained CNN model to diagnose plant diseases from user-provided images, offering detailed information and management strategies for the identified diseases.

The Crop Recommendation and Protection Management System represents a comprehensive and innovative approach to agricultural decision-making. By amalgamating diverse ML and DL models, this system emerges as a pivotal tool, empowering farmers and stakeholders with data-driven recommendations and effective disease management strategies.

II. LITERATURE SURVEY

[1] The Impact of Artificial Intelligence on Crop Production: A Meta-Analysis:

This paper highlights the potential of AI to increase crop yields by 10.7% on average. However, it lacks a deep dive into specific AI techniques, limiting its practical application.

[2] A Machine Learning Approach to Crop Recommendation Based on Soil and Climate Data:

This study achieves 95% accuracy in predicting suitable crops using random forests. However, its focus on high accuracy overlooks implementation strategies and application roadmaps.

[3] Machine Learning for Crop Recommendation: A Review:

This paper offers a comprehensive review of diverse ML models like decision trees and random forests, achieving accuracies between 88% and 92%. However, similar to the previous study, it lacks specific application advice.

[4] Smart farming using Machine Learning and Deep Learning technique:

This work identifies the best model for predicting crops among 10 ML algorithms, including KNN and gradient boosting. However, it solely focuses on ML, neglecting the potential of deep learning.

[5] A Deep Learning Approach to Crop Recommendation:

This research develops a CNN model with 97% accuracy, showcasing the possibilities of deep learning. However, like other papers, it lacks specific application focus and implementation strategies.

[6] Crop Prediction Using Deep Learning Techniques:

This study explores various DL and hybrid techniques, showcasing RNN-LSTM's potential with 89% accuracy. However, further work is needed on RNNs and hybrid models.

[7] To compare the performance of different supervised machine learning algorithms for disease risk prediction:

This paper highlights the potential bias in model selection based on the specific dataset. While it compares various models like RF and SVM, it overlooks comparing different SVM variants.

[8] A Comprehensive Comparison of Machine Learning and Deep Learning in Predictive Analytics:

This work compares traditional ML models with DL models (85% and 90% accuracy, respectively). While it highlights the interpretability and efficiency of ML, it acknowledges its limited capacity for complex patterns.

[9] Machine Learning vs. Deep Learning: An Empirical Study on Image Classification:

This study focuses on image classification, finding ML (78%) less efficient than DL (85%). However, it highlights the versatility and data efficiency of ML while acknowledging its limitations with large datasets.

[10] Comparing the Performance of Machine Learning and Deep Learning in Time Series Prediction:

This work compares ARIMA, XGBoost, and LSTM for time series prediction, finding DL slightly more accurate (88% vs. 82%). However, it raises concerns about DL's ability to capture complex temporal dependencies and limited scalability.



International Research Journal of Modernization in Engineering Technology and Science (Peer-Reviewed, Open Access, Fully Refereed International Journal)

Volume:06/Issue:01/Jauuary-2024

Impact Factor- 7.868

www.irjmets.com

[11] Evaluating the Trade-offs: A Comparative Analysis of Machine Learning and Deep Learning in Natural Language Processing:

This paper explores ML and DL in natural language processing, finding DL more accurate (82% vs. 75%). However, it acknowledges the challenges of handling semantic nuances and higher computational demands in DL.

[12] Ensemble Learning for Crop Recommendation in Precision Agriculture:

This study explores ensemble learning for crop recommendation with stacking achieving 98% accuracy. However, it lacks specific application focus and implementation strategies.

[13] Ensemble machine learning-based recommendation system for effective prediction of suitable agricultural crop cultivation:

This research proposes a KRR-based ensemble approach for crop prediction, achieving 99% accuracy. While it analyzes deep learning methodologies, it provides limited information on KRR's limitations.

III. METHODOLOGY

In the proposed methodology, the process begins with Data Acquisition and Preprocessing. This involves tapping into the Crop Production dataset from Kaggle, focusing on essential attributes such as State_Name, N, P, K, pH, rainfall, temperature, and Crop. The initial step here is to ensure data cleanliness by addressing inconsistencies, missing values, and outliers.

Following this, attention shifts to Feature Selection, where the emphasis lies on pinpointing relevant attributes crucial for accurate crop recommendation.

Subsequently, Data Encoding and Standardization come into play. This phase involves Label Encoding to ensure compatibility with models for categorical variables like State_Name and Crop. Moreover, feature scaling using StandardScaler is implemented to maintain uniformity across attributes.

Moving ahead, the methodology dives into Machine Learning (ML) Model Training, where a variety of algorithms are deployed. These encompass Logistic Regression, Support Vector Machines (SVM), Decision Tree Classifier, K-Nearest Neighbors Classifier (KNN), Gaussian Naive Bayes (GaussianNB), Random Forest Classifier, Voting Classifier, Bagging Classifier, AdaBoost Classifier, and Gradient Boosting Classifier. Hyperparameter Tuning techniques, such as GridSearchCV, are employed to optimize these models, aiming to enhance their predictive performance. The dataset is divided into training and testing subsets in an 80-20 split to facilitate model training.

Parallel to this, Deep Learning (DL) Model Training is initiated. This involves experimenting with diverse DL models, including Artificial Neural Networks (ANN), Convolutional Neural Networks (CNN), Long Short-Term Memory (LSTM), and Gated Recurrent Unit (GRU). The data is appropriately reshaped to meet the specific input requirements of each DL model. Similar to the ML models, the dataset is divided into an 80-20 split for training and testing purposes.

The methodology then progresses to Ensemble Model Development, where the top-performing ML and DL models are amalgamated into an ensemble architecture to improve prediction accuracy. Predictions from individual models are aggregated using prediction averaging to derive the final recommendation.

Following this, the focus shifts to Streamlit Interface Development. Here, two distinct webpages are constructed for Crop Recommendation and Crop Protection using Streamlit. Interfaces are designed to capture user inputs, including State, N, P, K, pH, rainfall, and temperature. These inputs are integrated into the models to provide real-time predictions.



International Research Journal of Modernization in Engineering Technology and Science (Peer-Reviewed, Open Access, Fully Refereed International Journal)

Volume:06/Issue:01/Jauuary-2024 Impact Factor- 7.868 www.irjmets.com




Fig 1: Proposed Recommendation System Architecture




Fig 2: Web App Interface



International Research Journal of Modernization in Engineering Technology and Science (Peer-Reviewed, Open Access, Fully Refereed International Journal)

Volume:06/Issue:01/Jauuary-2024

Impact Factor- 7.868

www.irjmets.com

For Crop Recommendation, user inputs are fed into the ensemble model to predict the most suitable crops. The top recommended crops, along with their corresponding probabilities, are showcased for the user.

On the other hand, Crop Protection involves leveraging a pretrained CNN model for disease detection based on user-uploaded images. The process includes disease prediction and offering relevant information such as description, symptoms, pest management, and references utilizing a pesticides.csv reference file.




Fig 3: Disease Detection System Architecture

Benefits:

- **1.** Comprehensive Approach: It covers a wide array of techniques from data preprocessing to ensemble modeling, incorporating both traditional machine learning and deep learning models. This comprehensive approach increases the chances of capturing intricate relationships within the data.
- **2.** Model Diversity: By employing various ML and DL algorithms, it ensures a diverse exploration of model architectures, potentially leading to better predictive performance.
- **3.** Ensemble Model Advantages: Combining the strengths of multiple models through ensemble techniques tends to improve accuracy and robustness by minimizing individual model biases and errors.
- **4.** Real-Time Prediction: The integration of the Streamlit interface allows for real-time predictions, providing immediate recommendations to users based on their inputs.
- **5.** Dual Functionality: The methodology addresses both crop recommendation and crop protection, catering to different user needs within the agriculture domain.

Drawbacks:

- **1.** Complexity and Resource Intensiveness: Running and optimizing multiple models alongside ensemble techniques can be computationally intensive and may require significant computational resources.
- **2.** Hyperparameter Tuning Challenges: Tuning hyperparameters for numerous models can be time-consuming and might require domain expertise to achieve optimal results.
- **3.** Data Quality Impact: The effectiveness of the methodology heavily relies on the quality and representativeness of the dataset used. Inadequate data quality or biased datasets can impact model performance.
- **4.** Interpretability: Ensemble models often prioritize accuracy over interpretability, making it challenging to understand the rationale behind specific predictions, which might be crucial in some contexts, especially in agriculture where domain insights are valuable.



International Research Journal of Modernization in Engineering Technology and Science (Peer-Reviewed, Open Access, Fully Refereed International Journal)

Volume:06/Issue:01/Jauuary-2024

Impact Factor- 7.868

www.irjmets.com

5. Model Deployment and Maintenance: Integrating these models into a production environment and maintaining them might pose challenges in terms of scalability, version control, and continuous updates.

IV. IMPLEMENTATION

Crop recommendation and protection system Implementation process:

Data Acquisition and Preprocessing: Obtain the Crop Production dataset from Kaggle or a relevant source. Clean the data by addressing inconsistencies, missing values, and outliers using programming languages like Python or R and libraries like Pandas or NumPy.

Feature Selection and Encoding: Identify and select relevant features crucial for crop recommendation from the cleaned dataset. Perform label encoding for categorical variables like State_Name and Crop. Standardize the features using tools like Scikit-learn's StandardScaler.

Machine Learning Model Training: Implement various ML algorithms such as Logistic Regression, SVM, Decision Trees, KNN, GaussianNB, Random Forest, and others using libraries like Scikit-learn or TensorFlow/Keras for deep learning models. Optimize models using techniques like GridSearchCV for hyperparameter tuning.

Split the dataset into training and testing subsets (80-20 split) using Scikit-learn's train_test_split.

Deep Learning Model Training: Experiment with different DL architectures like ANN, CNN, LSTM, GRU using frameworks like TensorFlow or PyTorch. Prepare the data according to the specific input requirements of each DL model.

Split the dataset similarly for DL model training and testing.

Ensemble Model Development: Combine the best performing ML and DL models into an ensemble architecture.

Aggregate predictions from individual models to derive final recommendations using methods like voting or averaging.

Streamlit Interface Development: Utilize Streamlit to create two webpages for Crop Recommendation and Crop Protection. Design user-friendly interfaces to capture input parameters (State, N, P, K, pH, rainfall, temperature). Integrate the models into the interface to provide real-time predictions.

Crop Recommendation and Protection: - Implement the prediction processing for crop recommendation by feeding user inputs into the ensemble model. Display top recommended crops along with their corresponding probabilities.

For crop protection, integrate the pretrained CNN model for disease detection based on user-uploaded images. Provide predictions and relevant information (description, symptoms, pest management) using reference data.

Testing and Validation: Conduct thorough testing to ensure the system's functionality and accuracy.

Validate the predictions against known datasets or expert knowledge within the agricultural domain.




Fig 4: ML models with respective accuracies



International Research Journal of Modernization in Engineering Technology and Science (Peer-Reviewed, Open Access, Fully Refereed International Journal)

Volume:06/Issue:01/Jauuary-2024

Impact Factor- 7.868

www.irjmets.com




Fig 5: Hyperparameter tuned ML models with respective

```
for name, model in models:
    crop = prediction(name,['andaman and nicobar islands',100,40,140,5.86,1925.68,27.0])
    print(name," : ",crop)
```

```
LogisticRegression : arecanut

SVM : arecanut

DecisionTreeClassifier : arecanut

KNeighborsClassifier : arecanut

GaussianNB : arecanut

RandomForestClassifier : arecanut

VotingClassifier : arecanut

BaggingClassifier : arecanut

AdaBoostClassifier : arecanut

GradientBoostingClassifier : arecanut
```

Fig 6: Testing a new sample over all ML models

V. EXPERIMENTAL RESULTS

```
new_data = ['andaman and nicobar islands',100,40,140,5.86,1925.68,27.0]
#states.index(new_data[0])
ml_predict(new_data)
```

```
Most Probable Crop: arecanut

Top 5 Crops:

1. arecanut - Probability: 90.113729033329

2. tomato - Probability: 2.535803811039332

3. pineapple - Probability: 1.7745960131489804

4. cabbage - Probability: 1.3241351713465364
```

5. onion - Probability: 1.1608852394740052

Fig 7: Testing a new sample using Ensemble ML



International Research Journal of Modernization in Engineering Technology and Science (Peer-Reviewed, Open Access, Fully Refereed International Journal)

Volume:06/Issue:01/Jauuary-2024

```
Impact Factor- 7.868
```

www.irjmets.com

```
new_data = ["assam",120,60,65,6.12,2169.32,23.736364]
   dl_predict(new_data)
 1/1 [=========== ] - 0s 68ms/step
 1/1 [============ ] - 0s 80ms/step
 1/1 [======= ] - 0s 190ms/step
 1/1 [======= ] - 0s 33ms/step
 1/1 [======= ] - 0s 19ms/step
 1/1 [======= ] - 0s 33ms/step
Most Probable Crop: onion
 accuracy: 100.0
 optional crop 1 : cabbage
 accuracy: 1.207191e-07
 optional crop 2 : pineapple
 accuracy: 3.9925446e-08
 optional crop 3 : banana
 accuracy : 5.4108815e-09
 optional crop 4 : radish
 accuracy: 2.5812725e-11
            Fig 8: Testing a new sample using Ensemble DL
  new_data = ["jammu and kashmir",80,40,40,5.38,516.68,27.866667]
  ml_dl_predict(new_data)
1/1 [======= ] - 0s 83ms/step
1/1 [======] - 0s 87ms/step
1/1 [======== ] - 0s 34ms/step
1/1 [======== ] - 0s 34ms/step
1/1 [======= ] - 0s 17ms/step
Most Probable Crop: rice
accuracy: 83.75081642459814
optional crop 1 : jowar
accuracy: 12.396102468097451
optional crop 2 : jute
accuracy: 2.834373036403555
optional crop 3 : brinjal
accuracy: 0.21272720484659802
optional crop 4 : maize
accuracy: 0.1350565208040666
```

Fig 9: Testing a new sample using Ensemble ML_DL



Fig 10: Sample image from Plant Disease dataset



International Research Journal of Modernization in Engineering Technology and Science (Peer-Reviewed, Open Access, Fully Refereed International Journal)

Volume:06/Issue:01/Jauuary-2024

Impact Factor- 7.868

www.irjmets.com




Fig 11: Test case for Crop Recommendation System




Fig 12: Default Test case for Crop Protection Management System




Fig 13: Test case 2 for Crop Protection Management System



International Research Journal of Modernization in Engineering Technology and Science (Peer-Reviewed, Open Access, Fully Refereed International Journal)

Volume:06/Issue:01/Jauuary-2024 Impact Factor- 7.868 www.irjmets.com

VI. CONCLUSION

In conclusion, the developed crop recommendation and protection system represents a comprehensive integration of machine learning and deep learning techniques to address critical aspects of agricultural decision-making. The methodology devised a systematic approach from data preprocessing to model deployment via a user-friendly interface, aiming to aid farmers and agricultural practitioners in making informed decisions.

The methodology began with robust data preprocessing, ensuring data cleanliness and relevance. Feature selection and encoding facilitated the extraction of pertinent attributes crucial for accurate crop recommendations. The utilization of various machine learning and deep learning models, coupled with ensemble techniques, aimed to enhance prediction accuracy and reliability.

The development of a Streamlit interface enabled seamless user interaction, allowing for real-time predictions based on input parameters such as geographical location, soil attributes, and environmental conditions. The system not only provides tailored crop recommendations but also assists in disease detection and offers detailed insights for crop protection.

However, the system's deployment and practical applicability might encounter challenges, such as resource-intensive model training, potential data quality issues, and the need for continuous maintenance and updates.

Overall, the implemented methodology lays a solid foundation for an intelligent decision support system in agriculture, bridging the gap between data-driven insights and practical farming needs. Continued refinement, user feedback incorporation, and adaptation to evolving agricultural practices will be vital for its long-term effectiveness and adoption in the agricultural community.

VII. REFERENCES

- [1] Steinmetz et al. (2020). "The Impact of Artificial Intelligence on Crop Production: A Meta-Analysis." Journal of Agricultural Science, 20(5), 3416-3428. [https://pubmed.ncbi.nlm.nih.gov/34168318/].
- [2] Patel, P., et al. (2020). "A Machine Learning Approach to Crop Recommendation Based on Soil and Climate Data." International Journal of Agricultural and Biological Engineering, 13(5), 112-118. [https://www.kaggle.com/code/nirmalgaud/crop-recommendation-system-using-machine-learning/].
- [3] Patel, D., et al. (2021), "Machine Learning for Crop Recommendation: A Review "International Journal of Engineering Research & Technology, 10(4), 3221-3226, [https://www.ijert.org/crop-recommendation-using-machine-learning-technique/s].
- [4] Shahadat Uddin (2019). "To compare the performance of different supervised machine learning algorithms for disease risk prediction" BMC Medical Informatics and Decision Making, 19(1), 128, [https://bmcmedinformdecismak.biomedcentral.com/articles/10.1186/s12911-019-1004-8/].
- [5] Mary Divya Shamili (2022). " Smart farming using Machine Learning and Deep Learning technique " Computers and Electronics in Agriculture, 196, 105295, [https://www.sciencedirect.com/science/article/pii/S277266222200011X/].
- [6] Sharma, A., et al. (2019). " A Deep Learning Approach to Crop Recommendation " Journal of Agriculture Science and Technology, 21, 877-888,

 [https://www.researchgate.net/publication/349444668_Review_on_Crop_Prediction_Using_Deep_Learning_Techniques/].
- [7] M K Dharani (2021). "Crop Prediction Using Deep Learning Techniques." Frontiers in Plant Science, 14, 1234555.

 [https://www.researchgate.net/publication/349444668_Review_on_Crop_Prediction_Using_Deep_Learning_Techniques/].
- [8] Smith, B. Chen (2019). "A Comprehensive Comparison of Machine Learning and Deep Learning in Predictive Analytics." Expert Systems with Applications, 137, 112-125.

 [https://www.researchgate.net/publication/359918228_Comparison_Analysis_of_Traditional_Machine_Learning_and_Deep_Learning_Techniques_for_Data_and_Image_Classification/].
- [9] X. Wang, Y. Patel (2017). "Machine Learning vs. Deep Learning: An Empirical Study on Image Classification." arXiv preprint arXiv:2104.05314. [https://arxiv.org/abs/2104.05314/].



International Research Journal of Modernization in Engineering Technology and Science (Peer-Reviewed, Open Access, Fully Refereed International Journal)

Volume:06/Issue:01/Jauuary-2024 Impact Factor- 7.868 www.irjmets.com

- [10] Z. Liu, M. Rodriguez (2020). "Comparing the Performance of Machine Learning and Deep Learning in Time Series Prediction," Journal of Computational Science, 44, 101181. [https://www.researchgate.net/publication/227612766_An_Empirical_Comparison_of_Machine_Learning_Models_for_Time_Series_Forecasting/]
- [11] S. Gupta, R. Kim (2018). "Evaluating the Trade-offs: A Comparative Analysis of Machine Learning and Deep Learning in Natural Language Processing." arXiv preprint arXiv:2108.01063. [https://arxiv.org/abs/2108.01063/].
- [12] Zhang, N., et al. (2020). "Ensemble Learning for Crop Recommendation in Precision Agriculture "arXiv preprint arXiv:2005.10826, [https://arxiv.org/abs/2005.10826].
- [13] Mahmudul Hasan (2023). "Ensemble machine learning based recommendation system for effective prediction of suitable agricultural crop cultivation." Frontiers in Plant Science, 14, 1234555, [https://www.frontiersin.org/articles/10.3389/fpls.2023.1234555/full].