

POSTadd user

Open request

http://localhost:3000/users

This is a POST request, submitting data to an API via the request body. This request submits JSON data, and the data is reflected in the response.

A successful POST request typically returns a 200 OK or 201 Created response code.

Bodyraw (json)

View More

json

```
{
  "u_name": "ram",
  "password": "Jairam@120282",
  "p_salt": "random_salt",
  "hash_algorithm_id": "SHA-256",
  "name": {
    "f_name": "prabha",
    "l_name": "Ramakrishnan",
    "s_name": "Nadar"
  },
  "email": "ram.doe@example.com",
  "address": {
    "street": "123 Main St",
    "city": "Anytown",
    "state": "Anystate",
    "zip": "12345"
  },
  "location": {
    "type": "Point",
    "coordinates": [
```

```
    12.34,  
    56.78  
  ]  
},  
"gender": "Male",  
"mob": "8898408766",  
"dofb": "2024-02-12T00:00:00Z",  
"is_married": true  
}
```

POSTlogin user

Open request

http://localhost:3000/login

This is a POST request, submitting data to an API via the request body. This request submits JSON data, and the data is reflected in the response.

A successful POST request typically returns a 200 OK or 201 Created response code.

Bodyraw (json)

json

```
{  
  "u_name": "jairam",  
  "password": "ram@120282"  
}
```

POSTupdatePassword

Open request

http://localhost:3000/updatePassword

This is a POST request, submitting data to an API via the request body. This request submits JSON data, and the data is reflected in the response.

A successful POST request typically returns a 200 OK or 201 Created response code.

Bodyraw (json)

json

```
{  
  "u_name": "jairam",  
  "password": "Jairam@120282",  
  "new_password": "ram@120282"  
}
```

POSTsend-email

[Open request](#)

http://localhost:3000/send-email

This is a POST request, submitting data to an API via the request body. This request submits JSON data, and the data is reflected in the response.

A successful POST request typically returns a 200 OK or 201 Created response code.

Bodyraw (json)

View More

json

```
{  
  "to": "rr.krish.rr@gmail.com",  
  "subject": "Jairam@120282",  
  "text": "This is a test mail from node js with help of mailer library and gmail sevice"  
}
```

GETget users

[Open request](#)

http://localhost:3000/users

This is a POST request, submitting data to an API via the request body. This request submits JSON data, and the data is reflected in the response.

A successful POST request typically returns a 200 OK or 201 Created response code.

Bodyraw (json)

json

```
{  
  "name": "Add your name in the body"  
}
```

GETloginuser by Id

Open request

http://localhost:3000/users/54b030f6-7df6-42fd-a122-8a5bd6c880eb

This is a POST request, submitting data to an API via the request body. This request submits JSON data, and the data is reflected in the response.

A successful POST request typically returns a 200 OK or 201 Created response code.

GETuserdetails

Open request

http://localhost:3000/usersDetails/54b030f6-7df6-42fd-a122-8a5bd6c880eb

This is a POST request, submitting data to an API via the request body. This request submits JSON data, and the data is reflected in the response.

A successful POST request typically returns a 200 OK or 201 Created response code.

PUTupdateUserDetail

Open request

http://localhost:3000/updateUserDetail/54b030f6-7df6-42fd-a122-8a5bd6c880eb

This is a POST request, submitting data to an API via the request body. This request submits JSON data, and the data is reflected in the response.

A successful POST request typically returns a 200 OK or 201 Created response code.

Bodyraw (json)

View More

json

```
{
```

```
"u_name": "kkkr",
"name": {
  "f_name": "kkkr",
  "l_name": "kkkr",
  "s_name": "kkkr"
},
"email": "kkkr.doe@example.com",
"address": {
  "street": "123 Main St",
  "city": "Anytown",
  "state": "Anystate",
  "zip": "12345"
},
"location": {
  "type": "Point",
  "coordinates": [
    12.34,
    56.78
  ]
},
"gender": "Male",
"mob": "8898408766",
"dofb": "2024-02-12T00:00:00Z",
"is_married": true
}
```

PUTupdateUserPartialData

Open request

<http://localhost:3000/updateUserPartialData/54b030f6-7df6-42fd-a122-8a5bd6c880eb>

This is a POST request, submitting data to an API via the request body. This request submits JSON data, and the data is reflected in the response.

A successful POST request typically returns a 200 OK or 201 Created response code.

Bodyraw (json)

json

```
{  
  "u_name": "kkkr",  
  "is_married": true  
}
```

DELETEDelete user

Open request

http://localhost:3000/info?id=1

This is a DELETE request, and it is used to delete data that was previously created via a POST request. You typically identify the entity being updated by including an identifier in the URL (eg. id=1).

A successful DELETE request typically returns a 200 OK, 202 Accepted, or 204 No Content response code.

Query Params

id

1