# Intensificación Técnico Organizativa


Nombre: Ramón


Apellidos: Vergara Garrido

UVUS: ramvergar

Enlace al repositorio de GitHub: https://github.com/ramvergar/EGC-2425

```
practica@pc-14-82:~/Escritorio/examen$ git clone git@github.com:ramvergar/EGC-
2425.git
Clonando en 'EGC-2425'...
The authenticity of host 'github.com (140.82.121.3)' can't be established.
ED25519 key fingerprint is SHA256:+DiY3wvvV6TuJJhbpZisF/zLDA0zPMSvHdkr4UvCOqU.
This key is not known by any other names
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'github.com' (ED25519) to the list of known hosts.
remote: Enumerating objects: 382, done.
remote: Counting objects: 100% (382/382), done.
remote: Compressing objects: 100% (243/243), done.
remote: Total 382 (delta 84), reused 382 (delta 84), pack-reused 0 (from 0)
Recibiendo objetos: 100% (382/382), 1.60 MiB | 561.00 KiB/s, listo.
Resolviendo deltas: 100% (84/84), listo.
practica@pc-14-82:~/Escritorio/examen$
```





```
practica@pc-14-82: ~/Escritorio/examen/EGC-2425
 Ŧ
(venv) practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git checkout feature/init-bug
rama 'feature/init-bug' configurada para rastrear 'origin/feature/init-bug'.
Cambiado a nueva rama 'feature/init-bug'
(venv) practica@pc-14-82:~/Escritorio/examen/EGC-2425$ flask run --host=0.0.0.0 --reloa
d --debua
Traceback (most recent call last):
  File "/home/practica/Escritorio/examen/EGC-2425/venv/bin/flask", line 8, in <module>
   sys.exit(main())
 rite /nome/practica/escritionito/examen/euc-z4zs/app/__thtt__.py , time /0, th smounte
    app = create app()
NameError: name 'create app' is not defined
(venv) practica@pc-14-82:~/Escritorio/examen/EGC-2425$
```

```
practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git checkout -b fix/app-init
 Cambiado a nueva rama 'fix/app-init'
practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git add app/ init .pv
practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git commit -m "fix(app): arreglado el
  bug de create app"
 [fix/app-init ea0253c] fix(app): arreglado el bug de create app
  1 file changed, 2 deletions(-)
  practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git push --set-upstream origin fix/ap
   p-init
   Enumerando objetos: 7, listo.
   Contando objetos: 100% (7/7), listo.
   Compresión delta usando hasta 8 hilos
   Comprimiendo objetos: 100% (4/4), listo.
   Escribiendo objetos: 100% (4/4), 491 bytes | 491.00 KiB/s, listo.
   Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
   remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
   remote:
   remote: Create a pull request for 'fix/app-init' on GitHub by visiting:
                https://github.com/ramvergar/EGC-2425/pull/new/fix/app-init
   remote:
   remote:
   To github.com:ramvergar/EGC-2425.git
    * [new branch] fix/app-init -> fix/app-init
   rama 'fix/app-init' configurada para rastrear 'origin/fix/app-init'.
  practica@pc-14-82:~/Escritorio/examen/EGC-2425$
```

- practica@pc-14-82:~/Escritorio/examen/EGC-2425\$ git branch feature/conflicto
- practica@pc-14-82:~/Escritorio/examen/EGC-2425\$ git checkout feature/conflicto Cambiado a rama 'feature/conflicto'

```
practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git add .
opractica@pc-14-82:~/Escritorio/examen/EGC-2425$ git commit -m "conflicto(app): creaci
 on de conflicto
 > ^C
practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git commit -m "conflicto(app): creaci
 on de conflicto"
 [feature/conflicto c2e248d] conflicto(app): creacion de conflicto
  1 file changed, 1 insertion(+), 1 deletion(-)
• practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git push --set-upstream origin featur
 e/conflicto
 Enumerando objetos: 7, listo.
 Contando objetos: 100% (7/7), listo.
 Compresión delta usando hasta 8 hilos
 Comprimiendo objetos: 100% (4/4), listo.
 Escribiendo objetos: 100% (4/4), 508 bytes | 508.00 KiB/s, listo.
 Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
 remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
 remote:
 remote: Create a pull request for 'feature/conflicto' on GitHub by visiting:
              https://github.com/ramvergar/EGC-2425/pull/new/feature/conflicto
 remote:
 remote:
 To github.com:ramvergar/EGC-2425.git
                    feature/conflicto -> feature/conflicto
  * [new branch]
 rama 'feature/conflicto' configurada para rastrear 'origin/feature/conflicto'.
```

#### Apartado 7

```
practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git checkout fix/app-init
     Cambiado a rama 'fix/app-init'
     Tu rama está actualizada con 'origin/fix/app-init'.
    practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git add .
    practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git commit -m "conflicto(app): creaci
     on de conflicto pt2"
     [fix/app-init d68265d] conflicto(app): creacion de conflicto pt2
      1 file changed, 1 insertion(+), 1 deletion(-)
    practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git push
     Enumerando objetos: 7, listo.
     Contando objetos: 100% (7/7), listo.
     Compresión delta usando hasta 8 hilos
     Comprimiendo objetos: 100% (4/4), listo.
     Escribiendo objetos: 100% (4/4), 500 bytes | 250.00 KiB/s, listo.
     Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
     remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
     To github.com:ramvergar/EGC-2425.git
        ea0253c..d68265d fix/app-init -> fix/app-init
practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git merge feature/conflicto
```

practica@pc-14-82:~/Escritorio/examen/EGC-2425\$ git merge feature/conflicto
Auto-fusionando app/\_\_init\_\_.py
CONFLICTO (contenido): Conflicto de fusión en app/\_\_init\_\_.py
Fusión automática falló; arregle los conflictos y luego realice un commit con el resultado.

```
_init_.py! •
app > 🍦 __init__.py
      migrate = Migrate()
      def create app(config name='development'):
          app = Flask( name )
          # Load configuration according to environment
          config manager = ConfigManager(app)
          config manager.load config(config name=config name)
          # Initialize SQLAlchemy and Migrate with the app
          db.init app(app, uri=os.getenv('DATABASE URI'))
          db.init app(app, uri=os.getenv('DB CONNECTION STRING'))
          migrate.init app(app, db)
 32
          # Register modules
          module manager = ModuleManager(app)
          module manager.register modules()
          # Register login manager
          from flask login import LoginManager
          login manager = LoginManager()
```

```
practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git commit -m "Merge: conflictos resueltos y merge completado"
[fix/app-init 810592e] Merge: conflictos resueltos y merge completado
practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git push
Enumerando objetos: 10, listo.
Contando objetos: 100% (10/10), listo.
Compresión delta usando hasta 8 hilos
Comprimiendo objetos: 100% (4/4), listo.
Escribiendo objetos: 100% (4/4), 522 bytes | 261.00 KiB/s, listo.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:ramvergar/EGC-2425.git
    d68265d..810592e fix/app-init -> fix/app-init
practica@pc-14-82:~/Escritorio/examen/EGC-2425$
```

```
practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git checkout hotfix/bug-critical
rama 'hotfix/bug-critical' configurada para rastrear 'origin/hotfix/bug-critical'.
Cambiado a nueva rama 'hotfix/bug-critical'
practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git log
commit 678e7dc6853fble1blb64c5116e6b44e4a5054ab (HEAD -> hotfix/bug-critical, origin/hotfix/bug-critical)
Author: Belen Ramos <br/>brgutierrez@us.es>
Date: Wed Jan 8 09:29:03 2025 +0100

Fix the bug in the view_dataset card by uncommenting the card section, restoring the dataset view functionality
commit 7260a34ef4f445bc39c57aad9b8aecb4de15fd39
Author: Belen Ramos <br/>brgutierrez@us.es>
Date: Wed Jan 8 09:17:58 2025 +0100
```

```
practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git cherry-pick 678e7dc6853fble1blb64c5116e6b44e4a5054ab
[main ce049ae] Fix the bug in the view_dataset card by uncommenting the card section, restoring the dataset view functionality
Author: Belen Ramos <br/>bryutierrez@us.es>
Date: Wed Jan 8 09:29:03 2025 +0100
1 file changed, 2 insertions(+), 2 deletions(-)
practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git push
Enumerando objetos: 15, listo.
Contando objetos: 100% (15/15), listo.
Compresión delta usando hasta 8 hilos
Compresión delta usando hasta 8 hilos
Comprimiendo objetos: 100% (6/6), listo.
Escribiendo objetos: 100% (8/8), 690 bytes | 345.00 KiB/s, listo.
Total 8 (delta 6), reused 2 (delta 1), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (6/6), completed with 6 local objects.
To github.com:ramvergar/EGC-2425.git
    ad2ea13..ce049ae main -> main
```


```
practica@pc-14-82:~/Escritorio/examen/EGC-2425$ git checkout config/ci
rama 'config/ci' configurada para rastrear 'origin/config/ci'.
Cambiado a nueva rama 'config/ci'
```

```
.github > workflows > ! ejercicio ci.yml
      jobs:
        pytest:
          services:
            mysql:
               ports:
                 - 3306:3306
               options: --health-cmd="mysgladmin ping" --hea
          steps:
          - uses: actions/checkout@v4
          - uses: actions/setup-python@v5
            with:
 28
              python-version: '3.11'
           - name: Prepare environment
```


```
package-update:
 - uses: actions/checkout@master
 - uses: tibdex/github-app-token@v1
   id: generate-token
     app id: ${{ secrets.APP ID }}
     private key: ${{ secrets.APP PRIVATE KEY }}
 - name: set remote url
     git remote set-url --push origin https://$GITHUB ACTOR:${{ secrets.GITHUB TOKEN }}@github.com/$GITHUB REPOSITORY
     npm ci
 - name: package-update
   uses: taichi/actions-package-update@master
     AUTHOR EMAIL: tkcandrade@gmail.com
     AUTHOR NAME: Thamara Andrade
     EXECUTE: "true"
     GITHUB TOKEN: ${{ steps.generate-token.outputs.token }}
     LOG LEVEL: debug
     args: -u --packageFile package.json --loglevel verbose
```



```
! eiercicio ci.yml X
            ■ .moduleignore
:hub > workflows > ! eiercicio ci.vml
       runs-on: ubuntu-latest
            image: mysql:5.7
             MYSQL ROOT PASSWORD: uvlhub root password
             MYSQL DATABASE: uvlhubdb test
             MYSOL USER: uvlhub user
             MYSQL PASSWORD: uvlhub password
           options: --health-cmd="mysgladmin ping" --health-interval=10s --health-timeout=5s --health-retries=3
             MYSQL ROOT PASSWORD: uvlhub root password
             MYSOL DATABASE: uvlhubdb test
             MYSOL USER: uvlhub user
             MYSQL PASSWORD: uvlhub password
            options: --health-cmd="mysqladmin ping" --health-interval=10s --health-timeout=5s --health-retries=3
```




# Ejercicio Docker



# Ejercicio Docker

```
$ development_entrypoint.sh M X
# docker-compose.dev.yml
__init__.py
 docker > entrypoints > $ development_entrypoint.sh
                            else
                                              echo "Database already initialized, updating migrations..."
                                              # Get the current revision to avoid duplicate stamp
                                             CURRENT REVISION=$(mariadb -u $MARIADB USER -p$MARIADB PASSWORD -h $MARIADB HOSTNAME -P $MARIADB PASSWORD -h $MARI
                                             if [ -z "$CURRENT REVISION" ]; then
                                                               flask db stamp head
                                              # Run the migration process to apply all database schema changes
                                             flask db upgrade
                            fi
                            # Start the Flask application with specified host and port, enabling reload and debug mode
                            exec flask run --host=0.0.0.0 --port=5000 --reload
```

# Ejercicio Docker



# Ejercicio Vagrant

# Ejercicio Vagrant