

DBMS ASSIGNMENT-3

Total points 8/9

The respondent's email (**ramya.sivakumar@zemosolabs.com**) was recorded on submission of this form.

✓ 1. Data is better organised and is easily accessible by using _____.* 1/1

- ☒ (a) DBMS
- ☐ (b) FMS
- ☐ (c) EMS
- ☐ (d) OOAD



✓ 2. A _____ is a set of operations that must be performed completely or not at all *1/1

- ☐ (a) Query
- ☐ (b) Command
- ☐ (c) Data sharing
- ☒ (d) Transaction



✗ 3. Commit and rollback are related to _____. *

0/1

- ☐ (a) Data integrity
- ☒ (b) Data consistency
- ☐ (c) Data security
- ☐ (d) Data sharing

✗

Correct answer

- ☒ (a) Data integrity

✓ 4. Data is processed by using _____. *

1/1

- ☐ (a) DDL
- ☒ (b) DML
- ☐ (c) DCL
- ☐ (d) DPL

✓

✓ 5. When SQL statements are embedded inside 3GL, we call such a program as _____. *

*1/1

- ☐ (a) Nested query
- ☐ (b) Distinct query
- ☒ (c) Embedded SQL
- ☐ (d) Nested programming

✓



✓ 6. _____ translates the SQL statements inside a 3GL program into appropriate 3GL statements. *1/1

- ☐ (a) Compiler
- ☐ (b) Linker
- ☐ (c) Loader
- ☒ (d) Pre-compiler



✓ 7. If SQL statements are known before the program executes, we call them _____. *1/1

- ☐ (a) Cursor
- ☐ (b) Dynamic SQL
- ☒ (c) Static SQL
- ☐ (d) Embedded SQL



✓ 8. If SQL statements are not known before the program executes, we call them _____. *1/1

- ☐ (a) Cursor
- ☒ (b) Dynamic SQL
- ☐ (c) Static SQL
- ☐ (d) Embedded SQL



✓ 9. In _____, we have a strict parent-child relationship only. *

1/1

- ☒ (a) Hierarchical databases
- ☐ (b) Network databases
- ☐ (c) Relational databases
- ☐ (d) all of the above



✗ 10. In _____, we have a parent-child as well as child-parent relationship. *

- ☒ (a) Hierarchical databases
- ☐ (b) Network databases
- ☐ (c) Relational databases
- ☐ (d) All of the above



Correct answer

- ☒ (c) Relational databases

This form was created inside of Zemoso. - [Contact form owner](#)

Does this form look suspicious? [Report](#)

Google Forms



