Status	Finished
Started	Sunday, 11 October 2026, 5:02 PM
Completed	Sunday, 11 October 2026, 5:11 PM
Duration	8 mins 33 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following is not the type of function argument?

a. Keyword argument
b. Required argument
c. default argument
d. initial argument ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following function definition header is wrong?

a. def sum(n1, n2, n = 3):
b. def mul(p1, n1, m1):
c. def scan(p1, p2 = 4, p3 = 5):
d. def div(p1=4, p2, p3): ✓

Question **3**

Correct

Mark 1.00 out of 1.00

The _____ statement returns the values from the function to the calling function.

a. give
b. return ✓
c. send
d. take

Question **4**

Incorrect

Mark 0.00 out of 1.00

What is the output of the following display() function call?

```
def display(**kwargs):
  for i in kwargs:
    print(i)
display(emp="Kelly", salary=9000)
```

a. emp
salary

b. Kelly
9000

c. ('emp', 'Kelly') ✗
('salary', 9000)

d. TypeError

Question **5**

Correct

Mark 1.00 out of 1.00

In a program, a function can be called ____ times.

a. 5
b. 2
c. 3
d. Multiple times ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Which one of the following is the correct way of calling a function?

a. function_name() ✓
b. ret function_name()
c. function function_name()
d. call function_name()

Question **7**

Correct

Mark 1.00 out of 1.00

Functions which do not return any value is called _____.

a. zero function
b. null function
c. void function ✓
d. default function

Question **8**

Correct

Mark 1.00 out of 1.00

What is the output of the following function call?

```
def fun1(name, age=20):
    print(name, age)
fun1('Emma', 25)
```

a. Emma 20
b. age
c. Emma 25 ✓
d. name

Question **9**

Correct

Mark 1.00 out of 1.00

A variable that is defined inside any function or a block is known as a _____.

a. inside variable
b. Function Variable
c. Local variable ✓
d. Global variable

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following function headers is correct?

a. def fun(a = 2, b, c = 3)

b. def fun(a, b = 2, c = 3) ✓

c. def fun(a = 2, b = 3, c)

d. def fun(a, b, c = 3, d)

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def test(i,j):
  if(i==0):
    return j
  else:
    return test(i-1,i+j)
print(test(4,7))
```

a. 17 ✓

b. Infinite loop

c. 7

d. 13

Question **12**

Incorrect

Mark 0.00 out of 1.00

Write the output of : print(max([1, 2, 3, 4], [4, 5, 6], [7]))

a. 7

b. [4, 5, 6] ✗

c. [7]

d. [1, 2, 3, 4]

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the add() function call?

```
def add(a, b):
    return a+5, b+5
result = add(3, 2)
print(result)
```

a. (8,7) ✓

b. 15

c. 8

d. Syntax Error

Question **14**

Correct

Mark 1.00 out of 1.00

A function may return multiple values using _____.

a. Dictionary

b. Tuple ✓

c. String

d. List

Question **15**

Correct

Mark 1.00 out of 1.00

Choose the incorrect statement.

a. print(pow(2, 3, 2))

b. print(pow(2.3, 3.2))

c. None of the mentioned ✓

d. print(pow(2, 3))