Status	Finished
Started	Sunday, 11 October 2026, 11:52 PM
Completed	Sunday, 11 October 2026, 11:58 PM
Duration	5 mins 32 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

a. shrink()
b. truncate() ✓
c. resize()
d. reduce()

The correct answer is: truncate()

Question **2**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer to beginning of the file
b. moves the file pointer to the end of a file
c. move the file pointer five characters ahead from the current position ✓
d. move the file pointer five characters behind from the current position

The correct answer is:
move the file pointer five characters ahead from the current position

Question **3**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

- a. Appends "Adding new data" to the end of the file ✓
- b. Raises an error because the file is opened in append mode
- c. Opens the file in read mode
- d. Overwrites the file with "Adding new data"

The correct answer is: Appends "Adding new data" to the end of the file

Question **4**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

- a. readchar()
- b. readlines()
- c. read(size) ✓
- d. readline()

The correct answer is: read(size)

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

- a. w
- b. r+ ✓
- c. r
- d. a

The correct answer is: r+

Question **6**

Correct

Mark 1.00 out of 1.00

Select the correct method to write a list of lines to a file

- a. writelines(list) ✓
- b. write(list)
- c. None of the mentioned
- d. writelist(list)

The correct answer is: writelines(list)

Question **7**

Correct

Mark 1.00 out of 1.00

What does the mode attribute of a file object indicate?

- a. The current position of the file cursor
- b. The size of the file
- c. The access mode in which the file was opened ✓
- d. The name of the file

The correct answer is: The access mode in which the file was opened

Question **8**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

- a. readline()
- b. readlines() ✓
- c. readlist()
- d. read()

The correct answer is: readlines()

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

a. It reads a single line from the file
b. It reads the entire file and returns it as a string
c. It reads the file and returns it as a dictionary
d. It reads the entire file and returns it as a list of lines ✓

The correct answer is: It reads the entire file and returns it as a list of lines

Question **10**

Incorrect

Mark 0.00 out of 1.00

Which method is used to write data to a file?

a. append()
b. read() ✗
c. insert()
d. write()

The correct answer is: write()

Question **11**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using the readline() method
b. Using a for loop ✓
c. Using the read() method
d. Using the readlines() method

The correct answer is: Using a for loop

Question **12**

Correct

Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

- a. To automatically close the file after its suite finishes ✓
- b. To read data from a file
- c. To delete a file
- d. To write data to a file

The correct answer is: To automatically close the file after its suite finishes

Question **13**

Correct

Mark 1.00 out of 1.00

Which method is used to close a file in Python?

- a. terminate()
- b. close() ✓
- c. end()
- d. finish()

The correct answer is: close()

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

- a. rb
- b. r+
- c. w
- d. wb ✓

The correct answer is: wb

Question **15**

Correct

Mark 1.00 out of 1.00

Which method is used to read file line by line

a. line()
b. readlines(1)
c. readline() ✓
d. read(1)

The correct answer is: readline()