Status	Finished
Started	Monday, 12 October 2026, 12:39 AM
Completed	Monday, 12 October 2026, 12:44 AM
Duration	4 mins 53 secs
Grade	**11.00** out of 15.00 (**73.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is searching in the context of computer science?

a. Deleting elements from a list
b. Sorting elements in a list
c. Determining whether an element is present in a list ✓
d. Inserting elements into a list

Question **2**

Correct

Mark 1.00 out of 1.00

What is the first step in binary search?

a. Compare the target element with the first element in the list
b. Sort the list
c. Divide the list into two equal parts
d. Compare the target element with the middle element in the list ✓

Question **3**

Correct

Mark 1.00 out of 1.00

In binary search, what happens if the middle element does not match the target element?

a. The search continues in the left or right sublist ✓
b. The search continues from the beginning
c. The list is sorted
d. The search stops

Question **4**

Correct

Mark 1.00 out of 1.00

What is the key characteristic of binary search?

a. It always starts from the beginning of the list
b. It compares elements sequentially
c. It can be applied only if the list is sorted ✓
d. It works on unsorted lists

Question **5**

Correct

Mark 1.00 out of 1.00

What happens when the element is found in linear search?

a. The search backtracks to find duplicate elements
b. The search continues until the end of the list
c. The search starts over from the beginning
d. The search stops immediately ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following is not the required condition for a binary search algorithm?

a. There must be a mechanism to delete and/or insert elements in the list ✓
b. The list must be sorted
c. There should be direct access to the middle element in any sublist
d. Number values should only be present

Number values should only be present

Question **7**

Incorrect

Mark 0.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

a. 90 and 100 ✗
b. 94 and 99
c. 89 and 94
d. 90 and 99

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following statements about linear search is true?

a. Linear search is more efficient than binary search on large lists.
b. Linear search divides the list into halves.
c. Linear search can be applied to both sorted and unsorted lists. ✓
d. Linear search requires the list to be sorted.

Question **9**

Correct

Mark 1.00 out of 1.00

In a linear search, how many comparisons are made in the worst-case scenario to find an element in a list of size n?

a. n/2
b. n ✓
c. log n
d. 1

Question **10**

Correct

Mark 1.00 out of 1.00

In which type of search is the list divided into smaller sublists during the search process?

a. Binary search ✓
b. Hash search
c. Sequential search
d. Linear search

Question **11**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

a. When the list contains duplicate elements
b. When the element is found in the list ✓
c. When the list is sorted
d. When the search algorithm finishes

Question **12**

Incorrect

Mark 0.00 out of 1.00

What happens in a binary search if the list has an even number of elements?

a. The higher middle element is chosen as the middle element
b. The middle element is chosen randomly
c. The search stops
d. The lower middle element is chosen as the middle element ✗

Question **13**

Incorrect

Mark 0.00 out of 1.00

In linear search, how is the element searched?

a. By using a hash function
b. By sorting the list first
c. By dividing the list into halves ✗
d. By comparing each element in the list sequentially

Question **14**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

a. 89 and 99
b. 89 and 94
c. 90 and 99 ✓
d. 90 and 94

Question **15**

Incorrect

Mark 0.00 out of 1.00

The average case occurs in the linear search algorithm

a. Item is the last element in the array or item is not there at all
b. When the item is not the array at all
c. When the item is the last element in the array ✗
d. When the item is somewhere in the middle of the array