Status	Finished
Started	Saturday, 10 October 2026, 12:41 PM
Completed	Saturday, 10 October 2026, 12:48 PM
Duration	6 mins 41 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

- a. Error ✓
- b. (55,78,64,25)
- c. 12
- d. (12)

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

- a. (30, 40, 50) (10, 20, 30, 40)
- b. (10, 20, 30, 40) (40, 50, 60, 70, 80)
- c. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓
- d. (30, 40, 50)(40, 50, 60, 70, 80)

Question **3**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✓

True

b. False

False

c. False

True

d. True

False

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {2}

b. {1,3,2}

c. {1,3,4}

d. {4} ✓

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', 1, ('cse', 'ece')} ✓

b. {'rec', True, ('cse', 'ece')}

c. Error

d. {'rec', 1, ('cse', 'ece'),True}

Question **6**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

a. A tuple maintains the order of items ✓

b. A tuple is unordered

c. We can change the tuple once created

d. None of these

Question **7**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. True ✓

b. False

Question **8**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

- a. (16,17,18)
- b. Error
- c. (16,17,18,19) ✓
- d. (25,19,18,17)

Question **9**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

my_t1 = (1, 2, 3, 4)

my_t1.append((5, 6, 7))

print(len(my_t1))

- a. 1
- b. Error ✓
- c. 2
- d. 5

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. (1,2,3)(4,5,6)

b. (1,2,3,3,2,1)

c. (1,2,3,4,5,6) ✓

d. Error

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

t = (58, 47, 36, 25, 14, 3)

x = t[2:-1]

print(x)

a. (36, 25, 14) ✓

b. (3,14,25)

c. (58,47,36,25)

d. Error

Question **12**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove "ECE" from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. sampleSet.delete("ECE")

b. del.sampleSet("ECE")

c. sampleSet.discard("ECE") ✓

d. remove.sampleSet("ECE")

Question **13**

Incorrect

Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. Elements of set1 will get appended to set2

b. A new set will be created with the elements of both set1 and set2

c. Elements of set2 will get appended to set1

d. A new set will be created with the unique elements of set1 and set2. ✗

Question **14**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")

print type(a)
```

- a. <class 'str'> ✓
- b. <class 'tuple'>
- c. str
- d. <class 'int'>

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

- a. False
  False
- b. True ✓
  True
- c. False
  True
- d. True
  False