Status	Finished
Started	Tuesday, 13 October 2026, 2:33 PM
Completed	Tuesday, 13 October 2026, 2:46 PM
Duration	12 mins 16 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. True
b. False ✓

Question **2**

Correct

Mark 1.00 out of 1.00

clear() method is used to delete the dictionary.

a. True
b. False ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Dictionaries are flexible in nature, means elements can be added or removed from it.

a. False
b. True ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Dictionaries in python are ____.

a. Non-Mutable data type
b. Mapping data type
c. Both Mutable data type and Mapping data type ✓
d. Mutable data type

Question **5**

Correct

Mark 1.00 out of 1.00

In Python, Dictionaries are immutable

Select one:

True
False ✓

Question **6**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

a. Error
b. {'b': [2], 'a': [3]}
c. {'b': [2], 'a': 1}
d. {'b': [2, 3, 4], 'a': 1} ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Key – value concept is in ____.

a. String
b. Tuple
c. Dictionary ✓
d. List

Question **8**

Correct

Mark 1.00 out of 1.00

Write the output of the following codes.
>>>dl={1:10,2:20,3:30,4:40, 5:50}
>>>dl.items ()

a. [1, 2, 3, 4, 5]
b. Error
c. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)] ✓
d. [10, 20, 30, 40, 50]

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following is used to delete an element from Dictionary?

a. pop ✓
b. None of the mentioned
c. delete
d. remove

Question **10**

Correct

Mark 1.00 out of 1.00

In dictionary Keys and values are separated by ____.

a. Semicolon(;)

b. Comma(,)

c. Colon (:) ✓

d. dot(.)

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. dict ✓

b. create

c. dictionary

d. convert

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

a. A

b. 4 ✓

c. 5

d. Invalid Synatx,Error

Question **13**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys with different values.

b. A python, a dictionary can neither have two same keys nor two same values.

c. A dictionary can have two same values with different keys. ✓

d. A dictionary can have two same keys or same values but cannot have two same key-value pair

Question **14**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **15**

Correct

Mark 1.00 out of 1.00

____ function returns the value corresponding to the key passed as the argument.

a. del

b. get ✓

c. update

d. values